

LIVE ANIMALS

Live horses, asses, mules and hinnies

Horses

Pure-bred breeding animals

Other

For slaughter



Other

Asses

Other

Live bovine animals

Cattle

Pure-bred breeding animals

Heifers (female bovines that have never calved)

Cows

Other

Other

Of the sub-genus Bibos or of the sub-genus Poephagus

Other

Of a weight not exceeding 80|kg

Young male bovine animals, intended for fattening

Heifers of the grey, brown or yellow mountain breeds and spotted Pinzgau breed, other than for slaughter

Heifers of the Schwyz and Fribourg breeds, other than for slaughter

Heifers of the spotted Simmental breed, other than for slaughter

Bulls of the Schwyz, Fribourg and spotted Simmental breeds, other than for slaughter

Other

Of a weight exceeding 80|kg but not exceeding 160|kg

For slaughter



Other

Young male bovine animals, intended for fattening

Heifers of the grey, brown or yellow mountain breeds and spotted Pinzgau breed

Heifers of the Schwyz and Fribourg breeds

Heifers of the spotted Simmental breed

Bulls of the Schwyz, Fribourg and spotted Simmental breeds

Other

Of a weight exceeding 160|kg but not exceeding 300|kg

For slaughter



Other

Young male bovine animals, intended for fattening

Heifers and cows of the grey, brown or yellow mountain breeds and spotted Pinzgau breed

Heifers and cows of the Schwyz and Fribourg breeds

Heifers and cows of the spotted Simmental breed

Bulls of the Schwyz, Fribourg and spotted Simmental breeds

Other

Of a weight exceeding 300|kg

Heifers (female bovines that have never calved)

For slaughter



Not yet having any permanent teeth, of a weight of not less than 320|kg but not more than 470|kg

Other

Other

Heifers of the grey, brown or yellow mountain breeds and spotted Pinzgau breed

Not yet having any permanent teeth, of a weight of not less than 320|kg but not more than 470|kg

Other

Of the Schwyz and Fribourg breeds

Not yet having any permanent teeth, of a weight of not less than 320|kg but not more than 470|kg

Other

Of the spotted Simmental breed

Not yet having any permanent teeth, of a weight of not less than 320|kg but not more than 470|kg

Other

Other

Not yet having any permanent teeth, of a weight of not less than 320|kg but not more than 470|kg

Other

Cows

For slaughter



Other

Heifers of the grey, brown or yellow mountain breeds and spotted Pinzgau breed

Of the Schwyz and Fribourg breeds

Of the spotted Simmental breed

Other

Other

For slaughter



Not yet having any permanent teeth, of a weight of not less than 350|kg but not more than 500|kg

Other

Other

Bulls of the Schwyz, Fribourg and spotted Simmental breeds

<table><tr><td><table><tr><td>Not yet having any permanent teeth, of a weight of not less than 350 kg but not more than 500 kg</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Not yet having any permanent teeth, of a weight of not less than 350 kg but not more than 500 kg</td></tr><tr><td>Other</td></tr></table></td></tr></table>	<table><tr><td>Not yet having any permanent teeth, of a weight of not less than 350 kg but not more than 500 kg</td></tr><tr><td>Other</td></tr></table>	Not yet having any permanent teeth, of a weight of not less than 350 kg but not more than 500 kg	Other	Other	<table><tr><td>Not yet having any permanent teeth, of a weight of not less than 350 kg but not more than 500 kg</td></tr><tr><td>Other</td></tr></table>	Not yet having any permanent teeth, of a weight of not less than 350 kg but not more than 500 kg	Other
<table><tr><td>Not yet having any permanent teeth, of a weight of not less than 350 kg but not more than 500 kg</td></tr><tr><td>Other</td></tr></table>	Not yet having any permanent teeth, of a weight of not less than 350 kg but not more than 500 kg	Other					
Not yet having any permanent teeth, of a weight of not less than 350 kg but not more than 500 kg							
Other							
Other							
<table><tr><td>Not yet having any permanent teeth, of a weight of not less than 350 kg but not more than 500 kg</td></tr><tr><td>Other</td></tr></table>	Not yet having any permanent teeth, of a weight of not less than 350 kg but not more than 500 kg	Other					
Not yet having any permanent teeth, of a weight of not less than 350 kg but not more than 500 kg							
Other							

Buffalo
Pure-bred breeding animals
Other
Domestic species
Of a weight exceeding 160 kg
Other
Other

Other
Pure-bred breeding animals
Other
Domestic species
Of a weight exceeding 160 kg
Other
Other

Live swine
Pure-bred breeding animals
Other
Weighing less than 50 kg
Domestic species
Other
Weighing 50 kg or more
Domestic species
Sows having farrowed at least once, of a weight of not less than 160 kg
Other
Other

Live sheep and goats
Sheep
Pure-bred breeding animals
Other
Lambs (up to a year old)
Other
Goats
Pure-bred breeding animals
Other

Live poultry, that is to say, fowls of the species Gallus domesticus, ducks, geese,

turkeys and guinea fowls
Weighing not more than 185 g
Fowls of the species Gallus domesticus
Grandparent and parent female chicks
Laying stocks
Other
Other
Laying stocks
Other
Turkeys
Ducks
Geese
Guinea fowls

Other
Fowls of the species Gallus domesticus
Other
Ducks
Geese
Turkeys
Guinea fowls

Other live animals
Mammals
Primates
Whales, dolphins and porpoises (mammals of the order Cetacea); manatees and dugongs (mammals of the order Sirenia); seals, sea lions and walruses (mammals of the suborder Pinnipedia)
Camels and other camelids (Camelidae)
Rabbits and hares
Domestic rabbits
Other
Other

Reptiles (including snakes and turtles)
Birds
Birds of prey
Psittaciformes (including parrots, parakeets, macaws and cockatoos)
Ostriches; emus (Dromaius novaehollandiae)
Other
Pigeons
Other
Insects
Bees
Other
Other

MEAT AND EDIBLE MEAT OFFAL

Meat of bovine animals, fresh or chilled
Carcases and half-carcases
High quality beef and veal
Other
Carcases of a weight of 180 kg or more but not exceeding 300 kg and half-carcases, of a weight of 90 kg or more but not exceeding 150 kg, with a low degree of ossification of the cartilages (in particular those of the symphysis pubis and the vertebral apophyses), the meat of which is a light pink colour and the fat of which, of extremely fine structure, is white to light yellow in colour
Other

Other cuts with bone in
'Compensated' quarters
High quality beef and veal
Other
"Compensated" quarters, of a weight of 90 kg or more but not exceeding 150 kg, with a low degree of ossification of the cartilages (in particular those of the symphysis pubis and the vertebral apophyses), the meat of which is a light pink colour and the fat of which, of extremely fine structure, is white to light yellow in colour
Other

Unseparated or separated forequarters
High quality beef and veal
Other
Separated forequarters of a weight of 45 kg or more but not exceeding 75 kg, with a low degree of ossification of the cartilages (in particular those of the vertebral apophyses), the meat of which is a light pink colour and the fat of which, of extremely fine structure, is white to light yellow in colour
Other

Unseparated or separated hindquarters
High quality beef and veal
Other
Separated hindquarters of a weight of 45 kg or more but not exceeding 75 kg (38 kg or more but not exceeding 68 kg in the case of "Pistola" cuts), with a low degree of ossification of the cartilages (more especially those of the vertebral apophyses), the meat of which is a light pink colour and the fat of which, of extremely fine structure, is white to light yellow in colour
Other

Other
High quality beef and veal
Other

Boneless
High quality
Other
Buffalo meat
Other

Meat of bovine animals, frozen
Carcases and half-carcases
High quality beef and veal
Other
Other cuts with bone in
'Compensated' quarters
High quality beef and veal
Other
Unseparated or separated forequarters
High quality beef and veal
Other
Intended for processing
For the manufacture of products falling within subheadings 1602 10, 1602 50 31 or 1602 50 95, not containing meat other than that of animals of the bovine species, with a collagen/protein ratio of no more than 0,45 and containing by weight at least 20% of lean meat (excluding offal and fat) with meat and jelly accounting for at least 85% of the total net weight; the products must be subjected to a heat treatment sufficient to ensure the coagulation of meat proteins in the whole of the product and which therefore shows no traces of a pinkish liquid on the cut surface when the product is cut along a line passing through its thickest part (A-products)
for the manufacture of products other than those falling within subheadings ex 0210 20, 0210 99 51, 0210 99 90, 1602 50 10 and 1602 90 61 (B-products)
Other
Other
Unseparated or separated hindquarters
High quality beef and veal
Other
Other
High quality beef and veal
Other
Boneless
Forequarters, whole or cut into a maximum of five pieces, each quarter being in a single block; 'compensated' quarters in two blocks, one of which contains the forequarter, whole or cut into a maximum of five pieces, and the

other, the hindquarter, excluding the tenderloin, in one piece
High quality beef and veal
Other
Intended for processing
For the manufacture of products falling within subheadings 1602 10, 1602 50 31 or 1602 50 95, not containing meat other than that of animals of the bovine species, with a collagen/protein ratio of no more than 0,45 and containing by weight at least 20% of lean meat (excluding offal and fat) with meat and jelly accounting for at least 85% of the total net weight; the products must be subjected to a heat treatment sufficient to ensure the coagulation of meat proteins in the whole of the product and which therefore shows no traces of a pinkish liquid on the cut surface when the product is cut along a line passing through its thickest part (A-products)
For the manufacture of products other than those falling within subheadings ex 0210 20, 0210 99 51, 0210 99 90, 1602 50 10 and 1602 90 61 (B-products)
Other
Other

Crop, chuck-and-blade and brisket cuts
High quality beef and veal
Other
Intended for processing
For the manufacture of products falling within subheadings 1602 10, 1602 50 31 or 1602 50 95, not containing meat other than that of animals of the bovine species, with a collagen/protein ratio of no more than 0,45 and containing by weight at least 20% of lean meat (excluding offal and fat) with meat and jelly accounting for at least 85% of the total net weight; the products must be subjected to a heat treatment sufficient to ensure the coagulation of meat proteins in the whole of the product and which therefore shows no traces of a pinkish liquid on the cut surface when the product is cut along a line passing through its thickest part (A-products)
For the manufacture of products other than those falling within subheadings ex 0210 20, 0210 99 51, 0210 99 90, 1602 50 10 and 1602 90 61 (B-products)
Other
Other
Other
Other
High quality

Other
Buffalo meat
Intended for processing
For the manufacture of products falling within subheadings 1602 10, 1602 50 31 or 1602 50 95, not containing meat other than that of animals of the bovine species, with a collagen/protein ratio of no more than 0,45 and containing by weight at least 20% of lean meat (excluding offal and fat) with meat and jelly accounting for at least 85% of the total net weight; the products must be subjected to a heat treatment sufficient to ensure the coagulation of meat proteins in the whole of the product and which therefore shows no traces of a pinkish liquid on the cut surface when the product is cut along a line passing through its thickest part (A-products)
For the manufacture of products other than those falling within subheadings ex 0210 20, 0210 99 51, 0210 99 90, 1602 50 10 and 1602 90 61 (B-products)
Other
Other
Other
Intended for processing
For the manufacture of products falling within subheadings 1602 10, 1602 50 31 or 1602 50 95, not containing meat other than that of animals of the bovine species, with a collagen/protein ratio of no more than 0,45 and containing by weight at least 20% of lean meat (excluding offal and fat) with meat and jelly accounting for at least 85% of the total net weight; the products must be subjected to a heat treatment sufficient to ensure the coagulation of meat proteins in the whole of the product and which therefore shows no traces of a pinkish liquid on the cut surface when the product is cut along a line passing through its thickest part (A-products)
For the manufacture of products other than those falling within subheadings ex 0210 20, 0210 99 51, 0210 99 90, 1602 50 10 and 1602 90 61 (B-products)
Other
Other
Meat of swine, fresh, chilled or frozen
Fresh or chilled
Carcases and half-carcases

Of domestic swine
Other

Hams, shoulders and cuts thereof, with bone in
Of domestic swine
Hams and cuts thereof
Shoulders and cuts thereof
Other

Other
Of domestic swine
Fore-ends and cuts thereof
Loins and cuts thereof, with bone in
Bellies (streaky) and cuts thereof
Other
Boneless
Tenderloin, presented separately
Loins and cuts thereof, excluding tenderloin presented separately
Loins
Cuts
Hams
Other
Other
Other

Frozen
Carcases and half-carcases
Of domestic swine
Other

Hams, shoulders and cuts thereof, with bone in
Of domestic swine
Hams and cuts thereof
Shoulders and cuts thereof
Other

Other
Of domestic swine
Fore-ends and cuts thereof
Loins and cuts thereof, with bone in
Bellies (streaky) and cuts thereof
Other
Boneless
Loins and cuts thereof, excluding tenderloin presented separately
Loins
Cuts
Other
Tenderloin, presented separately
Hams

Other
Other
Other

Meat of sheep or goats, fresh, chilled or frozen
Carcases and half-carcases of lamb, fresh or chilled
Of domestic lamb
Other

Other meat of sheep, fresh or chilled
Carcases and half-carcases
Of domestic sheep
Other

Other cuts with bone in
Short forequarters
Of domestic sheep
Other
Chines and/or best ends
Of domestic sheep
Other
Legs
Of domestic sheep
Other
Other
Of domestic sheep
Other

Boneless
Of domestic sheep
Of lamb
Other
Other
Of lamb
Other

Carcases and half-carcases of lamb, frozen
Of domestic lamb
Other

Other meat of sheep, frozen
Carcases and half-carcases
Of domestic sheep
Other

Other cuts with bone in
Short forequarters
Of domestic sheep
Other
Chines and/or best ends
Of domestic sheep
Other

Legs
Of domestic sheep
Other
Other
Of domestic sheep
Other

Boneless
Of lamb
Of domestic sheep
Other
Other
Of domestic sheep
Other

Meat of goats
Fresh or chilled
Carcases and half-carcases
Short forequarters
Chines and/or best ends
Legs
Other
Cuts with bone in
Boneless cuts
Goatmeat of kid
Other

Frozen
Carcases and half-carcases
Short forequarters
Chines and/or best ends
Legs
Other
Cuts with bone in
Boneless cuts
Goatmeat of kid
Other

Meat of horses, asses, mules or hinnies, fresh, chilled or frozen
Fresh or chilled
Frozen

Edible offal of bovine animals, swine, sheep, goats, horses, asses, mules or hinnies, fresh, chilled or frozen
Of bovine animals, fresh or chilled
For the manufacture of pharmaceutical products
Other
Thick skirt and thin skirt
Of high quality
Other
Other

Of bovine animals, frozen

Tongues

Livers

Other

For the manufacture of pharmaceutical products

Other

Thick skirt and thin skirt

Of high quality

Thin skirt, whole

Other

Other

Thin skirt, whole

Intended for processing

For the manufacture of products falling within subheadings 1602 10, 1602 50 31 or 1602 50 95, not containing meat other than that of animals of the bovine species, with a collagen/protein ratio of no more than 0,45 and containing by weight at least 20% of lean meat (excluding offal and fat) with meat and jelly accounting for at least 85% of the total net weight; the products must be subjected to a heat treatment sufficient to ensure the coagulation of meat proteins in the whole of the product and which therefore shows no traces of a pinkish liquid on the cut surface when the product is cut along a line passing through its thickest part (A-products)

For the manufacture of products other than those falling within subheadings ex 0210 20, 0210 99 51, 0210 99 90, 1602 50 10 and 1602 90 61 (B-products)

Other

Other

Other

Intended for processing

For the manufacture of products falling within subheadings 1602 10, 1602 50 31 or 1602 50 95, not containing meat other than that of animals of the bovine species, with a collagen/protein ratio of no more than 0,45 and containing by weight at least 20% of lean meat (excluding offal and fat) with meat and jelly accounting for at least 85% of the total net weight; the products must be subjected to a heat treatment sufficient

to ensure the coagulation of meat proteins in the whole of the product and which therefore shows no traces of a pinkish liquid on the cut surface when the product is cut along a line passing through its thickest part (A-products)

For the manufacture of other products than products falling within subheadings ex 0210 20, 0210 99 51, 0210 99 90, 1602 50 10 and 1602 90 61 (B-products)

Other

Other

Other

Of swine, fresh or chilled

Of domestic swine

Other

Of swine, frozen

Livers

Of domestic swine

Other

Other

Other, fresh or chilled

For the manufacture of pharmaceutical products

Other

Of horses, asses, mules and hinnies

Of sheep and goats

Other, frozen

For the manufacture of pharmaceutical products

Other

Of horses, asses, mules and hinnies

Of sheep and goats

Meat and edible offal, of the poultry of heading|0105, fresh, chilled or frozen

Of fowls of the species Gallus domesticus

Not cut in pieces, fresh or chilled

Plucked and gutted, with heads and feet, known as '83|%|chickens'

Plucked and drawn, without heads and feet but with necks, hearts, livers and gizzards, known as '70|%|chickens'

Plucked and drawn, without heads and feet and without necks, hearts, livers and gizzards, known as '65|%|chickens', or otherwise presented

Not cut in pieces, frozen

Plucked and drawn, without heads and feet but with necks, hearts,

livers and gizzards, known as '70|%|chickens'

Plucked and drawn, without heads and feet and without necks, hearts, livers and gizzards, known as '65|%|chickens', or otherwise presented

Cuts and offal, fresh or chilled

Cuts

Boneless

With bone in

Halves or quarters

Whole wings, with or without tips

Backs, necks, backs with necks attached, rumps and wing-tips

Breasts and cuts thereof

Legs and cuts thereof

Other

Offal

Livers

Other

Cuts and offal, frozen

Cuts

Boneless

With bone in

Halves or quarters

Whole wings, with or without tips

Backs, necks, backs with necks attached, rumps and wing-tips

Breasts and cuts thereof

Legs and cuts thereof

Other

Offal

Livers

Other

Of turkeys

Not cut in pieces, fresh or chilled

Plucked and drawn, without heads and feet but with necks, hearts, livers and gizzards, known as '80|%|turkeys'

Plucked and drawn, without heads and feet and without necks, hearts, livers and gizzards, known as '73|%|turkeys', or otherwise presented

Not cut in pieces, frozen

Plucked and drawn, without heads and feet but with necks, hearts, livers and gizzards, known as '80|%|turkeys'

Plucked and drawn, without heads and feet and without necks, hearts, livers and gizzards, known as '73|%|turkeys', or otherwise presented

Cuts and offal, fresh or chilled

Cuts

Boneless

With bone in

Halves or quarters

Whole wings, with or without tips

Backs, necks, backs with necks attached, rumps and wing-tips

Breasts and cuts thereof

Legs and cuts thereof

Drumsticks and cuts of drumsticks

Other

Other

Offal

Livers

Other

Cuts and offal, frozen

Cuts

Boneless

With bone in

Halves or quarters

Whole wings, with or without tips

Backs, necks, backs with necks attached, rumps and wing-tips

Breasts and cuts thereof

Legs and cuts thereof

Drumsticks and cuts thereof

Other

Other

Offal

Livers

Other

Of ducks

Not cut in pieces, fresh or chilled

Plucked, bled, gutted but not drawn, with heads and feet, known as '85%|ducks'

Plucked and drawn, without heads and feet but with necks, hearts, livers and gizzards, known as '70%|ducks'

Plucked and drawn, without heads and feet and without necks, hearts, livers and gizzards, known as '63%|ducks', or otherwise presented

Not cut in pieces, frozen

Plucked and drawn, without heads and feet but with necks, hearts, livers and gizzards, known as '70%|ducks'

Plucked and drawn, without heads and feet and without necks, hearts, livers and gizzards, known as '63%|ducks', or otherwise presented

Fatty livers, fresh or chilled

Other, fresh or chilled

Cuts

Boneless

With bone in

Halves or quarters

Whole wings, with or without tips

Backs, necks, backs with necks attached, rumps and wing-tips

Breasts and cuts thereof

Legs and cuts thereof

Paletots

Other

Offal

Livers, other than fatty livers

Other

Other, frozen

Cuts

Boneless

With bone in

Halves or quarters

Whole wings, with or without tips

Backs, necks, backs with necks attached, rumps and wing-tips

Breasts and cuts thereof

Legs and cuts thereof

Paletots

Other

Offal

Livers

Fatty livers

Other

Other

Of geese

Not cut in pieces, fresh or chilled

Plucked, bled, not drawn, with heads and feet, known as '82%|geese'

Plucked and drawn, without heads and feet, with or without hearts and gizzards, known as '75%|geese', or otherwise presented

Not cut in pieces, frozen

Plucked, bled, not drawn, with heads and feet, known as '82%|geese'

Plucked and drawn, without heads and feet, with or without hearts and

gizzards, known as '75%|geese', or otherwise presented

Fatty livers, fresh or chilled

Other, fresh or chilled

Cuts

Boneless

With bone in

Halves or quarters

Whole wings, with or without tips

Backs, necks, backs with necks attached, rumps and wing-tips

Breasts and cuts thereof

Legs and cuts thereof

Paletots

Other

Offal

Livers, other than fatty livers

Other

Other, frozen

Cuts

Boneless

With bone in

Halves or quarters

Whole wings, with or without tips

Backs, necks, backs with necks attached, rumps and wing-tips

Breasts and cuts thereof

Legs and cuts thereof

Paletots

Other

Offal

Livers

Fatty livers

Other

Other

Of guinea fowls

Not cut in pieces, fresh, chilled or frozen

fresh or chilled

frozen

Other, fresh, chilled or frozen

Cuts

Boneless

With bone in

Halves or quarters

Fresh or chilled

Other

Whole wings, with or without tips

Backs, necks, backs with necks attached, rumps and wing-tips
Breasts and cuts thereof
Legs and cuts thereof
Other
Offal
Livers
Fresh or chilled
Other
Other

Other meat and edible meat offal, fresh, chilled or frozen
Of rabbits or hares
Of domestic rabbits
Other
Of primates
Of whales, dolphins and porpoises (mammals of the order Cetacea); of manatees and dugongs (mammals of the order Sirenia); of seals, sea lions and walruses (mammals of the suborder Pinnipedia)
Whale meat
Seal meat
Other
Of reptiles (including snakes and turtles)
Of camels and other camelids (Camelidae)
Other
Of domestic pigeons
Of game, other than of rabbits or hares
Of reindeer
Frozen
Other
Frogs' legs
Other

Pig fat, free of lean meat, and poultry fat, not rendered or otherwise extracted, fresh, chilled, frozen, salted, in brine, dried or smoked
Of pigs
Subcutaneous pig fat
Fresh, chilled, frozen, salted or in brine
Dried or smoked
Pig fat, other than that of subheading 0209 10 11 or 0209 10 19
Other

Meat and edible meat offal, salted, in brine, dried or smoked; edible flours and meals of meat or meat offal
Meat of swine
Hams, shoulders and cuts thereof, with bone in

Of domestic swine
Salted or in brine
Hams and cuts thereof
Shoulders and cuts thereof
Dried or smoked
Hams and cuts thereof
Shoulders and cuts thereof
Other
Bellies (streaky) and cuts thereof
Of domestic swine
Salted or in brine
Dried or smoked
Other

Other
Of domestic swine
Salted or in brine
Bacon sides or spencers
Three-quarter sides or middles
Fore-ends and cuts thereof
Loins and cuts thereof
Other
Hams, in brine, enclosed in a bladder or in an artificial gut
Other
Dried or smoked
Fore-ends and cuts thereof
Loins and cuts thereof
Other
Boneless
Chop, smoked
Pork neck, dried in air, seasoned or not, whole, in pieces or thinly sliced
Other
Other
Other

Meat of bovine animals
With bone in
Boneless
Cuts of meat from haunches of bovine animals aged at least 18 months, with no visible intramuscular fat (3 to 7 %) and a pH of the fresh meat between 5.4 and 6.0; salted, seasoned, pressed, dried only in fresh dry air and developing noble mould (bloom of microscopic fungi); the weight of the finished product is between 41% and 53% of the raw material before salting
Other

Other, including edible flours and meals of meat or meat offal
Of primates

Of whales, dolphins and porpoises (mammals of the order Cetacea); of manatees and dugongs (mammals of the order Sirenia); of seals, sea lions and walruses (mammals of the suborder Pinnipedia)
Of whales, dolphins and porpoises (mammals of the order Cetacea); of manatees and dugongs (mammals of the order Sirenia)
Other
Meat
Offal
Edible flours and meals of meat or meat offal

Of reptiles (including snakes and turtles)
Other
Meat
Of horses, salted, in brine or dried
Of sheep and goats
With bone in
Boneless
Of lamb
Other
Of reindeer
Other
Poultrymeat, salted or in brine, of heading 0207
Other

Offal
Of domestic swine
Livers
Other
Of bovine animals
Thick skirt and thin skirt
Other
Other
Poultry liver
Fatty livers of geese or ducks, salted or in brine
Other
Other
Of sheep and goats
Other
Edible flours and meals of meat or meat offal
Of domestic swine and bovine animals
Other

FISH AND CRUSTACEANS, MOLLUSCS AND OTHER AQUATIC INVERTEBRATES
Live fish
Ornamental fish

Freshwater fish
Other

Other live fish

Trout (Salmo trutta, Oncorhynchus mykiss, Oncorhynchus clarki, Oncorhynchus aguabonita, Oncorhynchus gilae, Oncorhynchus apache and Oncorhynchus chrysogaster)
Of the species Oncorhynchus apache or Oncorhynchus chrysogaster
Other
Of the species Oncorhynchus mykiss
Weighing 1.2 kg or less each
Other
Other

Eels (Anguilla spp.)

Of a length of less than 12 cm
Of a length of 12 cm or more but less than 20 cm
Of a length of 20 cm or more

Carp (Cyprinus carpio, Carassius carassius, Ctenopharyngodon idellus, Hypophthalmichthys spp., Cirrhinus spp., Mylopharyngodon piceus)

Atlantic and Pacific bluefin tuna (Thunnus thynnus, Thunnus orientalis)

Atlantic bluefin tuna (Thunnus thynnus)
Pacific bluefin tuna (Thunnus orientalis)

Southern bluefin tuna (Thunnus maccoyii)

Other

Freshwater fish
Pacific salmon (Oncorhynchus nerka, Oncorhynchus gorbuscha, Oncorhynchus keta, Oncorhynchus tshawytscha, Oncorhynchus kisutch, Oncorhynchus masou and Oncorhynchus rhodurus), Atlantic salmon (Salmo salar) and Danube salmon (Hucho hucho)
Atlantic salmon (Salmo salar)
Other
Other

Other

Sharks (Squalus spp.)
European sea bass (Dicentrarchus labrax)
Porbeagle shark (Lamna nasus)
Lesser or Greenland halibut (Reinhardtius hippoglossoides)
Atlantic halibut (Hippoglossus hippoglossus)
Gilt-head sea bream (Sparus aurata)
Swordfish (Xiphias gladius)

Bigeye tuna (Thunnus obesus)
Sea bream (Dentex dentex, Pagellus spp.)
Other

Fish, fresh or chilled, excluding fish fillets and other fish meat of heading|0304

Salmonidae, excluding livers and roes

Trout (Salmo trutta, Oncorhynchus mykiss, Oncorhynchus clarki, Oncorhynchus aguabonita, Oncorhynchus gilae, Oncorhynchus apache and Oncorhynchus chrysogaster)
Of the species Oncorhynchus apache or Oncorhynchus chrysogaster
Of the species Oncorhynchus mykiss, with heads and gills on, gutted, weighing more than 1,2 kg each, or with heads off, gilled and gutted, weighing more than 1 kg each
Other
Of the species Oncorhynchus mykiss
In the form of whole fish (with heads on), whether or not gilled, whether or not gutted, weighing 1,2 kg or less each; with heads off, whether or not gilled, whether or not gutted, weighing 1 kg or less each
Other
Other

Pacific salmon (Oncorhynchus nerka, Oncorhynchus gorbuscha, Oncorhynchus keta, Oncorhynchus tshawytscha, Oncorhynchus kisutch, Oncorhynchus masou and Oncorhynchus rhodurus)

Atlantic salmon (Salmo salar) and Danube salmon (Hucho hucho)

Atlantic salmon (Salmo salar)
Danube salmon (Hucho hucho)
Other

Flat fish (Pleuronectidae, Bothidae, Cynoglossidae, Soleidae, Scophthalmidae and Citharidae), excluding livers and roes

Halibut (Reinhardtius hippoglossoides, Hippoglossus hippoglossus, Hippoglossus stenolepis)
Lesser or Greenland halibut (Reinhardtius hippoglossoides)
Atlantic halibut (Hippoglossus hippoglossus)
Pacific halibut (Hippoglossus stenolepis)
Plaice (Pleuronectes platessa)
Sole (Solea spp.)
Turbot (Psetta maxima)
Other
Megrim (Lepidorhombus spp.)

Other

Tuna (of the genus Thunnus), skipjack or stripe-bellied bonito (Euthynnus (Katsuwonus) pelamis), excluding livers and roes

Albacore or longfinned tuna (Thunnus alalunga)

For the industrial manufacture of products of heading 1604
Other

Yellowfin tuna (Thunnus albacares)

For the industrial manufacture of products of heading 1604
Other

Skipjack or stripe-bellied bonito

For the industrial manufacture of products of heading 1604
Other

Bigeye tuna (Thunnus obesus)

For the industrial manufacture of products of heading 1604
Other

Atlantic and Pacific bluefin tuna (Thunnus thynnus, Thunnus orientalis)

Atlantic bluefin tuna (Thunnus thynnus)
For the industrial manufacture of products of heading 1604
Other

Pacific bluefin tuna (Thunnus orientalis)

For the industrial manufacture of products of heading 1604
Other

Southern bluefin tuna (Thunnus maccoyii)

For the industrial manufacture of products of heading 1604
Other

Other

For the industrial manufacture of products of heading 1604
Other

Herring (Clupea harengus, Clupea pallasii), anchovies (Engraulis spp.), sardines (Sardina pilchardus, Sardinops spp.), sardinella (Sardinella spp.), brisling or sprats (Sprattus sprattus), mackerel (Scomber scombrus, Scomber australasicus, Scomber japonicus), jack and horse mackerel (Trachurus spp.), cobia (Rachycentron canadum) and swordfish (Xiphias gladius), excluding livers and roes

Herring (Clupea harengus, Clupea pallasii)

Of a weight exceeding 100 g per piece, for processing
Other

Anchovies (Engraulis spp.)

Sardines (Sardina pilchardus, Sardinops spp.), sardinella (Sardinella spp.), brisling or sprats (Sprattus sprattus)

Sardines of the species Sardina pilchardus

Sardines of the genus Sardinops; sardinella (Sardinella spp.)

Brisling or sprats (Sprattus sprattus)

Mackerel (Scomber scombrus, Scomber australasicus, Scomber japonicus)

Mackerel (Scomber scombrus)

Other

Jack and horse mackerel (Trachurus spp.)

Atlantic horse mackerel (Trachurus trachurus)

Chilean jack mackerel (Trachurus murphyi)

Other

Horse mackerel (scad) (Caranx trachurus)

Other

Cobia (Rachycentron canadum)

Swordfish (Xiphias gladius)

Fish of the families Bregmacerotidae, Euclichthyidae, Gadidae, Macrouridae, Melanonidae, Merlucciidae, Moridae and Muraenolepididae, excluding livers and roes

Cod (Gadus morhua, Gadus ogac, Gadus macrocephalus)

Of the species Gadus morhua

For processing

Other

Other

For industrial manufacture

Other

Haddock (Melanogrammus aeglefinus)

With heads off, gilled and gutted, for processing

Other

Coalfish (Pollachius virens)

Hake (Merluccius spp., Urophycis spp.)

Hake of the genus Merluccius

Cape hake (shallow-water hake) (Merluccius capensis) and deepwater hake (deepwater Cape hake) (Merluccius paradoxus)

Southern hake (Merluccius australis)

Other

Silver hake (Merluccius bilinearis)

Hake of the species Merluccius merluccius

Other

Hake of the genus Urophycis

Alaska pollack (Theragra chalcogramma)

Blue whiting (Micromesistius poutassou, Micromesistius australis)

Blue whiting (Micromesistius poutassou)

Southern blue whiting (Micromesistius australis)

Other

Fish of the species Boreogadus saida

For processing

Other

Whiting (Merlangius merlangus)

Pollack (Pollachius pollachius)

Ling (Molva spp.)

Other

Tilapia (Oreochromis spp.), catfish (Pangasius spp., Silurus spp., Clarias spp., Ictalurus spp.), carp (Cyprinus carpio, Carassius carassius, Ctenopharyngodon idellus, Hypophthalmichthys spp., Cirrhinus spp., Mylopharyngodon piceus), eels (Anguilla spp.), Nile perch (Lates niloticus) and snakeheads (Channa spp.), excluding livers and roes

Tilapia (Oreochromis spp.)

Catfish (Pangasius spp., Silurus spp., Clarias spp., Ictalurus spp.)

Carp (Cyprinus carpio, Carassius carassius, Ctenopharyngodon idellus, Hypophthalmichthys spp., Cirrhinus spp., Mylopharyngodon piceus)

Eels (Anguilla spp.)

Other

Other fish, excluding livers and roes

Dogfish and other sharks

Dogfish of the species Squalus acanthias

Dogfish of the species Scyliorhinus spp.

Porbeagle shark (Lamna nasus)

Other

Rays and skates (Rajidae)

Toothfish (Dissostichus spp.)

Sea bass (Dicentrarchus spp.)

European sea bass (Dicentrarchus labrax)

Other

Sea bream (Sparidae)

Of the species Dentex dentex or Pagellus spp.

Gilt-head sea bream (Sparus aurata)

Other

Other

Freshwater fish

Other

Fish of the genus Euthynnus, other than the skipjack or stripe-bellied bonito (Euthynnus (Katsuwonus) pelamis) mentioned in subheading|0302|33

For the industrial manufacture of products of heading|1604

Other

Redfish (Sebastes spp.)

Of the species Sebastes marinus

Other

Of the species Sebastes mentella

Other

Ray's bream (Brama spp.)

Monkfish (Lophius spp.)

Pink cusk-eel (Genypterus blacodes)

Other

Red snapper (Lutjanus purpureus), for processing

Fish of the species Kathetostoma giganteum

Bogue (Boops boops)

Other

Livers and roes

Of herring (Clupea harengus, Clupea pallasii)

Of salmon

Of pike

Of Atlantic bigeye tuna (Thunnus obesus)

Other

Hard roes

Other

Fish, frozen, excluding fish fillets and other fish meat of heading|0304

Salmonidae, excluding livers and roes

Sockeye salmon (red salmon) (Oncorhynchus nerka)

Other Pacific salmon (Oncorhynchus gorbuscha, Oncorhynchus keta, Oncorhynchus tshawytscha, Oncorhynchus kisutch, Oncorhynchus masou and Oncorhynchus rhodurus)

Atlantic salmon (Salmo salar) and Danube salmon (Hucho hucho)

Atlantic salmon (Salmo salar)

Danube salmon (Hucho hucho)

Trout (Salmo trutta, Oncorhynchus mykiss, Oncorhynchus clarki, Oncorhynchus aguabonita, Oncorhynchus gilae, Oncorhynchus apache and Oncorhynchus chrysogaster)

Of the species Oncorhynchus apache or Oncorhynchus chrysogaster

Of the species Oncorhynchus mykiss, with heads and gills on, gutted, weighing more than 1,2 kg each, or with heads off, gilled and gutted, weighing more than 1 kg each
Other
Of the species Oncorhynchus mykiss
In the form of whole fish (with heads on), whether or not gilled, whether or not gutted, weighing 1,2 kg or less each; with heads off, whether or not gilled, whether or not gutted, weighing 1 kg or less each
Other
Other
Other
Of the genus Coregone
Other

Tilapia (Oreochromis spp.), catfish (Pangasius spp., Silurus spp., Clarias spp., Ictalurus spp.), carp (Cyprinus carpio, Carassius carassius, Ctenopharyngodon idellus, Hypophthalmichthys spp., Cirrhinus spp., Mylopharyngodon piceus), eels (Anguilla spp.), Nile perch (Lates niloticus) and snakeheads (Channa spp.), excluding livers and roes
Tilapia (Oreochromis spp.)
Catfish (Pangasius spp., Silurus spp., Clarias spp., Ictalurus spp.)
Carp (Cyprinus carpio, Carassius carassius, Ctenopharyngodon idellus, Hypophthalmichthys spp., Cirrhinus spp., Mylopharyngodon piceus)
Eels (Anguilla spp.)
Other

Flat fish (Pleuronectidae, Bothidae, Cynoglossidae, Soleidae, Scophthalmidae and Citharidae), excluding livers and roes
Halibut (Reinhardtius hippoglossoides, Hippoglossus hippoglossus, Hippoglossus stenolepis)
Lesser or Greenland halibut (Reinhardtius hippoglossoides)
Atlantic halibut (Hippoglossus hippoglossus)
Pacific halibut (Hippoglossus stenolepis)
Plaice (Pleuronectes platessa)
Sole (Solea spp.)
Turbot (Psetta maxima)
Other
Flounder (Platichthys flesus)
Fish of the genus Rhombosolea
Fish of the species Pelotreis flavilatus or Peltorhamphus novaezelandiae
Other
Megrim (Lepidorhombus spp.)

Other
Tuna (of the genus Thunnus), skipjack or stripe-bellied bonito (Euthynnus (Katsuwonus) pelamis), excluding livers and roes
Albacore or longfinned tuna (Thunnus alalunga)
For the industrial manufacture of products of heading 1604
Other
Yellowfin tuna (Thunnus albacares)
For the industrial manufacture of products of heading 1604
Whole
Weighing more than 10 kg each
Other
Other
Weighing more than 10 kg each
Other
Other
Skipjack or stripe-bellied bonito
For the industrial manufacture of products of heading 1604
Other
Bigeye tuna (Thunnus obesus)
For the industrial manufacture of products of heading 1604
Other
Atlantic and Pacific bluefin tuna (Thunnus thynnus, Thunnus orientalis)
Atlantic bluefin tuna (Thunnus thynnus)
For the industrial manufacture of products of heading 1604
Other
Pacific bluefin tuna (Thunnus orientalis)
For the industrial manufacture of products of heading 1604
Other
Southern bluefin tuna (Thunnus maccoyii)
For the industrial manufacture of products of heading 1604
Other
Other
For the industrial manufacture of products of heading 1604
Other

Herring (Clupea harengus, Clupea pallasii), sardines (Sardina pilchardus, Sardinops spp.), sardinella (Sardinella spp.), brisling or sprats (Sprattus sprattus), mackerel (Scomber scombrus, Scomber australasicus, Scomber japonicus), jack and horse mackerel (Trachurus spp.), cobia (Rachycentron

canadum) and swordfish (Xiphias gladius), excluding livers and roes
Herring (Clupea harengus, Clupea pallasii)
Of a weight exceeding 100 g per piece, for processing
Other, for industrial manufacture
Other
Sardines (Sardina pilchardus, Sardinops spp.), sardinella (Sardinella spp.), brisling or sprats (Sprattus sprattus)
Sardines of the species Sardina pilchardus
Sardines of the genus Sardinops; sardinella (Sardinella spp.)
Brisling or sprats (Sprattus sprattus)
Mackerel (Scomber scombrus, Scomber australasicus, Scomber japonicus)
Of the species Scomber scombrus or Scomber japonicus
Of the species Scomber scombrus
Of the species Scomber japonicus
Of the species Scomber australasicus
Jack and horse mackerel (Trachurus spp.)
Atlantic horse mackerel (Trachurus trachurus)
Chilean jack mackerel (Trachurus murphyi)
Other
Horse mackerel (scad) (Caranx trachurus)
Other
Cobia (Rachycentron canadum)
Swordfish (Xiphias gladius)

Fish of the families Bregmacerotidae, Euclichthyidae, Gadidae, Macrouridae, Melanonidae, Merlucciidae, Moridae and Muraenolepididae, excluding livers and roes
Cod (Gadus morhua, Gadus ogac, Gadus macrocephalus)
Of the species Gadus morhua
For processing
Other
Of the species Gadus ogac
For processing
Other
Of the species Gadus macrocephalus
For processing
Other
Haddock (Melanogrammus aeglefinus)

With heads off, gilled and gutted, for processing
Other

Coalfish (Pollachius virens)

Hake (Merluccius spp., Urophycis spp.)
Hake of the genus Merluccius
Cape hake (shallow-water hake) (Merluccius capensis) and deepwater hake (deepwater Cape hake) (Merluccius paradoxus)
For processing
Other

Argentine hake (Southwest Atlantic hake) (Merluccius hubbsi)
For processing
Other

Southern hake (Merluccius australis)
For processing
Other

Other
Silver hake (Merluccius bilinearis)
For processing
Other

Hake of the species Merluccius merluccius

Other hake of the genus Merluccius
For processing
Other

Hake of the genus Urophycis

Alaska pollack (Theragra chalcogramma)
For processing
Other

Blue whiting (Micromesistius poutassou, Micromesistius australis)
Blue whiting (Micromesistius poutassou, Gadus poutassou)

Southern blue whiting (Micromesistius australis)
--

Other
Fish of the species Boreogadus saida
For processing
Other

Whiting (Merlangius merlangus)

Pollack (Pollachius pollachius)

Blue grenadier (Macruronus novaezelandiae)
--

Ling (Molva spp.)

Other

Other fish, excluding livers and roes

Dogfish and other sharks
Dogfish of the species Squalus acanthias

Dogfish of the species Scyliorhinus spp.
--

Porbeagle shark (Lamna nasus)

Other

Rays and skates (Rajidae)

Toothfish (Dissostichus spp.)

Sea bass (Dicentrarchus spp.)
European sea bass (Dicentrarchus labrax)

Other

Other
Freshwater fish

Other
Fish of the genus Euthynnus, other than the skipjack or stripe-bellied bonito (Euthynnus (Katsuwonus) pelamis) mentioned in subheading 0303 43
For the industrial manufacture of products of heading 1604
Other

Redfish (Sebastes spp.)
Of the species Sebastes marinus

Other
Of the species Sebastes mentella
Other

Fish of the species Orcynopsis unicolor

Anchovies (Engraulis spp.)
Engraulis anchoita and Engraulis capensis, for processing
Other

Sea bream (Dentex dentex, Pagellus spp.)
--

Gilt-head sea bream (Sparus aurata)

Ray's bream (Brama spp.)

Monkfish (Lophius spp.)

Pink cusk-eel (Genypterus blacodes)
For processing
Other

Other
Fish of the species Kathetostoma giganteum

Bogue (Boops boops)

Pink cusk-eel (Genypterus capensis) for processing
--

Other

Livers and roes

Hard and soft roes for the manufacture of deoxyribonucleic acid or protamine sulphate

Other
Of Atlantic bigeye tuna (Thunnus obesus)

Of herring (Clupea harengus, Clupea pallasii)

Other
Hard roes
Other

Fish fillets and other fish meat (whether or not minced), fresh, chilled or frozen
Fresh or chilled fillets of tilapia (Oreochromis spp.), catfish (Pangasius spp., Silurus spp., Clarias spp., Ictalurus spp.), carp (Cyprinus carpio, Carassius carassius, Ctenopharyngodon idellus, Hypophthalmichthys spp., Cirrhinus spp., Mylopharyngodon piceus), eels (Anguilla spp.), Nile perch (Lates niloticus) and snakeheads (Channa spp.)
Tilapia (Oreochromis spp.)

Catfish (Pangasius spp., Silurus spp., Clarias spp., Ictalurus spp.)
Pangasius (Pangasius spp.)
Other

Nile perch (Lates niloticus)

Other
Eels (Anguilla spp.)

Carp (Cyprinus carpio, Carassius carassius, Ctenopharyngodon idellus, Hypophthalmichthys spp., Cirrhinus spp., Mylopharyngodon piceus)
Other

Fresh or chilled fillets of other fish
Pacific salmon (Oncorhynchus nerka, Oncorhynchus gorbuscha, Oncorhynchus keta, Oncorhynchus tshawytscha, Oncorhynchus kisutch, Oncorhynchus masou and Oncorhynchus rhodurus), Atlantic salmon (Salmo salar) and Danube salmon (Hucho hucho)
Atlantic salmon (Salmo salar)
Other

Trout (Salmo trutta, Oncorhynchus mykiss, Oncorhynchus clarki, Oncorhynchus aguabonita, Oncorhynchus gilae, Oncorhynchus apache and Oncorhynchus chrysogaster)
Of the species Oncorhynchus mykiss, weighing more than 400 g each

Of the species Oncorhynchus apache or Oncorhynchus chrysogaster

Other
Of the species Oncorhynchus mykiss
Other

Flat fish (Pleuronectidae, Bothidae, Cynoglossidae, Soleidae, Scophthalmidae and Citharidae)

Of lesser or Greenland halibut (Reinhardtius hippoglossoides) and of Atlantic halibut (Hippoglossus hippoglossus)

Other

Fish of the families Bregmacerotidae, Euclichthyidae, Gadidae, Macrouridae, Melanonidae, Merlucciidae, Moridae and Muraenolepididae

Cod (Gadus morhua, Gadus ogac, Gadus macrocephalus) and fish of the species Boreogadus saida

Of the species Gadus morhua

Other

Coalfish (Pollachius virens)

Other

Haddock (Melanogrammus aeglefinus)

Other

Swordfish (Xiphias gladius)

Toothfish (Dissostichus spp.)

Other

Freshwater fish

Other

Redfish (Sebastes spp.)

Other

Herrings

Mackerel

Bluefin tunas (Thunnus thynnus)

Atlantic bigeye tuna (Thunnus obesus)

Gilt-head sea bream (Sparus aurata)

Sea bream (Dentex dentex and Pagellus spp.)

European sea bass (Dicentrarchus labrax)

Other

Other, fresh or chilled

Tilapia (Oreochromis spp.), catfish (Pangasius spp., Silurus spp., Clarias spp., Ictalurus spp.), carp (Cyprinus carpio, Carassius carassius, Ctenopharyngodon idellus, Hypophthalmichthys spp., Cirrhinus spp., Mylopharyngodon piceus), eels (Anguilla spp.), Nile perch (Lates niloticus) and snakeheads (Channa spp.)

Carp (Cyprinus carpio, Carassius carassius, Ctenopharyngodon idellus, Hypophthalmichthys spp., Cirrhinus spp., Mylopharyngodon piceus)

Other

Salmonidae

Trout of the species Salmo trutta, Oncorhynchus mykiss, Oncorhynchus clarki,

Oncorhynchus aguabonita, Oncorhynchus gilae, Oncorhynchus apache and Oncorhynchus chrysogaster

Other

Fish of the families Bregmacerotidae, Euclichthyidae, Gadidae, Macrouridae, Melanonidae, Merlucciidae, Moridae and Muraenolepididae

Cod (Gadus morhua, Gadus ogac, Gadus macrocephalus) and fish of the species Boreogadus saida

Of the species Gadus morhua

Other

Coalfish (Pollachius virens)

Haddock (Melanogrammus aeglefinus)

For processing

Other

Other

Swordfish (Xiphias gladius)

Toothfish (Dissostichus spp.)

Other

Freshwater fish

Other

Flaps of herring

Herring of the species Clupea harengus and Clupea pallasii, of a weight exceeding 80[g per piece, for industrial manufacture

Other

Other

Herrings

Atlantic bluefin tunas (Thunnus thynnus)

Bigeye tuna (Thunnus obesus)

Sharks (Squalus spp.), excluding dogfish of the species Squalus acanthias

Lesser or Greenland halibut (Reinhardtius hippoglossoides)

Atlantic halibut (Hippoglossus hippoglossus)

Sea bream (Dentex dentex, Pagellus spp.)

European sea bass (Dicentrarchus labrax)

Redfish (Sebastes spp.)

Bogue (Boops boops)

Porbeagle shark (Lamna nasus)

Gilt-head sea bream (Sparus aurata)

Other

Frozen fillets of tilapia (Oreochromis spp.), catfish (Pangasius spp., Silurus spp., Clarias spp., Ictalurus spp.), carp (Cyprinus carpio, Carassius carassius, Ctenopharyngodon idellus,

Hypophthalmichthys spp., Cirrhinus spp., Mylopharyngodon piceus), eels (Anguilla spp.), Nile perch (Lates niloticus) and snakeheads (Channa spp.)

Tilapia (Oreochromis spp.)

Catfish (Pangasius spp., Silurus spp., Clarias spp., Ictalurus spp.)

Nile perch (Lates niloticus)

Other

Eels (Anguilla spp.)

Carp (Cyprinus carpio, Carassius carassius, Ctenopharyngodon idellus, Hypophthalmichthys spp., Cirrhinus spp., Mylopharyngodon piceus)

Other

Frozen fillets of fish of the families Bregmacerotidae, Euclichthyidae, Gadidae, Macrouridae, Melanonidae, Merlucciidae, Moridae and Muraenolepididae

Cod (Gadus morhua, Gadus ogac, Gadus macrocephalus)

Cod of the species Gadus macrocephalus

For processing

Other

Other

Cod of the species Gadus morhua

For processing

Other

Cod of the species Gadus ogac

Haddock (Melanogrammus aeglefinus)

Coalfish (Pollachius virens)

Hake (Merluccius spp., Urophycis spp.)

Hake of the genus Merluccius

Cape hake (shallow-water hake) (Merluccius capensis) and deepwater hake (deepwater Cape hake) (Merluccius paradoxus)

Argentine hake (Southwest Atlantic hake) (Merluccius hubbsi)

Other

North Pacific hake (Merluccius productus), for processing

Other

Hake of the genus Urophycis

Alaska pollack (Theragra chalcogramma)

for processing

Other

Other

Fish of the species Boreogadus saida

Whiting (Merlangius merlangus)

Blue grenadier (Macruronus novaezelandiae)

For processing

Other
Ling (Molva spp.)
Other
Fish of the genus <i>Macruronus</i> , other than blue grenadier (<i>Macruronus novaezealandiae</i>) mentioned in subheading 0304 79 50
Patagonian grenadier (<i>Macruronus magellanicus</i>)
For processing
Other
Other
For processing
Other
Other

Frozen fillets of other fish
Pacific salmon (<i>Oncorhynchus nerka</i> , <i>Oncorhynchus gorbuscha</i> , <i>Oncorhynchus keta</i> , <i>Oncorhynchus tshawytscha</i> , <i>Oncorhynchus kisutch</i> , <i>Oncorhynchus masou</i> and <i>Oncorhynchus rhodurus</i>), Atlantic salmon (<i>Salmo salar</i>) and Danube salmon (<i>Hucho hucho</i>)
Atlantic salmon (<i>Salmo salar</i>)
Other

Trout (<i>Salmo trutta</i> , <i>Oncorhynchus mykiss</i> , <i>Oncorhynchus clarki</i> , <i>Oncorhynchus aguabonita</i> , <i>Oncorhynchus gilae</i> , <i>Oncorhynchus apache</i> and <i>Oncorhynchus chrysogaster</i>)
Of the species <i>Oncorhynchus mykiss</i> , weighing more than 400 g each
Of the species <i>Oncorhynchus apache</i> or <i>Oncorhynchus chrysogaster</i>
Other
Of the species <i>Oncorhynchus mykiss</i>
Other

Flat fish (<i>Pleuronectidae</i> , <i>Bothidae</i> , <i>Cynoglossidae</i> , <i>Soleidae</i> , <i>Scophthalmidae</i> and <i>Citharidae</i>)
Plaice (<i>Pleuronectes platessa</i>)
Flounder (<i>Platichthys flesus</i>)
Megrim (<i>Lepidorhombus</i> spp.)
Other
Halibut (<i>Reinhardtius hippoglossoides</i> , <i>Hippoglossus hippoglossus</i> , <i>Hippoglossus stenolepis</i>)
Flat fish (<i>Limanda aspera</i> , <i>Lepidopsetta bilineata</i> , <i>Pleuronectes quadrituberculatus</i> , <i>Limanda ferruginea</i> , <i>Lepidopsetta polyxystra</i>)
For processing
Other
Other

Swordfish (<i>Xiphias gladius</i>)
Toothfish (<i>Dissostichus</i> spp.)
Herring (<i>Clupea harengus</i> , <i>Clupea pallasii</i>)
Tuna (of the genus <i>Thunnus</i>), skipjack or stripe-bellied bonito (<i>Euthynnus</i> (<i>Katsuwonus</i>) <i>pelamis</i>)
Atlantic bluefin tuna (<i>Thunnus thynnus</i>)
Bigeye tuna (<i>Thunnus obesus</i>)
Other
Other
Freshwater fish
Other
Redfish (<i>Sebastes</i> spp.)
Of the species <i>Sebastes marinus</i>
Other
Of the species <i>Sebastes mentella</i>
Other
Fish of the genus <i>Euthynnus</i> , other than the skipjack or stripe-bellied bonito (<i>Euthynnus</i> (<i>Katsuwonus</i>) <i>pelamis</i>) mentioned in subheading 0304 87 00
Mackerel (<i>Scomber scombrus</i> , <i>Scomber australasicus</i> , <i>Scomber japonicus</i>) and fish of the species <i>Orcynopsis unicolor</i>
Mackerel of the species <i>Scomber australasicus</i>
Other
Mackerel of the species <i>Scomber scombrus</i>
Mackerel of the species <i>Scomber japonicus</i>
Fish of the species <i>Orcynopsis unicolor</i>
Dogfish and other sharks
Dogfish (<i>Squalus acanthias</i> , <i>Scyliorhinus</i> spp.)
Porbeagle shark (<i>Lamna nasus</i>)
Other sharks
Monkfish (<i>Lophius</i> spp.)
Other
Of the species <i>Allocyttus</i> spp. and <i>Pseudocyttus maculatus</i>
Ray's bream (<i>Brama</i> spp.)
Sea bream (<i>Dentex dentex</i> , <i>Pagellus</i> spp.)
European sea bass (<i>Dicentrarchus labrax</i>)
Bogue (<i>Boops boops</i>)
Gilt-head sea bream (<i>Sparus aurata</i>)
Other

Other, frozen
Swordfish (<i>Xiphias gladius</i>)
Toothfish (<i>Dissostichus</i> spp.)
Tilapia (<i>Oreochromis</i> spp.), catfish (<i>Pangasius</i> spp., <i>Silurus</i> spp., <i>Clarias</i> spp., <i>Ictalurus</i> spp.), carp (<i>Cyprinus carpio</i> , <i>Carassius carassius</i> , <i>Ctenopharyngodon idellus</i> , <i>Hypophthalmichthys</i> spp., <i>Cirrhinus</i> spp., <i>Mylopharyngodon piceus</i>), eels (<i>Anguilla</i> spp.), Nile perch (<i>Lates niloticus</i>) and snakeheads (<i>Channa</i> spp.)
Surimi
For processing
Other
Other
Carp (<i>Cyprinus carpio</i> , <i>Carassius carassius</i> , <i>Ctenopharyngodon idellus</i> , <i>Hypophthalmichthys</i> spp., <i>Cirrhinus</i> spp., <i>Mylopharyngodon piceus</i>)
Other
Alaska pollack (<i>Theragra chalcogramma</i>)
Surimi
For processing
Other
Other
For processing
Other
Fish of the families <i>Bregmacerotidae</i> , <i>Euclichthyidae</i> , <i>Gadidae</i> , <i>Macrouridae</i> , <i>Melanonidae</i> , <i>Merlucciidae</i> , <i>Moridae</i> and <i>Muraenolepididae</i> , other than Alaska pollack (<i>Theragra chalcogramma</i>)
Surimi
For processing
Other
Other
Cod (<i>Gadus morhua</i> , <i>Gadus ogac</i> , <i>Gadus macrocephalus</i>) and fish of the species <i>Boreogadus saida</i>
Cod of the species <i>Gadus macrocephalus</i>
For processing
Other
Cod of the species <i>Gadus morhua</i>
For processing
Other
Other
Haddock (<i>Melanogrammus aeglefinus</i>)
Coalfish (<i>Pollachius virens</i>)
Hake of the genus <i>Merluccius</i>
Hake (<i>Merluccius productus</i>) for processing

Other
Blue whiting (Micromesistius poutassou, Gadus poutassou)
Other
Fish of the genus Macruronus spp.
Blue grenadier (Macruronus novaezelandiae)
For processing
Other
Other
For processing
Other
Hake of the genus Urophycis spp.
Other

Other
Surimi
For processing
Other
Other
Freshwater fish
Of trout (Salmo trutta, Oncorhynchus mykiss, Oncorhynchus clarki, Oncorhynchus aguabonita, Oncorhynchus gilae); of Pacific salmon (Oncorhynchus nerka, Oncorhynchus gorbuscha, Oncorhynchus keta, Oncorhynchus tshawytscha, Oncorhynchus kisutch, Oncorhynchus masou, Oncorhynchus rhodurus), Atlantic salmon (Salmo salar) and Danube salmon (Hucho hucho)
Of trout (Oncorhynchus mykiss)
Of trout (Salmo trutta, Oncorhynchus clarki, Oncorhynchus aguabonita and Oncorhynchus gilae)
Of Atlantic salmon (Salmo salar)
Of Pacific salmon (Oncorhynchus nerka, Oncorhynchus gorbuscha, Oncorhynchus keta, Oncorhynchus tshawytscha, Oncorhynchus kisutch, Oncorhynchus masou, Oncorhynchus rhodurus) and Danube salmon (Hucho hucho)
Of trout (Oncorhynchus apache and Oncorhynchus chrysogaster)
Other
Other
Herring (Clupea harengus, Clupea pallasii)
Flaps, of a weight exceeding 80[g per piece, for industrial

manufacture
Other flaps for industrial manufacture
Other flaps
Other
Redfish (Sebastes spp.)
Megrim (Lepidorhombus spp.)
Ray's bream (Brama spp.)
Monkfish (Lophius spp.)
Other
Of mackerel (Scomber scombrus, Scomber australasicus, Scomber japonicus)
Flaps
Other
Sea bream (Dentex dentex, Pagellus spp.)
Of gilt-head sea breams (Sparus aurata)
Of sharks (Squalus spp.)
Of bluefin tunas (Thunnus thynnus)
Of Atlantic bigeye tuna (Thunnus obesus)
Of flatfish (Limanda aspera, Lepidopsetta bilineata, Pleuronectes quadrituberculatus, Limanda ferruginea, Lepidopsetta polyxystra)
For processing
Other
European sea bass (Dicentrarchus labrax)
Other

Fish, dried, salted or in brine; smoked fish, whether or not cooked before or during the smoking process; flours, meals and pellets of fish, fit for human consumption
Flours, meals and pellets of fish, fit for human consumption
Of trout of the species Salmo trutta, Oncorhynchus mykiss, Oncorhynchus clarki, Oncorhynchus aguabonita, Oncorhynchus gilae, Oncorhynchus apache and Oncorhynchus chrysogaster
Carp (Cyprinus carpio, Carassius carassius, Ctenopharyngodon idellus, Hypophthalmichthys spp., Cirrhinus spp., Mylopharyngodon piceus)
Sea bream (Dentex dentex, Pagellus spp.)
Gilt-head sea bream (Sparus aurata)
Of sea bass (Dicentrarchus labrax)
Other
Livers and roes of fish, dried, smoked, salted or in brine
Hard roes, salted or in brine

Of herrings
Other
Atlantic bluefin tuna (Thunnus thynnus)
Of swordfish (Xiphias gladius)
Bigeye tuna (Thunnus obesus)
Other
Other
Of herrings
Smoked
Other
Other
Atlantic bluefin tuna (Thunnus thynnus)
Smoked
Other
Of swordfish (Xiphias gladius)
Smoked
Other
Bigeye tuna (Thunnus obesus)
Smoked
Other
Other
Smoked
Other
Fish fillets, dried, salted or in brine, but not smoked
Tilapia (Oreochromis spp.), catfish (Pangasius spp., Silurus spp., Clarias spp., Ictalurus spp.), carp (Cyprinus carpio, Carassius carassius, Ctenopharyngodon idellus, Hypophthalmichthys spp., Cirrhinus spp., Mylopharyngodon piceus), eels (Anguilla spp.), Nile perch (Lates niloticus) and snakeheads (Channa spp.)
Carp (Cyprinus carpio, Carassius carassius, Ctenopharyngodon idellus, Hypophthalmichthys spp., Cirrhinus spp., Mylopharyngodon piceus)
Other
Fish of the families Bregmacerotidae, Euclichthyidae, Gadidae, Macrouridae, Melanonidae, Merlucciidae, Moridae and Muraenolepididae
Cod (Gadus morhua, Gadus ogac, Gadus macrocephalus) and fish of the species Boreogadus saida
Cod of the species Gadus macrocephalus
Other
Cod of the species Gadus morhua
Other
Other
Other

Pacific salmon (Oncorhynchus nerka, Oncorhynchus gorbuscha, Oncorhynchus keta, Oncorhynchus tschawytscha, Oncorhynchus kisutch, Oncorhynchus masou and Oncorhynchus rhodurus), Atlantic salmon (Salmo salar), and Danube salmon (Hucho hucho), salted or in brine
Atlantic salmon (Salmo salar)
Other

Lesser or Greenland halibut (Reinhardtius hippoglossoides), salted or in brine
--

Other
Trout (Salmo trutta, Oncorhynchus mykiss, Oncorhynchus clarki, Oncorhynchus aguabonita, Oncorhynchus gilae, Oncorhynchus apache and Oncorhynchus chrysogaster)
Fish of the species Clupea ilisha, in brine
Atlantic bluefin tuna (Thunnus thynnus)
Bigeye tuna (Thunnus obesus)
Swordfish (Xiphias gladius)
Gilt-head sea bream (Sparus aurata)
Bogue (Boops boops)
Sea bream (Dentex dentex, Pagellus spp.)
European sea bass (Dicentrarchus labrax)
Other

Smoked fish, including fillets, other than edible fish offal
Pacific salmon (Oncorhynchus nerka, Oncorhynchus gorbuscha, Oncorhynchus keta, Oncorhynchus tschawytscha, Oncorhynchus kisutch, Oncorhynchus masou and Oncorhynchus rhodurus), Atlantic salmon (Salmo salar) and Danube salmon (Hucho hucho)
Atlantic salmon (Salmo salar)
Other

Herring (Clupea harengus, Clupea pallasii)
Smoked fillets of herrings (Clupea harengus)
Other

Trout (Salmo trutta, Oncorhynchus mykiss, Oncorhynchus clarki, Oncorhynchus aguabonita, Oncorhynchus gilae, Oncorhynchus apache and Oncorhynchus chrysogaster)
Of the species Oncorhynchus mykiss
In the form of whole fish (with heads on), whether or not gilled, whether or not gutted, weighing 1,2 kg or less each; with heads off, whether or not gilled, whether or not gutted, weighing 1 kg or less each; fillets weighing 400 g or less each

Other

Other

Tilapia (Oreochromis spp.), catfish (Pangasius spp., Silurus spp., Clarias spp., Ictalurus spp.), carp (Cyprinus carpio, Carassius carassius, Ctenopharyngodon idellus, Hypophthalmichthys spp., Cirrhinus spp., Mylopharyngodon piceus), eels (Anguilla spp.), Nile perch (Lates niloticus) and snakeheads (Channa spp.)
Eels (Anguilla spp.)
Other
Carp (Cyprinus carpio, Carassius carassius, Ctenopharyngodon idellus, Hypophthalmichthys spp., Cirrhinus spp., Mylopharyngodon piceus)
Other

Other
Lesser or Greenland halibut (Reinhardtius hippoglossoides)
Atlantic halibut (Hippoglossus hippoglossus)
Mackerel (Scomber scombrus, Scomber australasicus, Scomber japonicus)
Of the species Scomber scombrus
Other

Other
Atlantic bluefin tuna (Thunnus thynnus)
Swordfish (Xiphias gladius)
Gilt-head sea bream (Sparus aurata)
Sea bream (Dentex dentex, Pagellus spp.)
European sea bass (Dicentrarchus labrax)
Bigeye tuna (Thunnus obesus)
Other

Dried fish, other than edible fish offal, whether or not salted but not smoked
Cod (Gadus morhua, Gadus ogac, Gadus macrocephalus)
Dried, unsalted
Of the species Gadus morhua
Of the species Gadus ogac
Of the species Gadus macrocephalus
Dried, salted
Of the species Gadus morhua
Of the species Gadus ogac
Of the species Gadus macrocephalus

Other
Fish of the species Boreogadus saida

Dried, unsalted
Dried, salted

Herring (Clupea harengus, Clupea pallasii)
--

Anchovies (Engraulis spp.)

Atlantic halibut (Hippoglossus hippoglossus)
--

Other
Ling (Molva molva)
Bleu ling (Molva dipterygia dipterygia)
Tusk (Brosme brosme)
Atlantic bluefin tuna (Thunnus thynnus)
Bigeye tuna (Thunnus obesus)
Swordfish (Xiphias gladius)
Trout (Salmo trutta, Oncorhynchus mykiss, Oncorhynchus clarki, Oncorhynchus aguabonita, Oncorhynchus gilae, Oncorhynchus apache and Onchorhynchus chrysogaster)
Carp (Cyprinus carpio, Carassius carassius, Ctenopharyngodon idellus, Hypophthalmichthys spp., Cirrhinus spp., Mylopharyngodon piceus)
Gilt-head sea bream (Sparus aurata)
Sea bream (Dentex dentex, Pagellus spp.)
Sea bass (Dicentrarchus labrax)
Lesser or Greenland Halibut (Reinhardtius hippoglossoides), and Pacific Halibut (Hippoglossus stenolepis)
Coalfish (Pollachius Virens), salted and dried
Other

Fish, salted but not dried or smoked and fish in brine, other than edible fish offal
Herring (Clupea harengus, Clupea pallasii)

Cod (Gadus morhua, Gadus ogac, Gadus macrocephalus)
For processing
Of the species Gadus morhua
Of the species Gadus ogac
Of the species Gadus macrocephalus
Other
Of the species Gadus morhua
Of the species Gadus ogac
Of the species Gadus macrocephalus

Anchovies (Engraulis spp.)
Engraulis anchoita, for processing
Other

Tilapia (Oreochromis spp.), catfish (Pangasius spp., Silurus spp., Clarias spp., Ictalurus spp.), carp (Cyprinus carpio, Carassius carassius, Ctenopharyngodon idellus, Hypophthalmichthys spp., Cirrhinus spp., Mylopharyngodon piceus), eels (Anguilla spp.), Nile perch (Lates niloticus) and snakeheads (Channa spp.)

Carp (Cyprinus carpio, Carassius carassius, Ctenopharyngodon idellus, Hypophthalmichthys spp., Cirrhinus spp., Mylopharyngodon piceus)

Other

Other

Fish of the species Boreogadus saida

For processing

Other

Atlantic halibut (Hippoglossus hippoglossus)

Pacific salmon (Oncorhynchus nerka, Oncorhynchus gorbuscha, Oncorhynchus keta, Oncorhynchus tshawytscha, Oncorhynchus kisutch, Oncorhynchus masou and Oncorhynchus rhodurus), Atlantic salmon (Salmo salar) and Danube salmon (Hucho hucho)

Other

Fish of the species Clupea ilisha, in brine

Atlantic bluefin tuna (Thunnus thynnus)

Bigeye tuna (Thunnus obesus)

Swordfish (Xiphias gladius)

Trout (Salmo trutta, Oncorhynchus mykiss, Oncorhynchus clarki, Oncorhynchus aguabonita, Oncorhynchus gilae, Oncorhynchus apache and Onchorhynchus chrysogaster)

Gilt-head sea bream (Sparus aurata)

Sea bream (Dentex dentex, Pagellus spp.)

European sea bass (Dicentrarchus labrax)

Lesser or Greenland Halibut (Reinhardtius hippoglossoides), and Pacific Halibut (Hippoglossus stenolepis)

Other

Fish fins, heads, tails, maws and other edible fish offal

Shark fins

Smoked

Other

Fish heads, tails and maws

Dried, whether or not salted but not smoked

Of the species Gadus morhua

salted

unsalted

Of the species Gadus ogac

salted

unsalted

Of the species Boreogadus saida

salted

unsalted

Of the species Gadus macrocephalus

salted

unsalted

Other

Anchovies (Engraulis spp.)

Herring (Clupea harengus, Clupea pallasii)

Pacific salmon (Oncorhynchus nerka, Oncorhynchus gorbuscha, Oncorhynchus keta, Oncorhynchus tshawytscha, Oncorhynchus kisutch, Oncorhynchus masou and Oncorhynchus rhodurus), Atlantic salmon (Salmo salar) and Danube salmon (Hucho hucho)

Atlantic halibut (Hippoglossus hippoglossus)

Other

Salted but not dried or smoked and in brine

For processing

Of the species Gadus morhua

Anchovies (Engraulis spp.)

Of the species Gadus ogac

Herring (Clupea harengus, Clupea pallasii)

Of the species Gadus macrocephalus

Pacific salmon (Oncorhynchus nerka, Oncorhynchus gorbuscha, Oncorhynchus keta, Oncorhynchus tshawytscha, Oncorhynchus kisutch, Oncorhynchus masou and Oncorhynchus rhodurus), Atlantic salmon (Salmo salar) and Danube salmon (Hucho hucho)

Of the species Boreogadus saida

Atlantic halibut (Hippoglossus hippoglossus)

Other

Other

Of the species Gadus morhua

Anchovies (Engraulis spp.)

Of the species Gadus ogac

Herring (Clupea harengus, Clupea pallasii)

Of the species Boreogadus saida

Pacific salmon (Oncorhynchus nerka, Oncorhynchus gorbuscha, Oncorhynchus keta, Oncorhynchus tshawytscha, Oncorhynchus kisutch, Oncorhynchus masou and Oncorhynchus rhodurus), Atlantic salmon (Salmo salar) and Danube salmon (Hucho hucho)

Of the species Gadus macrocephalus

Atlantic halibut (Hippoglossus hippoglossus)

Other

Other

Other

Dried, whether or not salted but not smoked

Of the species Gadus morhua

salted

unsalted

Of the species Gadus ogac

salted

unsalted

Of the species Boreogadus saida

salted

unsalted

Of the species Gadus macrocephalus

salted

unsalted

Other

Anchovies (Engraulis spp.)

Herring (Clupea harengus, Clupea pallasii)

Pacific salmon (Oncorhynchus nerka, Oncorhynchus gorbuscha, Oncorhynchus keta, Oncorhynchus tshawytscha, Oncorhynchus kisutch, Oncorhynchus masou and Oncorhynchus rhodurus), Atlantic salmon (Salmo salar) and Danube salmon (Hucho hucho)

Atlantic halibut (Hippoglossus hippoglossus)

Other

Salted but not dried or smoked and in brine

For processing

Of the species Gadus morhua

Anchovies (Engraulis spp.)

Of the species Gadus ogac

Herring (Clupea harengus, Clupea pallasii)

Of the species Gadus macrocephalus

Pacific salmon (Oncorhynchus nerka, Oncorhynchus gorbuscha, Oncorhynchus

<div>keta, Oncorhynchus tschawytscha, Oncorhynchus kisutch, Oncorhynchus masou and Oncorhynchus rhodurus), Atlantic salmon (Salmo salar) and Danube salmon (Hucho hucho)</div> <div>Of the species Boreogadus saida</div> <div>Atlantic halibut (Hippoglossus hippoglossus)</div> <div>Other</div>
<div>Other</div> <div><div>Of the species Gadus morhua</div><div>Anchovies (Engraulis spp.)</div><div>Of the species Gadus ogac</div><div>Herring (Clupea harengus, Clupea pallasii)</div><div>Of the species Boreogadus saida</div><div>Pacific salmon (Oncorhynchus nerka, Oncorhynchus gorbuscha, Oncorhynchus keta, Oncorhynchus tschawytscha, Oncorhynchus kisutch, Oncorhynchus masou and Oncorhynchus rhodurus), Atlantic salmon (Salmo salar) and Danube salmon (Hucho hucho)</div><div>Of the species Gadus macrocephalus</div><div>Atlantic halibut (Hippoglossus hippoglossus)</div><div>Other</div></div>
<div>Other</div>

Crustaceans, whether in shell or not, live, fresh, chilled, frozen, dried, salted or in brine; smoked crustaceans, whether in shell or not, whether or not cooked before or during the smoking process; crustaceans, in shell, cooked by steaming or by boiling in water, whether or not chilled, frozen, dried, salted or in brine; flours, meals and pellets of crustaceans, fit for human consumption

<div>Frozen</div> <div><div>Rock lobster and other sea crawfish (Palinurus spp., Panulirus spp., Jasus spp.)</div><div><div>Smoked, whether in shell or not, whether or not cooked before or during the smoking process, not otherwise prepared</div><div><div>Other</div><div><div>Crawfish tails</div><div>For processing</div><div>Other</div></div><div>Other</div></div></div></div>
<div>Lobsters (Homarus spp.)</div> <div><div>Smoked, whether in shell or not, whether or not cooked before or during the smoking process, not otherwise prepared</div><div>Other</div></div>

<div>Whole</div> <div><div>Lobster (Homarus americanus), cooked</div><div>Other</div></div> <div>Other</div> <div><div>Lobster (Homarus americanus), in pieces, cooked</div><div>Other</div></div>
--

<div>Crabs</div> <div><div>Smoked, whether in shell or not, whether or not cooked before or during the smoking process, not otherwise prepared</div><div>Other</div><div><div>Crabs of the species Paralithodes camchaticus, Chionoecetes spp. or Callinectes sapidus</div><div>Crabs of the species Cancer pagurus</div><div>Other</div><div><div>Crab of the species Geryon affinis</div><div>Other</div></div></div></div>

<div>Norway lobsters (Nephrops norvegicus)</div> <div><div>Smoked, whether in shell or not, whether or not cooked before or during the smoking process, not otherwise prepared</div><div>Other</div></div>
--

<div>Cold-water shrimps and prawns (Pandalus spp., Crangon crangon)</div> <div><div>Smoked, whether in shell or not, whether or not cooked before or during the smoking process, not otherwise prepared</div><div>Other</div><div><div>Shrimps of the species Crangon crangon</div><div>Other</div><div><div>Of the species Pandalus borealis, in shell, for processing</div><div>Of the species Pandalus montagui, in shell, for processing</div><div>Other</div></div></div></div>
--

<div>Other shrimps and prawns</div> <div><div>Smoked, whether in shell or not, whether or not cooked before or during the smoking process, not otherwise prepared</div><div>Other</div><div><div>Deepwater rose shrimps (Parapenaeus longirostris)</div><div>Shrimps of the genus Penaeus</div><div><div>Shrimps and prawns of the specie Penaeus vannamei and Penaeus monodon, whether in shell or not, not cooked, for processing</div><div>Other</div></div></div></div>

<div>Shrimps of the family Pandalidae, other than of the genus Pandalus</div> <div>Shrimps of the genus Crangon, other than of the species Crangon crangon</div> <div>Other</div> <div><div>Shrimps and prawns of the specie Pleoticus muelleri, whether in shell or not, for processing</div><div>Other</div></div>
--

<div>Other, including flours, meals and pellets of crustaceans, fit for human consumption</div> <div><div>Smoked, whether in shell or not, whether or not cooked before or during the smoking process, not otherwise prepared</div><div>Other</div><div><div>Freshwater crayfish</div><div>Other</div></div></div>
--

<div>Not frozen</div> <div><div>Rock lobster and other sea crawfish (Palinurus spp., Panulirus spp., Jasus spp.)</div><div><div>Smoked, whether in shell or not, whether or not cooked before or during the smoking process, not otherwise prepared</div><div>Other</div></div></div>

<div>Lobsters (Homarus spp.)</div> <div><div>Live</div><div>Other</div><div><div>Smoked, whether in shell or not, whether or not cooked before or during the smoking process, not otherwise prepared</div><div>Other</div><div><div>Whole</div><div>Other</div></div></div></div>

<div>Crabs</div> <div><div>Smoked, whether in shell or not, whether or not cooked before or during the smoking process, not otherwise prepared</div><div>Other</div><div><div>Crabs of the species Cancer pagurus</div><div>Other</div></div></div>

<div>Norway lobsters (Nephrops norvegicus)</div> <div><div>Smoked, whether in shell or not, whether or not cooked before or during the smoking process, not otherwise prepared</div><div>Other</div></div>
--

<div>Cold-water shrimps and prawns (Pandalus spp., Crangon crangon)</div> <div><div>Smoked, whether in shell or not, whether or not cooked before or</div></div>
--

during the smoking process, not otherwise prepared
Other
Shrimps of the species Crangon crangon
Fresh or chilled, or cooked by steaming or by boiling in water
Other
Other
Fresh (live or dead)
Of the species Pandalus borealis, in shell, for processing
Of the species Pandalus montagui, in shell, for processing
Other
For processing
Other
Other
Of the species Pandalus borealis, in shell, chilled, for processing
Of the species Pandalus montagui, in shell, chilled, for processing
Other
Boiled on board
For processing
Other
Other shrimps and prawns
Smoked, whether in shell or not, whether or not cooked before or during the smoking process, not otherwise prepared
Other
Shrimps of the family Pandalidae, other than of the genus Pandalus
Fresh (live or dead)
For processing
Other
Other
Boiled on board
For processing
Other
Shrimps of the genus Crangon, other than of the species Crangon crangon
Other
Shrimps and prawns of the specie Pleoticus muelleri, whether in shell or not, fresh or chilled, for processing
Shrimps and prawns of the specie Penaeus vannamei and Penaeus monodon, whether in shell or not, fresh or chilled, not cooked, for processing
Other

Other, including flours, meals and pellets of crustaceans, fit for human consumption
Smoked, whether in shell or not, whether or not cooked before or during the smoking process, not otherwise prepared
Other
Freshwater crayfish
Other
Peurullus spp.
Other
Molluscs, whether in shell or not, live, fresh, chilled, frozen, dried, salted or in brine; smoked molluscs, whether in shell or not, whether or not cooked before or during the smoking process; flours, meals and pellets of molluscs, fit for human consumption
Oysters
Live, fresh or chilled
Flat oysters (of the genus Ostrea), live and weighing (shell included) not more than 40 g each
Intended for human consumption
Other
Other
Intended for human consumption
Other
Other
Smoked, whether in shell or not, whether or not cooked before or during the smoking process, not otherwise prepared
Other
Scallops, including queen scallops, of the genera Pecten, Chlamys or Placopecten
Live, fresh or chilled
Coquilles St Jacques (Pecten maximus)
Intended for human consumption
Other
Other
Intended for human consumption
Other
Other
Smoked, whether in shell or not, whether or not cooked before or during the smoking process, not otherwise prepared
Other
Coquilles St Jacques (Pecten maximus), frozen
Other
Mussels (Mytilus spp., Perna spp.)
Live, fresh or chilled
Mytilus spp.
Intended for human consumption

Other
Perna spp.
Intended for human consumption
Other
Other
Smoked, whether in shell or not, whether or not cooked before or during the smoking process, not otherwise prepared
Other
Mytilus spp.
Perna spp.
Cuttle fish (Sepia officinalis, Rossia macrosoma, Sepiola spp.) and squid (Ommastrephes spp., Loligo spp., Nototodarus spp., Sepioteuthis spp.)
Live, fresh or chilled
Cuttle fish (Sepia officinalis, Rossia macrosoma, Sepiola spp.)
Squid (Ommastrephes spp., Loligo spp., Nototodarus spp., Sepioteuthis spp.)
Loligo spp.
Other
Other
Smoked, whether or not cooked before or during the smoking process, not otherwise prepared
Frozen
Cuttle fish (Sepia officinalis, Rossia macrosoma, Sepiola spp.)
Of the genus Sepiola
Lesser cuttle fish (Sepiola rondeleti)
Other
Other
Squid (Ommastrephes spp., Loligo spp., Nototodarus spp., Sepioteuthis spp.)
Loligo spp.
Loligo vulgaris
Loligo pealei
Loligo patagonica
Other
Other
Pod (body of cephalopod or the squid headless and without tentacles), with skin and fins, for processing
Whole or tentacles and fins, for processing
Other
Other
Cuttle fish (Sepia officinalis, Rossia macrosoma, Sepiola spp.)
Squid (Ommastrephes spp., Loligo spp., Nototodarus spp., Sepioteuthis spp.)

<table><tr><td><table><tr><td>Loligo spp.</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td> </td></tr></table>	<table><tr><td>Loligo spp.</td></tr><tr><td>Other</td></tr></table>	Loligo spp.	Other	
<table><tr><td>Loligo spp.</td></tr><tr><td>Other</td></tr></table>	Loligo spp.	Other		
Loligo spp.				
Other				

Octopus (Octopus spp.)
Live, fresh or chilled
Other
Smoked, whether or not cooked before or during the smoking process, not otherwise prepared
Other
Frozen
Other

Snails, other than sea snails
Smoked, whether in shell or not, whether or not cooked before or during the smoking process, not otherwise prepared
Other

Clams, cockles and ark shells (families Arcidae, Arctiidae, Cardiidae, Donacidae, Hiatellidae, Mactridae, Mesodesmatidae, Myidae, Semelidae, Solecurtidae, Solenidae, Tridacnidae and Veneridae)
Live, fresh or chilled
Intended for human consumption
Other

Other
Smoked, whether in shell or not, whether or not cooked before or during the smoking process, not otherwise prepared
Striped venus or other species of the family Veneridae, frozen
Other

Abalone (Haliotis spp.)
Live, fresh or chilled
Intended for human consumption
Other
Other
Smoked, whether in shell or not, whether or not cooked before or during the smoking process, not otherwise prepared
Other

Other, including flours, meals and pellets, fit for human consumption
Live, fresh or chilled
European flying squid (Todarodes sagittatus)
Other
Common whelk (Buccinum undatum)
Other

Other
Smoked, whether in shell or not, whether or not cooked before or during the smoking process, not otherwise prepared

Frozen
Illex spp.
Pod (body of cephalopod or the squid headless and without tentacles), with skin and fins, for processing
Whole or tentacles and fins, for processing
Other
European flying squid (Todarodes sagittatus)
Other
Common whelk (Buccinum undatum)
Todarodes pacificus
Pod (body of cephalopod or the squid headless and without tentacles), with skin and fins, for processing
Whole or tentacles and fins, for processing
Other
Other
Other
European flying squid (Todarodes sagittatus)
Other

Aquatic invertebrates other than crustaceans and molluscs, live, fresh, chilled, frozen, dried, salted or in brine; smoked aquatic invertebrates other than crustaceans and molluscs, whether or not cooked before or during the smoking process; flours, meals and pellets of aquatic invertebrates other than crustaceans and molluscs, fit for human consumption

Sea cucumbers (Stichopus japonicus, Holothuriodea)
Live, fresh or chilled
Other
Smoked, whether or not cooked before or during the smoking process, not otherwise prepared
Frozen
Other

Sea urchins (Strongylocentrotus spp., Paracentrotus lividus, Loxechinus albus, Echinus esculentus)
Live, fresh or chilled
Other
Smoked, whether or not cooked before or during the smoking process, not otherwise prepared
Frozen
Other

Jellyfish (Rhopilema spp.)
Live, fresh or chilled
Smoked, whether or not cooked before or during the smoking process, not otherwise prepared

Frozen
Other
Other
Live, fresh or chilled
Smoked, whether or not cooked before or during the smoking process, not otherwise prepared
Frozen
Other

DAIRY PRODUCE; BIRDS' EGGS; NATURAL HONEY; EDIBLE PRODUCTS OF ANIMAL ORIGIN, NOT ELSEWHERE SPECIFIED OR INCLUDED

Milk and cream, not concentrated nor containing added sugar or other sweetening matter
Of a fat content, by weight, not exceeding 1 %
In immediate packings of a net content not exceeding two litres
Other

Of a fat content, by weight, exceeding 1 % but not exceeding 6 %
Not exceeding 3 %
In immediate packings of a net content not exceeding two litres
Other

Exceeding 3 %
In immediate packings of a net content not exceeding two litres
Other

Of a fat content, by weight, exceeding 6 % but not exceeding 10 %
In immediate packings of a net content not exceeding two litres
Cream
Milk
Other
Cream
Milk

Of a fat content, by weight, exceeding 10 %
Not exceeding 21 %
In immediate packings of a net content not exceeding two litres
Cream
Milk
Other
Cream
Milk

Exceeding 21 % but not exceeding 45 %
In immediate packings of a net content not exceeding two litres
Cream
Milk

Other
Cream
Milk

Exceeding 45 %
In immediate packings of a net content not exceeding two litres
Cream
Milk

Other
Cream
Milk

Milk and cream, concentrated or containing added sugar or other sweetening matter

In powder, granules or other solid forms, of a fat content, by weight, not exceeding 1,5 %
Not containing added sugar or other sweetening matter
In immediate packings of a net content not exceeding 2,5 kg
Other

Other
In immediate packings of a net content not exceeding 2,5 kg
Other

In powder, granules or other solid forms, of a fat content, by weight, exceeding 1,5 %
Not containing added sugar or other sweetening matter
Of a fat content, by weight, not exceeding 27 %
In immediate packings of a net content not exceeding 2,5 kg
Other

Of a fat content, by weight, exceeding 27 %
In immediate packings of a net content not exceeding 2,5 kg
Other

Other
Of a fat content, by weight, not exceeding 27 %
Special milk, for infants, in hermetically sealed containers of a net content not exceeding 500 g, of a fat content, by weight, exceeding 10 %
Other
In immediate packings of a net content not exceeding 2,5 kg
Other

Of a fat content, by weight, exceeding 27 %
In immediate packings of a net content not exceeding 2,5 kg
Other

Other
Not containing added sugar or other sweetening matter
Of a fat content, by weight, not exceeding 8 %

Of a fat content, by weight, exceeding 8 % but not exceeding 10 %

Of a fat content, by weight, exceeding 10 % but not exceeding 45 %
In immediate packings of a net content not exceeding 2,5 kg
Other

Of a fat content, by weight, exceeding 45 %
In immediate packings of a net content not exceeding 2,5 kg
Other

Other
Of a fat content, by weight, not exceeding 9,5 %

Of a fat content, by weight, exceeding 9,5 % but not exceeding 45 %
In immediate packings of a net content not exceeding 2,5 kg
Other

Of a fat content, by weight, exceeding 45 %
In immediate packings of a net content not exceeding 2,5 kg
Other

Buttermilk, curdled milk and cream, yogurt, kephir and other fermented or acidified milk and cream, whether or not concentrated or containing added sugar or other sweetening matter or flavoured or containing added fruit, nuts or cocoa

Yogurt
Not flavoured nor containing added fruit, nuts or cocoa
Not containing added sugar or other sweetening matter, of a fat content, by weight
Not exceeding 3 %
Exceeding 3 % but not exceeding 6 %
Exceeding 6 %

Other, of a fat content, by weight
Not exceeding 3 %
Exceeding 3 % but not exceeding 6 %
Exceeding 6 %

Flavoured or containing added fruit, nuts or cocoa
In powder, granules or other solid forms, of a milkfat content, by weight
Not exceeding 1,5 %
Exceeding 1,5 % but not exceeding 27 %

Exceeding 27 %

Other, of a milkfat content, by weight
Not exceeding 3 %
Exceeding 3 % but not exceeding 6 %
Exceeding 6 %

Other
Not flavoured nor containing added fruit, nuts or cocoa
In powder, granules or other solid forms
Not containing added sugar or other sweetening matter, of a fat content, by weight
Not exceeding 1,5 %
Exceeding 1,5 % but not exceeding 27 %
Exceeding 27 %

Other, of a fat content, by weight
Not exceeding 1,5 %
Exceeding 1,5 % but not exceeding 27 %
Exceeding 27 %

Other
Not containing added sugar or other sweetening matter, of a fat content, by weight
Not exceeding 3 %
Exceeding 3 % but not exceeding 6 %
Exceeding 6 %

Other, of a fat content, by weight
Not exceeding 3 %
Exceeding 3 % but not exceeding 6 %
Exceeding 6 %

Flavoured or containing added fruit, nuts or cocoa
In powder, granules or other solid forms, of a milkfat content, by weight
Not exceeding 1,5 %
Exceeding 1,5 % but not exceeding 27 %
Exceeding 27 %

Other, of a milkfat content, by weight
Not exceeding 3 %
Exceeding 3 % but not exceeding 6 %
Exceeding 6 %

Whey, whether or not concentrated or containing added sugar or other sweetening matter; products consisting of natural milk constituents, whether or not containing added sugar or other sweetening matter, not elsewhere specified or included

Whey and modified whey, whether or not concentrated or containing added sugar or other sweetening matter

In powder, granules or other solid forms

Not containing added sugar or other sweetening matter, of a protein content (nitrogen content[!x!6,38), by weight

Not exceeding 15|%, and of a fat content, by weight

Not exceeding 1,5|%

Exceeding 1,5|% but not exceeding 27|%

Exceeding 27|%

Exceeding 15|%, and of a fat content, by weight

Not exceeding 1,5|%

Exceeding 1,5|% but not exceeding 27|%

Exceeding 27|%

Other, of a protein content (nitrogen content[!x!6,38), by weight

Not exceeding 15|%, and of a fat content, by weight

Not exceeding 1,5|%

Exceeding 1,5|% but not exceeding 27|%

Exceeding 27|%

Exceeding 15|%, and of a fat content, by weight

Not exceeding 1,5|%

Exceeding 1,5|% but not exceeding 27|%

Exceeding 27|%

Other

Not containing added sugar or other sweetening matter, of a protein content (nitrogen content[!x!6,38), by weight

Not exceeding 15|%, and of a fat content, by weight

Not exceeding 1,5|%

Exceeding 1,5|% but not exceeding 27|%

Exceeding 27|%

Exceeding 15|%, and of a fat content, by weight

Not exceeding 1,5|%

Exceeding 1,5|% but not exceeding 27|%

Exceeding 27|%

Other, of a protein content (nitrogen content[!x!6,38), by weight

Not exceeding 15|%, and of a fat content, by weight

Not exceeding 1,5|%

Exceeding 1,5|% but not exceeding 27|%

Exceeding 27|%

Exceeding 15|%, and of a fat content, by weight

Not exceeding 1,5|%

Exceeding 1,5|% but not exceeding 27|%

Exceeding 27|%

Exceeding 15|%, and of a fat content, by weight

Not exceeding 1,5|%

Exceeding 1,5|% but not exceeding 27|%

Exceeding 27|%

Other

Not containing added sugar or other sweetening matter, of a fat content, by weight

Not exceeding 1,5|%

Exceeding 1,5|% but not exceeding 27|%

Exceeding 27|%

Other, of a fat content, by weight

Not exceeding 1,5|%

Exceeding 1,5|% but not exceeding 27|%

Special milk, for infants, in hermetically sealed containers of a net content not exceeding|500|g of a fat content, by weight, exceeding|10|%

Other

Exceeding 27|%

Butter and other fats and oils derived from milk; dairy spreads

Butter

Of a fat content, by weight, not exceeding 85|%

Natural butter

In immediate packings of a net content not exceeding 1|kg

Butter, at least six weeks old, of a fat content by weight of not less than 80% but less than 85%, manufactured directly from milk or cream without the use of stored materials, in a single, self-contained and uninterrupted process

Other

Other

Butter, at least six weeks old, of a fat content by weight of not less than 80% but less than 85%, manufactured directly from milk or cream without the use of stored materials, in a single, self-contained and uninterrupted process

Other

Recombined butter

Butter, at least six weeks old, of a fat content by weight of not less than 80% but less than 85%, manufactured directly from milk or cream without the use of stored materials, in a single, self-contained and uninterrupted process which may involve the cream passing through a stage where the butterfat is concentrated and/or fractionated

(the processes referred to as "Ammix" and "Spreadable")

Other

Whey butter

Other

Dairy spreads

Of a fat content, by weight, of 39|% or more but less than 60|%

In immediate packings of a net capacity of 1|kg or less

Other

Of a fat content, by weight, of 60|% or more but not exceeding 75|%

In immediate packings of a net capacity of 1|kg or less

Other

Of a fat content, by weight, of more than 75|% but less than 80|%

Other

Of a fat content, by weight, of 99,3|% or more and of a water content, by weight, not exceeding 0,5|%

Other

Cheese and curd

Fresh (unripened or uncured) cheese, including whey cheese, and curd

Of a fat content, by weight, not exceeding 40|%

Mozzarella, whether or not in a liquid

Pizza cheese, frozen, cut into pieces each weighing not more than 1|gram, in containers with a net content of 5kg or more, of a water content, by weight, of 52% or more, and a fat content by weight in the dry matter of 38% or more

Other

Other

Skyr

Pizza cheese, frozen, cut into pieces each weighing not more than 1|gram, in containers with a net content of 5kg or more, of a water content, by weight, of 52% or more, and a fat content by weight in the dry matter of 38% or more

Other

Other

Pizza cheese, frozen, cut into pieces each weighing not more than 1|gram, in containers with a net content of 5kg or more, or a water content, by weight, of 52% or more, and a fat content by weight in the dry matter of 38% or more

Other

Grated or powdered cheese, of all kinds

Processed cheese, not grated or powdered

In the manufacture of which no cheeses other than Emmentaler, Gruyère and Appenzell have been used and which may contain, as an addition, Glarus herb cheese (known as Schabziger); put up for retail sale, of a fat content by weight in the dry matter not exceeding 56|%

Processed Emmentaler

Processed Gruyère

Other

Other

Of a fat content, by weight, not exceeding 36|% and of a fat content, by weight, in the dry matter

Not exceeding 48|%

Exceeding 48|%

Of a fat content, by weight, exceeding 36|%

Blue-veined cheese and other cheese containing veins produced by *Penicillium roqueforti*

Roquefort

Gorgonzola

Other

Other cheese

For processing

Other

Emmentaler

Gruyère, Sbrinz

Bergkäse, Appenzell

Fromage fribourgeois, Vacherin Mont d'Or and Tête de Moine

Cheddar

Made from unpasteurized milk, of a minimum fat content of 50% by weight, in the dry matter, matured for at least nine months, of a free-at-frontier value per 100|kg net weight of 334,20|Euro or more in the case of standard whole sizes (cheeses of the conventional flat cylindrical shape of a net weight of not less than 33|kg but not more than 44|kg; cubic block shape or parallelepiped shape, of a net weight of 10|kg or more), 354,83|Euro or more in the case of cheeses of a net weight of 500|g or more and 368,58|Euro or more in the case of cheeses of a net weight of less than 500|g

Whole cheeses (of the conventional flat cylindrical shape of a net weight of not less than 33|kg but not more than 44|kg and cheeses in cubic blocks or in parallelepiped shape, of a net weight of 10|kg or more) of a minimum fat content of 50% by weight, in the dry matter, matured for at least three months

Other

Edam

Tilsit

Kashkaval

Feta

Kefalo-Tyri

Finlandia

Jarlsberg

Other

Cheese of sheep's milk or buffalo milk in containers containing brine, or in sheepskin or goatskin bottles

Other

Of a fat content, by weight, not exceeding 40|% and a water content, by weight, in the non-fatty matter

Not exceeding 47|%

Grana Padano, Parmigiano Reggiano

Fiore Sardo, Pecorino

Pecorino

Other

Other

Exceeding 47|% but not exceeding 72|%

Provolone

Maasdam

Asiago, Caciocavallo, Montasio, Ragusano

Caciocavallo

Other

Danbo, Fontal, Fontina, Fynbo, Havarti, Maribo, Samsø

Fontina

Other

Gouda

Esrom, Italico, Kernhem, Saint-Nectaire, Saint-Paulin, Taleggio

Esrom, Italico, Kernhem, Saint-Paulin

Other

Cantal, Cheshire, Wensleydale, Lancashire, Double Gloucester, Blarney, Colby, Monterey

Cantal

Other

Camembert

Brie

Kefalograviera, Kasseri

Other cheese, of a water content, by weight, in the non-fatty matter

Exceeding 47|% but not exceeding 52|%

"Tulum Peyniri", made from sheep's milk or 'buffalo' milk, in packings of less than 10|kg

Other

Exceeding 52|% but not exceeding 62|%

"Tulum Peyniri", made from sheep's milk or 'buffalo' milk, in packings of less than 10|kg

Other

Exceeding 62|% but not exceeding 72|%

"Tulum Peyniri", made from sheep's milk or 'buffalo' milk, in packings of less than 10|kg

Other

Exceeding 72|%

Other

Birds' eggs, in shell, fresh, preserved or cooked

Fertilised eggs for incubation

Of fowls of the species *Gallus domesticus*

Other

Of poultry, other than of fowls of the species *Gallus domesticus*

Of turkeys or geese

Other

Other

Other fresh eggs

Of fowls of the species *Gallus domesticus*

Other

Of poultry, other than of fowls of the species *Gallus domesticus*

Other

Other

Of poultry

Other

Birds' eggs, not in shell, and egg yolks, fresh, dried, cooked by steaming or by boiling in water, moulded, frozen or otherwise preserved, whether or not containing added sugar or other sweetening matter

Egg yolks

Dried

Unfit for human consumption

Other

Other

Unfit for human consumption

Other

Liquid

Other, including frozen

Other

Dried
Unfit for human consumption
Other
Other
Unfit for human consumption
Other
Natural honey
Edible products of animal origin, not elsewhere specified or included

PRODUCTS OF ANIMAL ORIGIN, NOT ELSEWHERE SPECIFIED OR INCLUDED

Human hair, unworked, whether or not washed or scoured; waste of human hair
Pigs', hogs' or boars' bristles and hair; badger hair and other brush making hair; waste of such bristles or hair
Pigs', hogs' or boars' bristles and hair and waste thereof
Other
Guts, bladders and stomachs of animals (other than fish), whole and pieces thereof, fresh, chilled, frozen, salted, in brine, dried or smoked
casings
Other
Skins and other parts of birds, with their feathers or down, feathers and parts of feathers (whether or not with trimmed edges) and down, not further worked than cleaned, disinfected or treated for preservation; powder and waste of feathers or parts of feathers
Feathers of a kind used for stuffing; down
Raw
Other
Other
Bones and horn-cores, unworked, defatted, simply prepared (but not cut to shape), treated with acid or degelatinised; powder and waste of these products
Ossein and bones treated with acid
Other
Ivory, tortoiseshell, whalebone and whalebone hair, horns, antlers, hooves, nails, claws and beaks, unworked or simply prepared but not cut to shape; powder and waste of these products
Ivory; ivory powder and waste
Other
Coral and similar materials, unworked or simply prepared but not otherwise worked; shells of molluscs, crustaceans or echinoderms and cuttle-bone, unworked or simply prepared but not cut to shape, powder and waste thereof
Empty shells for food use and use as raw material for glucosamine
Shells containing soft tissue and flesh used for different purposes covered under Article 10(k)(i) of Regulation (EC) No 1069/2009
Other

Ambergris, castoreum, civet and musk; cantharides; bile, whether or not dried; glands and other animal products used in the preparation of pharmaceutical products, fresh, chilled, frozen or otherwise provisionally preserved
Animal products not elsewhere specified or included; dead animals of Chapter1or 3, unfit for human consumption
Bovine semen
Other
Products of fish or crustaceans, molluscs or other aquatic invertebrates; dead animals of Chapter3
Fish waste
Other
Other
Sinews or tendons; parings and similar waste of raw hides or skins
Natural sponges of animal origin
Raw
Other
Other
Mammalian semen
Mammalian ova and mammalian embryos
Other

LIVE TREES AND OTHER PLANTS; BULBS, ROOTS AND THE LIKE; CUT FLOWERS AND ORNAMENTAL FOLIAGE

Bulbs, tubers, tuberous roots, corms, crowns and rhizomes, dormant, in growth or in flower; chicory plants and roots other than roots of heading1212
Bulbs, tubers, tuberous roots, corms, crowns and rhizomes, dormant
Hyacinths
Narcissi
Tulips
Gladioli
Other
Bulbs, tubers, tuberous roots, corms, crowns and rhizomes, in growth or in flower; chicory plants and roots
Chicory plants and roots
Orchids, hyacinths, narcissi and tulips
Other
Plants (rhizomes in flower) of Colocasia Schott
Other
Other live plants (including their roots), cuttings and slips; mushroom spawn
Unrooted cuttings and slips
Of vines
Other
Mormodica L., Solanum Melogena L. and Trichosantes L.
Other

Trees, shrubs and bushes, grafted or not, of kinds which bear edible fruit or nuts
Vine slips, grafted or rooted
Other
With bare roots
Mangifera L.
Other
Other
Citrus
Other
Mangifera L.
Other
Rhododendrons and azaleas, grafted or not
Rhododendrons
Azaleas
Roses, grafted or not
Cuttings
Other
Other
Mushroom spawn
Pineapple plants
Vegetable and strawberry plants
Mormodica L., Solanum Melogena L. and Trichosantes L.
Other
Other
Outdoor plants
Trees, shrubs and bushes
Forest trees
Other
Rooted cuttings and young plants
Other
With bare roots
Other
Conifers and evergreens
Other
Other outdoor plants
Mormodica L., Solanum Melogena L. and Trichosantes L.
Other
Indoor plants
Rooted cuttings and young plants, excluding cacti
Other
Flowering plants with buds or flowers, excluding cacti
Potted plants not exceeding 1m in height

<table><tr><td>Other</td></tr></table>	Other		
Other			
<table><tr><td>Other</td></tr><tr><td>Potted plants not exceeding 1 m in height</td></tr><tr><td>Other</td></tr></table>	Other	Potted plants not exceeding 1 m in height	Other
Other			
Potted plants not exceeding 1 m in height			
Other			

Cut flowers and flower buds of a kind suitable for bouquets or for ornamental purposes, fresh, dried, dyed, bleached, impregnated or otherwise prepared

Fresh
Roses
Carnations
Orchids
Chrysanthemums
Lilies (Lilium spp.)
Other
Gladioli
Ranunculi
Other
Of the genus Protea
Of the genus Banksia, Leucadendron, Brunia and Forsythia
Other

Other

Foliage, branches and other parts of plants, without flowers or flower buds, and grasses, mosses and lichens, being goods of a kind suitable for bouquets or for ornamental purposes, fresh, dried, dyed, bleached, impregnated or otherwise prepared

Fresh
Mosses and lichens
Reindeer moss
Other

Christmas trees
Conifer branches
Other

Other
Mosses and lichens
Reindeer moss
Other

Other
Not further prepared than dried
Other

EDIBLE VEGETABLES AND CERTAIN ROOTS AND TUBERS

Potatoes, fresh or chilled
Seed
Other
For the manufacture of starch
Other

New, from 1 January to 30 June
Other
so-called "New", from 1 July to 31 December
Other

Tomatoes, fresh or chilled

Cherry tomatoes
Other

Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh or chilled

Onions and shallots
Onions
Sets
Other
Shallots

Garlic

Leeks and other alliaceous vegetables
Leeks
Other

Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh or chilled

Cauliflowers and headed broccoli
Headed broccoli
Other

Brussels sprouts

Other
White cabbages and red cabbages
Other
Chinese cabbage
Brassica oleracea (Chinese Broccoli)
Other

Lettuce (Lactuca sativa) and chicory (Cichorium spp.), fresh or chilled

Lettuce
Cabbage lettuce (head lettuce)
Other

Chicory
Witloof chicory (Cichorium intybus var. foliosum)
Other

Carrots, turnips, salad beetroot, salsify, celeriac, radishes and similar edible roots, fresh or chilled

Carrots and turnips
Carrots
Other

Other
Celeriac (rooted celery or German celery)
Horseradish (Cochlearia armoracia)
Other

Cucumbers and gherkins, fresh or chilled
Cucumbers
Intended for processing
Small cucumbers of a length not exceeding 15 cm
Other
Other
Small cucumbers of a length not exceeding 15 cm
Other

Gherkins

Leguminous vegetables, shelled or unshelled, fresh or chilled

Peas (Pisum sativum)
Unshelled
Other

Beans (Vigna spp., Phaseolus spp.)
Yard long beans (Vigna unguiculata spp. sesquipedalis)
Other
Unshelled
Other

Other leguminous vegetables
Broad beans
Broad beans (Vicia Faba major L.)
Other
Other

Other vegetables, fresh or chilled

Asparagus
Green
Other

Aubergines (eggplants)

Celery other than celeriac
Ribbed celery (Apium graveolens, var. dulce)
Chinese celery (Apium graveolens)
Other

Mushrooms and truffles
Mushrooms of the genus Agaricus
Other
Chanterelles
Fresh or chilled chanterelles for treatment other than simple repacking for retail sale
Other
Flap mushrooms
Truffles
Other

Fruits of the genus Capsicum or of the genus Pimenta
Sweet peppers
Other

Of the genus Capsicum, for the manufacture of capsicin or capsicum oleoresin dyes
For the industrial manufacture of essential oils or resinoids
Other
Peppers (other than sweet) (Capsicum spp.)
Other

Spinach, New Zealand spinach and orache spinach (garden spinach)

Other
Globe artichokes
Olives
For uses other than the production of oil
Other
Fresh
Other

Pumpkins, squash and gourds (Cucurbita spp.)
Courgettes
Other

Other
Salad vegetables, other than lettuce (Lactuca sativa) and chicory (Cichorium spp.)
Chard (or white beet) and cardoons
Capers
Fennel
Sweetcorn
Other
Okra
Trichosanthes L.
Parsley
Wild onions of the genus Muscari comusum
Bitter melon (Momordica L.)
Coriander leaves
Other

Vegetables (uncooked or cooked by steaming or boiling in water), frozen

Potatoes
Leguminous vegetables, shelled or unshelled
Peas (Pisum sativum)
Peas in pods, of the species Pisum sativum of the variety Hortense axiphium, frozen, of a thickness of not more than 6lmm, to be used, in their pods, in the manufacture of prepared meals
Other
Beans (Vigna spp., Phaseolus spp.)
Yard long beans (Vigna unguiculata spp. sesquipedalis)
Other

Other

Spinach, New Zealand spinach and orache spinach (garden spinach)

Sweetcorn
Corn cobs (Zea Mays Saccharata) whether or not cut, with a diameter of 10 mm or more, but not more than 20 mm, for use in the manufacture of products of the food industry for treatment other than simple repacking
Other

Other vegetables
Olives
Fruits of the genus Capsicum or of the genus Pimenta
Sweet peppers
Other
Peppers (Capsicum spp.)
Other

Mushrooms
Of the genus Agaricus
Other
of the species Auricularia polytricha, for the manufacture of prepared meals
Other

Tomatoes
Globe artichokes
Asparagus
Other
Bamboo shoots, frozen, not put up for retail sale
Garlic and Allium ampeloprasum
Aubergines
Haded broccoli
Other

Mixtures of vegetables
Mixtures of vegetables containing garlic and/or Allium ampeloprasum
Other

Vegetables provisionally preserved (for example, by sulphur dioxide gas, in brine, in sulphur water or in other preservative solutions), but unsuitable in that state for immediate consumption

Olives
For uses other than the production of oil
Other

Cucumbers and gherkins

Mushrooms and truffles
Mushrooms of the genus Agaricus
Other
Mushrooms
Mushrooms, excluding mushrooms of the genera Agaricus, Calocybe, Clitocybe,

Lepista, Leucoagaricus, Leucopaxillus, Lyophyllum and Tricholoma, provisionally preserved in brine, in sulphur water, or in other preservative solutions, but unsuitable in that state for immediate consumption, for the food-canning industry
Other
Other

Other vegetables; mixtures of vegetables

Vegetables
Fruits of the genus Capsicum or of the genus Pimenta, excluding sweet peppers
Sweetcorn
Onions
Capers
Other
Garlic and Allium ampeloprasum
Other
Mixtures of vegetables
Mixtures of vegetables containing garlic and/or Allium ampeloprasum
Other

Dried vegetables, whole, cut, sliced, broken or in powder, but not further prepared

Onions
Mushrooms, wood ears (Auricularia spp.), jelly fungi (Tremella spp.) and truffles
Mushrooms of the genus Agaricus
Wood ears (Auricularia spp.)
Mushrooms, excluding mushrooms of the genus Agaricus, dried, whole or in identifiable slices or pieces, for treatment other than simple repacking for retail sale
Other
Jelly fungi (Tremella spp.)
Mushrooms, excluding mushrooms of the genus Agaricus, dried, whole or in identifiable slices or pieces, for treatment other than simple repacking for retail sale
Other

Other
Mushrooms, excluding mushrooms of the genus Agaricus, dried, whole or in identifiable slices or pieces, for treatment other than simple repacking for retail sale
Other

Other vegetables; mixtures of vegetables

Potatoes, whether or not cut or sliced but not further prepared
Sweetcorn (Zea mays var. saccharata)
Hybrids for sowing
Other
Tomatoes

Carrots
Other
Garlic and Allium ampeloprasum and mixtures of vegetables containing garlic and/or Allium ampeloprasum
Olives
Other

Dried leguminous vegetables, shelled, whether or not skinned or split
Peas (Pisum sativum)
For sowing
Other
Chickpeas (garbanzos)
Beans (Vigna spp., Phaseolus spp.)
Beans of the species Vigna mungo (L.) Hepper or Vigna radiata (L.) Wilczek
Small red (Adzuki) beans (Phaseolus or Vigna angularis)
Kidney beans, including white pea beans (Phaseolus vulgaris)
For sowing
Other
Bambara beans (Vigna subterranea or Voandzeia subterranea)
Cow peas (Vigna unguiculata)
Other

Lentils
Broad beans (Vicia faba var. major) and horse beans (Vicia faba var. equina, Vicia faba var. minor)
For sowing
Other
Pigeon peas (Cajanus cajan)
Other
For sowing
Other

Manioc, arrowroot, salep, Jerusalem artichokes, sweet potatoes and similar roots and tubers with high starch or inulin content, fresh, chilled, frozen or dried, whether or not sliced or in the form of pellets; sago pith
Manioc (cassava)
Of a kind used for human consumption, in immediate packings of a net content not exceeding 28 kg, either fresh and whole or without skin and frozen, whether or not sliced
Other
Pellets of flour and meal
Other

Sweet potatoes
Fresh, whole, intended for human consumption
Other

Yams (Dioscorea spp.)

Of a kind used for human consumption, in immediate packings of a net content not exceeding 28 kg, either fresh and whole or without skin and frozen, whether or not sliced
Other

Taro (Colocasia spp.)
Of a kind used for human consumption, in immediate packings of a net content not exceeding 28 kg, either fresh and whole or without skin and frozen, whether or not sliced
Other

Yautia (Xanthosoma spp.)
Of a kind used for human consumption, in immediate packings of a net content not exceeding 28 kg, either fresh and whole or without skin and frozen, whether or not sliced
Other

Other
Arrowroot, salep and similar roots and tubers with high starch content
Of a kind used for human consumption, in immediate packings of a net content not exceeding 28 kg, either fresh and whole or without skin and frozen, whether or not sliced
Other
Other

EDIBLE FRUIT AND NUTS; PEEL OF CITRUS FRUIT OR MELONS
Coconuts, Brazil nuts and cashew nuts, fresh or dried, whether or not shelled or peeled
Coconuts
Desiccated
In the inner shell (endocarp)
Other
Brazil nuts
In shell
Shelled
Cashew nuts
In shell
Shelled

Other nuts, fresh or dried, whether or not shelled or peeled
Almonds
In shell
Bitter
Other
Shelled
Bitter
Other

Hazelnuts or filberts (Corylus spp.)
In shell
Shelled

Walnuts
In shell
Shelled
Chestnuts (Castanea spp.)
In shell
Shelled
Pistachios
In shell
Shelled
Macadamia nuts
In shell
Shelled
Kola nuts (Cola spp.)
Areca nuts
Other
Pecans
Pine nuts (Pinus spp.)
Other

Bananas, including plantains, fresh or dried
Plantains
Fresh
Dried
Other
Fresh
Dried

Dates, figs, pineapples, avocados, guavas, mangoes and mangosteens, fresh or dried
Dates
Dates, fresh or dried, for use in the manufacture (excluding packing) of products of drink or food industries
Other
In immediate containers of a net capacity not exceeding 35 kg
Other

Figs
Fresh
Dried

Pineapples
Dried
Other

Avocados
Fresh
Other

Guavas, mangoes and mangosteens
Mangoes (Mangifera L.)
Other

Citrus fruit, fresh or dried
Oranges

Sweet oranges, fresh

Navels, Navelines, Navelates, Salustianas, Vernas, Valencia lates, Maltese, Shamoutis, Ovalis, Trovita and Hamlins

Of high quality

Other

Other

Sanguines and semi-sanguines

Of high quality

Other

Other

Of high quality

Other

Other

Fresh

Other

Mandarins (including tangerines and satsumas); clementines, wilkings and similar citrus hybrids

Clementines

Fresh

Other

Monreales and satsumas

Fresh

Other

Mandarins and wilkings

Mandarins

Fresh

Other

Wilkings

Fresh

Other

Tangerines

Fresh

Other

Other

Fresh

Citrus hybrids known as "minneolas"

Other

Other

Citrus hybrids known as "minneolas"

Other

Grapefruit, including pomelos

Grapefruit, fresh

White

Pink

Fresh pomelos

White

Pink

Other

Lemons (Citrus limon, Citrus limonum) and limes (Citrus aurantifolia, Citrus latifolia)

Lemons (Citrus limon, Citrus limonum)

Fresh

Other

Limes (Citrus aurantifolia, Citrus latifolia)

Fresh

Other

Other

Grapes, fresh or dried

Fresh

Table grapes

Of the variety Emperor (Vitis vinifera c.v.), from 1 January to 31 January and from 1 December to 31 December

Other

Seedless

Other

Other

Dried

Currants

Sultanas

In immediate containers of a net capacity not exceeding2|kg

Other

Other

Melons (including watermelons) and papaws (papayas), fresh

Melons (including watermelons)

Watermelons

Other

Amarillo, Cuper, Honey Dew (including Cantalene), Onteniente, Piel de Sapo, (including Verde Liso, Rochet, Tendral, Futuro

Other

Papaws (papayas)

Apples, pears and quinces, fresh

Apples

Cider apples, in bulk, from 16|September to 15|December

Other

Cider apples

Other

Pears

Perry pears, in bulk, from 1|August to 31|December

Other

Of the variety Nashi (Pyrus pyrifolia), Ya (Pyrus bretschneideri)

Other

Quinces

Apricots, cherries, peaches (including nectarines), plums and sloes, fresh

Apricots

Cherries

Sour cherries (Prunus cerasus)

Other

Peaches, including nectarines

Nectarines

Other

Plums and sloes

Plums

Sloes

Other fruit, fresh

Strawberries

Raspberries, blackberries, mulberries and loganberries

Raspberries

Other

Black-, white- or redcurrants and gooseberries

Blackcurrants

Redcurrants

Other

Cranberries, bilberries and other fruit of the genus Vaccinium

Cowberries, foxberries or mountain cranberries (fruit of the species Vaccinium vitis-idaea)

Fruit of the species Vaccinium myrtillus

Fruit of the species Vaccinium macrocarpon and Vaccinium corymbosum

Cranberries of the species Vaccinium macrocarpon, fresh, for use in the manufacture (excluding packing) of products of drink or food industries

Other

Other

Kiwifruit

Gold (Actinidia chinensis)

Other

Durians

Persimmons

Other

Tamarinds, cashew apples, lychees, jackfruit, sapodilla plums, passion fruit, carambola and pitahaya

Pitahaya (dragon fruit)

Other

Other

Pomegranates

Barbary figs

Medlars

Other

Fruit and nuts, uncooked or cooked by steaming or boiling in water, frozen, whether or not containing added sugar or other sweetening matter

Strawberries

Containing added sugar or other sweetening matter

With a sugar content exceeding 13% by weight

Other

Other

Raspberries, blackberries, mulberries, loganberries, black-, white- or redcurrants and gooseberries

Containing added sugar or other sweetening matter

With a sugar content exceeding 13% by weight

Raspberries

Other

Other

Raspberries

Other

Other

Raspberries

Blackcurrants

Redcurrants

Blackberries and mulberries

Other

Other

Containing added sugar or other sweetening matter

With a sugar content exceeding 13% by weight

Tropical fruit and tropical nuts

Other

Cherries

Other

Other

Tropical fruit and tropical nuts

Other

Cherries

Other

Other

Fruit of the species Vaccinium myrtillus

Fruit of the species Vaccinium myrtilloides and Vaccinium angustifolium

Cherries

Sour cherries (Prunus cerasus)

Other

Tropical fruit and tropical nuts

Other

Boysenberries, frozen, not containing added sugar, not put up for retail sale

Pineapple (Ananas comosus), in pieces, frozen

Rose-hips, uncooked or cooked by steaming or boiling in water, frozen, not containing added sugar or other sweetening matter

Fruit of the genus Vaccinium, uncooked or cooked by steaming or boiling in water, frozen, not containing added sugar or other sweetening matter

Other

Fruit and nuts, provisionally preserved (for example, by sulphur dioxide gas, in brine, in sulphur water or in other preservative solutions), but unsuitable in that state for immediate consumption

Cherries

Other

Apricots; oranges

Oranges

Comminuted

Other

Apricots

Papaws (papayas)

Fruit of the species Vaccinium myrtillus

Guavas, mangoes, mangosteens, tamarinds, cashew apples, lychees, jackfruit, sapodillo plums, passion fruit, carambola, pitahaya and tropical nuts

Other

Fruit falling within heading and subheading Nos 0803, 0804 10, 0805 40, 0810 20 90, 0810 30 90, 0810 40 10, 0810 40 50, 0810 50, 0810 60, 0810 70 and 0810 90 75

Grapefruit (including pomelo), comminuted

Other

Other citrusfruit, comminuted

Other

Fruit, dried, other than that of headings0801to 0806; mixtures of nuts or dried fruits of this chapter

Apricots

Prunes

Apples

Other fruit

Peaches, including nectarines

Pears

Papaws (papayas)

Tamarinds, cashew apples, lychees, jackfruit, sapodillo plums, passion fruit, carambola and pitahaya

Other

Mixtures of nuts or dried fruits of this chapter

Mixtures of dried fruit, other than that of headings0801to 0806

Not containing prunes

Of papaws (papayas), tamarinds, cashew apples, lychees, jackfruit, sapodillo plums, passion fruit, carambola and pitahaya

Other

Containing prunes

Mixtures exclusively of nuts of headings0801and 0802

Of tropical nuts

Containing Brazil nuts in shell

Other

Other

Containing Brazil nuts in shell

Containing pistachios

Containing hazelnuts

Other

Other mixtures

Not containing prunes or figs

Containing Brazil nuts in shell

Containing pistachios

Containing hazelnuts

Other

Other

Containing Brazil nuts in shell

Containing figs

Containing pistachios

Containing hazelnuts

Other

Peel of citrus fruit or melons (including watermelons), fresh, frozen, dried or provisionally preserved in brine, in sulphur water or in other preservative solutions

COFFEE, TEA, MATÉ AND SPICES

Coffee, whether or not roasted or decaffeinated; coffee husks and skins; coffee substitutes containing coffee in any proportion

Coffee, not roasted

Not decaffeinated

Decaffeinated

Coffee, roasted

Not decaffeinated

Decaffeinated

Other

Coffee husks and skins

Coffee substitutes containing coffee

Tea, whether or not flavoured

Green tea (not fermented) in immediate packings of a content not exceeding 3|kg

Other green tea (not fermented)

Black tea (fermented) and partly fermented tea, in immediate packings of a content not exceeding 3|kg

Other black tea (fermented) and other partly fermented tea

Maté

Pepper of the genus Piper; dried or crushed or ground fruit of the genus Capsicum or of the genus Pimenta

Pepper

Neither crushed nor ground

Crushed or ground

Fruit of the genus Capsicum or of the genus Pimenta

Dried, neither crushed nor ground

Sweet peppers (Capsicum annuum)

Other

Crushed or ground

Capsicum annuum

Other

Vanilla

Neither crushed nor ground

Crushed or ground

Cinnamon and cinnamon-tree flowers

Neither crushed nor ground

Cinnamon (Cinnamomum zeylanicum Blume)

Other

Crushed or ground

Cloves (whole fruit, cloves and stems)

Neither crushed nor ground

Crushed or ground

Nutmeg, mace and cardamoms

Nutmeg

Neither crushed nor ground

Crushed or ground

Mace

Neither crushed nor ground

Crushed or ground

Cardamoms

Neither crushed nor ground

Crushed or ground

Seeds of anise, badian, fennel, coriander, cumin or caraway; juniper berries

Seeds of coriander

Neither crushed nor ground

Crushed or ground

Seeds of cumin

Neither crushed nor ground

Crushed or ground

Seeds of anise, badian, caraway or fennel; juniper berries

Neither crushed nor ground

Crushed or ground

Ginger, saffron, turmeric (curcuma), thyme, bay leaves, curry and other spices

Ginger

Neither crushed nor ground

Crushed or ground

Saffron

Neither crushed nor ground

Crushed or ground

Turmeric (curcuma)

Other spices

Mixtures referred to in note|1(b) to this chapter

Curry

Other

Neither crushed nor ground

Crushed or ground

Other

Fenugreek seed

Thyme

Neither crushed nor ground

Wild thyme (Thymus serpyllum L.)

Other

Crushed or ground

Bay leaves

Other

Neither crushed nor ground

Crushed or ground

CEREALS

Wheat and meslin

Durum wheat

Seed

High quality durum wheat

Medium quality durum wheat

Low quality durum wheat

Other

High quality durum wheat

Durum wheat with - a specific weight in kg/hl greater than or equal to|80, - a maximum of 20,0|% of grains which have lost their vitreous aspect, - a maximum of 10,0|% of matter which is not quality wheat grains of unimpaired quality of which a maximum of 7,0|% of broken and/or shrivelled grains, a

maximum of 2,0|% grains damaged by pests, a maximum of 5,0|% grains affected with fusariosis and/or mottled grains, a maximum of 0,5|% of sprouted grains, - a maximum of 1,0|% of miscellaneous impurities (Schwarzbesatz), - a Hagberg falling number of a minimum of|250

Other

Medium quality durum wheat

Low quality durum wheat

Other

Seed

Spelt

Common wheat and meslin

Meslin

Common wheat

Other

Other

High quality common wheat

With: - a specific weight in kg/hl greater than or equal to|78, - a maximum of 10,0|% of matter which is not quality wheat grains of unimpaired quality, of which a maximum of 7,0|% of broken and/or shrivelled grains, a maximum of 2,0|% grains damaged by pests, a maximum of 0,5|% sprouted grains, - a maximum of 1,0|% of miscellaneous impurities (Schwarzbesatz), - a Hagberg falling number of a minimum of|230, - a protein content (13,5|% moisture content) of a minimum of|14,6|%

Other

Medium quality common wheat

Low quality common wheat

Spelt

Meslin

Other

Rye

Seed

Other

Barley

Seed

Other

For the manufacture of malt

with the following quality criteria: - specific weight 60,5 kg/hl or more, - damaged grains 1|% or less, - moisture content 13,5|% or less, - sound, fair and merchantable barley 96|% or more, to be used for the manufacture of beer aged in vats containing beechwood

Other

Other

Oats

Seed

Other

Maize (corn)

Seed

Hybrid

Three-cross hybrids

Simple hybrids

Other

Other

Other

Flint maize of specific weight equal to or more than 75,5|kg/hl, with a vitreous grain content equal to or more than 92% by weight and with a maximum flotation index 26 and intended for processing

Other

Rice

Rice in the husk (paddy or rough)

For sowing

Other

Parboiled

Round grain

Medium grain

Long grain

Of a length/width ratio greater than 2|but less than 3

Of a length/width ratio equal to or greater than 3

Other

Round grain

Medium grain

Long grain

Of a length/width ratio greater than 2|but less than 3

Of a length/width ratio equal to or greater than 3

Husked (brown) rice

Parboiled

Round grain

Medium grain

Long grain

Of a length/width ratio greater than 2|but less than 3

Of a length/width ratio equal to or greater than 3

Basmati rice

Of the varieties Basmati 370, Basmati 386 (India), Type-3 (Dehradun India), Taraori Basmati (HBC-19 India), Basmati 217 (India), Ranbir Basmati (India), Kernel (Basmati Pakistan), Pusa Basmati, Super Basmati

Other

Other

Other

Round grain

Medium grain

Long grain

Of a length/width ratio greater than 2|but less than 3

Of a length/width ratio equal to or greater than 3

Basmati rice

Of the varieties Basmati 370, Basmati 386 (India), Type-3 (Dehradun India), Taraori Basmati (HBC-19 India), Basmati 217 (India), Ranbir Basmati (India), Kernel (Basmati Pakistan), Pusa Basmati, Super Basmati

Other

Other

Semi-milled or wholly milled rice, whether or not polished or glazed

Semi-milled rice

Parboiled

Round grain

In immediate packings of a net content not exceeding 5|kg

In immediate packings of a net content exceeding 5|kg but not exceeding 20|kg

Other

Medium grain

In immediate packings of a net content not exceeding 5|kg

In immediate packings of a net content exceeding 5|kg but not exceeding 20|kg

Other

Long grain

Of a length/width ratio greater than 2|but less than 3

In immediate packings of a net content not exceeding 5|kg

In immediate packings of a net content exceeding 5|kg but not exceeding 20|kg

Other

Of a length/width ratio equal to or greater than 3

In immediate packings of a net content not exceeding 5|kg

In immediate packings of a net content exceeding 5|kg but not exceeding 20|kg

Other

Other

Round grain

In immediate packings of a net content not exceeding 5|kg

In immediate packings of a net content exceeding 5|kg but not exceeding 20|kg

Other

Medium grain

In immediate packings of a net content not exceeding 5|kg

In immediate packings of a net content exceeding 5|kg but not exceeding 20|kg

Other

Long grain

Of a length/width ratio greater than 2|but less than 3

In immediate packings of a net content not exceeding 5|kg

In immediate packings of a net content exceeding 5|kg but not exceeding 20|kg

Other

Of a length/width ratio equal to or greater than 3

In immediate packings of a net content not exceeding 5|kg

In immediate packings of a net content exceeding 5|kg but not exceeding 20|kg

Other

Wholly milled rice

Parboiled

Round grain

In immediate packings of a net content not exceeding 5|kg

In immediate packings of a net content exceeding 5|kg but not exceeding 20|kg

Other

Medium grain

In immediate packings of a net content not exceeding 5|kg

In immediate packings of a net content exceeding 5|kg but not exceeding 20|kg

Other

Long grain

Of a length/width ratio greater than 2|but less than 3

In immediate packings of a net content not exceeding 5|kg

In immediate packings of a net content exceeding 5|kg but not exceeding 20|kg

Other

Of a length/width ratio equal to or greater than 3

In immediate packings of a net content not exceeding

<table><tr><td>5 kg</td></tr><tr><td>In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg</td></tr><tr><td>Other</td></tr></table>	5 kg	In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg	Other																																					
5 kg																																								
In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg																																								
Other																																								
Other																																								
<table><tr><td>Round grain</td></tr><tr><td><table><tr><td>In immediate packings of a net content not exceeding 5 kg</td></tr><tr><td>In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Medium grain</td></tr><tr><td><table><tr><td>In immediate packings of a net content not exceeding 5 kg</td></tr><tr><td>In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Long grain</td></tr><tr><td><table><tr><td>Of a length/width ratio greater than 2 but less than 3</td></tr><tr><td><table><tr><td>In immediate packings of a net content not exceeding 5 kg</td></tr><tr><td>In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Of a length/width ratio equal to or greater than 3</td></tr><tr><td><table><tr><td>In immediate packings of a net content not exceeding 5 kg</td></tr><tr><td>In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Broken rice</td></tr><tr><td><table><tr><td>For the manufacture of food preparations of subheading 1901 10</td></tr><tr><td>other</td></tr></table></td></tr><tr><td>Grain sorghum</td></tr><tr><td><table><tr><td>Seed</td></tr><tr><td>Hybrids</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td>Buckwheat, millet and canary seed; other cereals</td></tr><tr><td>Buckwheat</td></tr><tr><td>Millet</td></tr><tr><td><table><tr><td>Seed</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Canary seed</td></tr><tr><td>Fonio (Digitaria spp.)</td></tr></table>	Round grain	<table><tr><td>In immediate packings of a net content not exceeding 5 kg</td></tr><tr><td>In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg</td></tr><tr><td>Other</td></tr></table>	In immediate packings of a net content not exceeding 5 kg	In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg	Other	Medium grain	<table><tr><td>In immediate packings of a net content not exceeding 5 kg</td></tr><tr><td>In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg</td></tr><tr><td>Other</td></tr></table>	In immediate packings of a net content not exceeding 5 kg	In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg	Other	Long grain	<table><tr><td>Of a length/width ratio greater than 2 but less than 3</td></tr><tr><td><table><tr><td>In immediate packings of a net content not exceeding 5 kg</td></tr><tr><td>In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Of a length/width ratio equal to or greater than 3</td></tr><tr><td><table><tr><td>In immediate packings of a net content not exceeding 5 kg</td></tr><tr><td>In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Of a length/width ratio greater than 2 but less than 3	<table><tr><td>In immediate packings of a net content not exceeding 5 kg</td></tr><tr><td>In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg</td></tr><tr><td>Other</td></tr></table>	In immediate packings of a net content not exceeding 5 kg	In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg	Other	Of a length/width ratio equal to or greater than 3	<table><tr><td>In immediate packings of a net content not exceeding 5 kg</td></tr><tr><td>In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg</td></tr><tr><td>Other</td></tr></table>	In immediate packings of a net content not exceeding 5 kg	In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg	Other	Broken rice	<table><tr><td>For the manufacture of food preparations of subheading 1901 10</td></tr><tr><td>other</td></tr></table>	For the manufacture of food preparations of subheading 1901 10	other	Grain sorghum	<table><tr><td>Seed</td></tr><tr><td>Hybrids</td></tr><tr><td>Other</td></tr></table>	Seed	Hybrids	Other	Other	Buckwheat, millet and canary seed; other cereals	Buckwheat	Millet	<table><tr><td>Seed</td></tr><tr><td>Other</td></tr></table>	Seed	Other	Canary seed	Fonio (Digitaria spp.)
Round grain																																								
<table><tr><td>In immediate packings of a net content not exceeding 5 kg</td></tr><tr><td>In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg</td></tr><tr><td>Other</td></tr></table>	In immediate packings of a net content not exceeding 5 kg	In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg	Other																																					
In immediate packings of a net content not exceeding 5 kg																																								
In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg																																								
Other																																								
Medium grain																																								
<table><tr><td>In immediate packings of a net content not exceeding 5 kg</td></tr><tr><td>In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg</td></tr><tr><td>Other</td></tr></table>	In immediate packings of a net content not exceeding 5 kg	In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg	Other																																					
In immediate packings of a net content not exceeding 5 kg																																								
In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg																																								
Other																																								
Long grain																																								
<table><tr><td>Of a length/width ratio greater than 2 but less than 3</td></tr><tr><td><table><tr><td>In immediate packings of a net content not exceeding 5 kg</td></tr><tr><td>In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Of a length/width ratio equal to or greater than 3</td></tr><tr><td><table><tr><td>In immediate packings of a net content not exceeding 5 kg</td></tr><tr><td>In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Of a length/width ratio greater than 2 but less than 3	<table><tr><td>In immediate packings of a net content not exceeding 5 kg</td></tr><tr><td>In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg</td></tr><tr><td>Other</td></tr></table>	In immediate packings of a net content not exceeding 5 kg	In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg	Other	Of a length/width ratio equal to or greater than 3	<table><tr><td>In immediate packings of a net content not exceeding 5 kg</td></tr><tr><td>In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg</td></tr><tr><td>Other</td></tr></table>	In immediate packings of a net content not exceeding 5 kg	In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg	Other																														
Of a length/width ratio greater than 2 but less than 3																																								
<table><tr><td>In immediate packings of a net content not exceeding 5 kg</td></tr><tr><td>In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg</td></tr><tr><td>Other</td></tr></table>	In immediate packings of a net content not exceeding 5 kg	In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg	Other																																					
In immediate packings of a net content not exceeding 5 kg																																								
In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg																																								
Other																																								
Of a length/width ratio equal to or greater than 3																																								
<table><tr><td>In immediate packings of a net content not exceeding 5 kg</td></tr><tr><td>In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg</td></tr><tr><td>Other</td></tr></table>	In immediate packings of a net content not exceeding 5 kg	In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg	Other																																					
In immediate packings of a net content not exceeding 5 kg																																								
In immediate packings of a net content exceeding 5 kg but not exceeding 20 kg																																								
Other																																								
Broken rice																																								
<table><tr><td>For the manufacture of food preparations of subheading 1901 10</td></tr><tr><td>other</td></tr></table>	For the manufacture of food preparations of subheading 1901 10	other																																						
For the manufacture of food preparations of subheading 1901 10																																								
other																																								
Grain sorghum																																								
<table><tr><td>Seed</td></tr><tr><td>Hybrids</td></tr><tr><td>Other</td></tr></table>	Seed	Hybrids	Other																																					
Seed																																								
Hybrids																																								
Other																																								
Other																																								
Buckwheat, millet and canary seed; other cereals																																								
Buckwheat																																								
Millet																																								
<table><tr><td>Seed</td></tr><tr><td>Other</td></tr></table>	Seed	Other																																						
Seed																																								
Other																																								
Canary seed																																								
Fonio (Digitaria spp.)																																								

Quinoa (Chenopodium quinoa)
Triticale
Other cereals

PRODUCTS OF THE MILLING INDUSTRY; MALT; STARCHES; INULIN; WHEAT GLUTEN

Wheat or meslin flour		
Wheat flour		
<table><tr><td>Of durum wheat</td></tr><tr><td>Of common wheat and spelt</td></tr></table>	Of durum wheat	Of common wheat and spelt
Of durum wheat		
Of common wheat and spelt		
Meslin flour		

Cereal flours other than of wheat or meslin		
Maize (corn) flour		
<table><tr><td>Of a fat content not exceeding 1,5 % by weight</td></tr><tr><td>Other</td></tr></table>	Of a fat content not exceeding 1,5 % by weight	Other
Of a fat content not exceeding 1,5 % by weight		
Other		
Other		
Barley flour		
Oat flour		
Rice flour		
Rye flour		
Other		

Cereal groats, meal and pellets			
Groats and meal			
Of wheat			
<table><tr><td>Durum wheat</td></tr><tr><td>Common wheat and spelt</td></tr></table>	Durum wheat	Common wheat and spelt	
Durum wheat			
Common wheat and spelt			
Of maize (corn)			
<table><tr><td>Of a fat content not exceeding 1,5 % by weight</td></tr><tr><td>Other</td></tr></table>	Of a fat content not exceeding 1,5 % by weight	Other	
Of a fat content not exceeding 1,5 % by weight			
Other			
Of other cereals			
<table><tr><td>Of rye or barley</td></tr><tr><td>Of barley</td></tr><tr><td>Other</td></tr></table>	Of rye or barley	Of barley	Other
Of rye or barley			
Of barley			
Other			
Of oats			
Of rice			
Other			

Pellets		
Of rye or barley		
<table><tr><td>Of rye</td></tr><tr><td>Of barley</td></tr></table>	Of rye	Of barley
Of rye		
Of barley		
Of oats		
Of maize		
Of rice		
Of wheat		
Other		

Cereal grains otherwise worked (for example, hulled, rolled, flaked, pearled, sliced or kibbled), except rice of heading 1006; germ of cereals, whole, rolled, flaked or ground

Rolled or flaked grains																											
Of oats																											
<table><tr><td>Rolled</td></tr><tr><td>Flaked</td></tr></table>	Rolled	Flaked																									
Rolled																											
Flaked																											
Of other cereals																											
<table><tr><td>Of wheat</td></tr><tr><td>Of rye</td></tr><tr><td>Of maize</td></tr><tr><td>Of barley</td></tr><tr><td><table><tr><td>Rolled</td></tr><tr><td>Flaked</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Flaked rice</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Of wheat	Of rye	Of maize	Of barley	<table><tr><td>Rolled</td></tr><tr><td>Flaked</td></tr></table>	Rolled	Flaked	Other	<table><tr><td>Flaked rice</td></tr><tr><td>Other</td></tr></table>	Flaked rice	Other																
Of wheat																											
Of rye																											
Of maize																											
Of barley																											
<table><tr><td>Rolled</td></tr><tr><td>Flaked</td></tr></table>	Rolled	Flaked																									
Rolled																											
Flaked																											
Other																											
<table><tr><td>Flaked rice</td></tr><tr><td>Other</td></tr></table>	Flaked rice	Other																									
Flaked rice																											
Other																											
Other worked grains (for example, hulled, pearled, sliced or kibbled)																											
Of oats																											
<table><tr><td>Hulled (shelled or husked), whether or not sliced or kibbled</td></tr><tr><td>Pearled</td></tr><tr><td>Other</td></tr></table>	Hulled (shelled or husked), whether or not sliced or kibbled	Pearled	Other																								
Hulled (shelled or husked), whether or not sliced or kibbled																											
Pearled																											
Other																											
Of maize (corn)																											
<table><tr><td>Hulled (shelled or husked), whether or not sliced or kibbled; pearled</td></tr><tr><td>Other</td></tr></table>	Hulled (shelled or husked), whether or not sliced or kibbled; pearled	Other																									
Hulled (shelled or husked), whether or not sliced or kibbled; pearled																											
Other																											
Of other cereals																											
<table><tr><td>Of barley</td></tr><tr><td><table><tr><td>Hulled (shelled or husked), whether or not sliced or kibbled</td></tr><tr><td>Pearled</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Hulled (shelled or husked), whether or not sliced or kibbled</td></tr><tr><td>Pearled</td></tr><tr><td>Not otherwise worked than kibbled</td></tr><tr><td><table><tr><td>Of wheat</td></tr><tr><td>Of rye</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Of wheat</td></tr><tr><td>Of rye</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Germ of cereals, whole, rolled, flaked or ground</td></tr><tr><td><table><tr><td>Of wheat</td></tr><tr><td>Of other cereals</td></tr></table></td></tr><tr><td>Flour, meal, powder, flakes, granules and pellets of potatoes</td></tr><tr><td><table><tr><td>Flour, meal and powder</td></tr><tr><td>Flakes, granules and pellets</td></tr></table></td></tr></table>	Of barley	<table><tr><td>Hulled (shelled or husked), whether or not sliced or kibbled</td></tr><tr><td>Pearled</td></tr><tr><td>Other</td></tr></table>	Hulled (shelled or husked), whether or not sliced or kibbled	Pearled	Other	Other	<table><tr><td>Hulled (shelled or husked), whether or not sliced or kibbled</td></tr><tr><td>Pearled</td></tr><tr><td>Not otherwise worked than kibbled</td></tr><tr><td><table><tr><td>Of wheat</td></tr><tr><td>Of rye</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Of wheat</td></tr><tr><td>Of rye</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Hulled (shelled or husked), whether or not sliced or kibbled	Pearled	Not otherwise worked than kibbled	<table><tr><td>Of wheat</td></tr><tr><td>Of rye</td></tr><tr><td>Other</td></tr></table>	Of wheat	Of rye	Other	Other	<table><tr><td>Of wheat</td></tr><tr><td>Of rye</td></tr><tr><td>Other</td></tr></table>	Of wheat	Of rye	Other	Germ of cereals, whole, rolled, flaked or ground	<table><tr><td>Of wheat</td></tr><tr><td>Of other cereals</td></tr></table>	Of wheat	Of other cereals	Flour, meal, powder, flakes, granules and pellets of potatoes	<table><tr><td>Flour, meal and powder</td></tr><tr><td>Flakes, granules and pellets</td></tr></table>	Flour, meal and powder	Flakes, granules and pellets
Of barley																											
<table><tr><td>Hulled (shelled or husked), whether or not sliced or kibbled</td></tr><tr><td>Pearled</td></tr><tr><td>Other</td></tr></table>	Hulled (shelled or husked), whether or not sliced or kibbled	Pearled	Other																								
Hulled (shelled or husked), whether or not sliced or kibbled																											
Pearled																											
Other																											
Other																											
<table><tr><td>Hulled (shelled or husked), whether or not sliced or kibbled</td></tr><tr><td>Pearled</td></tr><tr><td>Not otherwise worked than kibbled</td></tr><tr><td><table><tr><td>Of wheat</td></tr><tr><td>Of rye</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Of wheat</td></tr><tr><td>Of rye</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Hulled (shelled or husked), whether or not sliced or kibbled	Pearled	Not otherwise worked than kibbled	<table><tr><td>Of wheat</td></tr><tr><td>Of rye</td></tr><tr><td>Other</td></tr></table>	Of wheat	Of rye	Other	Other	<table><tr><td>Of wheat</td></tr><tr><td>Of rye</td></tr><tr><td>Other</td></tr></table>	Of wheat	Of rye	Other															
Hulled (shelled or husked), whether or not sliced or kibbled																											
Pearled																											
Not otherwise worked than kibbled																											
<table><tr><td>Of wheat</td></tr><tr><td>Of rye</td></tr><tr><td>Other</td></tr></table>	Of wheat	Of rye	Other																								
Of wheat																											
Of rye																											
Other																											
Other																											
<table><tr><td>Of wheat</td></tr><tr><td>Of rye</td></tr><tr><td>Other</td></tr></table>	Of wheat	Of rye	Other																								
Of wheat																											
Of rye																											
Other																											
Germ of cereals, whole, rolled, flaked or ground																											
<table><tr><td>Of wheat</td></tr><tr><td>Of other cereals</td></tr></table>	Of wheat	Of other cereals																									
Of wheat																											
Of other cereals																											
Flour, meal, powder, flakes, granules and pellets of potatoes																											
<table><tr><td>Flour, meal and powder</td></tr><tr><td>Flakes, granules and pellets</td></tr></table>	Flour, meal and powder	Flakes, granules and pellets																									
Flour, meal and powder																											
Flakes, granules and pellets																											

Flour, meal and powder of the dried leguminous vegetables of heading 0713, of sago or of roots or tubers of heading 0714 or of the products of Chapter 8
Of the dried leguminous vegetables of heading 0713
Of sago or of roots or tubers of heading 0714
Denatured
Other
Of the products of Chapter 8
Of bananas
Other
Watermelon (egusi, Citrullus spp.) seeds and derived products
Of hazelnuts
Of pistachios
Other

Malt, whether or not roasted
Not roasted
Of wheat
In the form of flour
Other
Other
In the form of flour
Other
Roasted

Starches; inulin
Starches
Wheat starch
Maize (corn) starch
Potato starch
Manioc (cassava) starch
Other starches
Rice starch
Other
Inulin
Wheat gluten, whether or not dried

OIL SEEDS AND OLEAGINOUS FRUITS; MISCELLANEOUS GRAINS, SEEDS AND FRUIT; INDUSTRIAL OR MEDICINAL PLANTS; STRAW AND FODDER
Soya beans, whether or not broken
Seed
Other
Groundnuts, not roasted or otherwise cooked, whether or not shelled or broken
Seed
Other
In shell
Shelled, whether or not broken
Copra

Linseed, whether or not broken
For sowing
Other

Rape or colza seeds, whether or not broken
Low erucic acid rape or colza seeds
For sowing
Other
Other

Sunflower seeds, whether or not broken
For sowing
Other
Shelled; in grey-and-white-striped shell
Other

Other oil seeds and oleaginous fruits, whether or not broken
Palm nuts and kernels
Cotton seeds
Seed
Other
Castor oil seeds
Sesamum seeds
Seed
Other
Mustard seeds
Seed
Other

Safflower (Carthamus tinctorius) seeds
Melon seeds
Watermelon (egusi, Citrullus spp.) seeds and derived products
Other

Other
Poppy seeds
Seed
Other
Other
Seed
Hemp seeds
Other
Other
Hemp seeds
Other
Pumpkin seeds (Cucurbita pepo L. convar. citrullinia Greb. var. styriaca and Cucurbita pepo L. var. oleifera Pietsch)
Other

Flours and meals of oil seeds or oleaginous fruits, other than those of mustard

Of soya beans
Other

Seeds, fruit and spores, of a kind used for sowing
Sugar beet seeds
Seeds of forage plants
Lucerne (alfalfa) seeds
Clover (Trifolium spp.) seeds
Red clover (Trifolium pratense L.)
Other
Fescue seeds
Meadow fescue (Festuca pratensis Huds.) seeds
Red fescue (Festuca rubra L.) seeds
Other
Kentucky blue grass (Poa pratensis L.) seeds
Ryegrass (Lolium multiflorum Lam., Lolium perenne L.) seeds
Italian ryegrass (including westerwolds) (Lolium multiflorum Lam.)
Perennial ryegrass (Lolium perenne L.)
Other
Timothy grass seed; vetch seed; seeds of the genus Poa (Poa palustris L., Poa trivialis L.); cocksfoot grass (Dactylis glomerata L.); bent grass (Agrostis)
Lupine seed
Fodder beet seed (Beta vulgaris var. alba)
Other

Seeds of herbaceous plants cultivated principally for their flowers
Other
Vegetable seeds
Salad beet seed or beetroot seed (Beta vulgaris var. conditiva)
Other
Seeds
Other
Other
Forest-tree seeds
Other
Seeds of plants cultivated principally for their flowers, other than those of subheading 1209 30
Other
Seeds
Other
Hop cones, fresh or dried, whether or not ground, powdered or in the form of pellets; lupulin
Hop cones, neither ground nor powdered nor in the form of pellets

<div>In individual packages where the weight does not exceed 1 kilogram, destined for sale to private individuals for their own use, for scientific and technical experiments, or for fairs covered by the special customs arrangements for fairs, with the description, weight and final destination indicated on the packaging</div> <div>Other</div>
<div>Hop cones, ground, powdered or in the form of pellets; lupulin</div> <div><div>Hop cones, ground, powdered or in the form of pellets, with higher lupulin content; lupulin</div><div><div>Hop powder</div><div><div>In individual packages where the weight does not exceed 1 kilogram, destined for sale to private individuals for their own use, for scientific and technical experiments, or for fairs covered by the special customs arrangements for fairs, with the description, weight and final destination indicated on the packaging</div><div>Other</div></div><div>Other</div></div></div> <div><div>Other</div><div><div>Hop powder</div><div><div>In individual packages where the weight does not exceed 1 kilogram, destined for sale to private individuals for their own use, for scientific and technical experiments, or for fairs covered by the special customs arrangements for fairs, with the description weight and final destination indicated on the packaging</div><div>Other</div></div><div>Other</div></div></div>
<div>Plants and parts of plants (including seeds and fruits), of a kind used primarily in perfumery, in pharmacy or for insecticidal, fungicidal or similar purposes, fresh or dried, whether or not cut, crushed or powdered</div> <div>Ginseng roots</div> <div>Coca leaf</div> <div>Poppy straw</div> <div><div>Other</div><div>Of the genus Ephedra</div><div>Tonquin beans</div><div><div>Other</div><div>Curry leaves (Bergera koenigii, Syn.: Murraya koenigii)</div><div>Basil (holy, sweet) (fresh or chilled)</div><div>Mint (fresh or chilled)</div><div>Other</div></div></div>
<div>Locust beans, seaweeds and other algae, sugar beet and sugar cane, fresh, chilled, frozen or dried, whether or not ground;</div>

<div>fruit stones and kernels and other vegetable products (including unroasted chicory roots of the variety Cichorium intybus sativum) of a kind used primarily for human consumption, not elsewhere specified or included</div> <div><div>Seaweeds and other algae</div><div>Fit for human consumption</div><div>Other</div></div>
<div><div>Other</div><div><div>Sugar beet</div><div>Dried, whether or not ground</div><div>Other</div></div><div>Locust beans (carob)</div><div>Sugar cane</div><div>Chicory roots</div><div><div>Other</div><div><div>Locust bean seeds</div><div>Not decorticated, crushed or ground</div><div>Other</div></div><div><div>Other</div><div>Bee pollen</div><div>Other</div></div></div></div>
<div>Cereal straw and husks, unprepared, whether or not chopped, ground, pressed or in the form of pellets</div> <div><div>Straw</div><div>Other</div></div>
<div>Swedes, mangolds, fodder roots, hay, lucerne (alfalfa), clover, sainfoin, forage kale, lupines, vetches and similar forage products, whether or not in the form of pellets</div> <div><div>Lucerne (alfalfa) meal and pellets</div><div><div>Other</div><div><div>Mangolds, swedes and other fodder roots</div><div>Other</div><div>Hay</div><div>Other</div></div></div></div>
<div>LAC; GUMS, RESINS AND OTHER VEGETABLE SAPS AND EXTRACTS</div> <div><div>Lac; natural gums, resins, gum-resins and oleoresins (for example, balsams)</div><div>Gum Arabic</div><div>Other</div></div> <div><div>Vegetable saps and extracts; pectic substances, pectinates and pectates; agar-agar and other mucilages and thickeners, whether or not modified, derived from vegetable products</div><div><div>Vegetable saps and extracts</div><div>Opium</div><div>Of liquorice</div><div><div>Of hops</div><div>Saps</div></div></div></div>

<div>Extracts</div> <div><div>In individual packages where the weight does not exceed 300 g, destined for sale to private individuals for their own use, for scientific and technical experiments, or for fairs covered by the special customs arrangements for fairs, with the description, weight anf final utilization indicated on the packaging</div><div>Other</div></div>
<div><div>Other</div><div>Vanilla oleoresin</div><div>Of plants of the genus Ephedra</div><div>Other</div></div>
<div>Pectic substances, pectinates and pectates</div> <div><div>Dry</div><div><div>Containing less than 5% by weight of added sugar</div><div>Pectates</div><div>Other</div></div><div><div>Containing 5% or more by weight of added sugar</div><div>Pectates</div><div>Other</div></div></div>
<div><div>Other</div><div><div>Containing less than 5% by weight of added sugar</div><div>Pectates</div><div>Other</div></div><div><div>Containing 5% or more by weight of added sugar</div><div>Pectates</div><div>Other</div></div></div>
<div>Mucilages and thickeners, whether or not modified, derived from vegetable products</div> <div><div>Agar-agar</div><div><div>Mucilages and thickeners, whether or not modified, derived from locust beans, locust bean seeds or guar seeds</div><div><div>Of locust beans or locust bean seeds</div><div><div>Of guar seeds</div><div><div>Intended for animal or human consumption</div><div>Consigned from India</div><div>Other</div></div><div>Other</div></div></div><div>Other</div></div></div>
<div>VEGETABLE PLAITING MATERIALS; VEGETABLE PRODUCTS NOT ELSEWHERE SPECIFIED OR INCLUDED</div>

Vegetable materials of a kind used primarily for plaiting (for example, bamboos, rattans, reeds, rushes, osier, raffia, cleaned, bleached or dyed cereal straw, and lime bark)

Bamboos

Rattans

Other

Vegetable products not elsewhere specified or included

Cotton linters

Other

Betel leaves (Piper betle L.)

Other

ANIMAL OR VEGETABLE FATS AND OILS AND THEIR CLEAVAGE PRODUCTS; PREPARED EDIBLE FATS; ANIMAL OR VEGETABLE WAXES

Pig fat (including lard) and poultry fat, other than that of heading|0209|or 1503

Lard

For industrial uses other than the manufacture of foodstuffs for human consumption

Other

Other pig fat

For industrial uses other than the manufacture of foodstuffs for human consumption

Other

Other

Fats of bovine animals, sheep or goats, other than those of heading|1503

Tallow

For industrial uses other than the manufacture of foodstuffs for human consumption

Other

Other

For industrial uses other than the manufacture of foodstuffs for human consumption

Other

Lard stearin, lard oil, oleostearin, oleo-oil and tallow oil, not emulsified or mixed or otherwise prepared

Lard stearin and oleostearin

For industrial uses

Other

Tallow oil for industrial uses other than the manufacture of foodstuffs for human consumption

Other

Fats and oils and their fractions, of fish or marine mammals, whether or not refined, but not chemically modified

Fish-liver oils and their fractions

Of a vitamin|A content not exceeding 2|500|International Units per gram

Other

Of halibut

Other

Fats and oils and their fractions, of fish, other than liver oils

Solid fractions

In immediate packings of a net capacity of 1|kg or less

Other

Other

Fats and oils and their fractions, of marine mammals

Solid fractions

Of whale and sperm whale

Other

In immediate packings of a net capacity of 1|kg or less

Other

Other

Wool grease and fatty substances derived therefrom (including lanolin)

Wool grease, crude

Other

Other animal fats and oils and their fractions, whether or not refined, but not chemically modified

Soya-bean oil and its fractions, whether or not refined, but not chemically modified

Crude oil, whether or not degummed

For technical or industrial uses other than the manufacture of foodstuffs for human consumption

Other

Other

For technical or industrial uses other than the manufacture of foodstuffs for human consumption

Other

Groundnut oil and its fractions, whether or not refined, but not chemically modified

Crude oil

For technical or industrial uses other than the manufacture of foodstuffs for human consumption

Other

Other

For technical or industrial uses other than the manufacture of foodstuffs for human consumption

Other

Olive oil and its fractions, whether or not refined, but not chemically modified

Virgin

Lampante olive oil

Other

Other

Other oils and their fractions, obtained solely from olives, whether or not refined, but not chemically modified, including blends of these oils or fractions with oils or fractions of heading|1509

Crude oils

Other

Palm oil and its fractions, whether or not refined, but not chemically modified

Crude oil

For technical or industrial uses other than the manufacture of foodstuffs for human consumption

Other

Other

Solid fractions

In immediate packings of a net content not exceeding 1|kg

Other

For the manufacture of: - |industrial monocarboxylic fatty acids of subheading 3823|19|10, - |methyl esters of fatty acids of heading 2915|or 2916, -|fatty alcohols of subheadings 2905|17, 2905|19|and 3823|70|used for the manufacture of cosmetics, washing products or pharmaceutical products, -|fatty alcohols of subheading 2905|16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - |stearic acid of subheading 3823|11|00, -|goods of heading 3401, or -|fatty acids with high purity of heading 2915

Other

Other

For technical or industrial uses other than the manufacture of foodstuffs for human consumption

For the manufacture of: - |industrial monocarboxylic fatty acids of subheading 3823|19|10, - |methyl esters of fatty acids of heading 2915|or 2916, -|fatty alcohols of subheadings 2905|17, 2905|19|and 3823|70|used for the manufacture of cosmetics, washing products or pharmaceutical products, -|fatty alcohols of subheading 2905|16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - |stearic acid of subheading 3823|11|00, -|goods of heading 3401, or -|fatty acids with high purity of heading 2915

Other

Other

Sunflower-seed, safflower or cotton-seed oil and fractions thereof, whether or not refined, but not chemically modified

Sunflower-seed or safflower oil and fractions thereof

Crude oil

For technical or industrial uses other than the manufacture of foodstuffs for human consumption						
Other <table> <tr> <td>Sunflower-seed oil</td></tr> <tr> <td>Safflower oil</td></tr> </table>	Sunflower-seed oil	Safflower oil				
Sunflower-seed oil						
Safflower oil						
Other <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption <table> <tr> <td>Refined safflower oil (Safloröl, CAS RN 8001-23-8) for use in the manufacture of - conjugated linoleic acid of heading 3823 or - ethyl- or methyl esters of linoleic acid of heading 2916</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> <tr> <td>Other <table> <tr> <td>Sunflower-seed oil</td></tr> <tr> <td>Safflower oil</td></tr> </table> </td></tr> </table>	For technical or industrial uses other than the manufacture of foodstuffs for human consumption <table> <tr> <td>Refined safflower oil (Safloröl, CAS RN 8001-23-8) for use in the manufacture of - conjugated linoleic acid of heading 3823 or - ethyl- or methyl esters of linoleic acid of heading 2916</td></tr> <tr> <td>Other</td></tr> </table>	Refined safflower oil (Safloröl, CAS RN 8001-23-8) for use in the manufacture of - conjugated linoleic acid of heading 3823 or - ethyl- or methyl esters of linoleic acid of heading 2916	Other	Other <table> <tr> <td>Sunflower-seed oil</td></tr> <tr> <td>Safflower oil</td></tr> </table>	Sunflower-seed oil	Safflower oil
For technical or industrial uses other than the manufacture of foodstuffs for human consumption <table> <tr> <td>Refined safflower oil (Safloröl, CAS RN 8001-23-8) for use in the manufacture of - conjugated linoleic acid of heading 3823 or - ethyl- or methyl esters of linoleic acid of heading 2916</td></tr> <tr> <td>Other</td></tr> </table>	Refined safflower oil (Safloröl, CAS RN 8001-23-8) for use in the manufacture of - conjugated linoleic acid of heading 3823 or - ethyl- or methyl esters of linoleic acid of heading 2916	Other				
Refined safflower oil (Safloröl, CAS RN 8001-23-8) for use in the manufacture of - conjugated linoleic acid of heading 3823 or - ethyl- or methyl esters of linoleic acid of heading 2916						
Other						
Other <table> <tr> <td>Sunflower-seed oil</td></tr> <tr> <td>Safflower oil</td></tr> </table>	Sunflower-seed oil	Safflower oil				
Sunflower-seed oil						
Safflower oil						
Cotton-seed oil and its fractions <table> <tr> <td>Crude oil, whether or not gossypol has been removed <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> <tr> <td>Other <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> </table>	Crude oil, whether or not gossypol has been removed <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption</td></tr> <tr> <td>Other</td></tr> </table>	For technical or industrial uses other than the manufacture of foodstuffs for human consumption	Other	Other <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption</td></tr> <tr> <td>Other</td></tr> </table>	For technical or industrial uses other than the manufacture of foodstuffs for human consumption	Other
Crude oil, whether or not gossypol has been removed <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption</td></tr> <tr> <td>Other</td></tr> </table>	For technical or industrial uses other than the manufacture of foodstuffs for human consumption	Other				
For technical or industrial uses other than the manufacture of foodstuffs for human consumption						
Other						
Other <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption</td></tr> <tr> <td>Other</td></tr> </table>	For technical or industrial uses other than the manufacture of foodstuffs for human consumption	Other				
For technical or industrial uses other than the manufacture of foodstuffs for human consumption						
Other						

Coconut (copra), palm kernel or babassu oil and fractions thereof, whether or not refined, but not chemically modified <table> <tr> <td>Coconut (copra) oil and its fractions <table> <tr> <td>Crude oil <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption <table> <tr> <td>for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> <tr> <td>Other <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> </table> </td></tr> </table> </td></tr> </table>	Coconut (copra) oil and its fractions <table> <tr> <td>Crude oil <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption <table> <tr> <td>for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> <tr> <td>Other <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> </table> </td></tr> </table>	Crude oil <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption <table> <tr> <td>for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> <tr> <td>Other <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> </table>	For technical or industrial uses other than the manufacture of foodstuffs for human consumption <table> <tr> <td>for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915</td></tr> <tr> <td>Other</td></tr> </table>	for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915	Other	Other <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> <tr> <td>Other</td></tr> </table>	In immediate packings of a net content not exceeding 1 kg	Other
Coconut (copra) oil and its fractions <table> <tr> <td>Crude oil <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption <table> <tr> <td>for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> <tr> <td>Other <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> </table> </td></tr> </table>	Crude oil <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption <table> <tr> <td>for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> <tr> <td>Other <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> </table>	For technical or industrial uses other than the manufacture of foodstuffs for human consumption <table> <tr> <td>for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915</td></tr> <tr> <td>Other</td></tr> </table>	for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915	Other	Other <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> <tr> <td>Other</td></tr> </table>	In immediate packings of a net content not exceeding 1 kg	Other	
Crude oil <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption <table> <tr> <td>for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> <tr> <td>Other <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> </table>	For technical or industrial uses other than the manufacture of foodstuffs for human consumption <table> <tr> <td>for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915</td></tr> <tr> <td>Other</td></tr> </table>	for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915	Other	Other <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> <tr> <td>Other</td></tr> </table>	In immediate packings of a net content not exceeding 1 kg	Other		
For technical or industrial uses other than the manufacture of foodstuffs for human consumption <table> <tr> <td>for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915</td></tr> <tr> <td>Other</td></tr> </table>	for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915	Other						
for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915								
Other								
Other <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> <tr> <td>Other</td></tr> </table>	In immediate packings of a net content not exceeding 1 kg	Other						
In immediate packings of a net content not exceeding 1 kg								
Other								

Other <table> <tr> <td>Solid fractions <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> </table>	Solid fractions <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> <tr> <td>Other</td></tr> </table>	In immediate packings of a net content not exceeding 1 kg	Other			
Solid fractions <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> <tr> <td>Other</td></tr> </table>	In immediate packings of a net content not exceeding 1 kg	Other				
In immediate packings of a net content not exceeding 1 kg						
Other						
Other <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption <table> <tr> <td>For the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> <tr> <td>Other <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> </table>	For technical or industrial uses other than the manufacture of foodstuffs for human consumption <table> <tr> <td>For the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915</td></tr> <tr> <td>Other</td></tr> </table>	For the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915	Other	Other <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> <tr> <td>Other</td></tr> </table>	In immediate packings of a net content not exceeding 1 kg	Other
For technical or industrial uses other than the manufacture of foodstuffs for human consumption <table> <tr> <td>For the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915</td></tr> <tr> <td>Other</td></tr> </table>	For the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915	Other				
For the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915						
Other						
Other <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> <tr> <td>Other</td></tr> </table>	In immediate packings of a net content not exceeding 1 kg	Other				
In immediate packings of a net content not exceeding 1 kg						
Other						

Palm kernel or babassu oil and fractions thereof <table> <tr> <td>Crude oil <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption <table> <tr> <td>Palm kernel oil for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> <tr> <td>Other <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> </table> </td></tr> <tr> <td>Other <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> </table>	Crude oil <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption <table> <tr> <td>Palm kernel oil for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> <tr> <td>Other <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> </table>	For technical or industrial uses other than the manufacture of foodstuffs for human consumption <table> <tr> <td>Palm kernel oil for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915</td></tr> <tr> <td>Other</td></tr> </table>	Palm kernel oil for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915	Other	Other <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> <tr> <td>Other</td></tr> </table>	In immediate packings of a net content not exceeding 1 kg	Other	Other <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> <tr> <td>Other</td></tr> </table>	In immediate packings of a net content not exceeding 1 kg	Other
Crude oil <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption <table> <tr> <td>Palm kernel oil for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> <tr> <td>Other <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> </table>	For technical or industrial uses other than the manufacture of foodstuffs for human consumption <table> <tr> <td>Palm kernel oil for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915</td></tr> <tr> <td>Other</td></tr> </table>	Palm kernel oil for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915	Other	Other <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> <tr> <td>Other</td></tr> </table>	In immediate packings of a net content not exceeding 1 kg	Other				
For technical or industrial uses other than the manufacture of foodstuffs for human consumption <table> <tr> <td>Palm kernel oil for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915</td></tr> <tr> <td>Other</td></tr> </table>	Palm kernel oil for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915	Other								
Palm kernel oil for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915										
Other										
Other <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> <tr> <td>Other</td></tr> </table>	In immediate packings of a net content not exceeding 1 kg	Other								
In immediate packings of a net content not exceeding 1 kg										
Other										
Other <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> <tr> <td>Other</td></tr> </table>	In immediate packings of a net content not exceeding 1 kg	Other								
In immediate packings of a net content not exceeding 1 kg										
Other										
Other <table> <tr> <td>Solid fractions <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> </table> </td></tr> </table>	Solid fractions <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> </table>	In immediate packings of a net content not exceeding 1 kg								
Solid fractions <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> </table>	In immediate packings of a net content not exceeding 1 kg									
In immediate packings of a net content not exceeding 1 kg										

Other						
Other <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption <table> <tr> <td>Palm kernel oil for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> <tr> <td>Other <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> </table>	For technical or industrial uses other than the manufacture of foodstuffs for human consumption <table> <tr> <td>Palm kernel oil for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915</td></tr> <tr> <td>Other</td></tr> </table>	Palm kernel oil for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915	Other	Other <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> <tr> <td>Other</td></tr> </table>	In immediate packings of a net content not exceeding 1 kg	Other
For technical or industrial uses other than the manufacture of foodstuffs for human consumption <table> <tr> <td>Palm kernel oil for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915</td></tr> <tr> <td>Other</td></tr> </table>	Palm kernel oil for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915	Other				
Palm kernel oil for the manufacture of: - industrial monocarboxylic fatty acids of subheading 3823 19 10, - methyl esters of fatty acids of heading 2915 or 2916, - fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, - fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, - stearic acid of subheading 3823 11 00, - goods of heading 3401, or - fatty acids with high purity of heading 2915						
Other						
Other <table> <tr> <td>In immediate packings of a net content not exceeding 1 kg</td></tr> <tr> <td>Other</td></tr> </table>	In immediate packings of a net content not exceeding 1 kg	Other				
In immediate packings of a net content not exceeding 1 kg						
Other						

Rape, colza or mustard oil and fractions thereof, whether or not refined, but not chemically modified <table> <tr> <td>Low-erucic-acid rape or colza oil and its fractions <table> <tr> <td>Crude oil <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> <tr> <td>Other <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> </table> </td></tr> <tr> <td>Other <table> <tr> <td>Crude oil <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> <tr> <td>Other <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> </table> </td></tr> </table>	Low-erucic-acid rape or colza oil and its fractions <table> <tr> <td>Crude oil <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> <tr> <td>Other <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> </table>	Crude oil <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption</td></tr> <tr> <td>Other</td></tr> </table>	For technical or industrial uses other than the manufacture of foodstuffs for human consumption	Other	Other <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption</td></tr> <tr> <td>Other</td></tr> </table>	For technical or industrial uses other than the manufacture of foodstuffs for human consumption	Other	Other <table> <tr> <td>Crude oil <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> <tr> <td>Other <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> </table>	Crude oil <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption</td></tr> <tr> <td>Other</td></tr> </table>	For technical or industrial uses other than the manufacture of foodstuffs for human consumption	Other	Other <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption</td></tr> <tr> <td>Other</td></tr> </table>	For technical or industrial uses other than the manufacture of foodstuffs for human consumption	Other
Low-erucic-acid rape or colza oil and its fractions <table> <tr> <td>Crude oil <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> <tr> <td>Other <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> </table>	Crude oil <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption</td></tr> <tr> <td>Other</td></tr> </table>	For technical or industrial uses other than the manufacture of foodstuffs for human consumption	Other	Other <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption</td></tr> <tr> <td>Other</td></tr> </table>	For technical or industrial uses other than the manufacture of foodstuffs for human consumption	Other								
Crude oil <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption</td></tr> <tr> <td>Other</td></tr> </table>	For technical or industrial uses other than the manufacture of foodstuffs for human consumption	Other												
For technical or industrial uses other than the manufacture of foodstuffs for human consumption														
Other														
Other <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption</td></tr> <tr> <td>Other</td></tr> </table>	For technical or industrial uses other than the manufacture of foodstuffs for human consumption	Other												
For technical or industrial uses other than the manufacture of foodstuffs for human consumption														
Other														
Other <table> <tr> <td>Crude oil <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> <tr> <td>Other <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> </table>	Crude oil <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption</td></tr> <tr> <td>Other</td></tr> </table>	For technical or industrial uses other than the manufacture of foodstuffs for human consumption	Other	Other <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption</td></tr> <tr> <td>Other</td></tr> </table>	For technical or industrial uses other than the manufacture of foodstuffs for human consumption	Other								
Crude oil <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption</td></tr> <tr> <td>Other</td></tr> </table>	For technical or industrial uses other than the manufacture of foodstuffs for human consumption	Other												
For technical or industrial uses other than the manufacture of foodstuffs for human consumption														
Other														
Other <table> <tr> <td>For technical or industrial uses other than the manufacture of foodstuffs for human consumption</td></tr> <tr> <td>Other</td></tr> </table>	For technical or industrial uses other than the manufacture of foodstuffs for human consumption	Other												
For technical or industrial uses other than the manufacture of foodstuffs for human consumption														
Other														

Other fixed vegetable fats and oils (including jojoba oil) and their fractions, whether or not refined, but not chemically modified <table> <tr> <td>Linseed oil and its fractions <table> <tr> <td>Crude oil</td></tr> </table> </td></tr> </table>	Linseed oil and its fractions <table> <tr> <td>Crude oil</td></tr> </table>	Crude oil
Linseed oil and its fractions <table> <tr> <td>Crude oil</td></tr> </table>	Crude oil	
Crude oil		

Other
For technical or industrial uses other than the manufacture of foodstuffs for human consumption
Other

Maize (corn) oil and its fractions
Crude oil
For technical or industrial uses other than the manufacture of foodstuffs for human consumption
Other
Other
For technical or industrial uses other than the manufacture of foodstuffs for human consumption
Other

Castor oil and its fractions
For the production of aminoundecanoic acid for use in the manufacture of synthetic textile fibres or of artificial plastic materials
Other

Sesame oil and its fractions
Crude oil
For technical or industrial uses other than the manufacture of foodstuffs for human consumption
Other
Other
For technical or industrial uses other than the manufacture of foodstuffs for human consumption
Other

Other
Tung oil; jojoba and oiticica oils; myrtle wax and Japan wax; their fractions
Tobacco-seed oil and its fractions
Crude oil
For technical or industrial uses other than the manufacture of foodstuffs for human consumption
Other
Other
For technical or industrial uses other than the manufacture of foodstuffs for human consumption
Other

Other oils and their fractions
Crude oils
For technical or industrial uses other than the manufacture of foodstuffs for human consumption
Other
Solid, in immediate packings of a net content not exceeding 1 kg

Solid, other; fluid
Other
For technical or industrial uses other than the manufacture of foodstuffs for human consumption
Other
Solid, in immediate packings of a net content not exceeding 1 kg
Solid, other; fluid
Hazelnut oil
Vegetable oil, refined, containing by weight 35 % or more but not more than 50 % of arachidonic acid or 35 % or more but not more than 50 % of docosahexaenoic acid
Other

Animal or vegetable fats and oils and their fractions, partly or wholly hydrogenated, inter-esterified, re-esterified or elaidinised, whether or not refined, but not further prepared
Animal fats and oils and their fractions
In immediate packings of a net content not exceeding 1 kg
Of fish and of marine mammals
Other
Other
Of fish and of marine mammals
Other

Vegetable fats and oils and their fractions
Hydrogenated castor oil, so called 'opal-wax'
Other
In immediate packings of a net content not exceeding 1 kg
Other
Colza, linseed, rapeseed, sunflower-seed, illipe, karite, makore, touloucouna or babassu oils, for technical or industrial uses other than the manufacture of foodstuffs for human consumption
Other
Groundnut, cotton-seed, soya-bean or sunflower-seed oils; other oils containing less than 50 % by weight of free fatty acids and excluding palm kernel, illipe, coconut, colza, rapeseed or copaiba oils
Jojoba oil, hydrogenated and interesterified, without any further chemical modification and not subjected to any texturisation process
Other
Other

Blends more than 20% of fatty-acid mono-alkyl esters and/or paraffinic gasoil obtained from synthesis and/or hydro-treatment, of non-fossil origin
Consigned from Canada
Other
Blends containing by weight 20% or less of fatty-acid mono-alkyl esters and/or paraffinic gasoil obtained from synthesis and/or hydro-treatment, of non-fossil origin
Other

Margarine; edible mixtures or preparations of animal or vegetable fats or oils or of fractions of different fats or oils of this chapter, other than edible fats or oils or their fractions of heading 1516
Margarine, excluding liquid margarine
Containing, by weight, more than 10 % but not more than 15 % of milkfats
Other
Containing, by weight, not more than 10 % of milk fats
Other
Other
Containing, by weight, more than 10 % but not more than 15 % of milkfats
Other
Fixed vegetable oils, fluid, mixed
Edible mixtures or preparations of a kind used as mould-release preparations
Other
Vegetable oil, refined, containing by weight 25 % or more but not more than 50 % arachidonic acid or 12 % or more but not more than 65 % docosahexaenoic acid and standardized with high oleic sunflower oil (HOSO)
Other

Animal or vegetable fats and oils and their fractions, boiled, oxidised, dehydrated, sulphurised, blown, polymerised by heat in vacuum or in inert gas or otherwise chemically modified, excluding those of heading 1516; inedible mixtures or preparations of animal or vegetable fats or oils or of fractions of different fats or oils of this chapter, not elsewhere specified or included
Linoxyn
Fixed vegetable oils, fluid, mixed, for technical or industrial uses other than the manufacture of foodstuffs for human consumption
Crude
Other
Other

Animal or vegetable fats and oils and their fractions, boiled, oxidised, dehydrated, sulphurised, blown, polymerised by heat in vacuum or in inert gas or otherwise chemically modified, excluding those of heading 1516
Blends containing by weight more than 20% of fatty-acid mono-alkyl esters and/or paraffinic gasoil obtained from synthesis and/or hydro-treatment, of non-fossil origin
Consigned from Canada
Other
Blends containing by weight 20% or less of fatty-acid mono-alkyl esters and/or paraffinic gasoil obtained from synthesis and/or hydro-treatment, of non-fossil origin
Other
Other
Inedible mixtures or preparations of animal or of animal and vegetable fats and oils and their fractions
Blends containing fatty-acid mono-alkyl esters and/or paraffinic gasoil obtained from synthesis and/or hydro-treatment, of non-fossil origin
Other
Other
Blends containing by weight more than 20% of fatty-acid mono-alkyl esters and/or paraffinic gasoil obtained from synthesis and/or hydro-treatment, of non-fossil origin
Consigned from Canada
Other
Blends containing by weight 20% or less of fatty-acid mono-alkyl esters and/or paraffinic gasoil obtained from synthesis and/or hydro-treatment, of non-fossil origin
Other

Glycerol, crude; glycerol waters and glycerol lyes
--

Vegetable waxes (other than triglycerides), beeswax, other insect waxes and spermaceti, whether or not refined or coloured
Vegetable waxes
Other
Spermaceti, whether or not refined or coloured
Beeswax and other insect waxes, whether or not refined or coloured
Raw
Other

Degras; residues resulting from the treatment of fatty substances or animal or vegetable waxes
Degras

Residues resulting from the treatment of fatty substances or animal or vegetable waxes
Containing oil having the characteristics of olive oil
Soapstocks
Other
Other
Oil foots and dregs; soapstocks
Other

PREPARATIONS OF MEAT, OF FISH OR OF CRUSTACEANS, MOLLUSCS OR OTHER AQUATIC INVERTEBRATES
Sausages and similar products, of meat, meat offal or blood; food preparations based on these products
Of liver
Of animals of headings 0101 to 0104, excluding wild boars
Other
Other
Sausages, dry or for spreading, uncooked
Of animals of headings 0101 to 0104, excluding wild boars
Other
Other
Of animals of headings 0101 to 0104, excluding wild boars
Other

Other prepared or preserved meat, meat offal or blood
Homogenised preparations
Of liver of any animal
Goose or duck liver
Other
Of poultry of heading 0105
Of turkeys
Containing 57 % or more by weight of poultry meat or offal
Containing exclusively uncooked turkey meat
Other
Other
Containing 25 % or more but less than 57 % by weight of poultry meat or offal
Other
Of fowls of the species Gallus domesticus
Containing 57 % or more by weight of poultry meat or offal
Uncooked
Other
Containing 25 % or more but less than 57 % by weight of poultry meat or offal

Uncooked
Other
Other
Uncooked
Other
Other
Containing 57 % or more by weight of poultry meat or offal
Uncooked
Other
Other
Processed meat, containing 25% or more by weight of poultry meat or offal
Other

Of swine
Hams and cuts thereof
Of domestic swine
Other
Shoulders and cuts thereof
Of domestic swine
Other
Other, including mixtures
Of domestic swine
Containing by weight 80 % or more of meat or meat offal, of any kind, including fats of any kind or origin
Loins (excluding collars) and cuts thereof, including mixtures of loins or hams
Collars and cuts thereof, including mixtures of collars and shoulders
Other mixtures containing hams (legs), shoulders, loins or collars, and cuts thereof
Other
Pork neck, dried in air, seasoned or not, whole, in pieces or thinly sliced
Other
Containing by weight 40 % or more but less than 80 % of meat or meat offal, of any kind, including fats of any kind or origin
Containing by weight less than 40 % of meat or meat offal, of any kind, including fats of any kind or origin
Other

Of bovine animals
Uncooked; mixtures of cooked meat or offal and uncooked meat or offal
Other
Corned beef, in airtight containers
Other

Other, including preparations of blood of any animal
Preparations of blood of any animal
Other
Of game or rabbit
Other
Containing meat or meat offal of domestic swine
Other
Containing bovine meat or offal
Uncooked; mixtures of cooked meat or offal and uncooked meat or offal
Other
Other
Of sheep
Of goats
Other

Extracts and juices of meat, fish or crustaceans, molluscs or other aquatic invertebrates
In immediate packings of a net content of 1 kg or less
Other

Prepared or preserved fish; caviar and caviar substitutes prepared from fish eggs
Fish, whole or in pieces, but not minced
Salmon
Atlantic salmon (Salmo salar)
Other
Herring
Fillets, raw, merely coated with batter or breadcrumbs, whether or not pre-fried in oil, frozen
Of the species Clupea harengus
Other
Other
In airtight containers
Of the species Clupea harengus
Spiced and/or vinegar-cured, in brine
Other
Other
Spiced and/or vinegar-cured, in brine
Other
Other
Spiced and/or vinegar-cured, in brine
Preserved in barrels of at least 70 kg net drained weight, for processing
Other
Of the species Clupea harengus

Other

Sardines, sardinella and brisling or sprats
Sardines
In olive oil
Of the species Sardina pilchardus
Other
Other
Of the species Sardina pilchardus
Other
Other
Fillets, raw, merely coated with batter or breadcrumbs, whether or not prefried in oil, deepfrozen
Other
Brisling or sprats (Sprattus sprattus)
In airtight cans
Other
Other

Tuna, skipjack and bonito (Sarda spp.)
Tuna and skipjack
Skipjack
In vegetable oil
Other
Fillets known as 'loins'
For processing
Other
Other
Yellowfin tuna (Thunnus albacares)
In vegetable oil
Other
Fillets known as 'loins'
For processing
Other
Other
Other
In vegetable oil
Bluefin tunas (Thunnus thynnus)
Atlantic bigeye tuna (Thunnus obesus)
Other
Other
Fillets known as 'loins'
of Bluefin tunas (thunnus thynnus)
For processing
Other

Of Atlantic bigeye tuna (Thunnus obesus)
For processing
Other
Other
For processing
Other
Other
Bluefin tunas (Thunnus thynnus)
Atlantic bigeye tuna (Thunnus obesus)
Other

Bonito (Sarda spp.)

Mackerel
Of the species Scomber scombrus and Scomber japonicus
Fillets
Of the species Scomber scombrus
Of the species Scomber japonicus
Other
Of the species Scomber scombrus
Of the species Scomber japonicus
Of the species Scomber australasicus

Anchovies
Eels
Other
Salmonidae, other than salmon
Trout (Oncorhynchus mykiss)
Other
Fish of the genus Euthynnus, other than skipjack (Euthynnus (Katsuwonus) pelamis)
Fillets known as 'loins'
Other
Fish of the species Orcynopsis unicolor
Other
Fillets, raw, merely coated with batter or breadcrumbs, whether or not pre-fried in oil, frozen
Of swordfish (Xiphias gladius)
Other
Other
Cod (Gadus morhua, Gadus ogac, Gadus macrocephalus)
Coalfish (Pollachius virens)
Preserved smoked coalfish
Other

Hake (Merluccius spp., Urophycis spp.)
Alaska pollack (Theragra chalcogramma) and pollack (Pollachius pollachius)
Other
Swordfish (Xiphias gladius)
Mackerel (Scomber colias)
Frigate tuna, Frigate mackerel (Auxis thazard, Auxis rochei)
Other

Other prepared or preserved fish
Preparations of surimi
Other
Of salmon
Atlantic salmon (Salmo salar)
Other
Of Salmonidae, other than salmon
Trout (Oncorhynchus mykiss)
Other
Of anchovies
Of sardines, bonito, mackerel of the species Scomber scombrus and Scomber japonicus, fish of the species Orcynopsis unicolor
Of sardines
Of the species Sardina pilchardus
Other
Of bonito (Sarda s.p.p.)
Of mackerel of the species Scomber scombrus
Of mackerel of the species Scomber japonicus
Other
Of tuna, skipjack or other fish of the genus Euthynnus
of Bluefin tunas (thunnus thynnus)
Preserved
Other
Of Atlantic bigeye tuna (Thunnus obesus)
Preserved
Other
Skipjack (Katsuwonus pelamis)
Preserved
Other
Other
Preserved
Other
Of other fish
Of herring

Of the species Clupea harengus
Other
Preserved smoked coalfish
Brisling or sprats (Sprattus sprattus)
In airtight cans
Other
of mackerel (Scomber australasicus)
Lamprey
Swordfish (Xiphias gladius)
Other

Caviar and caviar substitutes
Caviar
Caviar substitutes
Hard fish roes, washed, cleaned of adherent organs and simply salted or in brine, for processing of caviar substitutes
Other

Crustaceans, molluscs and other aquatic invertebrates, prepared or preserved
Crab
In airtight cans
Other

Shrimps and prawns
Not in airtight containers
In immediate packings of a net content not exceeding 2 kg
Of the "Crangon" variety
shelled and frozen
Other
Shrimps and prawns of the species Pandalus borealis, shelled, boiled and frozen, but not otherwise prepared
Shrimps and prawns of the species Pandalus montagui, shelled, boiled and frozen, but not otherwise prepared
Other
Shelled
Frozen
Other
Other

Other
Of the "Crangon" variety
shelled and frozen
Other
Shrimps and prawns of the species Pandalus borealis
shelled, boiled and frozen, but not otherwise prepared
cooked and peeled for processing

Other
Shrimps and prawns of the species Pandalus jordani
Cooked and peeled for processing
Other
Frozen
Other
Shrimps and prawns of the species Pandalus montagui
shelled, boiled and frozen, but not otherwise prepared
cooked and peeled for processing
Other
Other
Shelled
Frozen
Other
Other

Other
Of the "Crangon" variety
shelled and frozen
Other
Shrimps and prawns of the species Pandalus borealis, shelled, boiled and frozen, but not otherwise prepared
Shrimps and prawns of the species Pandalus montagui, shelled, boiled and frozen, but not otherwise prepared
Shrimps and prawns of the species Pandalus borealis, cooked and peeled for processing
Shrimps and prawns of the species Pandalus montagui, cooked and peeled for processing
Shrimps and prawns of the species Pandalus jordani, cooked and peeled for processing
Other
Shelled
Frozen
Other
Other

Lobster
Lobster meat, cooked, for the manufacture of lobster butter or of lobster pastes, pâtés, soups or sauces
Other
Frozen lobster (Homarus americanus), in pieces, cooked
Frozen lobster meat (Homarus americanus), cooked
Prepared meals of lobster meat (Homarus americanus), including meals ready for consumption

<div><div>Other</div></div>
Other crustaceans
<div><div>Norway lobsters (Nephrops norvegicus)</div></div>
<div><div>Freshwater crayfish cooked with dill, frozen</div></div>
<div><div>Other</div></div>
Molluscs
<div><div>Oysters</div></div>
Scallops, including queen scallops
<div><div>Coquilles St. Jacques (Pecten maximus)</div></div>
<div><div>Other</div></div>
Mussels
<div><div>In airtight containers</div><div><div>Of the species Mytilus spp. or Perna spp.</div><div><div>Frozen mussels (Mytilus edulis), cooked, whether or not in shell</div></div><div><div>Prepared or preserved mussels (Mytilus edulis), and meals containing mussels (Mytilus edulis), including meals ready for consumption</div></div><div><div>Other</div></div></div></div>
<div><div>Other</div></div>
<div><div>Other</div><div><div>Of the species Mytilus spp. or Perna spp.</div><div><div>Frozen mussels (Mytilus edulis), cooked, whether or not in shell</div></div><div><div>Prepared or preserved mussels (Mytilus edulis), and meals containing mussels (Mytilus edulis), including meals ready for consumption</div></div><div><div>Other</div></div></div></div>
<div><div>Other</div></div>
Cuttlefish and squid
<div><div>Octopus</div></div>
<div><div>Clams, cockles and arkshells</div></div>
<div><div>Abalone</div></div>
<div><div>Snails, other than sea snails</div></div>
<div><div>Other</div><div><div>Common whelk (Buccinum Undatum)</div></div><div><div>Other</div></div></div>
Other aquatic invertebrates
<div><div>Sea cucumbers</div></div>
<div><div>Sea urchins</div></div>
<div><div>Jellyfish</div></div>
<div><div>Other</div></div>
SUGARS AND SUGAR CONFECTIONERY

Cane or beet sugar and chemically pure sucrose, in solid form
Raw sugar not containing added flavouring or colouring matter
<div><div>Beet sugar</div><div><div>For refining</div></div><div><div>Other</div></div></div>
Cane sugar specified in subheading note2to this chapter
<div><div>For refining</div></div>
<div><div>Other</div></div>
Other cane sugar
<div><div>For refining</div></div>
<div><div>Other</div></div>
Other
<div><div>Containing added flavouring or colouring matter</div></div>
<div><div>Other</div><div><div>White sugar</div></div><div><div>Other</div></div></div>
Other sugars, including chemically pure lactose, maltose, glucose and fructose, in solid form; sugar syrups not containing added flavouring or colouring matter; artificial honey, whether or not mixed with natural honey; caramel
Lactose and lactose syrup
<div><div>Containing by weight 99 % or more lactose, expressed as anhydrous lactose, calculated on the dry matter</div></div>
<div><div>Other</div></div>
Maple sugar and maple syrup
<div><div>Maple sugar in solid form, containing added flavouring or colouring matter</div></div>
<div><div>Other</div></div>
Glucose and glucose syrup, not containing fructose or containing in the dry state less than 20 % by weight of fructose
<div><div>Isoglucose</div></div>
<div><div>Other</div><div><div>In the form of white crystalline powder, whether or not agglomerated</div><div><div>Containing in the dry state, 99 % or more by weight of glucose</div></div><div><div>Other</div></div></div></div>
<div><div>Other</div><div><div>Containing in the dry state, 99 % or more by weight of glucose</div></div><div><div>Other</div></div></div>
Glucose and glucose syrup, containing in the dry state at least 20 % but less than 50 % by weight of fructose, excluding invert sugar
<div><div>Isoglucose</div></div>
<div><div>Other</div></div>
Chemically pure fructose

Other fructose and fructose syrup, containing in the dry state more than 50 % by weight of fructose, excluding invert sugar
<div><div>Isoglucose</div></div>
<div><div>Inulin syrup</div></div>
<div><div>Other</div></div>
Other, including invert sugar and other sugar and sugar syrup blends containing in the dry state 50 % by weight of fructose
<div><div>Chemically pure maltose</div><div><div>For feeding purpose</div></div><div><div>Other</div></div></div>
<div><div>Isoglucose</div></div>
<div><div>Maltodextrine and maltodextrine syrup</div></div>
Caramel
<div><div>Containing 50 % or more by weight of sucrose in the dry matter</div></div>
<div><div>Other</div><div><div>In the form of powder, whether or not agglomerated</div></div><div><div>Other</div></div></div>
<div><div>Inulin syrup</div></div>
<div><div>Other</div></div>
Molasses resulting from the extraction or refining of sugar
<div><div>Cane molasses</div></div>
<div><div>Other</div></div>
Sugar confectionery (including white chocolate), not containing cocoa
Chewing gum, whether or not sugar-coated
<div><div>Containing less than 60 % by weight of sucrose (including invert sugar expressed as sucrose)</div></div>
<div><div>Containing 60 % or more by weight of sucrose (including invert sugar expressed as sucrose)</div></div>
Other
<div><div>Liquorice extract containing more than 10 % by weight of sucrose but not containing other added substances</div></div>
<div><div>White chocolate</div></div>
<div><div>Other</div><div><div>Pastes, including marzipan, in immediate packings of a net content of 1 kg or more</div></div><div><div>Throat pastilles and cough drops</div></div><div><div>Sugar-coated (panned) goods</div></div></div>
<div><div>Other</div><div><div>Gum confectionery and jelly confectionery, including fruit pastes in the form of sugar confectionery</div></div><div><div>Boiled sweets, whether or not filled</div></div><div><div>Toffees, caramels and similar sweets</div></div><div><div>Other</div></div></div>

Compressed tablets
Other
Containing less than 70 % by weight of sucrose (including invert sugar expressed as sucrose)
Marshmallows, containing 45 % or less by weight of sugar (including invert sugar expressed as sucrose)
Other
Containing 70 % or more by weight of sucrose (including invert sugar expressed as sucrose)
Halva and Loukhum
Other

COCOA AND COCOA PREPARATIONS

Cocoa beans, whole or broken, raw or roasted
Cocoa shells, husks, skins and other cocoa waste
Cocoa paste, whether or not defatted
Not defatted
Wholly or partly defatted
Cocoa butter, fat and oil
Cocoa powder, not containing added sugar or other sweetening matter
Chocolate and other food preparations containing cocoa
Cocoa powder, containing added sugar or other sweetening matter
Containing no sucrose or containing less than 5 % by weight of sucrose (including invert sugar expressed as sucrose) or isoglucose expressed as sucrose
Containing 5 % or more but less than 65 % by weight of sucrose (including invert sugar expressed as sucrose) or isoglucose expressed as sucrose
Containing 65 % or more but less than 80 % by weight of sucrose (including invert sugar expressed as sucrose) or isoglucose expressed as sucrose
Containing 70 % or more by weight of sucrose (including invert sugar expressed as sucrose) or isoglucose expressed as sucrose
Other
Containing 80 % or more by weight of sucrose (including invert sugar expressed as sucrose) or isoglucose expressed as sucrose
Other preparations in blocks, slabs or bars weighing more than 2 kg or in liquid, paste, powder, granular or other bulk form in containers or immediate packings, of a content exceeding 2 kg
Containing 31 % or more by weight of cocoa butter or containing a combined weight of 31 % or more of cocoa butter and milkfat

Containing a combined weight of 25 % or more, but less than 31 % of cocoa butter and milkfat
Other
Containing 18 % or more by weight of cocoa butter
Chocolate milk crumb
Chocolate flavour coating
Containing less than 70 % by weight of sucrose (including invert sugar expressed as sucrose)
Containing 70 % or more by weight of sucrose (including invert sugar expressed as sucrose)
Other
Containing less than 70 % by weight of sucrose (including invert sugar expressed as sucrose)
Containing 70 % or more by weight of sucrose (including invert sugar expressed as sucrose)

Other, in blocks, slabs or bars
Filled
Not filled
With added cereal, fruit or nuts
Other

Other
Chocolate and chocolate products
Chocolates (including pralines), whether or not filled
Containing alcohol
Other
Other
Filled
Not filled

Sugar confectionery and substitutes therefor made from sugar substitution products, containing cocoa
Spreads containing cocoa
In immediate packings of a net content not exceeding 1 kg
Other
Preparations containing cocoa for making beverages
In immediate packings of a net content not exceeding 1 kg
Other
Other
In immediate packings of a net content not exceeding 1 kg
Containing less than 70 % by weight of sucrose (including invert sugar expressed as sucrose)
Containing 70 % or more by weight of sucrose (including

invert sugar expressed as sucrose)
Other
Containing less than 70 % by weight of sucrose (including invert sugar expressed as sucrose)
Containing 70 % or more by weight of sucrose (including invert sugar expressed as sucrose)

PREPARATIONS OF CEREALS, FLOUR, STARCH OR MILK; PASTRYCOOKS' PRODUCTS

Malt extract; food preparations of flour, groats, meal, starch or malt extract, not containing cocoa or containing less than 40 % by weight of cocoa calculated on a totally defatted basis, not elsewhere specified or included; food preparations of goods of headings 0401 to 0404, not containing cocoa or containing less than 5 % by weight of cocoa calculated on a totally defatted basis, not elsewhere specified or included
Preparations for infant use, put up for retail sale
Mixes and doughs for the preparation of bakers' wares of heading 1905
Other
Malt extract
With a dry extract content of 90 % or more by weight
Other
Other
Containing no milkfats, sucrose, isoglucose, glucose or starch or containing less than 1,5 % milkfat, 5 % sucrose (including invert sugar) or isoglucose, 5 % glucose or starch, excluding food preparations in powder form of goods of headings 0401 to 0404
Other
Containing 60 % or more by weight of sucrose (including invert sugar expressed as sucrose) or isoglucose expressed as sucrose
Containing less than 70 % of sucrose (including invert sugar expressed as sucrose)
Other
Other
Preparation in powder form containing by weight: - 15 % or more but not more than 35 % of wheat derived Maltodextrin, - 15 % or more but not more than 35 % of whey (milk serum), - 10 % or more but not more than 30 % of refined, bleached, deodorised and non-hydrogenated sunflower oil, - 10 % or more but not more than 30 % of blended, aged spray dried cheese, - 5 % or more but not more than 15 % of buttermilk and - 0,1 % or more but not more than 10 % of sodium caseinate, disodium phosphate, lactic acid

Other

Pasta, whether or not cooked or stuffed (with meat or other substances) or otherwise prepared, such as spaghetti, macaroni, noodles, lasagne, gnocchi, ravioli, cannelloni; couscous, whether or not prepared

Uncooked pasta, not stuffed or otherwise prepared

Containing eggs

Other

Containing no common wheat flour or meal

Other

Stuffed pasta, whether or not cooked or otherwise prepared

Containing more than 20|% by weight of fish, crustaceans, molluscs or other aquatic invertebrates

Containing more than 20|% by weight of sausages and the like, of meat and meat offal of any kind, including fats of any kind or origin

Other

Cooked

Other

Other pasta

Dried

Transparent noodles, cut in pieces, obtained from beans (*Vigna radiata* (L.) Wilczek), not put up for retail sale

Other

Other

Couscous

Unprepared

Other

Tapioca and substitutes therefor prepared from starch, in the form of flakes, grains, pearls, siftings or similar forms

Transparent noodles, cut in pieces, obtained from beans (*Vigna radiata* (L.) Wilczek), not put up for retail sale

Other

Prepared foods obtained by the swelling or roasting of cereals or cereal products (for example, corn flakes); cereals (other than maize (corn)) in grain form or in the form of flakes or other worked grains (except flour, groats and meal), pre-cooked or otherwise prepared, not elsewhere specified or included

Prepared foods obtained by the swelling or roasting of cereals or cereal products

Obtained from maize

Obtained from rice

Other

Prepared foods obtained from unroasted cereal flakes or from mixtures of unroasted cereal flakes and roasted cereal flakes or swelled cereals

Preparation of the Müsli type based on unroasted cereal flakes

Other

Obtained from maize

Obtained from rice

Other

Bulgur wheat

Other

Obtained from rice

Other

Bread, pastry, cakes, biscuits and other bakers' wares, whether or not containing cocoa; communion wafers, empty cachets of a kind suitable for pharmaceutical use, sealing wafers, rice paper and similar products

Crispbread

Gingerbread and the like

Containing by weight less than 30|% of sucrose (including invert sugar expressed as sucrose)

Containing by weight 30|% or more but less than 50|% of sucrose (including invert sugar expressed as sucrose)

Containing by weight 50|% or more of sucrose (including invert sugar expressed as sucrose)

Sweet biscuits; waffles and wafers

Sweet biscuits

Completely or partially coated or covered with chocolate or other preparations containing cocoa

In immediate packings of a net content not exceeding 85|g

Other

Other

Containing 8|% or more by weight of milkfats

Other

Sandwich biscuits

Other

Waffles and wafers

With a water content exceeding 10|% by weight

Other

Completely or partially coated or covered with chocolate or other preparations containing cocoa

In immediate packings of a net content not exceeding 85|g

Other

Other

Salted, whether or not filled

Other

Rusks, toasted bread and similar toasted products

Rusks

Other

Other

Matzos

Communion wafers, empty cachets of a kind suitable for pharmaceutical use, sealing wafers, rice paper and similar products

Rice paper

Other

Other

Bread, not containing added honey, eggs, cheese or fruit, and containing by weight in the dry matter state not more than 5|% of sugars and not more than 5|% of fat

Biscuits

Extruded or expanded products, savoury or salted

Other

With added sweetening matter

Other

PREPARATIONS OF VEGETABLES, FRUIT, NUTS OR OTHER PARTS OF PLANTS

Vegetables, fruit, nuts and other edible parts of plants, prepared or preserved by vinegar or acetic acid

Cucumbers and gherkins

Cucumbers

Not containing added sugar

Other

Gherkins

Other

Mango chutney

Fruit of the genus *Capsicum* other than sweet peppers or pimentos

Sweetcorn (*Zea mays* var. *saccharata*)

In kernels, not frozen

Other

Yams, sweet potatoes and similar edible parts of plants containing 5|% or more by weight of starch

Mushrooms

Not containing added sugar

Other

Olives

Not containing added sugar

Other

Sweet peppers

Not containing added sugar

Other

Tropical fruit and tropical nuts; palm hearts

Palm hearts

Other

Not containing added sugar

<table><tr><td>Other</td></tr></table>	Other		
Other			
Other			
<table><tr><td>Vine leaves</td></tr><tr><td>Not containing added sugar</td></tr><tr><td>Other</td></tr></table>	Vine leaves	Not containing added sugar	Other
Vine leaves			
Not containing added sugar			
Other			
Hop shoots and similar edible parts of plants			
Not containing added sugar			
Other			
Onions			
Not containing added sugar			
Other			
Potatoes and products thereof			
Not containing added sugar			
Other			
Other			
Not containing added sugar			
Other			

Tomatoes prepared or preserved otherwise than by vinegar or acetic acid
Tomatoes, whole or in pieces
Peeled
Other
Other
With a dry matter content of less than 12 % by weight
In immediate packings of a net content exceeding 1 kg
In immediate packings of a net content not exceeding 1 kg
With a dry matter content of not less than 12 % but not more than 30 % by weight
In immediate packings of a net content exceeding 1 kg
In immediate packings of a net content not exceeding 1 kg
With a dry matter content of more than 30 % by weight
In immediate packings of a net content exceeding 1 kg
Powdered, whether or not containing added sugar, other sweetening matter or starch
Other
In immediate packings of a net content not exceeding 1 kg
Powdered, whether or not containing added sugar, other sweetening matter or starch
Other

Mushrooms and truffles, prepared or preserved otherwise than by vinegar or acetic acid
Mushrooms of the genus Agaricus

Provisionally preserved, completely cooked
Other
Other
Truffles
Other

Other vegetables prepared or preserved otherwise than by vinegar or acetic acid, frozen, other than products of heading 2006
Potatoes
Cooked, not otherwise prepared
Other
In the form of flour, meal or flakes
Other

Other vegetables and mixtures of vegetables
Sweetcorn (Zea mays var. saccharata)
Sauerkraut, capers and olives
Sauerkraut
Capers
Olives

Peas (Pisum sativum) and immature beans of the species Phaseolus spp., in pod
Other, including mixtures
Onions, cooked, not otherwise prepared
Other
Mixtures
Carrots
Asparagus
Products containing meat in a proportion of 3 % up to and including 20 % by weight
Globe artichokes
Other

Other vegetables prepared or preserved otherwise than by vinegar or acetic acid, not frozen, other than products of heading 2006
Homogenised vegetables
Mixtures
Carrots
Asparagus
Other

Potatoes
In the form of flour, meal or flakes
Other
Thin slices, fried or baked, whether or not salted or flavoured, in airtight packings, suitable for immediate consumption
Other

Peas (Pisum sativum)

Beans (Vigna spp., Phaseolus spp.)
Beans, shelled
Other

Asparagus

Olives

Sweetcorn (Zea mays var.saccharata)
In kernels, not frozen
Corn cobs (Zea Mays Saccharata) whether or not cut, with a diameter of 10 mm or more, but not more than 20 mm, for use in the manufacture of products of the food industry for treatment other than simple repacking
Other

Other vegetables and mixtures of vegetables
Bamboo shoots
Bamboo shoots, prepared or preserved, in immediate packings of a net content of more than 5 kg
Other

Other
Fruit of the genus Capsicum, other than sweet peppers or pimentos
Powdered preparations, whether or not containing added sugar, other sweetening matter or starch
Other

Capers
Powdered preparations, whether or not containing added sugar, other sweetening matter or starch
Other

Globe artichokes
Powdered preparations, whether or not containing added sugar, other sweetening matter or starch
Other

Mixtures of vegetables
Powdered preparations, whether or not containing added sugar, other sweetening matter or starch
Other

Sauerkraut
Powdered preparations, whether or not containing added sugar, other sweetening matter or starch
Other

Other
Carrots
Powdered preparations, whether or not containing added sugar, other sweetening matter or starch
Other

Other
Powdered preparations, whether or not containing added sugar, other sweetening matter or starch

<table><tr><td><table><tr><td>Products containing meat in a proportion of 3 % up to and including 20 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table>	<table><tr><td>Products containing meat in a proportion of 3 % up to and including 20 % by weight</td></tr><tr><td>Other</td></tr></table>	Products containing meat in a proportion of 3 % up to and including 20 % by weight	Other	Other
<table><tr><td>Products containing meat in a proportion of 3 % up to and including 20 % by weight</td></tr><tr><td>Other</td></tr></table>	Products containing meat in a proportion of 3 % up to and including 20 % by weight	Other		
Products containing meat in a proportion of 3 % up to and including 20 % by weight				
Other				
Other				

Vegetables, fruit, nuts, fruit-peel and other parts of plants, preserved by sugar (drained, glacé or crystallised)

Ginger																										
Other																										
<table><tr><td>With a sugar content exceeding 13 % by weight</td></tr><tr><td><table><tr><td>Cherries</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Tropical fruit and tropical nuts</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Sweet corn (Zea mays var. saccharata)</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Tropical fruit and tropical nuts</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Sweet corn (Zea mays var. saccharata)</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr></table></td></tr></table>	With a sugar content exceeding 13 % by weight	<table><tr><td>Cherries</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Tropical fruit and tropical nuts</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Sweet corn (Zea mays var. saccharata)</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Tropical fruit and tropical nuts</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Sweet corn (Zea mays var. saccharata)</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr></table>	Cherries	<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other	Tropical fruit and tropical nuts	Other	<table><tr><td>Sweet corn (Zea mays var. saccharata)</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr></table>	Sweet corn (Zea mays var. saccharata)	<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other	Other	<table><tr><td>Other</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other	Other	<table><tr><td>Tropical fruit and tropical nuts</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Sweet corn (Zea mays var. saccharata)</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Tropical fruit and tropical nuts	Other	<table><tr><td>Sweet corn (Zea mays var. saccharata)</td></tr><tr><td>Other</td></tr></table>	Sweet corn (Zea mays var. saccharata)	Other
With a sugar content exceeding 13 % by weight																										
<table><tr><td>Cherries</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Tropical fruit and tropical nuts</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Sweet corn (Zea mays var. saccharata)</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Tropical fruit and tropical nuts</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Sweet corn (Zea mays var. saccharata)</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr></table>	Cherries	<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other	Tropical fruit and tropical nuts	Other	<table><tr><td>Sweet corn (Zea mays var. saccharata)</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr></table>	Sweet corn (Zea mays var. saccharata)	<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other	Other	<table><tr><td>Other</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other	Other	<table><tr><td>Tropical fruit and tropical nuts</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Sweet corn (Zea mays var. saccharata)</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Tropical fruit and tropical nuts	Other	<table><tr><td>Sweet corn (Zea mays var. saccharata)</td></tr><tr><td>Other</td></tr></table>	Sweet corn (Zea mays var. saccharata)	Other		
Cherries																										
<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other																								
Containing less than 70 % by weight of sugar																										
Other																										
Tropical fruit and tropical nuts																										
Other																										
<table><tr><td>Sweet corn (Zea mays var. saccharata)</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr></table>	Sweet corn (Zea mays var. saccharata)	<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other	Other	<table><tr><td>Other</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other																
Sweet corn (Zea mays var. saccharata)																										
<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other																								
Containing less than 70 % by weight of sugar																										
Other																										
Other																										
<table><tr><td>Other</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other																						
Other																										
<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other																								
Containing less than 70 % by weight of sugar																										
Other																										
Other																										
<table><tr><td>Tropical fruit and tropical nuts</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Sweet corn (Zea mays var. saccharata)</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Tropical fruit and tropical nuts	Other	<table><tr><td>Sweet corn (Zea mays var. saccharata)</td></tr><tr><td>Other</td></tr></table>	Sweet corn (Zea mays var. saccharata)	Other																					
Tropical fruit and tropical nuts																										
Other																										
<table><tr><td>Sweet corn (Zea mays var. saccharata)</td></tr><tr><td>Other</td></tr></table>	Sweet corn (Zea mays var. saccharata)	Other																								
Sweet corn (Zea mays var. saccharata)																										
Other																										

Jams, fruit jellies, marmalades, fruit or nut purée and fruit or nut pastes, obtained by cooking, whether or not containing added sugar or other sweetening matter

Homogenised preparations							
<table><tr><td>With a sugar content exceeding 13 % by weight</td></tr><tr><td><table><tr><td>Fig paste</td></tr><tr><td>Pistachio paste</td></tr><tr><td>Hazelnut paste</td></tr><tr><td>Other</td></tr></table></td></tr></table>	With a sugar content exceeding 13 % by weight	<table><tr><td>Fig paste</td></tr><tr><td>Pistachio paste</td></tr><tr><td>Hazelnut paste</td></tr><tr><td>Other</td></tr></table>	Fig paste	Pistachio paste	Hazelnut paste	Other	
With a sugar content exceeding 13 % by weight							
<table><tr><td>Fig paste</td></tr><tr><td>Pistachio paste</td></tr><tr><td>Hazelnut paste</td></tr><tr><td>Other</td></tr></table>	Fig paste	Pistachio paste	Hazelnut paste	Other			
Fig paste							
Pistachio paste							
Hazelnut paste							
Other							
Other							
<table><tr><td>Of tropical fruit</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Fig paste</td></tr><tr><td>Pistachio paste</td></tr><tr><td>Hazelnut paste</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Of tropical fruit	Other	<table><tr><td>Fig paste</td></tr><tr><td>Pistachio paste</td></tr><tr><td>Hazelnut paste</td></tr><tr><td>Other</td></tr></table>	Fig paste	Pistachio paste	Hazelnut paste	Other
Of tropical fruit							
Other							
<table><tr><td>Fig paste</td></tr><tr><td>Pistachio paste</td></tr><tr><td>Hazelnut paste</td></tr><tr><td>Other</td></tr></table>	Fig paste	Pistachio paste	Hazelnut paste	Other			
Fig paste							
Pistachio paste							
Hazelnut paste							
Other							
Other							
<table><tr><td>Citrus fruit</td></tr><tr><td><table><tr><td>With a sugar content exceeding 30 % by weight</td></tr></table></td></tr></table>	Citrus fruit	<table><tr><td>With a sugar content exceeding 30 % by weight</td></tr></table>	With a sugar content exceeding 30 % by weight				
Citrus fruit							
<table><tr><td>With a sugar content exceeding 30 % by weight</td></tr></table>	With a sugar content exceeding 30 % by weight						
With a sugar content exceeding 30 % by weight							

<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other
Containing less than 70 % by weight of sugar		
Other		
With a sugar content exceeding 13 % but not exceeding 30 % by weight		
Other		

Other							
<table><tr><td>With a sugar content exceeding 30 % by weight</td></tr><tr><td><table><tr><td>Plum purée and paste and prune purée and paste, in immediate packings of a net content exceeding 100 kg, for industrial processing</td></tr><tr><td>Chestnut purée and paste</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr></table>	With a sugar content exceeding 30 % by weight	<table><tr><td>Plum purée and paste and prune purée and paste, in immediate packings of a net content exceeding 100 kg, for industrial processing</td></tr><tr><td>Chestnut purée and paste</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Plum purée and paste and prune purée and paste, in immediate packings of a net content exceeding 100 kg, for industrial processing	Chestnut purée and paste	<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other
With a sugar content exceeding 30 % by weight							
<table><tr><td>Plum purée and paste and prune purée and paste, in immediate packings of a net content exceeding 100 kg, for industrial processing</td></tr><tr><td>Chestnut purée and paste</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Plum purée and paste and prune purée and paste, in immediate packings of a net content exceeding 100 kg, for industrial processing	Chestnut purée and paste	<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other		
Plum purée and paste and prune purée and paste, in immediate packings of a net content exceeding 100 kg, for industrial processing							
Chestnut purée and paste							
<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other					
Containing less than 70 % by weight of sugar							
Other							

Other												
<table><tr><td>Of cherries</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td><table><tr><td>Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr></table>	Of cherries	<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td><table><tr><td>Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Containing less than 70 % by weight of sugar	<table><tr><td>Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment</td></tr><tr><td>Other</td></tr></table>	Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment	Other	Other	<table><tr><td>Other</td></tr><tr><td><table><tr><td>Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment</td></tr><tr><td>Other</td></tr></table>	Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment	Other
Of cherries												
<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td><table><tr><td>Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Containing less than 70 % by weight of sugar	<table><tr><td>Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment</td></tr><tr><td>Other</td></tr></table>	Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment	Other								
Containing less than 70 % by weight of sugar												
<table><tr><td>Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment</td></tr><tr><td>Other</td></tr></table>	Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment	Other										
Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment												
Other												
Other												
<table><tr><td>Other</td></tr><tr><td><table><tr><td>Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment</td></tr><tr><td>Other</td></tr></table>	Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment	Other								
Other												
<table><tr><td>Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment</td></tr><tr><td>Other</td></tr></table>	Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment	Other										
Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment												
Other												

Of strawberries										
<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td><table><tr><td>Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr></table>	Containing less than 70 % by weight of sugar	<table><tr><td>Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment</td></tr><tr><td>Other</td></tr></table>	Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment	Other	Other	<table><tr><td>Other</td></tr><tr><td><table><tr><td>Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment</td></tr><tr><td>Other</td></tr></table>	Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment	Other
Containing less than 70 % by weight of sugar										
<table><tr><td>Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment</td></tr><tr><td>Other</td></tr></table>	Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment	Other								
Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment										
Other										
Other										
<table><tr><td>Other</td></tr><tr><td><table><tr><td>Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment</td></tr><tr><td>Other</td></tr></table>	Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment	Other						
Other										
<table><tr><td>Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment</td></tr><tr><td>Other</td></tr></table>	Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment	Other								
Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment										
Other										

Of raspberries			
<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td><table><tr><td>Fruit purées obtained by sieving then brought to the boil in a vacuum, the</td></tr></table></td></tr></table>	Containing less than 70 % by weight of sugar	<table><tr><td>Fruit purées obtained by sieving then brought to the boil in a vacuum, the</td></tr></table>	Fruit purées obtained by sieving then brought to the boil in a vacuum, the
Containing less than 70 % by weight of sugar			
<table><tr><td>Fruit purées obtained by sieving then brought to the boil in a vacuum, the</td></tr></table>	Fruit purées obtained by sieving then brought to the boil in a vacuum, the		
Fruit purées obtained by sieving then brought to the boil in a vacuum, the			

<table><tr><td>texture and chemical composition of which have not been changed by the heat treatment</td></tr><tr><td>Other</td></tr></table>	texture and chemical composition of which have not been changed by the heat treatment	Other
texture and chemical composition of which have not been changed by the heat treatment		
Other		
Other		
<table><tr><td>Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment</td></tr><tr><td>Other</td></tr></table>	Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment	Other
Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment		
Other		

Other															
<table><tr><td>Fig paste</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Pistachio paste</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Hazelnut paste</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment</td></tr></table></td></tr></table>	Fig paste	<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other	Pistachio paste	<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other	Hazelnut paste	<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other	Other	<table><tr><td>Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment</td></tr></table>	Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment
Fig paste															
<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other													
Containing less than 70 % by weight of sugar															
Other															
Pistachio paste															
<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other													
Containing less than 70 % by weight of sugar															
Other															
Hazelnut paste															
<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other													
Containing less than 70 % by weight of sugar															
Other															
Other															
<table><tr><td>Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment</td></tr></table>	Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment														
Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment															

<table><tr><td>Pears</td></tr><tr><td><table><tr><td>Containing added sugar, in immediate packings of a net content exceeding 1 kg</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Containing added sugar, in immediate packings of a net content not exceeding 1 kg</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Apricots</td></tr><tr><td><table><tr><td>Containing added sugar, in immediate packings of a net content exceeding 1 kg</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr></table>	Pears	<table><tr><td>Containing added sugar, in immediate packings of a net content exceeding 1 kg</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Containing added sugar, in immediate packings of a net content not exceeding 1 kg</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Containing added sugar, in immediate packings of a net content exceeding 1 kg	<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other	Containing added sugar, in immediate packings of a net content not exceeding 1 kg	<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other	Apricots	<table><tr><td>Containing added sugar, in immediate packings of a net content exceeding 1 kg</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Containing added sugar, in immediate packings of a net content exceeding 1 kg	<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other
Pears																
<table><tr><td>Containing added sugar, in immediate packings of a net content exceeding 1 kg</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Containing added sugar, in immediate packings of a net content not exceeding 1 kg</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Containing added sugar, in immediate packings of a net content exceeding 1 kg	<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other	Containing added sugar, in immediate packings of a net content not exceeding 1 kg	<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other								
Containing added sugar, in immediate packings of a net content exceeding 1 kg																
<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other														
Containing less than 70 % by weight of sugar																
Other																
Containing added sugar, in immediate packings of a net content not exceeding 1 kg																
<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other														
Containing less than 70 % by weight of sugar																
Other																
Apricots																
<table><tr><td>Containing added sugar, in immediate packings of a net content exceeding 1 kg</td></tr><tr><td><table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Containing added sugar, in immediate packings of a net content exceeding 1 kg	<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other												
Containing added sugar, in immediate packings of a net content exceeding 1 kg																
<table><tr><td>Containing less than 70 % by weight of sugar</td></tr><tr><td>Other</td></tr></table>	Containing less than 70 % by weight of sugar	Other														
Containing less than 70 % by weight of sugar																
Other																

Containing added sugar, in immediate packings of a net content not exceeding 1|kg

Containing less than 70 % by weight of sugar

Other

Peaches, including nectarines

Containing added sugar, in immediate packings of a net content exceeding 1|kg

Containing less than 70 % by weight of sugar

Other

Containing added sugar, in immediate packings of a net content not exceeding 1|kg

Containing less than 70 % by weight of sugar

Other

Mixtures

Containing added sugar, in immediate packings of a net content exceeding 1|kg

Of tropical fruit (including mixtures containing 50|% or more by weight of tropical nuts and tropical fruit)

Containing less than 70 % by weight of sugar

Other

Other

Containing less than 70 % by weight of sugar

Other

Other

Mixtures of fruit in which no single fruit exceeds 50|% of the total weight of the fruits

Of tropical fruit (including mixtures containing 50|% or more by weight of tropical nuts and tropical fruit)

Containing less than 70 % by weight of sugar

Other

Other

Containing less than 70 % by weight of sugar

Other

Other

Of tropical fruit (including mixtures containing 50|% or more by weight of tropical nuts and tropical fruit)

Containing less than 70 % by weight of sugar

Other

Other

Containing less than 70 % by weight of sugar

Other

Other

Containing less than 70 % by weight of sugar

Other

Other

Containing less than 70 % by weight of sugar

Other

With a sugar content exceeding 13|% but not exceeding 30|% by weight

Chestnut purée and paste

Apple purée, including compotes

Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment

Other

Fig paste

Pistachio paste

Hazelnut paste

Other

Fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment

Pears

Containing added sugar, in immediate packings of a net content exceeding 1|kg

Containing added sugar, in immediate packings of a net content not exceeding 1|kg

With a sugar content exceeding 15|% by weight

Other

Apricots

Containing added sugar, in immediate packings of a net content exceeding 1|kg

Containing added sugar, in immediate packings of a net content not exceeding 1|kg

With a sugar content exceeding 15|% by weight

Other

Peaches, including nectarines

Containing added sugar, in immediate packings of a net content exceeding 1|kg

Containing added sugar, in immediate packings of a net content not exceeding 1|kg

With a sugar content exceeding 15|% by weight

Other

Mixtures

Containing added sugar, in immediate packings of a net content exceeding 1|kg

Of tropical fruit (including mixtures containing 50|% or more by weight of tropical nuts and tropical fruit)

Other

Other

Mixtures of fruit in which no single fruit exceeds 50|% of the total weight of the fruits

Of tropical fruit (including mixtures containing 50|% or more by weight of tropical nuts and tropical fruit)

Other

Other

Of tropical fruit (including mixtures containing 50|% or more by weight of tropical nuts and tropical fruit)

Other

Other
Acerola puree concentrate, obtained by cooking: - of the Genus Malpighia spp., - with a sugar content by weight of more than 13 % but not more than 30 % for use in the manufacture of products of food and drink industry
Acidified banana puree concentrate, obtained by cooking: - of the Genus Musa cavendish, - with a sugar content by weight of more than 13 % but not more than 30 % for use in the manufacture of products of food and drink industry
Mango puree concentrate, obtained by cooking: - of the Genus Mangifera spp., - with a sugar content by weight of not more than 30 % for use in the manufacture of products of food and drink industry
Papaya puree concentrate, obtained by cooking: - of the Genus Carica spp., - with a sugar content by weight of more than 13 % but not more than 30 % for use in the manufacture of products of food and drink industry
Guava puree concentrate, obtained by cooking: - of the Genus Psidium spp., - with a sugar content by weight of more than 13 % but not more than 30 % for use in the manufacture of products of food and drink industry
Other

Other
Acerola puree concentrate, obtained by cooking: - of the Genus Malpighia spp., - with a sugar content by weight of more than 13 % but not more than 30 % for use in the manufacture of products of food and drink industry
Acidified banana puree concentrate, obtained by cooking: - of the Genus Musa cavendish, - with a sugar content by weight of more than 13 % but not more than 30 % for use in the manufacture of products of food and drink industry
Mango puree concentrate, obtained by cooking: - of the Genus Mangifera spp., - with a sugar content by weight of not more than 30 % for use in the manufacture of products of food and drink industry
Papaya puree concentrate, obtained by cooking: - of the Genus Carica spp., - with a sugar content by weight of

more than 13 % but not more than 30 % for use in the manufacture of products of food and drink industry
Guava puree concentrate, obtained by cooking: - of the Genus Psidium spp., - with a sugar content by weight of more than 13 % but not more than 30 % for use in the manufacture of products of food and drink industry
Other

Other
Of tropical fruit and tropical nuts
Mango puree concentrate, obtained by cooking: - of the Genus Mangifera spp., - with a sugar content by weight of not more than 30 % for use in the manufacture of products of food and drink industry
Other

Other
Apple purée, including compotes
Fig paste
Pistachio paste
Hazelnut paste
Peach or pear and mixtures thereof, in jelly of these fruits

Other
fruit purées obtained by sieving then brought to the boil in a vacuum, the texture and chemical composition of which have not been changed by the heat treatment
Pears
Containing added sugar, in immediate packings of a net content exceeding 1 kg
Containing added sugar, in immediate packings of a net content not exceeding 1 kg
Not containing added sugar

Apricots
Containing added sugar, in immediate packings of a net content exceeding 1 kg
Containing added sugar, in immediate packings of a net content not exceeding 1 kg
Not containing added sugar, in immediate packings of a net content
Of 5 kg or more
Of less than 5 kg
Of 4,5 kg or more

Of less than 4,5 kg
Peaches, including nectarines
Containing added sugar
Not containing added sugar, in immediate packings of a net content
Of 5 kg or more
Of less than 5 kg
Of 4,5 kg or more
Of less than 4,5 kg
Mixtures
Containing added sugar, in immediate packings of a net content exceeding 1 kg
Of tropical fruit (including mixtures containing 50 % or more by weight of tropical nuts and tropical fruit)
Other
Containing added sugar, in immediate packings of a net content not exceeding 1 kg
Of tropical fruit (including mixtures containing 50 % or more by weight of tropical nuts and tropical fruit)
Other
Not containing added sugar, in immediate packings of a net content
Of less than 4,5 kg
Of tropical fruit (including mixtures containing 50 % or more by weight of tropical nuts and tropical fruit)
Other
Other
Other
Other

Fruit, nuts and other edible parts of plants, otherwise prepared or preserved, whether or not containing added sugar or other sweetening matter or spirit, not elsewhere specified or included
Nuts, groundnuts and other seeds, whether or not mixed together
Groundnuts
Peanut butter
Other, in immediate packings of a net content

Exceeding 1 kg
Roasted
Other
Not exceeding 1 kg
Roasted
Other
Other, including mixtures
In immediate packings of a net content exceeding 1 kg
Tropical nuts; mixtures containing by weight 50 % or more of tropical nuts
Containing hazelnuts
Other
Other
Roasted almonds and pistachios
Pistachios
Other
Other
Hazelnuts
Other
In immediate packings of a net content not exceeding 1 kg
Tropical nuts; mixtures containing by weight 50 % or more of tropical nuts
Containing hazelnuts
Other
Other
Roasted nuts
Almonds and pistachios
Pistachios
Other
Other
Hazelnuts
Other
Other
Hazelnuts
Other
Pineapples
Containing added spirit
In immediate packings of a net content exceeding 1 kg
With a sugar content exceeding 17 % by weight
Other
In immediate packings of a net content not exceeding 1 kg
With a sugar content exceeding 19 % by weight
Other

Not containing added spirit
Containing added sugar, in immediate packings of a net content exceeding 1 kg
With a sugar content exceeding 17 % by weight
Other
Containing added sugar, in immediate packings of a net content not exceeding 1 kg
With a sugar content exceeding 19 % by weight
Other
Not containing added sugar
Citrus fruit
Containing added spirit
With a sugar content exceeding 9 % by weight
Of an actual alcoholic strength by mass not exceeding 11,85 % mas
Other
Other
Of an actual alcoholic strength by mass not exceeding 11,85 % mas
Other
Not containing added spirit
Containing added sugar, in immediate packings of a net content exceeding 1 kg
Grapefruit segments, including pomelos
Mandarins (including tangerines and satsumas); clementines, wilkings and other similar citrus hybrids
Comminuted
Flaked or powdered, whether or not containing starch
Other
Other
Grapefruit, including pomelo
Flaked or powdered, whether or not containing starch
Other
Comminuted oranges and lemons
Other oranges
Flaked or powdered, whether or not containing starch
Other
Other
Flaked or powdered, whether or not containing starch
Other
Containing added sugar, in immediate packings of a net content not exceeding 1 kg
Grapefruit segments, including pomelos

Mandarins (including tangerines and satsumas); clementines, wilkings and other similar citrus hybrids
Comminuted
Flaked or powdered, whether or not containing starch
Other
Other
Grapefruit, including pomelo
Flaked or powdered, whether or not containing starch
Other
Comminuted oranges and lemons
Other
Flaked or powdered, whether or not containing starch
Other
Not containing added sugar
Grapefruit, including pomelo
Segments
Pulp
In immediate packings of a net content of 4,5 kg or more
Other
Comminuted
Flaked or powdered, whether or not containing starch
Other
Other
Mandarins (including tangerines and satsumas); clementines, wilkings and other similar citrus hybrids
Pulp
In immediate packings of a net content of 4,5 kg or more
Other
Flaked or powdered, whether or not containing starch
Comminuted
Other
Other
Pulp
In immediate packings of a net content of 4,5 kg or more
Other
Flaked or powdered, whether or not containing starch
Comminuted
Other
Pears
Containing added spirit

In immediate packings of a net content exceeding 1 kg
With a sugar content exceeding 13 % by weight
Of an actual alcoholic strength by mass not exceeding 11,85 % mas
Other
Other
Of an actual alcoholic strength by mass not exceeding 11,85 % mas
Other
In immediate packings of a net content not exceeding 1 kg
With a sugar content exceeding 15 % by weight
Other
Not containing added spirit
Containing added sugar, in immediate packings of a net content exceeding 1 kg
With a sugar content exceeding 13 % by weight
Flaked or powdered, whether or not containing starch
Other
Other
Flaked or powdered, whether or not containing starch
Other
Containing added sugar, in immediate packings of a net content not exceeding 1 kg
With a sugar content exceeding 15 % by weight
Flaked or powdered, whether or not containing starch
Other
Other
Flaked or powdered, whether or not containing starch
Other
Not containing added sugar
Flaked or powdered, whether or not containing starch
Other

Apricots
Containing added spirit
In immediate packings of a net content exceeding 1 kg
With a sugar content exceeding 13 % by weight
Of an actual alcoholic strength by mass not exceeding 11,85 % mas
Other
Other

Of an actual alcoholic strength by mass not exceeding 11,85 % mas
Other
In immediate packings of a net content not exceeding 1 kg
With a sugar content exceeding 15 % by weight
Other
Not containing added spirit
Containing added sugar, in immediate packings of a net content exceeding 1 kg
With a sugar content exceeding 13 % by weight
Flaked or powdered, whether or not containing starch
Other
Other
Flaked or powdered, whether or not containing starch
Other
Containing added sugar, in immediate packings of a net content not exceeding 1 kg
With a sugar content exceeding 15 % by weight
Flaked or powdered, whether or not containing starch
Other
Other
Flaked or powdered, whether or not containing starch
Other
Not containing added sugar, in immediate packings of a net content
Of 5 kg or more
Apricot halves
Apricot pulp
Flaked or powdered, whether or not containing starch
Other
Of less than 5 kg
Of 4,5 kg or more
Apricot halves
Apricot pulp
Flaked or powdered, whether or not containing starch
Other
Of less than 4,5 kg
Apricot halves
Flaked or powdered, whether or not containing starch
Other

Cherries

Containing added spirit
With a sugar content exceeding 9 % by weight
Of an actual alcoholic strength by mass not exceeding 11,85 % mas
Other
Other
Of an actual alcoholic strength by mass not exceeding 11,85 % mas
Other
Sweet cherries containing added spirit, with a sugar content of not more than 9 % by weight, of a diameter of not more than 19,9 mm, with stones, for use in chocolate products
Other
Not containing added spirit
Containing added sugar, in immediate packings of a net content
Exceeding 1 kg
Sour cherries (Prunus cerasus)
Other
Not exceeding 1 kg
Not containing added sugar, in immediate packings of a net content
Of 4,5 kg or more
Of less than 4,5 kg
Peaches, including nectarines
Containing added spirit
In immediate packings of a net content exceeding 1 kg
With a sugar content exceeding 13 % by weight
Of an actual alcoholic strength by mass not exceeding 11,85 % mas
Other
Other
Of an actual alcoholic strength by mass not exceeding 11,85 % mas
Other
In immediate packings of a net content not exceeding 1 kg
With a sugar content exceeding 15 % by weight
Other

Not containing added spirit
Containing added sugar, in immediate packings of a net content exceeding 1 kg
With a sugar content exceeding 13 % by weight
Peaches, flaked or powdered, whether or not containing starch
Other

Other

Peaches, flaked or powdered, whether or not containing starch

Other

Containing added sugar, in immediate packings of a net content not exceeding 1|kg

With a sugar content exceeding 15|% by weight

In slices, deep fried

Peaches, flaked or powdered, whether or not containing starch

Other

Other

Peaches, flaked or powdered, whether or not containing starch

Other

Not containing added sugar, in immediate packings of a net content

Of 5|kg or more

Peach halves (including nectarines)

Peaches, flaked or powdered, whether or not containing starch

Other

Of less than 5|kg

Of 4,5|kg or more

Peach halves (including nectarines)

Peaches, flaked or powdered, whether or not containing starch

Other

Peaches

Other

Of less than 4,5|kg

Peach halves (including nectarines)

Peaches, flaked or powdered, whether or not containing starch

Other

Peaches

Other

Strawberries

Containing added spirit

With a sugar content exceeding 9|% by weight

Of an actual alcoholic strength by mass not exceeding 11,85|%|mas

Other

Other

Of an actual alcoholic strength by mass not exceeding 11,85|%|mas

Other

Not containing added spirit

Containing added sugar, in immediate packings of a net content exceeding 1|kg

Flaked or powdered, whether or not containing starch

Other

Containing added sugar, in immediate packings of a net content not exceeding 1|kg

Flaked or powdered, whether or not containing starch

Other

Not containing added sugar

Flaked or powdered, whether or not containing starch

Other

Other, including mixtures other than those of subheading|2008|19

Palm hearts

Cranberries (Vaccinium macrocarpon, Vaccinium oxycoccos, Vaccinium vitis-idaea)

Containing added spirit

With a sugar content exceeding 9|% by weight

Of an actual alcoholic strength by mass not exceeding 11,85|%|mas

Other

Other

Of an actual alcoholic strength by mass not exceeding 11,85|%|mas

Other

Not containing added spirit

Containing added sugar, in immediate packings of a net content exceeding 1|kg

Flaked or powdered, whether or not containing starch

Sweetened dried cranberries, excluding packing alone as processing, for the manufacture of products of food processing industries

Other

Containing added sugar, in immediate packings of a net content not exceeding 1|kg

Flaked or powdered, whether or not containing starch

Other

Not containing added sugar

Flaked or powdered, whether or not containing starch

Other

Mixtures

Of tropical nuts and tropical fruit, containing by weight 50|% or more of tropical nuts

In immediate packings of a net content exceeding 1|kg

In immediate packings of a net content not exceeding 1|kg

Other

Containing added spirit

With a sugar content exceeding 9|% by weight

Of an actual alcoholic strength by mass not exceeding 11,85|%|mas

Of tropical fruit (including mixtures containing by weight 50|% or more of tropical nuts and tropical fruit)

Containing figs

Containing hazelnuts

Containing pistachios

Other

Other

Containing figs

Containing hazelnuts

Containing pistachios

Other

Other

Of tropical fruit (including mixtures containing by weight 50|% or more of tropical nuts and tropical fruit)

Containing figs

Containing hazelnuts

Containing pistachios

Other

Other

Containing figs

Containing hazelnuts

Containing pistachios

Other

Other

Of an actual alcoholic strength by mass not exceeding 11,85|%|mas

Of tropical fruit (including mixtures containing by weight 50|% or more of tropical nuts and tropical fruit)

Containing figs

Containing hazelnuts

Containing pistachios

Other

Other

Containing figs

Containing hazelnuts

Containing pistachios
Other

Other
Of tropical fruit (including mixtures containing by weight 50% or more of tropical nuts and tropical fruit)
Containing figs
Containing hazelnuts
Containing pistachios
Other

Other
Containing figs
Containing hazelnuts
Containing pistachios
Other

Not containing added spirit
Containing added sugar
In immediate packings of a net content exceeding 1kg
Of tropical fruit (including mixtures containing by weight 50% or more of tropical nuts and tropical fruit)
Containing figs
Containing hazelnuts
Containing pistachios
Other

Other
Containing figs
Containing hazelnuts
Containing pistachios
Other

Other
Mixtures of fruit in which no single fruit exceeds 50% of the total weight of the fruit
Of tropical fruit (including mixtures containing by weight 50% or more of tropical nuts and tropical fruit)
Containing figs
Containing hazelnuts
Containing pistachios
Other

Other
Containing figs
Containing hazelnuts
Containing pistachios
Other

Other

Of tropical fruit (including mixtures containing by weight 50% or more of tropical nuts and tropical fruit)
Containing figs
Containing hazelnuts
Containing pistachios
Other

Other
Containing figs
Containing hazelnuts
Containing pistachios
Other

Not containing added sugar, in immediate packings of a net content
Of 5kg or more
Of tropical fruit (including mixtures containing by weight 50% or more of tropical nuts and tropical fruit)
Containing figs
Containing hazelnuts
Containing pistachios
Other

Other
Containing figs
Containing hazelnuts
Containing pistachios
Other

Of 4,5kg or more but less than 5kg
Of tropical fruit (including mixtures containing by weight 50% or more of tropical nuts and tropical fruit)
Containing figs
Containing hazelnuts
Containing pistachios
Other

Other
Containing figs
Containing hazelnuts
Containing pistachios
Other

Of less than 4,5kg
Of tropical fruit (including mixtures containing by weight 50% or more of tropical nuts and tropical fruit)
Containing figs
Containing hazelnuts
Containing pistachios

Other

Other
Containing figs
Containing hazelnuts
Containing pistachios
Mixtures, presented in their juice, containing at least two of the following fruit: peach or pear or pineapple
Other

Other
Containing added spirit
Ginger
Of an actual alcoholic strength by mass not exceeding 11,85% mas
Other

Grapes
With a sugar content exceeding 13% by weight
Other

Other
With a sugar content exceeding 9% by weight
Of an actual alcoholic strength by mass not exceeding 11,85% mas
Tropical fruit
Other
Figs
Other

Other
Tropical fruit
Other
Figs
Other

Other
Of an actual alcoholic strength by mass not exceeding 11,85% mas
Tropical fruit
Other
Figs
Other

Other
Tropical fruit
Other
Figs
Other

Not containing added spirit

Containing added sugar, in immediate packings of a net content exceeding 1|kg

Ginger

Grapes

Flaked or powdered, whether or not containing starch

Other

Plums and prunes

Flaked or powdered, whether or not containing starch

Other

Tropical fruit

Passion fruit, guavas and tamarinds

Flaked or powdered, whether or not containing starch

Other

Mangoes, mangosteens, papaws (papayas), cashew apples, lychees, jackfruit, sapodillo plums, carambola and pitahaya

Flaked or powdered, whether or not containing starch

Other

Mango puree: •not from concentrate, •of the genus Mangifera, •of a Brix value of 14 or more, but not more than 20 used in the manufacture of products of drink industry

Other

Other

Flaked or powdered, whether or not containing starch

Seedless boysenberry puree not containing added spirit, whether or not containing added sugar

Figs

Blanched vine leaves of the genus Karakishmish, in brine, containing by weight: -|more than 6|% of salt concentration, -|0,1|% or more but not more than 1,4|% of acidity expressed as citric acid monohydrate and -|whether or not but not more than 2|000|mg/kg of sodium benzoate according CODEX STAN 192-1995 for use in the manufacture of stuffed vine leaves with rice

Other

Containing added sugar, in immediate packings of a net content not exceeding 1|kg

Ginger

Tropical fruit

Flaked or powdered, whether or not containing starch

Other

Other

Flaked or powdered, whether or not containing starch

Figs

Other

Not containing added sugar

Plums and prunes, in immediate packings of a net content

Of 5|kg or more

Flaked or powdered, whether or not containing starch

Other

Of less than 5|kg

Flaked or powdered, whether or not containing starch

Other

Maize (corn), other than sweetcorn (Zea mays var. saccharata)

Yams, sweet potatoes and similar edible parts of plants, containing 5|% or more by weight of starch

Chinese water chestnuts (Eleocharis dulcis or Eleocharis tuberosa) peeled, washed, blanched, chilled and individually quick-frozen for use in the manufacture of products of food industry for treatment other than simple repacking

Other

Other

Vine leaves

Blanched vine leaves of the genus Karakishmish, in brine, containing by weight: -|more than 6|% of salt concentration, -|0,1|% or more but not more than 1,4|% of acidity expressed as citric acid monohydrate and -|whether or not but not more than 2|000|mg/kg of sodium benzoate according CODEX STAN 192-1995 for use in the manufacture of stuffed vine leaves with rice

Other

Hop shoots and similar edible parts of plants

Flaked or powdered, whether or not containing starch

Seedless boysenberry puree not containing added spirit, whether or not containing added sugar

Watermelon (egusi, Citrullus spp.) seeds and derived products

Figs

Mint (fresh or chilled)

Basil (holy, sweet) (fresh or chilled)

Curry leaves (Bergera koenigii, Syn.: Murraya koenigii) (frozen)

Other

Fruit juices (including grape must) and vegetable juices, unfermented and not containing added spirit, whether or not containing added sugar or other sweetening matter

Orange juice

Frozen

Of a Brix value exceeding 67

Of a value not exceeding €|30|per 100|kg net weight

In containers of two litres or less

With an added sugar content not exceeding 30|% by weight

Other

Other

With an added sugar content not exceeding 30|% by weight

Other

Other

In containers of two litres or less

Other

Of a Brix value not exceeding 67

Of a value not exceeding €|30|per 100|kg net weight and with an added sugar content exceeding 30|% by weight

In containers of two litres or less

Other

Other

Having a degree of concentration of up to 50!o! Brix, in containers of two litres or less, excluding blood orange juice

with a degree of concentration higher than 20!o! brix

Other

Other

In containers of two litres or less

with a degree of concentration higher than 20!o! brix

Other

Other

with a degree of concentration higher than 20!o! brix

<table><tr><td>Other</td></tr></table>	Other																																																						
Other																																																							
Not frozen, of a Brix value not exceeding 20																																																							
<table><tr><td>In containers of two litres or less</td></tr></table>	In containers of two litres or less																																																						
In containers of two litres or less																																																							
<table><tr><td>Other</td></tr></table>	Other																																																						
Other																																																							
Other																																																							
<table><tr><td>Of a Brix value exceeding 67</td></tr><tr><td><table><tr><td>Of a value not exceeding € 30 per 100 kg net weight</td></tr><tr><td><table><tr><td>In containers of two litres or less</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>In containers of two litres or less</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Of a Brix value exceeding 20 but not exceeding 67</td></tr><tr><td><table><tr><td>Of a value not exceeding € 30 per 100 kg net weight and with an added sugar content exceeding 30 % by weight</td></tr><tr><td><table><tr><td>In containers of two litres or less</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr></table>	Of a Brix value exceeding 67	<table><tr><td>Of a value not exceeding € 30 per 100 kg net weight</td></tr><tr><td><table><tr><td>In containers of two litres or less</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>In containers of two litres or less</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Of a Brix value exceeding 20 but not exceeding 67</td></tr><tr><td><table><tr><td>Of a value not exceeding € 30 per 100 kg net weight and with an added sugar content exceeding 30 % by weight</td></tr><tr><td><table><tr><td>In containers of two litres or less</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr></table>	Of a value not exceeding € 30 per 100 kg net weight	<table><tr><td>In containers of two litres or less</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr></table>	In containers of two litres or less	<table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table>	powdered	<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other	Other	<table><tr><td>Other</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other	Other	<table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table>	powdered	<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other	Other	<table><tr><td>Other</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other	Other	<table><tr><td>In containers of two litres or less</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table>	In containers of two litres or less	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Other	<table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Of a Brix value exceeding 20 but not exceeding 67	<table><tr><td>Of a value not exceeding € 30 per 100 kg net weight and with an added sugar content exceeding 30 % by weight</td></tr><tr><td><table><tr><td>In containers of two litres or less</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr></table>	Of a value not exceeding € 30 per 100 kg net weight and with an added sugar content exceeding 30 % by weight	<table><tr><td>In containers of two litres or less</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table>	In containers of two litres or less	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Other	<table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Other
Of a Brix value exceeding 67																																																							
<table><tr><td>Of a value not exceeding € 30 per 100 kg net weight</td></tr><tr><td><table><tr><td>In containers of two litres or less</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>In containers of two litres or less</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Of a Brix value exceeding 20 but not exceeding 67</td></tr><tr><td><table><tr><td>Of a value not exceeding € 30 per 100 kg net weight and with an added sugar content exceeding 30 % by weight</td></tr><tr><td><table><tr><td>In containers of two litres or less</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr></table>	Of a value not exceeding € 30 per 100 kg net weight	<table><tr><td>In containers of two litres or less</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr></table>	In containers of two litres or less	<table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table>	powdered	<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other	Other	<table><tr><td>Other</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other	Other	<table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table>	powdered	<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other	Other	<table><tr><td>Other</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other	Other	<table><tr><td>In containers of two litres or less</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table>	In containers of two litres or less	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Other	<table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Of a Brix value exceeding 20 but not exceeding 67	<table><tr><td>Of a value not exceeding € 30 per 100 kg net weight and with an added sugar content exceeding 30 % by weight</td></tr><tr><td><table><tr><td>In containers of two litres or less</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr></table>	Of a value not exceeding € 30 per 100 kg net weight and with an added sugar content exceeding 30 % by weight	<table><tr><td>In containers of two litres or less</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table>	In containers of two litres or less	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Other	<table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Other		
Of a value not exceeding € 30 per 100 kg net weight																																																							
<table><tr><td>In containers of two litres or less</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr></table>	In containers of two litres or less	<table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table>	powdered	<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other	Other	<table><tr><td>Other</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other	Other	<table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table>	powdered	<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other	Other	<table><tr><td>Other</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other																															
In containers of two litres or less																																																							
<table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table>	powdered	<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other	Other																																																		
powdered																																																							
<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other																																																					
With an added sugar content not exceeding 30 % by weight																																																							
Other																																																							
Other																																																							
<table><tr><td>Other</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other																																																			
Other																																																							
<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other																																																					
With an added sugar content not exceeding 30 % by weight																																																							
Other																																																							
Other																																																							
<table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table>	powdered	<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other																																																			
powdered																																																							
<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other																																																					
With an added sugar content not exceeding 30 % by weight																																																							
Other																																																							
Other																																																							
<table><tr><td>Other</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other																																																			
Other																																																							
<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other																																																					
With an added sugar content not exceeding 30 % by weight																																																							
Other																																																							
Other																																																							
<table><tr><td>In containers of two litres or less</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table>	In containers of two litres or less	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Other																																																		
In containers of two litres or less																																																							
<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other																																																					
powdered																																																							
Other																																																							
Other																																																							
<table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other																																																			
Other																																																							
<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other																																																					
powdered																																																							
Other																																																							
Of a Brix value exceeding 20 but not exceeding 67																																																							
<table><tr><td>Of a value not exceeding € 30 per 100 kg net weight and with an added sugar content exceeding 30 % by weight</td></tr><tr><td><table><tr><td>In containers of two litres or less</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr></table>	Of a value not exceeding € 30 per 100 kg net weight and with an added sugar content exceeding 30 % by weight	<table><tr><td>In containers of two litres or less</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table>	In containers of two litres or less	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Other	<table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Other																																										
Of a value not exceeding € 30 per 100 kg net weight and with an added sugar content exceeding 30 % by weight																																																							
<table><tr><td>In containers of two litres or less</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table>	In containers of two litres or less	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Other																																																		
In containers of two litres or less																																																							
<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other																																																					
powdered																																																							
Other																																																							
Other																																																							
<table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other																																																			
Other																																																							
<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other																																																					
powdered																																																							
Other																																																							
Other																																																							

<table><tr><td>In containers of two litres or less</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table>	In containers of two litres or less	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Other	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other																																								
In containers of two litres or less																																																
<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other																																														
powdered																																																
Other																																																
Other																																																
<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other																																														
powdered																																																
Other																																																
Grapefruit (including pomelo) juice																																																
<table><tr><td>Of a Brix value not exceeding 20</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Of a Brix value not exceeding 20	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other																																												
Of a Brix value not exceeding 20																																																
<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other																																														
powdered																																																
Other																																																
Other																																																
<table><tr><td>Of a Brix value exceeding 67</td></tr><tr><td><table><tr><td>Of a value not exceeding € 30 per 100 kg net weight</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Of a Brix value exceeding 20 but not exceeding 67</td></tr><tr><td><table><tr><td>Of a value not exceeding € 30 per 100 kg net weight and with an added sugar content exceeding 30 % by weight</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Juice of any other single citrus fruit</td></tr><tr><td><table><tr><td>Of a Brix value not exceeding 20</td></tr><tr><td><table><tr><td>Of a value exceeding € 30 per 100 kg net weight</td></tr><tr><td><table><tr><td>Containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Not containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr></table></td></tr></table></td></tr></table></td></tr></table></td></tr></table>	Of a Brix value exceeding 67	<table><tr><td>Of a value not exceeding € 30 per 100 kg net weight</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Of a value not exceeding € 30 per 100 kg net weight	<table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table>	powdered	<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other	Other	Other	<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other	Other	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Of a Brix value exceeding 20 but not exceeding 67	<table><tr><td>Of a value not exceeding € 30 per 100 kg net weight and with an added sugar content exceeding 30 % by weight</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Of a value not exceeding € 30 per 100 kg net weight and with an added sugar content exceeding 30 % by weight	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Other	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Juice of any other single citrus fruit	<table><tr><td>Of a Brix value not exceeding 20</td></tr><tr><td><table><tr><td>Of a value exceeding € 30 per 100 kg net weight</td></tr><tr><td><table><tr><td>Containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Not containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr></table></td></tr></table></td></tr></table></td></tr></table>	Of a Brix value not exceeding 20	<table><tr><td>Of a value exceeding € 30 per 100 kg net weight</td></tr><tr><td><table><tr><td>Containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Not containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr></table></td></tr></table></td></tr></table>	Of a value exceeding € 30 per 100 kg net weight	<table><tr><td>Containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Not containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr></table></td></tr></table>	Containing added sugar	<table><tr><td>Lemon juice</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table>	Lemon juice	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Other	<table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Not containing added sugar	<table><tr><td>Lemon juice</td></tr></table>	Lemon juice
Of a Brix value exceeding 67																																																
<table><tr><td>Of a value not exceeding € 30 per 100 kg net weight</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Of a value not exceeding € 30 per 100 kg net weight	<table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table>	powdered	<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other	Other	Other	<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other																																					
Of a value not exceeding € 30 per 100 kg net weight																																																
<table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table>	powdered	<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other	Other																																											
powdered																																																
<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other																																														
With an added sugar content not exceeding 30 % by weight																																																
Other																																																
Other																																																
Other																																																
<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other																																														
With an added sugar content not exceeding 30 % by weight																																																
Other																																																
Other																																																
<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other																																														
powdered																																																
Other																																																
Of a Brix value exceeding 20 but not exceeding 67																																																
<table><tr><td>Of a value not exceeding € 30 per 100 kg net weight and with an added sugar content exceeding 30 % by weight</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Of a value not exceeding € 30 per 100 kg net weight and with an added sugar content exceeding 30 % by weight	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Other	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other																																								
Of a value not exceeding € 30 per 100 kg net weight and with an added sugar content exceeding 30 % by weight																																																
<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other																																														
powdered																																																
Other																																																
Other																																																
<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other																																														
powdered																																																
Other																																																
Juice of any other single citrus fruit																																																
<table><tr><td>Of a Brix value not exceeding 20</td></tr><tr><td><table><tr><td>Of a value exceeding € 30 per 100 kg net weight</td></tr><tr><td><table><tr><td>Containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Not containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr></table></td></tr></table></td></tr></table></td></tr></table>	Of a Brix value not exceeding 20	<table><tr><td>Of a value exceeding € 30 per 100 kg net weight</td></tr><tr><td><table><tr><td>Containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Not containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr></table></td></tr></table></td></tr></table>	Of a value exceeding € 30 per 100 kg net weight	<table><tr><td>Containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Not containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr></table></td></tr></table>	Containing added sugar	<table><tr><td>Lemon juice</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table>	Lemon juice	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Other	<table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Not containing added sugar	<table><tr><td>Lemon juice</td></tr></table>	Lemon juice																													
Of a Brix value not exceeding 20																																																
<table><tr><td>Of a value exceeding € 30 per 100 kg net weight</td></tr><tr><td><table><tr><td>Containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Not containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr></table></td></tr></table></td></tr></table>	Of a value exceeding € 30 per 100 kg net weight	<table><tr><td>Containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Not containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr></table></td></tr></table>	Containing added sugar	<table><tr><td>Lemon juice</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table>	Lemon juice	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Other	<table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Not containing added sugar	<table><tr><td>Lemon juice</td></tr></table>	Lemon juice																															
Of a value exceeding € 30 per 100 kg net weight																																																
<table><tr><td>Containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Not containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr></table></td></tr></table>	Containing added sugar	<table><tr><td>Lemon juice</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table>	Lemon juice	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Other	<table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Not containing added sugar	<table><tr><td>Lemon juice</td></tr></table>	Lemon juice																																	
Containing added sugar																																																
<table><tr><td>Lemon juice</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table>	Lemon juice	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Other																																											
Lemon juice																																																
<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other																																														
powdered																																																
Other																																																
Other																																																
<table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other																																												
Other																																																
<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other																																														
powdered																																																
Other																																																
Not containing added sugar																																																
<table><tr><td>Lemon juice</td></tr></table>	Lemon juice																																															
Lemon juice																																																

<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other																																	
powdered																																			
Other																																			
Other																																			
<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other																																	
powdered																																			
Other																																			
Of a value not exceeding € 30 per 100 kg net weight																																			
Lemon juice																																			
<table><tr><td>Containing added sugar</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Containing added sugar	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other																															
Containing added sugar																																			
<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other																																	
powdered																																			
Other																																			
Not containing added sugar																																			
<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other																																	
powdered																																			
Other																																			
Other citrus fruit juices																																			
<table><tr><td>Containing added sugar</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Containing added sugar	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other																															
Containing added sugar																																			
<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other																																	
powdered																																			
Other																																			
Not containing added sugar																																			
<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other																																	
powdered																																			
Other																																			
Other																																			
<table><tr><td>Of a Brix value exceeding 67</td></tr><tr><td><table><tr><td>Of a value not exceeding € 30 per 100 kg net weight</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Of a Brix value exceeding 20 but not exceeding 67</td></tr><tr><td><table><tr><td>Of a value exceeding € 30 per 100 kg net weight</td></tr><tr><td><table><tr><td>Containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Not containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr></table></td></tr></table></td></tr></table></td></tr></table>	Of a Brix value exceeding 67	<table><tr><td>Of a value not exceeding € 30 per 100 kg net weight</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Of a value not exceeding € 30 per 100 kg net weight	<table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table>	powdered	<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other	Other	<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other	Other	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Of a Brix value exceeding 20 but not exceeding 67	<table><tr><td>Of a value exceeding € 30 per 100 kg net weight</td></tr><tr><td><table><tr><td>Containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Not containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr></table></td></tr></table></td></tr></table>	Of a value exceeding € 30 per 100 kg net weight	<table><tr><td>Containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Not containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr></table></td></tr></table>	Containing added sugar	<table><tr><td>Lemon juice</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table>	Lemon juice	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Other	<table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Not containing added sugar	<table><tr><td>Lemon juice</td></tr></table>	Lemon juice
Of a Brix value exceeding 67																																			
<table><tr><td>Of a value not exceeding € 30 per 100 kg net weight</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Of a value not exceeding € 30 per 100 kg net weight	<table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table>	powdered	<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other	Other	<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other																									
Of a value not exceeding € 30 per 100 kg net weight																																			
<table><tr><td>powdered</td></tr><tr><td><table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table></td></tr></table>	powdered	<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other																															
powdered																																			
<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other																																	
With an added sugar content not exceeding 30 % by weight																																			
Other																																			
Other																																			
<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	Other																																	
With an added sugar content not exceeding 30 % by weight																																			
Other																																			
Other																																			
<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other																																	
powdered																																			
Other																																			
Of a Brix value exceeding 20 but not exceeding 67																																			
<table><tr><td>Of a value exceeding € 30 per 100 kg net weight</td></tr><tr><td><table><tr><td>Containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Not containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr></table></td></tr></table></td></tr></table>	Of a value exceeding € 30 per 100 kg net weight	<table><tr><td>Containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Not containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr></table></td></tr></table>	Containing added sugar	<table><tr><td>Lemon juice</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table>	Lemon juice	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Other	<table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Not containing added sugar	<table><tr><td>Lemon juice</td></tr></table>	Lemon juice																		
Of a value exceeding € 30 per 100 kg net weight																																			
<table><tr><td>Containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td><table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Not containing added sugar</td></tr><tr><td><table><tr><td>Lemon juice</td></tr></table></td></tr></table>	Containing added sugar	<table><tr><td>Lemon juice</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table>	Lemon juice	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Other	<table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Not containing added sugar	<table><tr><td>Lemon juice</td></tr></table>	Lemon juice																				
Containing added sugar																																			
<table><tr><td>Lemon juice</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table>	Lemon juice	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other	Other																														
Lemon juice																																			
<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other																																	
powdered																																			
Other																																			
Other																																			
<table><tr><td>Other</td></tr><tr><td><table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Other	<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other																															
Other																																			
<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other																																	
powdered																																			
Other																																			
Not containing added sugar																																			
<table><tr><td>Lemon juice</td></tr></table>	Lemon juice																																		
Lemon juice																																			

<table><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	powdered	Other		
powdered				
Other				
<table><tr><td>Other</td></tr><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	Other	powdered	Other	
Other				
powdered				
Other				
Of a value not exceeding € 30 per 100 kg net weight				
<table><tr><td>Lemon juice</td></tr><tr><td>With an added sugar content exceeding 30 % by weight</td></tr><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	Lemon juice	With an added sugar content exceeding 30 % by weight	powdered	Other
Lemon juice				
With an added sugar content exceeding 30 % by weight				
powdered				
Other				
<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	powdered	Other	
With an added sugar content not exceeding 30 % by weight				
powdered				
Other				
<table><tr><td>Not containing added sugar</td></tr><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	Not containing added sugar	powdered	Other	
Not containing added sugar				
powdered				
Other				
Other citrus fruit juices				
<table><tr><td>With an added sugar content exceeding 30 % by weight</td></tr><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	With an added sugar content exceeding 30 % by weight	powdered	Other	
With an added sugar content exceeding 30 % by weight				
powdered				
Other				
<table><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	With an added sugar content not exceeding 30 % by weight	powdered	Other	
With an added sugar content not exceeding 30 % by weight				
powdered				
Other				
<table><tr><td>Not containing added sugar</td></tr><tr><td>powdered</td></tr><tr><td>Other</td></tr></table>	Not containing added sugar	powdered	Other	
Not containing added sugar				
powdered				
Other				

Pineapple juice			
Of a Brix value not exceeding 20			
Containing added sugar			
<table><tr><td>Of a value exceeding € 30 per 100 kg net weight</td></tr><tr><td>powdered</td></tr></table>	Of a value exceeding € 30 per 100 kg net weight	powdered	
Of a value exceeding € 30 per 100 kg net weight			
powdered			
<table><tr><td>Other</td></tr><tr><td>Pineapple juice: — not from concentrate, — of the genus Ananas, — of a Brix value of 11 or more but not more than 16, used in the manufacture of products of drink industry</td></tr><tr><td>Other</td></tr></table>	Other	Pineapple juice: — not from concentrate, — of the genus Ananas, — of a Brix value of 11 or more but not more than 16, used in the manufacture of products of drink industry	Other
Other			
Pineapple juice: — not from concentrate, — of the genus Ananas, — of a Brix value of 11 or more but not more than 16, used in the manufacture of products of drink industry			
Other			
Other			
powdered			
Other			
Not containing added sugar			
powdered			
Other			

<table><tr><td>Pineapple juice: •not from concentrate, •of the genus Ananas, •of a Brix value of 11 or more but not more than 16, used in the manufacture of products of drink industry</td></tr><tr><td>Other</td></tr></table>	Pineapple juice: •not from concentrate, •of the genus Ananas, •of a Brix value of 11 or more but not more than 16, used in the manufacture of products of drink industry	Other		
Pineapple juice: •not from concentrate, •of the genus Ananas, •of a Brix value of 11 or more but not more than 16, used in the manufacture of products of drink industry				
Other				
Other				
Of a Brix value exceeding 67				
<table><tr><td>Of a value not exceeding € 30 per 100 kg net weight</td></tr><tr><td>powdered</td></tr><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	Of a value not exceeding € 30 per 100 kg net weight	powdered	With an added sugar content not exceeding 30 % by weight	Other
Of a value not exceeding € 30 per 100 kg net weight				
powdered				
With an added sugar content not exceeding 30 % by weight				
Other				
<table><tr><td>Other</td></tr><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	Other	With an added sugar content not exceeding 30 % by weight	Other	
Other				
With an added sugar content not exceeding 30 % by weight				
Other				
Other				
powdered				
Other				
Of a Brix value exceeding 20 but not exceeding 67				
<table><tr><td>Of a value exceeding € 30 per 100 kg net weight, containing added sugar</td></tr><tr><td>powdered</td></tr></table>	Of a value exceeding € 30 per 100 kg net weight, containing added sugar	powdered		
Of a value exceeding € 30 per 100 kg net weight, containing added sugar				
powdered				
<table><tr><td>Other</td></tr><tr><td>Pineapple juice, other than in powder form: - with a Brix value of more than 20 but not more than 67, - a value of more than€ 30 per 100 kg net weight, - containing added sugar used in the manufacture of products of food or drink industry</td></tr><tr><td>Other</td></tr></table>	Other	Pineapple juice, other than in powder form: - with a Brix value of more than 20 but not more than 67, - a value of more than€ 30 per 100 kg net weight, - containing added sugar used in the manufacture of products of food or drink industry	Other	
Other				
Pineapple juice, other than in powder form: - with a Brix value of more than 20 but not more than 67, - a value of more than€ 30 per 100 kg net weight, - containing added sugar used in the manufacture of products of food or drink industry				
Other				
Other				
With an added sugar content exceeding 30 % by weight				
powdered				
Other				
With an added sugar content not exceeding 30 % by weight				
powdered				
Other				
Not containing added sugar				
powdered				
Other				
Tomato juice				
Containing added sugar				
Other				
Grape juice (including grape must)				

Of a Brix value not exceeding 30				
Of a value exceeding € 18 per 100 kg net weight				
Of a value not exceeding € 18 per 100 kg net weight				
for the production of grape juice and/or non-wine sector products such as non-alcoholic drinks, jams and sauces				
Other				
Other				
Of a Brix value exceeding 67				
<table><tr><td>Of a value not exceeding € 22 per 100 kg net weight</td></tr><tr><td>for the production of grape juice and/or non-wine sector products such as non-alcoholic drinks, jams and sauces</td></tr><tr><td>With an added sugar content not exceeding 30 % by weight</td></tr><tr><td>Other</td></tr></table>	Of a value not exceeding € 22 per 100 kg net weight	for the production of grape juice and/or non-wine sector products such as non-alcoholic drinks, jams and sauces	With an added sugar content not exceeding 30 % by weight	Other
Of a value not exceeding € 22 per 100 kg net weight				
for the production of grape juice and/or non-wine sector products such as non-alcoholic drinks, jams and sauces				
With an added sugar content not exceeding 30 % by weight				
Other				
Other				
With an added sugar content not exceeding 30 % by weight				
Other				
Other				
for the production of grape juice and/or non-wine sector products such as non-alcoholic drinks, jams and sauces				
Other				
Of a Brix value exceeding 30 but not exceeding 67				
<table><tr><td>Of a value exceeding € 18 per 100 kg net weight</td></tr><tr><td>Concentrated</td></tr><tr><td>for the production of grape juice and/or non-wine sector products such as non-alcoholic drinks, jams and sauces</td></tr><tr><td>Other</td></tr></table>	Of a value exceeding € 18 per 100 kg net weight	Concentrated	for the production of grape juice and/or non-wine sector products such as non-alcoholic drinks, jams and sauces	Other
Of a value exceeding € 18 per 100 kg net weight				
Concentrated				
for the production of grape juice and/or non-wine sector products such as non-alcoholic drinks, jams and sauces				
Other				
Other				
Of a value not exceeding € 18 per 100 kg net weight				
With an added sugar content exceeding 30 % by weight				
Concentrated				
Other				
Other				
for the production of grape juice and/or non-wine sector products such as non-alcoholic drinks, jams and sauces				
Other				
Apple juice				

Of a Brix value not exceeding 20

Containing added sugar

powdered

Other

Not containing added sugar

powdered

Other

Other

Of a Brix value exceeding 67

Of a value not exceeding €|22|per 100|kg net weight

powdered

With an added sugar content not exceeding 30|% by weight

Other

Other

With an added sugar content not exceeding 30|% by weight

Other

Other

powdered

Other

Of a Brix value exceeding 20|but not exceeding 67

Of a value exceeding €|18|per 100|kg net weight, containing added sugar

powdered

Other

Other

With an added sugar content exceeding 30|% by weight

powdered

Other

Other

Not containing added sugar

powdered

Other

Other

powdered

Other

Juice of any other single fruit or vegetable

Cranberry (Vaccinium macrocarpon, Vaccinium oxycoccos, Vaccinium vitis-idaea) juice

Of a Brix value exceeding 67

Of a value not exceeding €|30|per 100|kg net weight

With an added sugar content not exceeding 30|% by weight

Other

Other

Of a Brix value not exceeding 67

Of a value exceeding €|30|per 100|kg net weight, containing added sugar

Cranberry juice concentrate: - |of a Brix value of 40|or more but not more than 66, -|in immediate packings of a content of 50|litres or more

Other

powdered

Other

Other

With an added sugar content exceeding 30|% by weight

With an added sugar content not exceeding 30|% by weight

Not containing added sugar

Juice of fruit of the species Vaccinium macrocarpon

powdered

Other

Other

powdered

Other

Other

Of a Brix value exceeding 67

Pear juice

Of a value not exceeding €|22|per 100|kg net weight

powdered

With an added sugar content not exceeding 30|% by weight

Other

Other

With an added sugar content not exceeding 30|% by weight

Other

Other

powdered

Other

Other

Of a value not exceeding €|30|per 100|kg net weight

Juices of tropical fruit

powdered

Other

Other

Apricot juice

powdered

With an added sugar content not exceeding 30|% by weight

Other

Other

With an added sugar content not exceeding 30|% by weight

Other

Other

powdered

With an added sugar content not exceeding 30|% by weight

Other

Other

With an added sugar content not exceeding 30|% by weight

Other

Other

Juices of tropical fruit

powdered

Other

Other

Apricot juice

powdered

Other

Other

powdered

Other

Of a Brix value not exceeding 67

Pear juice

Of a value exceeding €|18|per 100|kg net weight, containing added sugar

powdered

Other

Other

With an added sugar content exceeding 30|% by weight

powdered

Other

With an added sugar content not exceeding 30|% by weight

powdered

Other

Not containing added sugar

powdered

Other

Other

Of a value exceeding €|30|per 100|kg net weight, containing added sugar

Cherry juice

powdered

Other

Juices of tropical fruit

Passion fruit juice and passion fruit juice concentrate, whether or not frozen: -|with a Brix value of 13,7|or more but not more than 55, -|of a value of more than|€ 30|per 100|kg net weight, - |in immediate packings of a content of 50|liters or more, and -|with added sugar for the use in the manufacture of products of food or drink industry

powdered

Other

Other

powdered

Other

Other

Apricot juice

powdered

Other

Frozen boysenberry juice concentrate with a Brix value of 61 or more, but not more than 67, in immediate packing of a content of 50 litres or more

Frozen acerola juice concentrate : -|with a Brix value of more than 48|but not more than 67, -|in immediate packings of a content of 50|litres or more

Acai berry juice concentrate: •of the species Euterpe oleracea, •frozen, •not sweetened, •not in powder form, •of a Brix value of 23 or more but not more than 32, in immediate packings of a content of 10kg or more

Other

powdered

Other

Other

With an added sugar content exceeding 30|% by weight

Juices of tropical fruit

powdered

Other

Other

Apricot juice

powdered

Other

Other

powdered

Other

With an added sugar content not exceeding 30|% by weight

Juices of tropical fruit

powdered

Other

Other

Apricot juice

powdered

Other

Other

powdered

Other

Not containing added sugar

Cherry juice

powdered

Other

Juices of tropical fruit

Passion fruit juice and passion fruit juice concentrate, whether or not frozen: -|with a Brix value of 10|or more but not more than 13,7, -|of a value of more than|€ 30|per 100|kg net weight, -|in immediate packings of a content of 50|liters or more, and| - |without added sugar for the use in the manufacture of products of food or drink industry

Powdered

Other

Other

Powdered

Other

Other

powdered

Apricot juice

Other

Other

Apricot juice

Coconut water - |unfermented, -|not containing added spirit or sugar, and - |in|immediate packing of a content of 50|litres or more

Other

Mixtures of juices

Of a Brix value exceeding 67

Mixtures of apple and pear juice

Of a value not exceeding €|22|per 100|kg net weight

With an added sugar content not exceeding 30|% by weight

Other

Other

Other

Of a value not exceeding €|30|per 100|kg net weight

Mixtures of citrus juices

With an added sugar content not exceeding 30|% by weight

Other

Other

Other

With an added sugar content not exceeding 30|% by weight

Other

Other

Mixtures of citrus juices

Other

Of a Brix value not exceeding 67

Mixtures of apple and pear juice

Of a value not exceeding €|18|per 100|kg net weight and with an added sugar content exceeding 30|% by weight

Other

Other

Of a value exceeding €|30|per 100|kg net weight

Mixtures of citrus fruit juices and pineapple juice

Containing added sugar

Other

Other

Other

Containing added sugar

Mixtures of citrus juices

Other

Other

Other

Mixtures of citrus juices

Other

Of a value not exceeding €|30|per 100|kg net weight

Mixtures of citrus fruit juices and pineapple juice

With an added sugar content exceeding 30|% by weight

With an added sugar content not exceeding 30|% by weight

Not containing added sugar

Other
With an added sugar content exceeding 30 % by weight
Mixtures of juices of tropical fruit
Other
Mixtures of citrus juices
Other
With an added sugar content not exceeding 30 % by weight
Mixtures of juices of tropical fruit
Other
Mixtures of citrus juices
Other
Not containing added sugar
Mixtures of juices of tropical fruit
Other
Mixtures of citrus juices
Other

MISCELLANEOUS EDIBLE PREPARATIONS

Extracts, essences and concentrates, of coffee, tea or maté and preparations with a basis of these products or with a basis of coffee, tea or maté; roasted chicory and other roasted coffee substitutes, and extracts, essences and concentrates thereof
Extracts, essences and concentrates, of coffee, and preparations with a basis of these extracts, essences or concentrates or with a basis of coffee
Extracts, essences and concentrates
Preparations with a basis of these extracts, essences or concentrates or with a basis of coffee
Preparations with a basis of these extracts, essences or concentrates of coffee
Containing no milkfats, milk proteins, sucrose, isoglucose, glucose or starch or containing less than 1,5 % milkfat, 2,5 % milk proteins, 5 % sucrose or isoglucose, 5 % glucose or starch
Other
Other
Containing no milkfats, milk proteins, sucrose, isoglucose, glucose or starch or containing less than 1,5 % milkfat, 2,5 % milk proteins, 5 % sucrose or isoglucose, 5 % glucose or starch
Other
Containing 70 % or more by weight of sucrose (including invert sugar expressed as sucrose) or isoglucose expressed as sucrose

Other
Extracts, essences and concentrates, of tea or maté, and preparations with a basis of these extracts, essences or concentrates, or with a basis of tea or maté
Extracts, essences or concentrates
Preparations
With a basis of extracts, essences or concentrates of tea or maté
Containing no milkfats, milk proteins, sucrose, isoglucose, glucose or starch or containing less than 1,5 % milkfat, 2,5 % milk proteins, 5 % sucrose or isoglucose, 5 % glucose or starch
Other
Other
Containing no milkfats, milk proteins, sucrose, isoglucose, glucose or starch or containing less than 1,5 % milkfat, 2,5 % milk proteins, 5 % sucrose or isoglucose, 5 % glucose or starch
Other
Containing 70 % or more by weight of sucrose (including invert sugar expressed as sucrose) or isoglucose expressed as sucrose
Other

Roasted chicory and other roasted coffee substitutes, and extracts, essences and concentrates thereof
Roasted chicory and other roasted coffee substitutes
Roasted chicory
Other
Extracts, essences and concentrates of roasted chicory and other roasted coffee substitutes
Of roasted chicory
Other

Yeasts (active or inactive); other single-cell micro-organisms, dead (but not including vaccines of heading 3002); prepared baking powders
Active yeasts
Culture yeast
for feeding purpose
Other
Bakers' yeast
Dried
Other
Other
For feeding purpose
Other

Inactive yeasts; other single-cell micro-organisms, dead
Inactive yeasts
In tablet, cube or similar form, or in immediate packings of a net content not exceeding 1 kg
for feeding purpose
Other
Other
for feeding purpose
Other
Other
Prepared baking powders

Sauces and preparations therefor; mixed condiments and mixed seasonings; mustard flour and meal and prepared mustard
Soya sauce
Tomato ketchup and other tomato sauces
Mustard flour and meal and prepared mustard
Mustard flour and meal
Prepared mustard
Containing no added sugar or containing less than 5% by weight of added sugar
Containing 5% or more by weight of added sugar
Other
Mango chutney, liquid
Aromatic bitters of an alcoholic strength by volume of 44,2 to 49,2 % vol containing from 1,5 to 6 % by weight of gentian, spices and various ingredients and from 4 to 10 % of sugar, in containers holding 0,5 litre or less
Other
Containing tomato
Other

Soups and broths and preparations therefor; homogenised composite food preparations
Soups and broths and preparations therefor
Containing tomato
Other
Homogenised composite food preparations
Ice cream and other edible ice, whether or not containing cocoa
Containing no milkfats or containing less than 3 % by weight of such fats
Containing by weight of milkfats
3 % or more but less than 7 %
7 % or more
Food preparations not elsewhere specified or included

Protein concentrates and textured protein substances
Containing no milkfats, sucrose, isoglucose, glucose or starch or containing, by weight, less than 1,5 % milkfat, 5 % sucrose or isoglucose, 5 % glucose or starch
Soya protein concentrate having a protein content by weight, calculated on a dry weight basis, of 65 % or more but not more than 90 % in powder or textured form
Preparation on the base of soya protein isolate, containing by weight 6,6 % or more but not more than 8,6 % of calcium phosphate
Other
Other
Containing more than 1% milk fats, 1% other fats or more than 5% sugars
Other

Other
Compound alcoholic preparations, other than those based on odoriferous substances, of a kind used for the manufacture of beverages
Flavoured or coloured sugar syrups
Isoglucose syrups
Other
Lactose syrup
Glucose syrup and maltodextrine syrup
Other
Containing 70 % or more by weight of sucrose (including invert sugar expressed as sucrose) or isoglucose expressed as sucrose
Other

Other
Containing no milkfats, sucrose, isoglucose, glucose or starch or containing, by weight, less than 1,5 % milkfat, 5 % sucrose or isoglucose, 5 % glucose or starch
Hydrolysates of proteins and autolysates of yeast
Preparation containing by weight: - more than 30 % but not more than 35 % licorice extract, - more than 65 % but not more than 70 % tricaprylin, standardized by weight to 3 % or more but not more than 4 % glabridin
Other

Other
Containing 26 % or more by weight of milkfat
In immediate packings of a net capacity of 1 kg or less
Of a kind used in drink industries containing 70% or more by weight of sucrose/isosucrose
Other

Containing less than 70 % by weight of sugar
Other
Other
Of a kind used in drink industries containing 70% or more by weight of sucrose/isosucrose
Other
Containing less than 70 % by weight of sugar
Other
Other
Containing less than 70 % by weight of sucrose (including invert sugar expressed as sucrose)
Containing 60 % or more by weight of sucrose (including invert sugar expressed as sucrose) or isoglucose expressed as sucrose
Other
Preparation in powder form containing by weight: - 15 % or more but not more than 35 % of wheat derived Maltodextrin, - 15 % or more but not more than 35 % of whey (milk serum), - 10 % or more but not more than 30 % of refined, bleached, deodorised and non-hydrogenated sunflower oil, - 10 % or more but not more than 30 % of blended, aged spray dried cheese, - 5 % or more but not more than 15 % of buttermilk and - 0,1 % or more but not more than 10 % of sodium caseinate, disodium phosphate, lactic acid
Other
Other
Of a kind used in drink industries
Other

BEVERAGES, SPIRITS AND VINEGAR
Waters, including natural or artificial mineral waters and aerated waters, not containing added sugar or other sweetening matter nor flavoured; ice and snow
Mineral waters and aerated waters
Natural mineral waters
Not carbonated
Other
Other
Other
Waters, including mineral waters and aerated waters, containing added sugar or

other sweetening matter or flavoured, and other non-alcoholic beverages, not including fruit or vegetable juices of heading 2009
Waters, including mineral waters and aerated waters, containing added sugar or other sweetening matter or flavoured
Other
Not containing products of headings 0401 to 0404 or fat obtained from products of headings 0401 to 0404
Soya-based beverages with a protein content of 2,8 % or more by weight
Containing sugar (sucrose or invert sugar)
Fruit juice or vegetable juice diluted with water or aerated
Other
Other
Fruit juice or vegetable juice diluted with water or aerated
Other
Soya-based beverages with a protein content of less than 2,8 % by weight; beverages based on nuts of Chapter 8, cereals of Chapter 10 or seeds of Chapter 12
Containing sugar (sucrose or invert sugar)
Fruit juice or vegetable juice diluted with water or aerated
Other
Other
Fruit juice or vegetable juice diluted with water or aerated
Other
Other
Containing sugar (sucrose or invert sugar)
Fruit juice or vegetable juice diluted with water or aerated
Other
Other
Fruit juice or vegetable juice diluted with water or aerated
Other
Other, containing by weight of fat obtained from the products of headings 0401 to 0404
Less than 0,2 %
Fruit juice or vegetable juice diluted with water or aerated
Other
0,2 % or more but less than 2 %
Fruit juice or vegetable juice diluted with water or aerated
Other
2 % or more

<div> <div>Fruit juice or vegetable juice diluted with water or aerated</div> <div>Other</div> </div>
<div>Beer made from malt</div> <div> <div>In containers holding 10 litres or less</div> <div> <div>In bottles</div> <div>Other</div> </div> </div> <div>In containers holding more than 10 litres</div>
<div>Wine of fresh grapes, including fortified wines; grape must other than that of heading 2009</div> <div> <div>Sparkling wine</div> <div> <div>With a protected designation of origin (PDO)</div> <div> <div>Champagne</div> <div>Asti spumante</div> <div>Other</div> </div> <div>With a protected geographical indication (PGI)</div> <div>Other varietal wines</div> <div>Other</div> </div> <div>Other wine; grape must with fermentation prevented or arrested by the addition of alcohol</div> <div> <div>In containers holding 2 litres or less</div> <div> <div>Wine, other than that referred to in subheading 2204 10, in bottles with 'mushroom' stoppers held in place by ties or fastenings; wine, otherwise put up, with an excess pressure due to carbon dioxide in solution of not less than 1 bar but less than 3 bar, measured at a temperature of 20 °C</div> <div> <div>With a protected designation of origin (PDO)</div> <div>With a protected geographical indication (PGI)</div> <div>Other varietal wines</div> <div>Other</div> </div> </div> <div>Other</div> <div> <div>Produced in the European Union</div> <div> <div>Of an actual alcoholic strength by volume not exceeding 15 % vol</div> <div> <div>Wine with a protected designation of origin (PDO)</div> <div> <div>White</div> <div> <div>Alsace</div> <div> <div>Of an actual alcoholic strength by volume not exceeding 13 % vol</div> <div>Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol</div> </div> <div>Bordeaux</div> <div>Of an actual alcoholic strength by volume not exceeding 13 % vol</div> </div> </div> </div> </div> </div></div></div>

Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
<div>Bourgogne (Burgundy)</div> <div>Of an actual alcoholic strength by volume not exceeding 13 % vol</div> <div>Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol</div>
<div>Val de Loire (Loire Valley)</div> <div>Of an actual alcoholic strength by volume not exceeding 13 % vol</div> <div>Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol</div>
<div>Mosel</div> <div>Of an actual alcoholic strength by volume not exceeding 13 % vol</div> <div>Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol</div>
<div>Pfalz</div> <div>Of an actual alcoholic strength by volume not exceeding 13 % vol</div> <div>Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol</div>
<div>Rheinhessen</div> <div>Of an actual alcoholic strength by volume not exceeding 13 % vol</div> <div>Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol</div>
<div>Tokaj</div> <div>Of an actual alcoholic strength by volume not exceeding 13 % vol</div> <div>Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol</div>
<div>Lazio (Latium)</div> <div>Of an actual alcoholic strength by volume not exceeding 13 % vol</div>

Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
<div>Toscana (Tuscany)</div> <div>Of an actual alcoholic strength by volume not exceeding 13 % vol</div> <div>Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol</div>
<div>Trentino, Alto Adige and Friuli</div> <div>Of an actual alcoholic strength by volume not exceeding 13 % vol</div> <div>Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol</div>
<div>Veneto</div> <div>Of an actual alcoholic strength by volume not exceeding 13 % vol</div> <div>Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol</div>
<div>Vinho Verde</div> <div>Of an actual alcoholic strength by volume not exceeding 13 % vol</div> <div>Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol</div>
<div>Penedés</div> <div>Of an actual alcoholic strength by volume not exceeding 13 % vol</div> <div>Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol</div>
<div>Rioja</div> <div>Of an actual alcoholic strength by volume not exceeding 13 % vol</div> <div>Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol</div>
<div>Valencia</div> <div>Of an actual alcoholic strength by volume</div>

not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Other
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Other
Bordeaux
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Bourgogne (Burgundy)
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Beaujolais
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Vallée du Rhône
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Languedoc-Roussillon
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Val de Loire (Loire Valley)

Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Piemonte (Piedmont)
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Toscana (Tuscany)
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Trentino and Alto Adige
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Veneto
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Dão, Bairrada and Douro
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Navarra
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Penedés

Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Rioja
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Valdepeñas
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Other
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Wine with a protected geographical indication (PGI)
White
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Other
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Other varietal wines
White
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Other

Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Other
White
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Other
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol

Of an actual alcoholic strength by volume exceeding 15 % vol but not exceeding 22 % vol
Wine with a protected designation of origin (PDO) or a protected geographical indication (PGI)
Madeira and Setubal muscatel
Of an actual alcoholic strength by volume exceeding 15 % vol but not exceeding 18 % vol
Of an actual alcoholic strength by volume exceeding 18 % vol but not exceeding 22 % vol
Sherry
Of an actual alcoholic strength by volume exceeding 15 % vol but not exceeding 18 % vol
Of an actual alcoholic strength by volume exceeding 18 % vol but not exceeding 22 % vol
Marsala
Of an actual alcoholic strength by volume exceeding 15 % vol but not exceeding 18 % vol
Of an actual alcoholic strength by volume exceeding 18 % vol but not exceeding 22 % vol
Samos and Muscat de Lemnos
Of an actual alcoholic strength by volume exceeding 15 % vol but not exceeding 18 % vol
Of an actual alcoholic strength by volume exceeding 18 % vol but not exceeding 22 % vol

Port
Of an actual alcoholic strength by volume exceeding 15 % vol but not exceeding 18 % vol
Of an actual alcoholic strength by volume exceeding 18 % vol but not exceeding 22 % vol
Other
Of an actual alcoholic strength by volume exceeding 15 % vol but not exceeding 18 % vol
Of an actual alcoholic strength by volume exceeding 18 % vol but not exceeding 22 % vol
Other
Of an actual alcoholic strength by volume exceeding 15 % vol but not exceeding 18 % vol
Of an actual alcoholic strength by volume exceeding 18 % vol but not exceeding 22 % vol
Of an actual alcoholic strength by volume exceeding 22 % vol

Other
Wine with a protected designation of origin (PDO) or a protected geographical indication (PGI)
White
Of an actual alcoholic strength by volume not exceeding 13 % vol
Aïn Bessem-Bouira, Médéa, Coteaux du Zaccar, Dahra, Coteaux de Mascara, Monts du Tessalah, Coteaux de Tlemcen
Berkane, Saïs, Beni M'Tir, Guerrouane, Zemmour, Zennata
Coteaux d'Utique, Kelibia, Thibar, Mornag
Other
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Aïn Bessem-Bouira, Médéa, Coteaux du Zaccar, Dahra, Coteaux de Mascara, Monts du Tessalah, Coteaux de Tlemcen
Berkane, Saïs, Beni M'Tir, Guerrouane, Zemmour, Zennata
Coteaux d'Utique, Kelibia, Thibar, Mornag
Other
Of an actual alcoholic strength by volume

exceeding 15 % vol but not exceeding 18 % vol
Of an actual alcoholic strength by volume exceeding 18 % vol but not exceeding 22 % vol
Of an actual alcoholic strength by volume exceeding 22 % vol
Other
Wine of fresh grapes
Of an actual alcoholic strength by volume not exceeding 13 % vol
Aïn Bessem-Bouira, Médéa, Coteaux du Zaccar, Dahra, Coteaux de Mascara, Monts du Tessalah, Coteaux de Tlemcen
Berkane, Saïs, Beni M'Tir, Guerrouane, Zemmour, Zennata
Coteaux de Tebourba, Coteaux d'Utique, Sidi-Salem, Thibar, Mornag, grand cru Mornag
Other

Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Aïn Bessem-Bouira, Médéa, Coteaux du Zaccar, Dahra, Coteaux de Mascara, Monts du Tessalah, Coteaux de Tlemcen
Berkane, Saïs, Beni M'Tir, Guerrouane, Zemmour, Zennata
Coteaux de Tebourba, Coteaux d'Utique, Sidi-Salem, Thibar, Mornag, grand cru Mornag
Other
Of an actual alcoholic strength by volume exceeding 15 % vol but not exceeding 18 % vol
Of an actual alcoholic strength by volume exceeding 18 % vol but not exceeding 22 % vol
Of an actual alcoholic strength by volume exceeding 22 % vol
Other
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Of an actual alcoholic strength by volume exceeding 15 % vol but not exceeding 18 % vol

Of an actual alcoholic strength by volume exceeding 18 % vol but not exceeding 22 % vol
Of an actual alcoholic strength by volume exceeding 22 % vol

Other varietal wines
White
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Of an actual alcoholic strength by volume exceeding 15 % vol but not exceeding 18 % vol
Of an actual alcoholic strength by volume exceeding 18 % vol but not exceeding 22 % vol
Of an actual alcoholic strength by volume exceeding 22 % vol

Other
Wine of fresh grapes
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Of an actual alcoholic strength by volume exceeding 15 % vol but not exceeding 18 % vol
Of an actual alcoholic strength by volume exceeding 18 % vol but not exceeding 22 % vol
Of an actual alcoholic strength by volume exceeding 22 % vol

Other
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Of an actual alcoholic strength by volume exceeding 15 % vol but not exceeding 18 % vol
Of an actual alcoholic strength by volume exceeding 18 % vol but not exceeding 22 % vol
Of an actual alcoholic strength by volume exceeding 22 % vol

Other
White

Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Of an actual alcoholic strength by volume exceeding 15 % vol but not exceeding 18 % vol
Of an actual alcoholic strength by volume exceeding 18 % vol but not exceeding 22 % vol
Of an actual alcoholic strength by volume exceeding 22 % vol
Other
Wine of fresh grapes
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Of an actual alcoholic strength by volume exceeding 15 % vol but not exceeding 18 % vol
Of an actual alcoholic strength by volume exceeding 18 % vol but not exceeding 22 % vol
Of an actual alcoholic strength by volume exceeding 22 % vol
Other
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Of an actual alcoholic strength by volume exceeding 15 % vol but not exceeding 18 % vol
Of an actual alcoholic strength by volume exceeding 18 % vol but not exceeding 22 % vol
Of an actual alcoholic strength by volume exceeding 22 % vol

Other
Wine, other than that referred to in subheading 2204 10, in bottles with 'mushroom' stoppers held in place by ties or fastenings; wine, otherwise put up, with an excess pressure due to carbon dioxide in solution of not less than 1 bar but less than 3 bar, measured at a temperature of 20 °C

Other
Produced in the European Union

Of an actual alcoholic strength by volume not exceeding 15 % vol
Wine with a protected designation of origin (PDO)
White
Tokaj
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Bordeaux
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Bourgogne (Burgundy)
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Val de Loire (Loire Valley)
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Other
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol

Other
Bordeaux
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol

Bourgogne (Burgundy)

Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Beaujolais
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Vallée du Rhône
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Languedoc-Roussillon
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Val de Loire (Loire Valley)
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Other
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol

Wine with a protected geographical indication (PGI)
White
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol

Other
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol

Other varietal wines
White
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Other
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol

Other
White
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Other
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol

Of an actual alcoholic strength by volume exceeding 15 % vol but not exceeding 22 % vol
Wine with a protected designation of origin (PDO) or a protected geographical indication (PGI)
Madeira and Setubal muscatel
Of an actual alcoholic strength by volume exceeding 15 % vol but not exceeding 18 % vol
Of an actual alcoholic strength by volume exceeding 18 % vol but not exceeding 22 % vol
Sherry
Of an actual alcoholic strength by volume exceeding 15 % vol but not exceeding 18 % vol
Of an actual alcoholic strength by volume

exceeding 18 % vol but not exceeding 22 % vol
Marsala
Of an actual alcoholic strength by volume exceeding 15 % vol but not exceeding 18 % vol
Of an actual alcoholic strength by volume exceeding 18 % vol but not exceeding 22 % vol
Samos and Muscat de Lemnos
Of an actual alcoholic strength by volume exceeding 15 % vol but not exceeding 18 % vol
Of an actual alcoholic strength by volume exceeding 18 % vol but not exceeding 22 % vol
Port
Of an actual alcoholic strength by volume exceeding 15 % vol but not exceeding 18 % vol
Of an actual alcoholic strength by volume exceeding 18 % vol but not exceeding 22 % vol
Other
Of an actual alcoholic strength by volume exceeding 15 % vol but not exceeding 18 % vol
Of an actual alcoholic strength by volume exceeding 18 % vol but not exceeding 22 % vol
Other
Of an actual alcoholic strength by volume exceeding 15 % vol but not exceeding 18 % vol
Of an actual alcoholic strength by volume exceeding 18 % vol but not exceeding 22 % vol
Of an actual alcoholic strength by volume exceeding 22 % vol

Other
Wine with a protected designation of origin (PDO) or a protected geographical indication (PGI)
White
Of an actual alcoholic strength by volume not exceeding 13 % vol
Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol
Of an actual alcoholic strength by volume exceeding 15 % vol but not exceeding 18 % vol

Of an actual alcoholic strength by volume exceeding 18|% vol but not exceeding 22|% vol

Of an actual alcoholic strength by volume exceeding 22|% vol

Other

Wine of fresh grapes

Of an actual alcoholic strength by volume not exceeding 13|% vol

Of an actual alcoholic strength by volume exceeding 13|% vol but not exceeding 15|% vol

Of an actual alcoholic strength by volume exceeding 15|% vol but not exceeding 18|% vol

Of an actual alcoholic strength by volume exceeding 18|% vol but not exceeding 22|% vol

Of an actual alcoholic strength by volume exceeding 22|% vol

Other

Of an actual alcoholic strength by volume not exceeding 13|% vol

Of an actual alcoholic strength by volume exceeding 13|% vol but not exceeding 15|% vol

Of an actual alcoholic strength by volume exceeding 15|% vol but not exceeding 18|% vol

Of an actual alcoholic strength by volume exceeding 18|% vol but not exceeding 22|% vol

Of an actual alcoholic strength by volume exceeding 22|% vol

Other varietal wines

White

Of an actual alcoholic strength by volume not exceeding 13|% vol

Of an actual alcoholic strength by volume exceeding 13|% vol but not exceeding 15|% vol

Of an actual alcoholic strength by volume exceeding 15|% vol but not exceeding 18|% vol

Of an actual alcoholic strength by volume exceeding 18|% vol but not exceeding 22|% vol

Of an actual alcoholic strength by volume exceeding 22|% vol

Other

Wine of fresh grapes

Of an actual alcoholic strength by volume not exceeding 13|% vol

Of an actual alcoholic strength by volume exceeding 13|% vol but not exceeding 15|% vol

Of an actual alcoholic strength by volume exceeding 15|% vol but not exceeding 18|% vol

Of an actual alcoholic strength by volume exceeding 18|% vol but not exceeding 22|% vol

Of an actual alcoholic strength by volume exceeding 22|% vol

Other

Of an actual alcoholic strength by volume not exceeding 13|% vol

Of an actual alcoholic strength by volume exceeding 13|% vol but not exceeding 15|% vol

Of an actual alcoholic strength by volume exceeding 15|% vol but not exceeding 18|% vol

Of an actual alcoholic strength by volume exceeding 18|% vol but not exceeding 22|% vol

Of an actual alcoholic strength by volume exceeding 22|% vol

Other

White

Of an actual alcoholic strength by volume not exceeding 13|% vol

Of an actual alcoholic strength by volume exceeding 13|% vol but not exceeding 15|% vol

Of an actual alcoholic strength by volume exceeding 15|% vol but not exceeding 18|% vol

Of an actual alcoholic strength by volume exceeding 18|% vol but not exceeding 22|% vol

Of an actual alcoholic strength by volume exceeding 22|% vol

Other

Wine of fresh grapes

Of an actual alcoholic strength by volume not exceeding 13|% vol

Of an actual alcoholic strength by volume exceeding 13|% vol but not exceeding 15|% vol

Of an actual alcoholic strength by volume exceeding 15|% vol but not exceeding 18|% vol

Of an actual alcoholic strength by volume exceeding 18|% vol but not exceeding 22|% vol

Of an actual alcoholic strength by volume exceeding 22|% vol

Other

Of an actual alcoholic strength by volume not exceeding 13|% vol

Of an actual alcoholic strength by volume exceeding 13|% vol but not exceeding 15|% vol

Of an actual alcoholic strength by volume exceeding 15|% vol but not exceeding 18|% vol

Of an actual alcoholic strength by volume exceeding 18|% vol but not exceeding 22|% vol

Of an actual alcoholic strength by volume exceeding 22|% vol

Other grape must

In fermentation or with fermentation arrested otherwise than by the addition of alcohol

Other

Of a density of 1,33|g/cm\$3|or less at 20|°C and of an actual alcoholic strength by volume not exceeding 1|% |vol

Concentrated

Other

Other

Concentrated

Other

Vermouth and other wine of fresh grapes flavoured with plants or aromatic substances

In containers holding 2|litres or less

Of an actual alcoholic strength by volume of 18|% |vol or less

Of an actual alcoholic strength by volume exceeding 18|% |vol

Other

Of an actual alcoholic strength by volume of 18|% |vol or less

Of an actual alcoholic strength by volume exceeding 18|% |vol

Other fermented beverages (for example, cider, perry, mead); mixtures of fermented beverages and mixtures of fermented beverages and non-alcoholic beverages, not elsewhere specified or included

Piquette

Other

Sparkling

Cider and perry

Other
Still, in containers holding
2 litres or less
Cider and perry
Other
More than 2 litres
Cider and perry
Other

Undenatured ethyl alcohol of an alcoholic strength by volume of 80|%|vol or higher; ethyl alcohol and other spirits, denatured, of any strength

Undenatured ethyl alcohol of an alcoholic strength by volume of 80 % vol or higher
Goods obtained from agricultural products listed in Annex I to the Treaty on the Functioning of the European Union
Ethyl alcohol produced from agricultural products (as listed in Annex I to the Treaty on the Functioning of the European Union), excluding products with a water content of more than 0,3 % (m/m) measured according to the standard EN 15376
For use as fuel
For other uses
Other
Other

Ethyl alcohol and other spirits, denatured, of any strength
Goods obtained from agricultural products listed in Annex I to the Treaty on the Functioning of the European Union
Ethyl alcohol produced from agricultural products (as listed in Annex I to the Treaty on the Functioning of the European Union), excluding products with a water content of more than 0,3 % (m/m) measured according to the standard EN 15376, but including ethyl alcohol produced from agricultural products (as listed in Annex I to the Treaty on the Functioning of the European Union) contained in blends with gasoline with an ethyl alcohol content of more than 10 % (v/v)
For use as fuel
For other uses
Other
Other

Undenatured ethyl alcohol of an alcoholic strength by volume of less than 80 % vol; spirits, liqueurs and other spirituous beverages
Spirits obtained by distilling grape wine or grape marc
In containers holding 2 litres or less
Cognac

Armagnac
Grappa
Brandy de Jerez
Other
In containers holding more than 2 litres
Raw distillate
Other
Cognac
Armagnac
Grappa
Brandy de Jerez
Other

Whiskies
Bourbon whiskey, in containers holding
2 litres or less
More than 2 litres
Scotch whisky
Single malt whisky
Blended malt whisky, in containers holding
2 litres or less
More than 2 litres
Single grain whisky and blended grain whisky, in containers holding
2 litres or less
More than 2 litres
Other blended whisky, in containers holding
2 litres or less
More than 2 litres
Other, in containers holding
2 litres or less
More than 2 litres

Rum and other spirits obtained by distilling fermented sugar-cane products
In containers holding 2 litres or less
Rum with a content of volatile substances other than ethyl and methyl alcohol equal to or exceeding 225 grams per hectolitre of pure alcohol (with a 10 % tolerance)
Other
Of a value exceeding € 7,9 per litre of pure alcohol
Other

In containers holding more than 2 litres
Rum with a content of volatile substances other than ethyl and methyl alcohol equal to or exceeding 225 grams per hectolitre of pure alcohol (with a 10 % tolerance)

Other
Of a value exceeding € 2 per litre of pure alcohol
Other
Gin and Geneva
Gin, in containers holding
2 litres or less
More than 2 litres
Geneva, in containers holding
2 litres or less
More than 2 litres
Vodka
Of an alcoholic strength by volume of 45,4 % vol or less in containers holding
2 litres or less
More than 2 litres
Of an alcoholic strength by volume of more than 45,4 % vol in containers holding
2 litres or less
More than 2 litres
Liqueurs and cordials
In containers holding 2 litres or less
In containers holding more than 2 litres
Other
Arrack, in containers holding
2 litres or less
More than 2 litres
Plum, pear or cherry spirit (excluding liqueurs), in containers holding
2 litres or less
More than 2 litres
Other spirits and other spirituous beverages, in containers holding
2 litres or less
Ouzo
Other
Spirits (excluding liqueurs)
Distilled from fruit
Calvados
Other
Other
Tequila
Other
Other spirituous beverages
More than 2 litres
Spirits (excluding liqueurs)
Distilled from fruit
Tequila
Other

<table><tr><td>Other spirituous beverages</td></tr></table>	Other spirituous beverages					
Other spirituous beverages						
Undenatured ethyl alcohol of an alcoholic strength by volume of less than 80 % vol, in containers holding 2 litres or less						
<table><tr><td>Goods obtained from agricultural products listed in Annex I to the Treaty on the Functioning of the European Union</td></tr><tr><td>Other</td></tr></table>	Goods obtained from agricultural products listed in Annex I to the Treaty on the Functioning of the European Union	Other				
Goods obtained from agricultural products listed in Annex I to the Treaty on the Functioning of the European Union						
Other						
More than 2 litres						
<table><tr><td>Goods obtained from agricultural products listed in Annex I to the Treaty on the Functioning of the European Union</td></tr><tr><td>Ethyl alcohol produced from agricultural products (as listed in Annex I to the Treaty on the Functioning of the European Union), excluding products with a water content of more than 0,3 % (m/m) measured according to the standard EN 15376</td></tr><tr><td>For use as fuel</td></tr><tr><td>For other uses</td></tr><tr><td>Other</td></tr><tr><td>Other</td></tr></table>	Goods obtained from agricultural products listed in Annex I to the Treaty on the Functioning of the European Union	Ethyl alcohol produced from agricultural products (as listed in Annex I to the Treaty on the Functioning of the European Union), excluding products with a water content of more than 0,3 % (m/m) measured according to the standard EN 15376	For use as fuel	For other uses	Other	Other
Goods obtained from agricultural products listed in Annex I to the Treaty on the Functioning of the European Union						
Ethyl alcohol produced from agricultural products (as listed in Annex I to the Treaty on the Functioning of the European Union), excluding products with a water content of more than 0,3 % (m/m) measured according to the standard EN 15376						
For use as fuel						
For other uses						
Other						
Other						

Vinegar and substitutes for vinegar obtained from acetic acid
Wine vinegar, in containers holding
2 litres or less
More than 2 litres
Other, in containers holding
2 litres or less
More than 2 litres

RESIDUES AND WASTE FROM THE FOOD INDUSTRIES; PREPARED ANIMAL FODDER
Flours, meals and pellets, of meat or meat offal, of fish or of crustaceans, molluscs or other aquatic invertebrates, unfit for human consumption; greaves
Flours, meals and pellets, of meat or meat offal; greaves
Flours, meals and pellets, of fish or of crustaceans, molluscs or other aquatic invertebrates

Bran, sharps and other residues, whether or not in the form of pellets, derived from the sifting, milling or other working of cereals or of leguminous plants
Of maize (corn)
With a starch content not exceeding 35 % by weight
Other
Of wheat
Of which the starch content does not exceed 28 % by weight, and of which the proportion that passes through a sieve with an aperture of 0,2 mm does not exceed 10 % by weight or alternatively the proportion that

passes through the sieve has an ash content, calculated on the dry product, equal to or more than 1,5 % by weight
Other
Of other cereals
Of rice
With a starch content not exceeding 35 % by weight
Other
Other
Of which the starch content does not exceed 28 % by weight, and of which the proportion that passes through a sieve with an aperture of 0,2 mm does not exceed 10 % by weight or alternatively the proportion that passes through the sieve has an ash content, calculated on the dry product, equal to or more than 1,5 % by weight
Other
Of leguminous plants

Residues of starch manufacture and similar residues, beet-pulp, bagasse and other waste of sugar manufacture, brewing or distilling dregs and waste, whether or not in the form of pellets
Residues of starch manufacture and similar residues
Residues from the manufacture of starch from maize (excluding concentrated steeping liquors), of a protein content, calculated on the dry product
Exceeding 40 % by weight
corn gluten
Other
Not exceeding 40 % by weight
Other
Beet-pulp, bagasse and other waste of sugar manufacture
Beet-pulp
Other
Brewing or distilling dregs and waste
Oilcake and other solid residues, whether or not ground or in the form of pellets, resulting from the extraction of soya-bean oil
Oilcake and other solid residues, whether or not ground or in the form of pellets, resulting from the extraction of groundnut oil
Oilcake and other solid residues, whether or not ground or in the form of pellets, resulting from the extraction of vegetable fats or oils, other than those of heading 2304 or 2305
Of cotton seeds
Of linseed
Of sunflower seeds
Of rape or colza seeds
Of low erucic acid rape or colza seeds
Other

Of coconut or copra
Of palm nuts or kernels
Other
Of maize (corn) germ
Other
Oilcake and other residues resulting from the extraction of olive oil
Containing 3 % or less by weight of olive oil
Containing more than 3 % by weight of olive oil
Other

Wine lees; argol
Wine lees
Having a total alcoholic strength by mass not exceeding 7,9 % mas and a dry matter content not less than 25 % by weight
Other
Argol

Vegetable materials and vegetable waste, vegetable residues and by-products, whether or not in the form of pellets, of a kind used in animal feeding, not elsewhere specified or included
Grape marc
Having a total alcoholic strength by mass not exceeding 4,3 % mas and a dry matter content not less than 40 % by weight
Other
Acorns and horse-chestnuts; pomace or marc of fruit, other than grapes
Citrus pulp residues
Other
Other

Preparations of a kind used in animal feeding
Dog or cat food, put up for retail sale
Containing starch, glucose, glucose syrup, maltodextrine or maltodextrine syrup of subheadings 1702 30 50, 1702 30 90, 1702 40 90, 1702 90 50 and 2106 90 55 or milk products
Containing starch, glucose, glucose syrup, maltodextrine or maltodextrine syrup
Containing no starch or containing 10 % or less by weight of starch
Containing no milk products or containing less than 10 % by weight of such products
Containing not less than 10 % but less than 50 % by weight of milk products
Containing not less than 50 % but less than 75 % by weight of milk products
Containing not less than 75 % by weight of milk products

Containing more than 10 % but not more than 30 % by weight of starch
Containing no milk products or containing less than 10 % by weight of such products
Containing not less than 10 % but less than 50 % by weight of milk products
Containing not less than 50 % by weight of milk products
Containing more than 30 % by weight of starch
Containing no milk products or containing less than 10 % by weight of such products
Containing not less than 10 % but less than 50 % by weight of milk products
Containing not less than 50 % by weight of milk products
Containing no starch, glucose, glucose syrup, maltodextrine or maltodextrine syrup but containing milk products
Other

Other
Fish or marine mammal solubles
Fish solubles
Fish feed
Other
Marine mammal solubles
Fish feed
Other

Products referred to in additional note 5 to this chapter

Other, including premixes
Containing starch, glucose, glucose syrup, maltodextrine or maltodextrine syrup of subheadings 1702 30 50, 1702 30 90, 1702 40 90, 1702 90 50 and 2106 90 55 or milk products
Containing starch, glucose, glucose syrup, maltodextrine or maltodextrin syrup
Containing no starch or containing 10 % or less by weight of starch
Containing no milk products or containing less than 10 % by weight of such products
Preparation consisting of a mixture of malt sprouts and barley screenings before the malting process (possibly including other seeds) with barley cleanings after the malting process, and containing by weight 12,5 % or more of protein
Containing by weight 15,5 % or more of protein
Other

Fish feed
Other
Containing not less than 10 % but less than 50 % by weight of milk products
Containing not less than 50 % but less than 75 % by weight of milk products
Containing not less than 75 % by weight of milk products
Containing more than 10 % but not more than 30 % by weight of starch
Containing no milk products or containing less than 10 % by weight of such products
Fish feed
Preparation consisting of a mixture of malt sprouts and barley screenings before the malting process (possibly including other seeds) with barley cleanings after the malting process, and containing by weight 12,5 % or more of protein and not more than 28 % of stach
Containing by weight 15,5 % or more of protein and not more than 23 % of stach
Other
Other
Containing not less than 10 % but less than 50 % by weight of milk products
Containing not less than 50 % by weight of milk products
Containing more than 30 % by weight of starch
Containing no milk products or containing less than 10 % by weight of such products
Containing not less than 10 % but less than 50 % by weight of milk products
Containing not less than 50 % by weight of milk products
Containing no starch, glucose, glucose syrup, maltodextrine or maltodextrine syrup but containing milk products
Other
Beet-pulp with added molasses
Other
Mineral and vitamin complex
Other

TOBACCO AND MANUFACTURED TOBACCO SUBSTITUTES
Unmanufactured tobacco; tobacco refuse

Tobacco, not stemmed/stripped
Light air-cured tobacco
Light air-cured Burley type (including Burley hybrids)
Light air-cured Maryland type
Other
whether or not cut in regular size, having a custom value of not less than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00
Other

Sun-cured Oriental type tobacco
Dark air-cured tobacco
whether or not cut in regular size, having a custom value of not less than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00
Other

Flue-cured tobacco
Flue-cured Virginia type
Other

Other
Fire-cured tobacco
Kentucky type
whether or not cut in regular size, having a custom value of not less than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00
Other
Other
whether or not cut in regular size, having a custom value of not less than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00
Other

Other tobacco
whether or not cut in regular size, having a custom value of not less than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00
Other

Tobacco, partly or wholly stemmed/stripped
Light air-cured tobacco
Light air-cured Burley type (including Burley hybrids)
Light air-cured Maryland type
Other
whether or not cut in regular size, having a custom value of not less

<table><tr><td>than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00</td></tr><tr><td>Other</td></tr></table>	than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00	Other						
than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00								
Other								
Sun-cured Oriental type tobacco								
Dark air-cured tobacco								
<table><tr><td>whether or not cut in regular size, having a custom value of not less than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00</td></tr><tr><td>Other</td></tr></table>	whether or not cut in regular size, having a custom value of not less than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00	Other						
whether or not cut in regular size, having a custom value of not less than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00								
Other								
Flue-cured tobacco								
<table><tr><td>Flue-cured Virginia type</td></tr><tr><td>Other</td></tr></table>	Flue-cured Virginia type	Other						
Flue-cured Virginia type								
Other								
Other								
Fire-cured tobacco								
<table><tr><td>Kentucky type</td></tr><tr><td><table><tr><td>whether or not cut in regular size, having a custom value of not less than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>whether or not cut in regular size, having a custom value of not less than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Kentucky type	<table><tr><td>whether or not cut in regular size, having a custom value of not less than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00</td></tr><tr><td>Other</td></tr></table>	whether or not cut in regular size, having a custom value of not less than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00	Other	Other	<table><tr><td>whether or not cut in regular size, having a custom value of not less than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00</td></tr><tr><td>Other</td></tr></table>	whether or not cut in regular size, having a custom value of not less than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00	Other
Kentucky type								
<table><tr><td>whether or not cut in regular size, having a custom value of not less than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00</td></tr><tr><td>Other</td></tr></table>	whether or not cut in regular size, having a custom value of not less than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00	Other						
whether or not cut in regular size, having a custom value of not less than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00								
Other								
Other								
<table><tr><td>whether or not cut in regular size, having a custom value of not less than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00</td></tr><tr><td>Other</td></tr></table>	whether or not cut in regular size, having a custom value of not less than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00	Other						
whether or not cut in regular size, having a custom value of not less than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00								
Other								
Other tobacco								
<table><tr><td>whether or not cut in regular size, having a custom value of not less than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00</td></tr><tr><td>Other</td></tr></table>	whether or not cut in regular size, having a custom value of not less than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00	Other						
whether or not cut in regular size, having a custom value of not less than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00								
Other								
Tobacco refuse								

Cigars, cheroots, cigarillos and cigarettes, of tobacco or of tobacco substitutes		
Cigars, cheroots and cigarillos, containing tobacco		
Cigarettes containing tobacco		
<table><tr><td>Containing cloves</td></tr><tr><td>Other</td></tr></table>	Containing cloves	Other
Containing cloves		
Other		
Other		

Other manufactured tobacco and manufactured tobacco substitutes; 'homogenised' or 'reconstituted' tobacco; tobacco extracts and essences
Smoking tobacco, whether or not containing tobacco substitutes in any proportion

Water-pipe tobacco specified in subheading note 1 to this chapter
Other
In immediate packings of a net content not exceeding 500 g
Other

Other
'Homogenised' or 'reconstituted' tobacco
Other
Chewing tobacco and snuff
Other

SALT; SULPHUR; EARTHS AND STONE; PLASTERING MATERIALS, LIME AND CEMENT
Salt (including table salt and denatured salt) and pure sodium chloride, whether or not in aqueous solution or containing added anti-caking or free-flowing agents; sea water
Sea water and salt liquors
Salt (including table salt and denatured salt) and pure sodium chloride, whether or not in aqueous solution or containing added anti-caking or free-flowing agents
For chemical transformation (separation of Na from Cl) for the manufacture of other products
Other
Denatured or for industrial uses (including refining) other than the preservation or preparation of foodstuffs for human or animal consumption
Denatured
For industrial uses (including refining) other than the preservation or preparation of foodstuffs for human or animal consumption
Other
Salt suitable for human consumption
Other

Unroasted iron pyrites

Sulphur of all kinds, other than sublimed sulphur, precipitated sulphur and colloidal sulphur
Crude or unrefined sulphur
Other

Natural graphite
In powder or in flakes
Other

Natural sands of all kinds, whether or not coloured, other than metal-bearing sands of Chapter 26
Silica sands and quartz sands
Other

Quartz (other than natural sands); quartzite, whether or not roughly trimmed or merely cut, by sawing or otherwise, into
--

blocks or slabs of a rectangular (including square) shape
Quartz
Quartzite

Kaolin and other kaolinic clays, whether or not calcined
Kaolin
Other kaolinic clays

Other clays (not including expanded clays of heading 6806), andalusite, kyanite and sillimanite, whether or not calcined; mullite; chamotte or dinas earths
Bentonite
Fireclay
Other clays
Andalusite, kyanite and sillimanite
Mullite
Chamotte or dinas earths

Chalk

Natural calcium phosphates, natural aluminium calcium phosphates and phosphatic chalk
Unground
Ground

Natural barium sulphate (barytes); natural barium carbonate (witherite), whether or not calcined, other than barium oxide of heading 2816
Natural barium sulphate (barytes)
Natural barium carbonate (witherite)

Siliceous fossil meals (for example, kieselguhr, tripolite and diatomite) and similar siliceous earths, whether or not calcined, of an apparent specific gravity of 1 or less

Pumice stone; emery; natural corundum, natural garnet and other natural abrasives, whether or not heat-treated
Pumice stone
Emery, natural corundum, natural garnet and other natural abrasives

Slate, whether or not roughly trimmed or merely cut, by sawing or otherwise, into blocks or slabs of a rectangular (including square) shape

Marble, travertine, ecaussine and other calcareous monumental or building stone of an apparent specific gravity of 2,5 or more, and alabaster, whether or not roughly trimmed or merely cut, by sawing or otherwise, into blocks or slabs of a rectangular (including square) shape
Marble and travertine
Crude or roughly trimmed
Merely cut, by sawing or otherwise, into blocks or slabs of a rectangular (including square) shape
Ecaussine and other calcareous monumental or building stone; alabaster

Granite, porphyry, basalt, sandstone and other monumental or building stone, whether or not roughly trimmed or merely cut, by sawing or otherwise, into blocks or

slabs of a rectangular (including square) shape
Granite
Crude or roughly trimmed
Merely cut, by sawing or otherwise, into blocks or slabs of a rectangular (including square) shape
Sandstone
Other monumental or building stone
Pebbles, gravel, broken or crushed stone, of a kind commonly used for concrete aggregates, for road metalling or for railway or other ballast, shingle and flint, whether or not heat-treated; macadam of slag, dross or similar industrial waste, whether or not incorporating the materials cited in the first part of the heading; tarred macadam; granules, chippings and powder, of stones of heading 2515 or 2516, whether or not heat-treated
Pebbles, gravel, broken or crushed stone, of a kind commonly used for concrete aggregates, for road metalling or for railway or other ballast, shingle and flint, whether or not heat-treated
Pebbles, gravel, shingle and flint
Limestone, dolomite and other calcareous stone, broken or crushed
Other
Macadam of slag, dross or similar industrial waste, whether or not incorporating the materials cited in subheading 2517 10
Tarred macadam
Granules, chippings and powder, of stones of heading 2515 or 2516, whether or not heat-treated
Of marble
Other
Dolomite, whether or not calcined or sintered, including dolomite roughly trimmed or merely cut, by sawing or otherwise, into blocks or slabs of a rectangular (including square) shape; dolomite ramming mix
Dolomite, not calcined or sintered
Calcined or sintered dolomite
Dolomite ramming mix
Natural magnesium carbonate (magnesite); fused magnesia; dead-burned (sintered) magnesia, whether or not containing small quantities of other oxides added before sintering; other magnesium oxide, whether or not pure
Natural magnesium carbonate (magnesite)
Other
Magnesium oxide, other than calcined natural magnesium carbonate
Fused magnesia with a purity by weight of 97 % or more
Other
Dead-burned (sintered) magnesia
Other

Gypsum; anhydrite; plasters (consisting of calcined gypsum or calcium sulphate) whether or not coloured, with or without small quantities of accelerators or retarders
Gypsum; anhydrite
Plasters
Limestone flux; limestone and other calcareous stone, of a kind used for the manufacture of lime or cement
Quicklime, slaked lime and hydraulic lime, other than calcium oxide and hydroxide of heading 2825
Quicklime
Slaked lime
Hydraulic lime
Portland cement, aluminous cement, slag cement, supersulphate cement and similar hydraulic cements, whether or not coloured or in the form of clinkers
Cement clinkers
Portland cement
White cement, whether or not artificially coloured
Other
Aluminous cement
Other hydraulic cements
Asbestos
Crocidolite
Other
Mica, including splittings; mica waste
Crude mica and mica rifted into sheets or splittings
Mica powder
Mica waste
Natural steatite, whether or not roughly trimmed or merely cut, by sawing or otherwise, into blocks or slabs of a rectangular (including square) shape; talc
Not crushed, not powdered
Crushed or powdered
Natural borates and concentrates thereof (whether or not calcined), but not including borates separated from natural brine; natural boric acid containing not more than 85 % of H@3BO@3 calculated on the dry weight
Feldspar; leucite; nepheline and nepheline syenite; fluorspar
Feldspar
Fluorspar
Containing by weight 97 % or less of calcium fluoride
Containing by weight more than 97 % of calcium fluoride
Leucite; nepheline and nepheline syenite
Mineral substances not elsewhere specified or included
Vermiculite, perlite and chlorites, unexpanded

Kieserite, epsomite (natural magnesium sulphates)
Other
ORES, SLAG AND ASH
Iron ores and concentrates, including roasted iron pyrites
Iron ores and concentrates, other than roasted iron pyrites
Non-agglomerated
Agglomerated
Roasted iron pyrites
Manganese ores and concentrates, including ferruginous manganese ores and concentrates with a manganese content of 20 % or more, calculated on the dry weight
Copper ores and concentrates
Nickel ores and concentrates
Cobalt ores and concentrates
Aluminium ores and concentrates
Lead ores and concentrates
Zinc ores and concentrates
Tin ores and concentrates
Chromium ores and concentrates
Tungsten ores and concentrates
Uranium or thorium ores and concentrates
Uranium ores and concentrates
Uranium ores and pitchblende, and concentrates thereof, with a uranium content of more than 5 % by weight
Other
Thorium ores and concentrates
Monazite; urano-thorianite and other thorium ores and concentrates, with a thorium content of more than 20 % by weight
Other
Molybdenum ores and concentrates
Roasted
Other
Titanium ores and concentrates
Niobium, tantalum, vanadium or zirconium ores and concentrates
Zirconium ores and concentrates
Other
Precious-metal ores and concentrates
Silver ores and concentrates
Other
Other ores and concentrates
Antimony ores and concentrates
Other
Granulated slag (slag sand) from the manufacture of iron or steel
Slag, dross (other than granulated slag), scalings and other waste from the manufacture of iron or steel

Waste suitable for the recovery of iron or manganese
Other

Slag, ash and residues (other than from the manufacture of iron or steel), containing metals, arsenic or their compounds
Containing mainly zinc
Hard zinc spelter
Other

Containing mainly lead
Leaded gasoline sludges and leaded anti-knock compound sludges
Other

Containing mainly copper

Containing mainly aluminium

Containing arsenic, mercury, thallium or their mixtures, of a kind used for the extraction of arsenic or those metals or for the manufacture of their chemical compounds
Other
Containing antimony, beryllium, cadmium, chromium or their mixtures
Other
Containing mainly nickel
Containing mainly niobium or tantalum
Containing mainly tin
Containing mainly titanium
Other

Other slag and ash, including seaweed ash (kelp); ash and residues from the incineration of municipal waste
Ash and residues from the incineration of municipal waste
Other

MINERAL FUELS, MINERAL OILS AND PRODUCTS OF THEIR DISTILLATION; BITUMINOUS SUBSTANCES; MINERAL WAXES
Coal; briquettes, ovoids and similar solid fuels manufactured from coal
Coal, whether or not pulverised, but not agglomerated
Anthracite
Bituminous coal
Coking coal
Other
Other coal
Briquettes, ovoids and similar solid fuels manufactured from coal

Lignite, whether or not agglomerated, excluding jet
Lignite, whether or not pulverised, but not agglomerated
Agglomerated lignite

Peat (including peat litter), whether or not agglomerated

Coke and semi-coke of coal, of lignite or of peat, whether or not agglomerated; retort carbon
Coke and semi-coke of coal
Coke and semi-coke of lignite
Other

Coal gas, water gas, producer gas and similar gases, other than petroleum gases and other gaseous hydrocarbons
--

Tar distilled from coal, from lignite or from peat, and other mineral tars, whether or not dehydrated or partially distilled, including reconstituted tars
--

Oils and other products of the distillation of high temperature coal tar; similar products in which the weight of the aromatic constituents exceeds that of the non-aromatic constituents
Benzol (benzene)
For use as a power or heating fuel
For other purposes

Toluol (toluene)
For use as a power or heating fuel
For other purposes

Xylol (xylenes)
For use as a power or heating fuel
For other purposes

Naphthalene
Other aromatic hydrocarbon mixtures of which 65 % or more by volume (including losses) distils at 250 °C by the ASTM D 86 method
Mixture of xylenol-isomers and ethyl phenol-isomers, with a total xylenol content by weight of 62 % or more but less than 95 %
Other
For use as power or heating fuels
For other purposes

Other
Creosote oils
Other
Crude oils
Crude light oils of which 90 % or more by volume distils at temperatures of up to 200 °C
Other
Sulphuretted toppings; anthracene
Basic products
Phenols
Mixture of xylenol-isomers and ethyl phenol-isomers, with a total xylenol content by weight of 62 % or more but less than 95 %
Other
Other
For the manufacture of the products of heading 2803
Other

Heavy and medium oils, whose aromatic content exceeds their non-aromatic content, for use as refinery feedstock to undergo one of the specific processes described in Additional note 5 to Chapter 27
Other

Pitch and pitch coke, obtained from coal tar or from other mineral tars
Pitch
Pitch coke

Petroleum oils and oils obtained from bituminous minerals, crude
Natural gas condensates
Other

Petroleum oils and oils obtained from bituminous minerals, other than crude; preparations not elsewhere specified or included, containing by weight 70 % or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations; waste oils
Petroleum oils and oils obtained from bituminous minerals (other than crude) and preparations not elsewhere specified or included, containing by weight 70 % or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations, other than those containing biodiesel and other than waste oils
Light oils and preparations
For undergoing a specific process
For undergoing chemical transformation by a process other than those specified in respect of subheading 2710 12 11
For other purposes
Special spirits
White spirit
Blends with gasoline with an ethyl alcohol content of more than 10 % (v/v)
For use as fuel
For other uses
Other
Other
Blends with gasoline with an ethyl alcohol content of more than 10 % (v/v)
For use as fuel
For other uses
Other
Other
Motor spirit
Aviation spirit
Blends with gasoline with an ethyl alcohol content of more than 10 % (v/v)
For use as fuel

For other uses
Other
Other, with a lead content
Not exceeding 0,013 g per litre
With an octane number (RON) of less than 95
Blends with gasoline with an ethyl alcohol content of more than 10 % (v/v)
For use as fuel
For other uses
Other
With an octane number (RON) of 95 or more but less than 98
Blends with gasoline with an ethyl alcohol content of more than 10 % (v/v)
For use as fuel
For other uses
Other
With an octane number (RON) of 98 or more
Blends with gasoline with an ethyl alcohol content of more than 10 % (v/v)
For use as fuel
For other uses
Other
Exceeding 0,013 g per litre
With an octane number (RON) of less than 98
Blends with gasoline with an ethyl alcohol content of more than 10 % (v/v)
For use as fuel
For other uses
Other
With an octane number (RON) of 98 or more
Blends with gasoline with an ethyl alcohol content of more than 10 % (v/v)
For use as fuel
For other uses
Other
Spirit type jet fuel
Blends with gasoline with an ethyl alcohol content of more than 10 % (v/v)
For use as fuel
For other uses

Other
Other light oils
Blends with gasoline with an ethyl alcohol content of more than 10 % (v/v)
For use as fuel
For other uses
Other
Other
Medium oils
For undergoing a specific process
For undergoing chemical transformation by a process other than those specified in respect of subheading 2710 19 11
For other purposes
Kerosene
Jet fuel
Other
Other
Heavy oils
Gas oils
For undergoing a specific process
For undergoing chemical transformation by a process other than those specified in respect of subheading 2710 19 31
For other purposes
With a sulphur content not exceeding 0,001 % by weight
Paraffinic gasoil obtained from synthesis and/or hydro-treatment, of non-fossil origin, in pure form; blends containing by weight more than 20 % of paraffinic gasoil obtained from synthesis and/or hydro-treatment, of non-fossil origin
Consigned from Canada
Other
Blends containing by weight 20 % or less of paraffinic gasoil obtained from synthesis and/or hydro-treatment, of non-fossil origin
Other
With a sulphur content exceeding 0,001 % by weight but not exceeding 0,002 % by weight
Paraffinic gasoil obtained from synthesis and/or hydro-treatment, of non-fossil origin, in pure form; blends containing by weight more than 20 % of paraffinic gasoil obtained from synthesis and/or

hydro-treatment, of non-fossil origin
Consigned from Canada
Other
Blends containing by weight 20 % or less of paraffinic gasoil obtained from synthesis and/or hydro-treatment, of non-fossil origin
Other
With a sulphur content exceeding 0,002 % by weight but not exceeding 0,1 % by weight
Paraffinic gasoil obtained from synthesis and/or hydro-treatment, of non-fossil origin, in pure form; blends containing by weight more than 20% of paraffinic gasoil obtained from synthesis and/or hydro-treatment, of non-fossil origin
Consigned from Canada
Other
Blends containing by weight 20 % or less of paraffinic gasoil obtained from synthesis and/or hydro-treatment, of non-fossil origin
Other
With a sulphur content exceeding 0,1 % by weight
With a sulphur content not exceeding 0,2 % by weight
Other
Fuel oils
For undergoing a specific process
For undergoing chemical transformation by a process other than those specified in respect of subheading 2710 19 51
For other purposes
With a sulphur content not exceeding 0,1 % by weight
With a sulphur content exceeding 0,1 % by weight but not exceeding 1 % by weight
With a sulphur content exceeding 1 % by weight
Lubricating oils; other oils
For undergoing a specific process
For undergoing chemical transformation by a process other than those specified in respect of subheading 2710 19 71
For other purposes

Motor oils, compressor lube oils, turbine lube oils
Catalytically hydroisomerized and dewaxed base oil of hydrogenated, highly isoparaffinic hydrocarbons, containing: - 90 % or more by weight of saturates, and - not more than 0,03 % by weight of sulphur, with a viscosity index of 80 or more
Other
Liquids for hydraulic purposes
White oils, liquid paraffin
Gear oils and reductor oils
Metal-working compounds, mould-release oils, anti-corrosion oils
Electrical insulating oils
Other lubricating oils and other oils
Catalytic de-waxed base oil, synthesised from gaseous hydrocarbons, followed by a heavy paraffin conversion process (HPC), containing: - not more than 1 mg/kg of sulphur - more than 99 % by weight of saturated hydrocarbons - more than 75 % by weight of n- and iso-paraffinic hydrocarbons with a carbon chain length of 18 or more but not more than 50; and - a kinematic viscosity at 40 °C of more than 6,5 mm\$2/s, or - a kinematic viscosity at 40 °C of more than 11 mm\$2/s with a viscosity index of 120 or more
Catalytically hydroisomerized and dewaxed base oil of hydrogenated, highly isoparaffinic hydrocarbons, containing: - 90 % or more by weight of saturates, and - not more than 0,03 % by weight of sulphur, with a viscosity index of 80 or more
Other
Petroleum oils and oils obtained from bituminous minerals (other than crude) and preparations not elsewhere specified or included, containing by weight 70 % or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations, containing biodiesel, other than waste oils
Gas oils
With a sulphur content not exceeding 0,001 % by weight

Blends containing by weight more than 20 % of fatty-acid mono-alkyl esters or of a mixture of fatty-acid mono-alkyl esters and paraffinic gasoil obtained from synthesis and/or hydro-treatment, of non-fossil origin
Consigned from Canada
Other

Blends containing by weight 20 % or less of fatty-acid mono-alkyl esters or of a mixture of fatty-acid mono-alkyl esters and paraffinic gasoil obtained from synthesis and/or hydro-treatment, of non-fossil origin

With a sulphur content exceeding 0,001 % by weight but not exceeding 0,002 % by weight
Blends containing by weight more than 20 % of fatty-acid mono-alkyl esters or of a mixture of fatty-acid mono-alkyl esters and paraffinic gasoil obtained from synthesis and/or hydro-treatment, of non-fossil origin
Consigned from Canada
Other
Blends containing by weight 20 % or less of fatty-acid mono-alkyl esters or of a mixture of fatty-acid mono-alkyl esters and paraffinic gasoil obtained from synthesis and/or hydro-treatment, of non-fossil origin

With a sulphur content exceeding 0,002 % by weight but not exceeding 0,1 % by weight
With a sulphur content exceeding 0,002 % by weight but not exceeding 0,05 % by weight
Blends containing by weight more than 20 % of fatty-acid mono-alkyl esters or of a mixture of fatty-acid mono-alkyl esters and paraffinic gasoil obtained from synthesis and/or hydro-treatment, of non-fossil origin
Consigned from Canada
Other
Blends containing by weight 20 % or less of fatty-acid mono-alkyl esters or of a mixture of fatty-acid mono-alkyl esters and paraffinic gasoil obtained from synthesis and/or hydro-treatment, of non-fossil origin

With a sulphur content exceeding 0,05 % by weight but not exceeding 0,1 % by weight
With a sulphur content exceeding 0,1 % by weight
With a sulphur content not exceeding 0,2 % by weight
Other

Fuel oils
With a sulphur content not exceeding 0,1 % by weight

With a sulphur content exceeding 0,1 % by weight but not exceeding 1 % by weight
With a sulphur content exceeding 1 % by weight
Other oils
Waste oils
Containing polychlorinated biphenyls (PCBs), polychlorinated terphenyls (PCTs) or polybrominated biphenyls (PBBs)
Other
For undergoing a specific process
Other

Petroleum gases and other gaseous hydrocarbons
Liquefied
Natural gas
Propane
Propane of a purity of not less than 99 %
For use as a power or heating fuel
For other purposes
Other
For undergoing a specific process
For undergoing chemical transformation by a process other than those specified in respect of subheading 2711 12 91
For other purposes
Of a purity exceeding 90 % but of less than 99 %
Other
Butanes
For undergoing a specific process
For undergoing chemical transformation by a process other than those specified in respect of subheading 2711 13 10
For other purposes
Of a purity exceeding 90 % but of less than 95 %
Other
Ethylene, propylene, butylene and butadiene
Other
In gaseous state
Natural gas
Other

Petroleum jelly; paraffin wax, microcrystalline petroleum wax, slack wax, ozokerite, lignite wax, peat wax, other mineral waxes, and similar products obtained by synthesis or by other processes, whether or not coloured
Petroleum jelly
Crude

Other
Paraffin wax containing by weight less than 0,75% of oil
Synthetic paraffin wax of a molecular weight of 460 or more but not exceeding 1560
Other
Other
Ozokerite, lignite wax or peat wax (natural products)
Crude
Other
Other
Crude
For undergoing a specific process
For undergoing chemical transformation by a process other than those specified in respect of subheading27129031
For other purposes
Other
Blend of 1-alkenes containing by weight 80% or more of 1-alkenes of a chain-length of 24 carbon atoms or more but not exceeding 28 carbon atoms
Other
Petroleum coke, petroleum bitumen and other residues of petroleum oils or of oils obtained from bituminous minerals
Petroleum coke
Not calcined
Calcined
Petroleum bitumen
Other residues of petroleum oils or of oils obtained from bituminous minerals
For the manufacture of the products of heading2803
Other
Bitumen and asphalt, natural; bituminous or oil-shale and tar sands; asphaltites and asphaltic rocks
Bituminous or oil-shale and tar sands
Other
Bituminous mixtures based on natural asphalt, on natural bitumen, on petroleum bitumen, on mineral tar or on mineral tar pitch (for example, bituminous mastics, cut-backs)
Electrical energy
INORGANIC CHEMICALS; ORGANIC OR INORGANIC COMPOUNDS OF PRECIOUS METALS, OF RARE-EARTH METALS, OF RADIOACTIVE ELEMENTS OR OF ISOTOPES
I. CHEMICAL ELEMENTS
Fluorine, chlorine, bromine and iodine
Chlorine
Iodine

Fluorine; bromine
Fluorine
Bromine
Sulphur, sublimed or precipitated; colloidal sulphur
Carbon (carbon blacks and other forms of carbon not elsewhere specified or included)
Hydrogen, rare gases and other non-metals
Hydrogen
Rare gases
Argon
Other
Helium
Other
Nitrogen
Oxygen
Boron; tellurium
Boron
Tellurium
Tellurium of a purity by weight of 99.99% or more, but not more than 99.999% by weight (CAS RN 13494-80-9)
Other
Silicon
Containing by weight not less than 99.99% of silicon
Other
Consigned from the Republic of Korea
Consigned from Taiwan
Other
Phosphorus
Arsenic
Selenium
Alkali or alkaline-earth metals; rare-earth metals, scandium and yttrium, whether or not intermixed or interalloyed; mercury
Alkali or alkaline-earth metals
Sodium
Calcium
Calcium with a purity of 98% or more by weight, in powder or wire form (CAS RN7440-70-2)
Other
Other
Strontium and barium
Other
Lithium metal of a purity by weight of 98,8% or more (CAS RN 7439-93-2)
Other
Rare-earth metals, scandium and yttrium, whether or not intermixed or interalloyed

Intermixtures or interalloys
Alloy of cerium with other rare-earth metals, containing by weight 47 % or more of cerium
Other
Containing both neodymium and dysprosium
Containing neodymium
Containing dysprosium
Other
Other
Of a purity by weight of 95% or more
Cerium, lanthanum, praseodymium, neodymium and samarium
Cerium
Lanthanum
Praseodymium
Neodymium
Samarium
Europium, gadolinium, terbium, dysprosium, holmium, erbium, thulium, ytterbium, lutetium and yttrium
Europium
Gadolinium
Terbium
Dysprosium
Holmium
Erbium
Thulium
Ytterbium
Lutetium
Yttrium
Scandium
Other
Mercury
In flasks of a net content of 34,5kg (standard weight), of a fob value, per flask, not exceeding €224
Other
II. INORGANIC ACIDS AND INORGANIC OXYGEN COMPOUNDS OF NON-METALS
Hydrogen chloride (hydrochloric acid); chlorosulphuric acid
Hydrogen chloride (hydrochloric acid)
Chlorosulphuric acid
Sulphuric acid; oleum
Nitric acid; sulphonitric acids
Diphosphorus pentaoxide; phosphoric acid; polyphosphoric acids, whether or not chemically defined
Diphosphorus pentaoxide
Phosphoric acid and polyphosphoric acids

Oxides of boron; boric acids	Diboron trioxide
	Other
Other inorganic acids and other inorganic oxygen compounds of non-metals	Other inorganic acids
	Hydrogen fluoride (hydrofluoric acid)
	Other
	Hydrogen bromide (hydrobromic acid)
	Hydrogen cyanide (hydrocyanic acid)
	Other
	Sulphamidic acid (CAS RN 5329-14-6)
	Hydrogen iodide (CAS RN 10034-85-2)
	Phosphorous acid (CAS RN 10294-56-1)/phosphonic acid (CAS RN 13598-36-2) used as an ingredient for production of additives used in poly(vinyl chloride) industry
	Other
Other inorganic oxygen compounds of non-metals	Carbon dioxide
	Silicon dioxide
	Silicon dioxide (CAS RN 7631-86-9) in the form of powder, for use in the manufacture of high performance liquid chromatography columns (HPLC) and sample preparation cartridges
	Balls of porous white silica of a particle size of more than 1µm for use in the manufacture of cosmetic products
	Silica filler in the form of granules, with a purity by weight of 97% or more of silicon dioxide
	Calcined amorphous silicon dioxide powder - with a particle size of not more than 20µm, and - of a kind used in the production of polyethylene
	Amorphous silicon dioxide (CAS RN 60676-86-0), - in the form of powder - of a purity by weight of 99,7% or more - with a median grain size of 0,7µm or more, but not more than 2,1µm - where 70% of the particles have a diameter of not more than 3µm
	Other
	Other
	Sulphur dioxide
	Sulphur trioxide (sulphuric anhydride); diarsenic trioxide
	Nitrogen oxides
	Other
III. HALOGEN OR SULPHUR COMPOUNDS OF NON-METALS	
Halides and halide oxides of non-metals	

Chlorides and chloride oxides	Of phosphorus
	Phosphorus trichloride oxide (phosphoryl trichloride)
	Phosphorus trichloride
	Phosphorus pentachloride
	Other
	Other
	Disulphur dichloride
	Sulphur dichloride
	Phosgene (carbonyl chloride)
	Thionyl dichloride (thionyl chloride)
	Other
Other	Nitrogen trifluoride (CAS RN 7783-54-2)
	Other
Sulphides of non-metals; commercial phosphorus trisulphide	
Carbon disulphide	
Other	
Phosphorus sulphides, commercial phosphorus trisulphide	
Other	
IV. INORGANIC BASES AND OXIDES, HYDROXIDES AND PEROXIDES OF METALS	
Ammonia, anhydrous or in aqueous solution	
Anhydrous ammonia	
Ammonia in aqueous solution	
Sodium hydroxide (caustic soda); potassium hydroxide (caustic potash); peroxides of sodium or potassium	
Sodium hydroxide (caustic soda)	
Solid	
In aqueous solution (soda lye or liquid soda)	
Potassium hydroxide (caustic potash)	
Peroxides of sodium or potassium	
Hydroxide and peroxide of magnesium; oxides, hydroxides and peroxides, of strontium or barium	
Hydroxide and peroxide of magnesium	
Oxides, hydroxides and peroxides, of strontium or barium	
Barium hydroxide (CAS RN 17194-00-2)	
Other	
Zinc oxide; zinc peroxide	
Artificial corundum, whether or not chemically defined; aluminium oxide; aluminium hydroxide	
Artificial corundum, whether or not chemically defined	
With an aluminium oxide content of 98,5% by weight or more	

With less than 50% of the total weight having a particle size of more than 10 mm	
With 50% or more of the total weight having a particle size of more than 10 mm	
With an aluminium oxide content of less than 98,5% by weight	
With less than 50% of the total weight having a particle size of more than 10 mm	
Sintered corundum with a micro crystalline structure, consisting of aluminium oxide (CAS RN 1344-28-1), magnesium aluminate (CAS RN 12068-51-8) and the rare earth aluminates of yttrium, lanthanum, and neodymium, with a content by weight (calculated as oxides) of: - 94% or more, but less than 98,5% of aluminium oxide, - 2% (± 1,5%) of magnesium oxide, - 1% (± 0,6%) of yttrium oxide, and - either 2% (± 1,2%) of lanthanum oxide or - 2% (± 1,2%) of lanthanum oxide and neodymium oxide, with less than 50% of the total weight having a particle size of more than 10 mm	
Other	
With 50% or more of the total weight having a particle size of more than 10 mm	
Aluminium oxide, other than artificial corundum	
Activated alumina with a specific surface area of at least 350 m\$2/g	
Other	
Aluminium hydroxide	
Aluminium hydroxide oxide in the form of pseudo-boehmite	
Aluminium hydroxide (CAS RN 21645-51-2) - in the form of powder - with a purity by weight of 99,5% or more - with a decomposition point of 263o C or more - with a particle size of 4µm (± 1µm) - with a Total-Na2O-content by weight of not more than 0,06%	
Other	
Chromium oxides and hydroxides	
Chromium trioxide	
Other	
Chromium dioxide	
Other	
Dichromium trioxide for use in metallurgy (CAS RN 1308-38-9)	
Other	
Manganese oxides	
Manganese dioxide	
Electrolytic manganese dioxides (i.e. manganese dioxides produced through an electrolytic process) not heat treated after the electrolytic process	
Other	

Other
Manganese oxide containing by weight 77% or more of manganese
Other

Iron oxides and hydroxides; earth colours containing 70% or more by weight of combined iron evaluated as Fe@2O@3
Iron oxides and hydroxides
Earth colours

Cobalt oxides and hydroxides; commercial cobalt oxides
--

Titanium oxides
Titanium dioxide (CAS RN 13463-67-7): - [of a purity by weight of 99,9% or more, - [with an average grain-size of 0,7µm or more but not more than 2,1µm
Titanium dioxide (CAS RN 13463-67-7)[with a purity by weight of 99,7% or more]and[containing by weight: -[not more than 0,005% of potassium and sodium combined (expressed as elemental sodium and elemental potassium), -[not more than 0,01% of phosphorus (expressed as elemental phosphorus), for use in the metallurgy
Other

Lead oxides; red lead and orange lead
Lead monoxide (litharge, massicot)
Other

Hydrazine and hydroxylamine and their inorganic salts; other inorganic bases; other metal oxides, hydroxides and peroxides
Hydrazine and hydroxylamine and their inorganic salts
Hydroxylammonium chloride (CAS RN 5470-11-1)
Other

Lithium oxide and hydroxide

Vanadium oxides and hydroxides
Exclusively for use in alloys
Other

Nickel oxides and hydroxides

Copper oxides and hydroxides
Copper (I or II) oxide containing by weight 78% or more of copper and not more than 0,03% of chloride
Copper (II) oxide (CAS RN 1317-38-0), with a particle size of not more than 100nm
Other

Germanium oxides and zirconium dioxide
Zirconium dioxide (CAS RN 1314-23-4)
Other

Molybdenum oxides and hydroxides

Antimony oxides

Other
Calcium oxide, hydroxide and peroxide

Calcium hydroxide of a purity of 98% or more calculated on the dry weight, in the form of particles of which:-[not more than 1% by weight have a particle-size exceeding 75µmicrometres and-[not more than 4% by weight have a particle-size of less than 1,3µmicrometres
Other

Beryllium oxide and hydroxide

Tungsten oxides and hydroxides
Tungsten trioxide, including blue tungsten oxide (CAS RN 1314-35-8 or CAS RN 39318-18-8)
Other

Cadmium oxide
Other

V. SALTS AND PEROXYSALTS, OF INORGANIC ACIDS AND METALS

Fluorides; fluorosilicates, fluoroaluminates and other complex fluorine salts
Fluorides
Of aluminium
Other
Of ammonium or of sodium
Other
Tungsten hexafluoride with a purity of[99,9% by weight]or more (CAS RN 7783-82-6)
Other

Sodium hexafluoroaluminate (synthetic cryolite)

Other
Dipotassium hexafluorozirconate
Other
Lithium hexafluorophosphate (CAS RN 21324-40-3)
Other

Chlorides, chloride oxides and chloride hydroxides; bromides and bromide oxides; iodides and iodide oxides
Ammonium chloride
Calcium chloride
Other chlorides
Of magnesium
Of aluminium
Of nickel
Other
Of tin
Of iron
Of cobalt
Other
Copper monochloride of a purity by weight of 96% or more but not more than 99% (CAS RN 7758-89-6)
Antimony pentachloride of a purity by weight of 99% or more

(CAS RN 7647-18-9)
Barium chloride dihydrate (CAS RN 10326-27-9)
Other

Chloride oxides and chloride hydroxides
Of copper
Other
Of lead
Other
Hydrated zirconium dichloride oxide
Other

Bromides and bromide oxides
Bromides of sodium or of potassium
Other

Iodides and iodide oxides
Sodium iodide (CAS RN 7681-82-5)
Other

Hypochlorites; commercial calcium hypochlorite; chlorites; hypobromites
Commercial calcium hypochlorite and other calcium hypochlorites
Other

Chlorates and perchlorates; bromates and perbromates; iodates and periodates
Chlorates
Of sodium
Other
Other
Perchlorates
Bromates of potassium or of sodium
Other

Sulphides; polysulphides, whether or not chemically defined
Sodium sulphides
Disodium tetrasulfide, containing by weight 38% or less of sodium calculated on the dry weight
Other
Other
Sulphides of calcium, of antimony or of iron
Other

Dithionites and sulphonylates
Of sodium
Other

Sulphites; thiosulphates
Sodium sulphites
Other sulphites
Thiosulphates

Sulphates; alums; peroxosulphates (persulphates)
--

Sodium sulphates
Disodium sulphate
Other

Other sulphates
Of magnesium
Of aluminium
Of nickel
Of copper
Of barium
Other
Of cadmium; of chromium; of zinc
Of cobalt; of titanium
Of lead
Other
Manganese sulphate monohydrate (CAS RN 10034-96-5)
Zirconium sulphate (CAS RN 14644-61-2)
Other

Alums
Peroxosulphates (persulphates)

Nitrites; nitrates
Nitrites
Nitrates
Of potassium
Other
Of barium; of beryllium; of cadmium; of cobalt; of nickel; of lead
Of copper
Other

Phosphinates (hypophosphites), phosphonates (phosphites) and phosphates; polyphosphates, whether or not chemically defined
Phosphinates (hypophosphites) and phosphonates (phosphites)
Sodium hypophosphite monohydrate (CAS RN 10039-56-2)
Sodium hypophosphite (CAS RN 7681-53-0)
Other

Phosphates
Of mono- or disodium
Of potassium
Calcium hydrogenorthophosphate ('dicalcium phosphate')
Other phosphates of calcium
Other
Of triammonium
Of trisodium
Other

Polyphosphates

Sodium triphosphate (sodium tripolyphosphate)
Other

Carbonates; peroxocarbonates (percarbonates); commercial ammonium carbonate containing ammonium carbamate
Disodium carbonate
Sodium hydrogencarbonate (sodium bicarbonate)
Potassium carbonates
Calcium carbonate
Barium carbonate
Barium carbonate with a strontium content of more than 0,07% by weight and a sulphur content of more than 0,0015% by weight, whether in powder, pressed granular or calcined granular form
Other

Other
Lithium carbonates
Lithium carbonate, containing one or more of the following impurities at the concentrations indicated: - 2 mg/kg or more of arsenic, - 200 mg/kg or more of calcium, - 200 mg/kg or more of chlorides, - 20 mg/kg or more of iron, - 150 mg/kg or more of magnesium, - 20 mg/kg or more of heavy metals, - 300 mg/kg or more of potassium, - 300 mg/kg or more of sodium, - 200 mg/kg or more of sulphates, determined according to the methods specified in the European Pharmacopœia
Other

Strontium carbonate
Other
Carbonates
Of magnesium; of copper
Other
Zirconium (IV) basic carbonate (CAS RN 57219-64-4 or 37356-18-6) with a purity by weight of 96 % or more
Other
Peroxocarbonates (percarbonates)

Cyanides, cyanide oxides and complex cyanides
Cyanides and cyanide oxides
Of sodium
Other
Copper cyanide (CAS RN 544-92-3)
Other
Complex cyanides
Tetrasodium hexacyanoferrate (II), (CAS RN 13601-19-9)
Ammonium iron (III) hexacyanoferrate (II) (CAS RN 25869-00-5)
Other

Silicates; commercial alkali metal silicates
Of sodium
Sodium metasilicates
Other
Disodium disilicate (CAS RN 13870-28-5)
Other
Other
Calcium silicate (CAS RN 1344-95-2)
Other

Borates; peroxoborates (perborates)
Disodium tetraborate (refined borax)
Anhydrous
Other
Disodium tetraborate pentahydrate
Other

Other borates
Borates of sodium, anhydrous
Other
Zinc borate (CAS RN 12767-90-7)
Other

Peroxoborates (perborates)

Salts of oxometallic or peroxometallic acids
Sodium dichromate
Other chromates and dichromates; peroxochromates
Manganites, manganates and permanganates
Potassium permanganate
Other

Molybdates
Diammonium tetraoxomolybdate(2-) (CAS RN 13106-76-8)
Diammonium tridecaoxotetramolybdate(2-) (CAS RN 12207-64-6)
Hexaammonium heptamolybdate, anhydrous (CAS RN 12027-67-7) or as tetrahydrate (CAS RN 12054-85-2)
Other

Tungstates (wolframates)
Diammonium wolframate (ammonium paratungstate) (CAS RN 11120-25-5)
Other

Other
Zincates and vanadates
Other
Lithium cobalt(III) oxide with a cobalt content of at least 59 % (CAS RN 12190-79-3)
Potassium titanium oxide in powder form with a purity of 99 % or more (CAS RN 12056-51-8)
Other

Other salts of inorganic acids or peroxyacids (including aluminosilicates whether or not chemically defined), other than azides
Double or complex silicates, including aluminosilicates whether or not chemically defined
Synthetic Beta Zeolite powder
Synthetic Chabasite Zeolite Powder
Other
Other
Salts, double salts or complex salts of selenium or tellurium acids
Sodium selenate (CAS RN 13410-01-0)
Other
Other
Potassium peroxymonosulphate sulphate
Other

VI. MISCELLANEOUS
Colloidal precious metals; inorganic or organic compounds of precious metals, whether or not chemically defined; amalgams of precious metals
Colloidal precious metals
Silver
Other
Silver compounds
Silver nitrate
Other
Silver oxide, nitrate- and carbonate-free, with a silver content of at least 99.99% by weight of the metal content, for the manufacture of silver oxide batteries
Other
Gold compounds
Other compounds; amalgams
Amalgams
Other

Radioactive chemical elements and radioactive isotopes (including the fissile or fertile chemical elements and isotopes) and their compounds; mixtures and residues containing these products
Natural uranium and its compounds; alloys, dispersions (including cermets), ceramic products and mixtures containing natural uranium or natural uranium compounds
Natural uranium
Crude; waste and scrap
Worked
Ferro-uranium
Other
Uranium enriched in U 235 and its compounds; plutonium and its compounds; alloys, dispersions (including cermets), ceramic products

and mixtures containing uranium enriched in U 235, plutonium or compounds of these products
Uranium enriched in U 235 and its compounds; alloys, dispersions (including cermets), ceramic products and mixtures containing uranium enriched in U 235 or compounds of these products
Ferro-uranium
Other
Plutonium and its compounds; alloys, dispersions (including cermets), ceramic products and mixtures containing plutonium or compounds of these products
Mixtures of uranium and plutonium
Ferro-uranium
Other
Other

Uranium depleted in U 235 and its compounds; thorium and its compounds; alloys, dispersions (including cermets), ceramic products and mixtures containing uranium depleted in U 235, thorium or compounds of these products
Uranium depleted in U 235; alloys, dispersions (including cermets), ceramic products and mixtures containing uranium depleted in U 235 or compounds of this product
Cermets
Unwrought; waste and scrap
Other
Other

Thorium; alloys, dispersions (including cermets), ceramic products and mixtures containing thorium or compounds of this product
Cermets
Unwrought; waste and scrap
Other
Other
Crude, waste and scrap
Worked
Bars, rods, angles, shapes and sections, sheets and strips
Other

Compounds of uranium depleted in U 235 or of thorium, whether or not mixed together
Of thorium or of uranium depleted in U 235, whether or not mixed together , other than thorium salts
Other

Radioactive elements and isotopes and compounds other than those of subheading 2844 10, 2844 20 or 2844 30; alloys, dispersions (including cermets), ceramic products and mixtures containing these elements, isotopes or compounds; radioactive residues

Uranium derived from U 233 and its compounds; alloys, dispersions (including cermets), ceramic products and mixtures and compounds derived from U 233 or compounds of this product
Other
Artificial radioactive isotopes
Compounds of artificial radioactive isotopes
Other
Spent (irradiated) fuel elements (cartridges) of nuclear reactors

Isotopes other than those of heading 2844; compounds, inorganic or organic, of such isotopes, whether or not chemically defined
Heavy water (deuterium oxide)
Other
Deuterium and compounds thereof; hydrogen and compounds thereof, enriched in deuterium; mixtures and solutions containing these products
Other
Helium-3 (CAS RN 14762-55-1)
Water enriched at a level of 95% or more by weight with oxygen-18 (CAS RN 14314-42-2)
(\$1\$3C)Carbon monoxide (CAS RN 1641-69-6)
Iron boride enriched at a level of more than 95% by weight with boron-10 (CAS RN 200513-39-9)
other

Compounds, inorganic or organic, of rare-earth metals, of yttrium or of scandium or of mixtures of these metals
Cerium compounds
Rare-earth concentrate containing by weight 60% or more but not more than 95% of rare-earth oxides and not more than 1% each of zirconium oxide, aluminium oxide or iron oxide, and having a loss on ignition of 5% or more by weight
Dicerium tricarbonat, whether or not hydrated (CAS RN 537-01-9)
Cerium lanthanum carbonate, whether or not hydrated
Other

Other
Compounds of lanthanum, praseodymium, neodymium or samarium
Lanthanum compounds
Praseodymium compounds
Neodymium compounds
Samarium compounds
Compounds of europium, gadolinium, terbium, dysprosium, holmium, erbium, thulium, ytterbium, lutetium or yttrium
Europium compounds
Gadolinium compounds

Terbium compounds
Dysprosium compounds
Holmium compounds
Erbium compounds
Thulium compounds
Ytterbium compounds
Lutetium compounds
Yttrium compounds
Scandium compounds
Compounds of mixtures of metals

Hydrogen peroxide, whether or not solidified with urea
--

Phosphides, whether or not chemically defined, excluding ferrophosphorus
Phosphine (CAS RN 7803-51-2)
Other

Carbides, whether or not chemically defined
Of calcium
Of silicon
Other
Of boron
Of tungsten
Of aluminium; of chromium; of molybdenum; of vanadium; of tantalum; of titanium
Other

Hydrides, nitrides, azides, silicides and borides, whether or not chemically defined, other than compounds which are also carbides of heading 2849
Hydrides; nitrides
Silane (CAS RN 7803-62-5)
Arsine (CAS RN 7784-42-1)
Titanium nitride with a particle size of not more than 250 nm (CAS RN 25583-20-4)
Germanium tetrahydride (CAS RN 7782-65-2)
Sodium tetrahydroborate (CAS 16940-66-2) with: - a purity by weight of 98 % or more and - not more than 10ppm iron for use as an additive in the manufacture of oxygen barrier polymer articles
Other

Azides; silicides
Azides
Sodium azide (CAS RN 26628-22-8)
Other
Silicides
Borides

Inorganic or organic compounds of mercury, whether or not chemically defined, excluding amalgams
Chemically defined

Other
Other inorganic compounds (including distilled or conductivity water and water of similar purity); liquid air (whether or not rare gases have been removed); compressed air; amalgams, other than amalgams of precious metals
Distilled and conductivity water and water of similar purity
Liquid air (whether or not rare gases have been removed); compressed air
Cyanogen chloride
Other
Chlorosulphonyl isocyanate (CAS RN 1189-71-5)
Other

ORGANIC CHEMICALS
I. HYDROCARBONS AND THEIR HALOGENATED, SULPHONATED, NITRATED OR NITROSATED DERIVATIVES
Acyclic hydrocarbons
Saturated
Unsaturated
Ethylene
Propene (propylene)
Butene (butylene) and isomers thereof
Buta-1,3-diene and isoprene
Other

Cyclic hydrocarbons
Cyclanes, cyclenes and cycloterpenes
Cyclohexane
Other
Benzene
Toluene
Xylenes
o-Xylene
m-Xylene
p-Xylene
Mixed xylene isomers
Styrene
Ethylbenzene
Cumene
Other

Halogenated derivatives of hydrocarbons
Saturated chlorinated derivatives of acyclic hydrocarbons
Chloromethane (methyl chloride) and chloroethane (ethyl chloride)
Dichloromethane (methylene chloride)
Chloroform (trichloromethane)
Carbon tetrachloride
Ethylene dichloride (ISO) (1,2-dichloroethane)
Other
1,1,1-Trichloroethane (methylchloroform)

Other
Unsaturated chlorinated derivatives of acyclic hydrocarbons
Vinyl chloride (chloroethylene)
Trichloroethylene
Tetrachloroethylene (perchloroethylene)
Other

Fluorinated, brominated or iodinated derivatives of acyclic hydrocarbons
Ethylene dibromide (ISO) (1,2-dibromoethane)
Other
Bromides
Bromomethane (methyl bromide)
Dibromomethane
Other
1-Bromo-2-methylpropane (CAS RN 78-77-3) with a purity not less than 99,0 % and containing not more than: - 0,25 % of Sec-butyl bromide - 0,06 % of n-butyl bromide - 0,06 % of n-propyl bromide
Other

Saturated fluorides
Difluoromethane
Trifluoromethane
Pentafluoroethane and 1,1,1-trifluoroethane
Pentafluoroethane (CAS RN 354-33-6)
Other
1,1-difluoroethane
1,1-Difluoroethane (CAS RN 75-37-6)
Other

1,1,1,2-tetrafluoroethane
1,1,1,2-Tetrafluoroethane feedstock for pharmaceutical grade production conforming to the following specification: - not more than 600ppm by weight of R134 (1,1,2,2-tetrafluoroethane), - not more than 5ppm by weight of R143a (1,1,1-trifluoroethane), - not more than 2ppm by weight of R125 (pentafluoroethane), - not more than 100ppm by weight of R124 (1-chloro-1,2,2,2-tetrafluoroethane), - not more than 30ppm by weight of R114 (1,2-dichlorotetrafluoroethane), - not more than 50ppm by weight of R114a (1,1-Dichlorotetrafluoroethane), - not more than 250ppm by weight of R133a (1-Chloro-2,2,2-Trifluoroethane), - not more than 2ppm by weight of R22 (Chlorodifluoromethane), - not more than 2ppm by weight of R115 (Chloropentafluoroethane), - not more than 2ppm by weight of R12

(Dichlorodifluoromethane), - not more than 20ppm by weight of R40 (Methyl chloride), - not more than 20ppm by weight of R245cb (1,1,1,2,2-pentafluoropropane), - not more than 20ppm by weight of R12B1 (Chlorodifluorobromomethane), - not more than 20ppm by weight of R32 (Difluoromethane), - not more than 15ppm by weight of R31 (Chlorofluoromethane), - not more than 10ppm by weight of R152a (1,1-Difluoroethane), - not more than 20ppm by weight of 1131 (1-Chloro-2-Fluoroethylene), - not more than 20ppm by weight of 1122 (1-Chloro-2,2-Difluoroethylene), - not more than 3ppm by weight of 1234yf (2,3,3,3-Tetrafluoropropene), - not more than 3ppm by weight of 1243zf (3,3,3 Trifluoropropene), - not more than 3ppm by weight of 1122a (1-chloro-1,2-difluoroethylene), - not more than 4.5ppm by weight of 1234yf+1122a+1243zf (2,3,3,3-tetrafluoropropene, +1-Chloro-1,2-Difluoroethylene+3,3,3-Trifluoropropene) - not more than 3ppm by weight of any individual unspecified/unknown chemical, - not more than 10ppm by weight of all unspecified/unknown chemicals combined, - not more than 10ppm by weight of Water, - with an acidity level of not more than 0.1ppm by weight, - without Halides, - not more than 0.01% by volume of High Boilers, - without any odour (no malodour) for further purification to an inhalation grade of HFC 134a produced under GMP (Good Manufacturing Practice) for use in the manufacture of a propellant for medical aerosols whose contents are taken into the oral or nasal cavities, and/or the respiratory tract (CAS RN 811-97-2)
Other

Pentafluoropropanes, hexafluoropropanes and heptafluoropropanes
1,1,1,3,3-Pentafluoropropane (CAS RN 460-73-1)
Other

Perfluorinated saturated fluorides
Carbon tetrafluoride (tetrafluoromethane) (CAS RN 75-73-0)
Perfluoroethane (CAS RN 76-16-4)
Other

Other saturated fluorides
1H-Perfluorohexane (CAS RN 355-37-3)
Other

Unsaturated fluorides

2,3,3,3-tetrafluoropropene
1,3,3,3-tetrafluoropropene
Trans-1,3,3,3-tetrafluoroprop-1-ene (Trans-1,3,3,3-tetrafluoropropene) (CAS RN 1645-83-6)
Other
Other unsaturated fluorides
Perfluoro(4-methyl-2-pentene) (CAS RN 84650-68-0)
(Perfluorobutyl) ethylene (CAS RN 19430-93-4)
Hexafluoropropene (CAS RN 116-15-4)
Other
Iodides

Halogenated derivatives of acyclic hydrocarbons containing two or more different halogens
Chlorodifluoromethane
Dichlorotrifluoroethanes
Dichlorofluoroethanes
Chlorodifluoroethanes
2-Chloro-1,1-difluoroethane (CAS RN 338-65-8)
Other
Dichloropentafluoropropanes
Bromochlorodifluoromethane, bromotrifluoromethane and dibromotetrafluoroethanes
Bromochlorodifluoromethane
Bromotrifluoromethane
Dibromotetrafluoroethanes

Other, perhalogenated only with fluorine and chlorine
Trichlorofluoromethane, dichlorodifluoromethane, trichlorotrifluoroethanes, dichlorotetrafluoroethanes and chloropentafluoroethane
1,1,1-Trichlorotrifluoroethane (CAS RN 354-58-5)
Other

Other
Chlorotrifluoroethylene (CAS RN 79-38-9)
Pentachlorofluoroethane
Tetrachlorodifluoroethanes
Heptachlorofluoropropanes
Hexachlorodifluoropropanes
Pentachlorotrifluoropropanes
Tetrachlorotetrafluoropropanes
Trichloropentafluoropropanes
Dichlorohexafluoropropanes
Chloroheptafluoropropanes
Chlorotrifluoromethane
Other

Other perhalogenated derivatives
Other
Halogenated only with bromine and chlorine, fluorine and chlorine or with fluorine and bromine
Trans-1-chloro-3,3,3-trifluoropropene (CAS RN 102687-65-0)
Bromochloromethane (CAS RN 74-97-5)
Other
Other

Halogenated derivatives of cyclanic, cyclenic or cycloterpenic hydrocarbons
1,2,3,4,5,6-Hexachlorocyclohexane (HCH (ISO)), including lindane (ISO, INN)
Aldrin (ISO), chlordane (ISO) and heptachlor (ISO)
Other
1,2-Dibromo-4-(1,2-dibromoethyl)cyclohexane; tetrabromocyclooctanes
Other
1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo[12.2.1.1 ^{3,6} .1 ^{4,7} .1 ^{5,8} .1 ^{6,9}]-7,15-diene, (CAS RN 13560-89-9)
Octafluorocyclopentene (CAS RN 559-40-0)
Hexabromocyclododecane
Chlorocyclopentane (CAS RN 930-28-9)
Other

Halogenated derivatives of aromatic hydrocarbons
Chlorobenzene, o-dichlorobenzene and p-dichlorobenzene
Hexachlorobenzene (ISO) and DDT (ISO) (clofenotane (INN), 1,1,1-trichloro-2,2-bis(p-chlorophenyl)ethane)
Other
2,3,4,5,6-Pentabromoethylbenzene
Other
4-Bromo-2-chloro-1-fluorobenzene (CAS RN 60811-21-4)
1,2-Bis(pentabromophenyl)ethane (CAS RN 84852-53-9)
1,3-Dichlorobenzene (CAS RN 541-73-1)
2,6-Dichlorotoluene, of a purity by weight of 99 % or more and containing: - 0,001 mg/kg or less of tetrachlorodibenzodioxines, - 0,001 mg/kg or less of tetrachlorodibenzofurans, - 0,2 mg/kg or less of tetrachlorobiphenyls
Fluorobenzene (CAS RN 462-06-6)
3-Chloro-alpha,alpha,alpha-trifluorotoluene (CAS RN 98-15-7)

1-Bromo-3,4,5-trifluorobenzene (CAS RN 138526-69-9)
2-Bromo-9H-fluorene (CAS RN 1133-80-8)
Other

Sulphonated, nitrated or nitrosated derivatives of hydrocarbons, whether or not halogenated

Derivatives containing only sulpho groups, their salts and ethyl esters
Sodium p-styrenesulphonate (CAS RN 2695-37-6)
Sodium 2-methylprop-2-ene-1-sulphonate (CAS RN 1561-92-8)
Other

Derivatives containing only nitro or only nitroso groups
Nitromethane (CAS RN 75-52-5)
Nitroethane (CAS RN 79-24-3)
1-Nitropropane (CAS RN 108-03-2)
2-Nitropropane (CAS RN 79-46-9)
Other

Other
Trichloronitromethane (chloropicrin)
Trichloronitromethane, for the manufacture of goods of subheading 3808 92 (CAS RN 76-06-2)
Other
Other
1-Chloro-2,4-dinitrobenzene (CAS RN 97-00-7)
Difluoromethanesulphonyl chloride (CAS RN 1512-30-7)
Tosyl chloride (CAS RN 98-59-9)
1-Fluoro-4-nitrobenzene (CAS RN 350-46-9)
4-Chlorobenzenesulphonyl chloride (CAS RN 98-60-2)
Ethanesulphonyl chloride (CAS RN 594-44-5)
4,4'-Dinitrostilbene-2,2'-disulfonic acid (CAS RN 128-42-7)
1-Chloro-4-nitrobenzene (CAS RN 100-00-5)
1-Chloro-2-nitrobenzene (CAS RN 88-73-3)
Other

II. ALCOHOLS AND THEIR HALOGENATED, SULPHONATED, NITRATED OR NITROSATED DERIVATIVES

Acyclic alcohols and their halogenated, sulphonated, nitrated or nitrosated derivatives

Saturated monohydric alcohols
Methanol (methyl alcohol)
Methanol (CAS RN 67-56-1) with a purity of 99,85 % by weight or more
Other

Propan-1-ol (propyl alcohol) and propan-2-ol (isopropyl alcohol)
Butan-1-ol (n-butyl alcohol)
Other butanols
2-Methylpropan-2-ol (tert-butyl alcohol)
Other

Octanol (octyl alcohol) and isomers thereof
Octan-2-ol
Other
Single saturated fatty alcohols (also referred to as ‘single cuts’) with a carbon chain length of C8
Other

Dodecan-1-ol (lauryl alcohol), hexadecan-1-ol (cetyl alcohol) and octadecan-1-ol (stearyl alcohol)
Other
Metal alcoholates
Potassium tert-butanolate (CAS RN 865-47-4), whether or not in the form of a solution in tetrahydrofuran according to note 1e) to Chapter 29 of the CN
Other
Butyltitanate monohydrate, homopolymer (CAS RN162303-51-7)
Tetra-(2-ethylhexyl) titanate (CAS RN 1070-10-6)
2,6-Dimethylheptan-4-ol (CAS RN 108-82-7)
2,6-Dimethylheptan-2-ol (CAS RN 13254-34-7)
Single saturated fatty alcohols (also referred to as ‘single cuts’) with a carbon chain length of C10 or C14
Titanium tetrabutanolate (CAS RN 5593-70-4)
Titanium tetraisopropoxide (CAS RN 546-68-9)
Titanium tetraethanolate (CAS RN 3087-36-3)
Other

Unsaturated monohydric alcohols
Acyclic terpene alcohols
Linalool (CAS RN 78-70-6) containing by weight 90,7 % or more of (3R)-(-)-Linalool (CAS RN 126-91-0)
Other
Other
Allyl alcohol
Other

Diols
Ethylene glycol (ethanediol)
Propylene glycol (propane-1,2-diol)
Other
Butane-1,3-diol

Butane-1,4-diol
Butane-1,4-diol or tetramethylene glycol (1,4-butanediol) having a bio-based carbon content of 100 % by mass
Other
2,4,7,9-Tetramethyldec-5-yne-4,7-diol
Other
Propane-1,3-diol (CAS RN 504-63-2)
Butane-1,2-diol (CAS RN 584-03-2) (CAS RN 584-03-2)
2,4,7,9-Tetramethyl-4,7-decanediol (CAS RN 17913-76-7)
Decane-1,10-diol (CAS RN 112-47-0)
2-Methyl-2-propylpropane-1,3-diol (CAS RN 78-26-2)
Other

Other polyhydric alcohols
2-Ethyl-2-(hydroxymethyl)propane-1,3-diol (trimethylolpropane)
Pentaerythritol
Mannitol
D-glucitol (sorbitol)
In aqueous solution
Containing 2 % or less by weight of D-mannitol, calculated on the D-glucitol content
Other
Other
Containing 2 % or less by weight of D-mannitol, calculated on the D-glucitol content
Other
Glycerol
Other
Ethylidynetrimethanol (CAS RN 77-85-0)
Other

Halogenated, sulphonated, nitrated or nitrosated derivatives of acyclic alcohols
Ethchlorvynol (INN)
Other
2,2-Bis(bromomethyl)propanediol
Other
2,2,2-Trifluoroethanol (CAS RN 75-89-8)
Other

Cyclic alcohols and their halogenated, sulphonated, nitrated or nitrosated derivatives

Cyclanic, cyclenic or cycloterpenic
Menthol
Cyclohexanol, methylcyclohexanols and dimethylcyclohexanols

Sterols and inositols	
Sterols	
Inositols	
Other	
Cyclohex-1,4-ylenedimethanol (CAS RN 105-08-8)	
4,4'-Isopropylidenedicyclohexanol (CAS RN 80-04-6)	
Cyclopropylmethanol (CAS RN 2516-33-8)	
4-tert-Butylcyclohexanol (CAS RN 98-52-2)	
Other	

Aromatic	
Benzyl alcohol	
Other	
1-Hydroxymethyl-4-methyl-2,3,5,6-tetrafluorobenzene (CAS RN 79538-03-7)	
2-Phenylethanol (CAS RN 60-12-8)	
2-Bromo-5-iodo-benzenemethanol (CAS RN 946525-30-0)	
Other	

III. PHENOLS, PHENOL-ALCOHOLS, AND THEIR HALOGENATED, SULPHONATED, NITRATED OR NITROSATED DERIVATIVES	
Phenols; phenol-alcohols	
Monophenols	
Phenol (hydroxybenzene) and its salts	
Cresols and their salts	
O-Cresol having a purity of not less than 98,5% by weight (CAS RN 95-48-7)	
Mixture of meta-cresol (CAS RN 108-39-4) and para-cresol (CAS RN 106-44-5) with a purity by weight of 99 % or more	
p-Cresol (CAS RN 106-44-5)	
Other	
Octylphenol, nonylphenol and their isomers; salts thereof	
Naphthols and their salts	
1-Naphthol	
Other	
2-Naphthol (CAS RN 135-19-3)	
Other	
Other	
Xylenols and their salts	
2,6-Xylenol (CAS RN 576-26-1)	
Other	
Other	
Biphenyl-4-ol (CAS RN 92-69-3)	
Other	
Polyphenols; phenol-alcohols	
Resorcinol and its salts	
Resorcinol (CAS RN 108-46-3)	
Other	
Hydroquinone (quinol) and its salts	
Hydroquinone (quinol)	
Other	
4,4'-Isopropylidenediphenol (bisphenol A, diphenylolpropane) and its salts	
Other	
6,6'-Di-tert-butyl-4,4'-butylidenedi-m-cresol (CAS RN 85-60-9)	
4,4'-(3,3,5-Trimethylcyclohexylidene)diphenol (CAS RN 129188-99-4)	
4-Hydroxybenzyl alcohol (CAS RN 623-05-2)	
4,4',4''-Ethylidynetriphenol (CAS RN 27955-94-8)	
4-[2-(4-Hydroxy-3-prop-2-enylphenyl)propan-2-yl]-2-prop-2-enylphenol, (CAS RN 1745-89-7)	
2,3,5-Trimethylhydroquinone (CAS RN 700-13-0)	
2-Methylhydroquinone (CAS RN 95-71-6)	
6,6',6''-Tricyclohexyl-4,4',4''-butane-1,1,3-triyltri(m-cresol) ((CAS RN 111850-25-0)	
Biphenyl-2,2'-diol (CAS RN 1806-29-7)	
2,2'-Methylenebis(6-cyclohexyl-p-cresol) (CAS RN 4066-02-8)	
2,2',2'',6,6',6''-Hexa- tert -butyl- α,α',α'' -(mesitylene-2,4,6-triyl)tri- _p_-cresol (CAS RN 1709-70-2)	
Phloroglucinol whether or not hydrated	
Other	

Halogenated, sulphonated, nitrated or nitrosated derivatives of phenols or phenol-alcohols	
Derivatives containing only halogen substituents and their salts	
Pentachlorophenol (ISO)	
Other	
Pentafluorophenol (CAS RN 771-61-9)	
4,4'-(Perfluoroisopropylidene)diphenol (CAS RN 1478-61-1)	
4-Chlorophenol (CAS RN 106-48-9)	
3,4,5-Trifluorophenol (CAS RN 99627-05-1)	
4-Fluorophenol (CAS RN 371-41-5)	
Other	
Other	
Dinoseb (ISO) and its salts	
4,6-Dinitro-o-cresol (DNOC (ISO)) and its salts	
Other	
4-Nitrophenol (CAS RN 100-02-7)	

4,5-Dihydroxynaphthalene-2,7-disulphonic acid (CAS RN 148-25-4)	
Other	

IV. ETHERS, ALCOHOL PEROXIDES, ETHER PEROXIDES, KETONE PEROXIDES, EPOXIDES WITH A THREE-MEMBERED RING, ACETALS AND HEMIACETALS, AND THEIR HALOGENATED, SULPHONATED, NITRATED OR NITROSATED DERIVATIVES	
Ethers, ether-alcohols, ether-phenols, ether-alcohol-phenols, alcohol peroxides, ether peroxides, ketone peroxides (whether or not chemically defined), and their halogenated, sulphonated, nitrated or nitrosated derivatives	
Acyclic ethers and their halogenated, sulphonated, nitrated or nitrosated derivatives	
Diethyl ether	
Other	
Tert-butyl ethyl ether (ethyl-tertio-butyl-ether, ETBE)	
Other	
Bis(2-chloroethyl) ether (CAS RN 111-44-4)	
Mixture of isomers of nonafluorobutyl methyl ether or nonafluorobutyl ethyl ether, of a purity by weight of 99 % or more	
3-Ethoxy-perfluoro-2-methylhexane (CAS RN 297730-93-9)	
1-Methoxyheptafluoropropane (CAS RN 375-03-1)	
Other	

Cyclanic, cyclenic or cycloterpenic ethers and their halogenated, sulphonated, nitrated or nitrosated derivatives	
8-Methoxycedrane (CAS RN 19870-74-7)	
Other	

Aromatic ethers and their halogenated, sulphonated, nitrated or nitrosated derivatives	
Diphenyl ether	
Derivatives halogenated only with bromine	
Pentabromodiphenyl ether; 1,2,4,5-tetrabromo-3,6-bis(pentabromophenoxy)benzene	
1,2-Bis(2,4,6-tribromophenoxy)ethane, for the manufacture of acrylonitrile-butadiene-styrene (ABS)	
Other	
Bis(pentabromophenyl) ether (CAS RN 1163-19-5)	
1,1'-Propane-2,2-diylbis[3,5-dibromo-4-(2,3-dibromopropoxy)benzene], (CAS RN 21850-44-2)	
1,1'-(1-Methylethylidene)bis[3,5-dibromo-4-(2,3-dibromo-2-methylpropoxy)]-benzene (CAS RN 97416-84-7)	

Other
Other
2-(Phenylmethoxy)naphthalene (CAS RN 613-62-7)
1,2-Bis(3-methyl-phenoxy)ethane (CAS RN 54914-85-1)
3,4,5-Trimethoxytoluene (CAS RN 6443-69-2)
1-Chloro-2,5-dimethoxybenzene (CAS RN 2100-42-7)
1-Ethoxy-2,3-difluorobenzene (CAS RN 121219-07-6)
1-Butoxy-2,3-difluorobenzene (CAS RN 136239-66-2)
Other

Ether-alcohols and their halogenated, sulphonated, nitrated or nitrosated derivatives
2,2'-Oxydiethanol (diethylene glycol, digol)
Monobutyl ethers of ethylene glycol or of diethylene glycol
Other monoalkylethers of ethylene glycol or of diethylene glycol
Other
2-(2-Chloroethoxy)ethanol
Other
1-Propoxypropan-2-ol (CAS RN 1569-01-3)
Other

Ether-phenols, ether-alcohol-phenols and their halogenated, sulphonated, nitrated or nitrosated derivatives
4-(2-Methoxyethyl)phenol (CAS RN 56718-71-9)
Ubiquinol (CAS RN 992-78-9)
2-tert-Butyl-4-hydroxyanisole and 3-tert-butyl-4-hydroxyanisole, mixed isomers (CAS RN 25013-16-5)
Other

Alcohol peroxides, ether peroxides, ketone peroxides and their halogenated, sulphonated, nitrated or nitrosated derivatives
Bis(α,α-dimethylbenzyl) peroxide (CAS RN 80-43-3)
1,4-Di(2-tert-butylperoxyisopropyl)benzene (CAS RN 25155-25-3)
3,6,9-Triethyl-3,6,9-trimethyl-1,4,7-triperoxonane (CAS RN 24748-23-0), dissolved in isoparaffinic hydrocarbons
Other

Epoxides, epoxyalcohols, epoxyphenols and epoxyethers, with a three-membered ring, and their halogenated, sulphonated, nitrated or nitrosated derivatives
Oxirane (ethylene oxide)
Methyloxirane (propylene oxide)
1-Chloro-2,3-epoxypropane (epichlorohydrin)

Dieldrin (ISO, INN)
Other
1,2-Epoxycyclohexane (CAS RN 286-20-4)
2-[(2-Methoxyphenoxy)methyl]oxirane (CAS RN 2210-74-4)
2,3-Epoxypropan-1-ol (glycidol) (CAS RN 556-52-5)
2,3-Epoxypropyl phenyl ether (CAS RN 122-60-1)
Allyl glycidyl ether (CAS RN 106-92-3)
Other

Acetals and hemiacetals, whether or not with other oxygen function, and their halogenated, sulphonated, nitrated or nitrosated derivatives
Ethoxy-2,2-difluoroethanol (CAS RN 148992-43-2)
Other

V. ALDEHYDE-FUNCTION COMPOUNDS

Aldehydes, whether or not with other oxygen function; cyclic polymers of aldehydes; paraformaldehyde
Acyclic aldehydes without other oxygen function
Methanal (formaldehyde)
Ethanal (acetaldehyde)
Other
Cyclic aldehydes without other oxygen function
Benzaldehyde
Other
(2E,4E,6E,8E,10E,12E)-2,7,11-Trimethyl-13-(2,6,6-trimethyl-1-cyclohexen-1-yl)-2,4,6,8,10,12-tridecahexaenal, (CAS RN 1638-05-7)
4-Isobutylbenzaldehyde (CAS RN 40150-98-9)
3,4-Dimethylbenzaldehyde (CAS RN 5973-71-7)
4-tert-Butylbenzaldehyde (CAS RN 939-97-9)
4-Isopropylbenzaldehyde (CAS RN 122-03-2)
Other

Aldehyde-alcohols, aldehyde-ethers, aldehyde-phenols and aldehydes with other oxygen function
Vanillin (4-hydroxy-3-methoxybenzaldehyde)
Ethylvanillin (3-ethoxy-4-hydroxybenzaldehyde)
Other
3-Phenoxybenzaldehyde (CAS RN 39515-51-0)
4-Hydroxybenzaldehyde (CAS RN 123-08-0)
Salicylaldehyde (CAS RN 90-02-8)
3-Hydroxy-p-anisaldehyde (CAS RN 621-59-0)

Other
Cyclic polymers of aldehydes
Paraformaldehyde

Halogenated, sulphonated, nitrated or nitrosated derivatives of products of heading 2912
--

VI. KETONE-FUNCTION COMPOUNDS AND QUINONE-FUNCTION COMPOUNDS

Ketones and quinones, whether or not with other oxygen function, and their halogenated, sulphonated, nitrated or nitrosated derivatives
Acyclic ketones without other oxygen function
Acetone
Butanone (methyl ethyl ketone)
4-Methylpentan-2-one (methyl isobutyl ketone)
Other
5-Methylhexan-2-one
Other
Heptan-2-one (CAS RN 110-43-0)
3-Methylbutanone (CAS RN 563-80-4)
Pentan-2-one (CAS RN 107-87-9)
Calcium acetylacetonate (CAS RN 19372-44-2) for use in the manufacture of stabilisator systems in tablet form
Other

Cyclanic, cyclenic or cycloterpenic ketones without other oxygen function
Cyclohexanone and methylcyclohexanones
Ionones and methylionones
Other
Cyclohexadec-8-enone (CAS RN 3100-36-5)
(R)-p-Mentha-1(6),8-dien-2-one (CAS RN 6485-40-1)
Camphor
trans-β-Damascone (CAS RN 23726-91-2)
Cyclopropyl methyl ketone (CAS RN 765-43-5)
Other

Aromatic ketones without other oxygen function
Phenylacetone (phenylpropan-2-one)
Other
2,6-Dimethyl-1-indanone (CAS RN 66309-83-9)
1,3-Diphenylpropane-1,3-dione (CAS RN 120-46-7)
Benzophenone (CAS RN 119-61-9)
4-Phenylbenzophenone (CAS RN 2128-93-0)
4-Methylbenzophenone (CAS RN 134-84-9)

<table><tr><td>Benzil (CAS RN 134-81-6)</td></tr><tr><td>4'-Methylacetophenone (CAS RN 122-00-9)</td></tr><tr><td>Other</td></tr></table>	Benzil (CAS RN 134-81-6)	4'-Methylacetophenone (CAS RN 122-00-9)	Other										
Benzil (CAS RN 134-81-6)													
4'-Methylacetophenone (CAS RN 122-00-9)													
Other													
Ketone-alcohols and ketone-aldehydes <table><tr><td>4-Hydroxy-4-methylpentan-2-one (diacetone alcohol)</td></tr><tr><td>Other</td></tr></table>	4-Hydroxy-4-methylpentan-2-one (diacetone alcohol)	Other											
4-Hydroxy-4-methylpentan-2-one (diacetone alcohol)													
Other													
Ketone-phenols and ketones with other oxygen function <table><tr><td>3'-Hydroxyacetophenone (CAS RN 121-71-1)</td></tr><tr><td>4'-Methoxyacetophenone (CAS RN 100-06-1)</td></tr><tr><td>2'-Hydroxyacetophenone (CAS RN 118-93-4)</td></tr><tr><td>2,7-Dihydroxy-9-fluorenone (CAS RN 42523-29-5)</td></tr><tr><td>4-(4-Hydroxyphenyl)butan-2-one (CAS RN 5471-51-2)</td></tr><tr><td>3,4-Dihydroxybenzophenone (CAS RN 10425-11-3)</td></tr><tr><td>2,2',4,4'-Tetrahydroxybenzophenone (CAS RN 131-55-5)</td></tr><tr><td>2,2-Dimethoxy-2-phenylacetophenone (CAS RN 24650-42-8)</td></tr><tr><td>3-Methoxyacetophenone (CAS RN 586-37-8)</td></tr><tr><td>16α,17α-Epoxy-3β-hydroxypregn-5-en-20-one (CAS RN 974-23-2)</td></tr><tr><td>7-Hydroxy-3,4-dihydro-1(2H)-naphthalenone (CAS RN 22009-38-7)</td></tr><tr><td>2',6'-Dihydroxyacetophenone (CAS RN 699-83-2)</td></tr><tr><td>Other</td></tr></table>	3'-Hydroxyacetophenone (CAS RN 121-71-1)	4'-Methoxyacetophenone (CAS RN 100-06-1)	2'-Hydroxyacetophenone (CAS RN 118-93-4)	2,7-Dihydroxy-9-fluorenone (CAS RN 42523-29-5)	4-(4-Hydroxyphenyl)butan-2-one (CAS RN 5471-51-2)	3,4-Dihydroxybenzophenone (CAS RN 10425-11-3)	2,2',4,4'-Tetrahydroxybenzophenone (CAS RN 131-55-5)	2,2-Dimethoxy-2-phenylacetophenone (CAS RN 24650-42-8)	3-Methoxyacetophenone (CAS RN 586-37-8)	16 α ,17 α -Epoxy-3 β -hydroxypregn-5-en-20-one (CAS RN 974-23-2)	7-Hydroxy-3,4-dihydro-1(2H)-naphthalenone (CAS RN 22009-38-7)	2',6'-Dihydroxyacetophenone (CAS RN 699-83-2)	Other
3'-Hydroxyacetophenone (CAS RN 121-71-1)													
4'-Methoxyacetophenone (CAS RN 100-06-1)													
2'-Hydroxyacetophenone (CAS RN 118-93-4)													
2,7-Dihydroxy-9-fluorenone (CAS RN 42523-29-5)													
4-(4-Hydroxyphenyl)butan-2-one (CAS RN 5471-51-2)													
3,4-Dihydroxybenzophenone (CAS RN 10425-11-3)													
2,2',4,4'-Tetrahydroxybenzophenone (CAS RN 131-55-5)													
2,2-Dimethoxy-2-phenylacetophenone (CAS RN 24650-42-8)													
3-Methoxyacetophenone (CAS RN 586-37-8)													
16 α ,17 α -Epoxy-3 β -hydroxypregn-5-en-20-one (CAS RN 974-23-2)													
7-Hydroxy-3,4-dihydro-1(2H)-naphthalenone (CAS RN 22009-38-7)													
2',6'-Dihydroxyacetophenone (CAS RN 699-83-2)													
Other													
Quinones <table><tr><td>Anthraquinone</td></tr><tr><td>Other<table><tr><td>1,4-Naphthoquinone</td></tr><tr><td>Other<table><tr><td>2-Ethylanthraquinone (CAS RN 84-51-5)</td></tr><tr><td>2-Pentylanthraquinone (CAS RN 13936-21-5)</td></tr><tr><td>1,4-Dihydroxyanthraquinone (CAS RN 81-64-1)</td></tr><tr><td>p-Benzoquinone (CAS RN 106-51-4)</td></tr><tr><td>Reaction mass of 2-(1,2-dimethylpropyl)anthraquinone (CAS RN 68892-28-4) and 2-(1,1-dimethylpropyl)anthraquinone (CAS RN 32588-54-8)</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Halogenated, sulphonated, nitrated or nitrosated derivatives<table><tr><td>1-(4-Methylphenyl)-4,4,4-trifluorobutane-1,3-dione (CAS RN 720-94-5)</td></tr><tr><td>2,4'-Difluorobenzophenone (CAS RN 342-25-6)</td></tr></table></td></tr></table>	Anthraquinone	Other <table><tr><td>1,4-Naphthoquinone</td></tr><tr><td>Other<table><tr><td>2-Ethylanthraquinone (CAS RN 84-51-5)</td></tr><tr><td>2-Pentylanthraquinone (CAS RN 13936-21-5)</td></tr><tr><td>1,4-Dihydroxyanthraquinone (CAS RN 81-64-1)</td></tr><tr><td>p-Benzoquinone (CAS RN 106-51-4)</td></tr><tr><td>Reaction mass of 2-(1,2-dimethylpropyl)anthraquinone (CAS RN 68892-28-4) and 2-(1,1-dimethylpropyl)anthraquinone (CAS RN 32588-54-8)</td></tr><tr><td>Other</td></tr></table></td></tr></table>	1,4-Naphthoquinone	Other <table><tr><td>2-Ethylanthraquinone (CAS RN 84-51-5)</td></tr><tr><td>2-Pentylanthraquinone (CAS RN 13936-21-5)</td></tr><tr><td>1,4-Dihydroxyanthraquinone (CAS RN 81-64-1)</td></tr><tr><td>p-Benzoquinone (CAS RN 106-51-4)</td></tr><tr><td>Reaction mass of 2-(1,2-dimethylpropyl)anthraquinone (CAS RN 68892-28-4) and 2-(1,1-dimethylpropyl)anthraquinone (CAS RN 32588-54-8)</td></tr><tr><td>Other</td></tr></table>	2-Ethylanthraquinone (CAS RN 84-51-5)	2-Pentylanthraquinone (CAS RN 13936-21-5)	1,4-Dihydroxyanthraquinone (CAS RN 81-64-1)	p-Benzoquinone (CAS RN 106-51-4)	Reaction mass of 2-(1,2-dimethylpropyl)anthraquinone (CAS RN 68892-28-4) and 2-(1,1-dimethylpropyl)anthraquinone (CAS RN 32588-54-8)	Other	Halogenated, sulphonated, nitrated or nitrosated derivatives <table><tr><td>1-(4-Methylphenyl)-4,4,4-trifluorobutane-1,3-dione (CAS RN 720-94-5)</td></tr><tr><td>2,4'-Difluorobenzophenone (CAS RN 342-25-6)</td></tr></table>	1-(4-Methylphenyl)-4,4,4-trifluorobutane-1,3-dione (CAS RN 720-94-5)	2,4'-Difluorobenzophenone (CAS RN 342-25-6)
Anthraquinone													
Other <table><tr><td>1,4-Naphthoquinone</td></tr><tr><td>Other<table><tr><td>2-Ethylanthraquinone (CAS RN 84-51-5)</td></tr><tr><td>2-Pentylanthraquinone (CAS RN 13936-21-5)</td></tr><tr><td>1,4-Dihydroxyanthraquinone (CAS RN 81-64-1)</td></tr><tr><td>p-Benzoquinone (CAS RN 106-51-4)</td></tr><tr><td>Reaction mass of 2-(1,2-dimethylpropyl)anthraquinone (CAS RN 68892-28-4) and 2-(1,1-dimethylpropyl)anthraquinone (CAS RN 32588-54-8)</td></tr><tr><td>Other</td></tr></table></td></tr></table>	1,4-Naphthoquinone	Other <table><tr><td>2-Ethylanthraquinone (CAS RN 84-51-5)</td></tr><tr><td>2-Pentylanthraquinone (CAS RN 13936-21-5)</td></tr><tr><td>1,4-Dihydroxyanthraquinone (CAS RN 81-64-1)</td></tr><tr><td>p-Benzoquinone (CAS RN 106-51-4)</td></tr><tr><td>Reaction mass of 2-(1,2-dimethylpropyl)anthraquinone (CAS RN 68892-28-4) and 2-(1,1-dimethylpropyl)anthraquinone (CAS RN 32588-54-8)</td></tr><tr><td>Other</td></tr></table>	2-Ethylanthraquinone (CAS RN 84-51-5)	2-Pentylanthraquinone (CAS RN 13936-21-5)	1,4-Dihydroxyanthraquinone (CAS RN 81-64-1)	p-Benzoquinone (CAS RN 106-51-4)	Reaction mass of 2-(1,2-dimethylpropyl)anthraquinone (CAS RN 68892-28-4) and 2-(1,1-dimethylpropyl)anthraquinone (CAS RN 32588-54-8)	Other					
1,4-Naphthoquinone													
Other <table><tr><td>2-Ethylanthraquinone (CAS RN 84-51-5)</td></tr><tr><td>2-Pentylanthraquinone (CAS RN 13936-21-5)</td></tr><tr><td>1,4-Dihydroxyanthraquinone (CAS RN 81-64-1)</td></tr><tr><td>p-Benzoquinone (CAS RN 106-51-4)</td></tr><tr><td>Reaction mass of 2-(1,2-dimethylpropyl)anthraquinone (CAS RN 68892-28-4) and 2-(1,1-dimethylpropyl)anthraquinone (CAS RN 32588-54-8)</td></tr><tr><td>Other</td></tr></table>	2-Ethylanthraquinone (CAS RN 84-51-5)	2-Pentylanthraquinone (CAS RN 13936-21-5)	1,4-Dihydroxyanthraquinone (CAS RN 81-64-1)	p-Benzoquinone (CAS RN 106-51-4)	Reaction mass of 2-(1,2-dimethylpropyl)anthraquinone (CAS RN 68892-28-4) and 2-(1,1-dimethylpropyl)anthraquinone (CAS RN 32588-54-8)	Other							
2-Ethylanthraquinone (CAS RN 84-51-5)													
2-Pentylanthraquinone (CAS RN 13936-21-5)													
1,4-Dihydroxyanthraquinone (CAS RN 81-64-1)													
p-Benzoquinone (CAS RN 106-51-4)													
Reaction mass of 2-(1,2-dimethylpropyl)anthraquinone (CAS RN 68892-28-4) and 2-(1,1-dimethylpropyl)anthraquinone (CAS RN 32588-54-8)													
Other													
Halogenated, sulphonated, nitrated or nitrosated derivatives <table><tr><td>1-(4-Methylphenyl)-4,4,4-trifluorobutane-1,3-dione (CAS RN 720-94-5)</td></tr><tr><td>2,4'-Difluorobenzophenone (CAS RN 342-25-6)</td></tr></table>	1-(4-Methylphenyl)-4,4,4-trifluorobutane-1,3-dione (CAS RN 720-94-5)	2,4'-Difluorobenzophenone (CAS RN 342-25-6)											
1-(4-Methylphenyl)-4,4,4-trifluorobutane-1,3-dione (CAS RN 720-94-5)													
2,4'-Difluorobenzophenone (CAS RN 342-25-6)													

1-(7-Bromo-9,9-difluoro-9H-fluoren-2-yl)-2-chloroethanone (CAS RN 1378387-81-5)
Perfluoro(2-methylpentan-3-one) (CAS RN 756-13-8)
1-(1-Chlorocyclopropyl)ethanone (CAS RN 63141-09-3)
3'-Chloropropiophenone (CAS RN 34841-35-5)
2-Chloro-1-(1-chlorocyclopropyl)ethanone (CAS RN 120983-72-4)
4'-tert-Butyl-2',6'-dimethyl-3',5'-dinitroacetophenone (CAS RN 81-14-1)
4-Chloro-4'-hydroxybenzophenone (CAS RN 42019-78-3)
Tetrachloro-p-benzoquinone (CAS RN 118-75-2)
Other

VII. CARBOXYLIC ACIDS AND THEIR ANHYDRIDES, HALIDES, PEROXIDES AND PEROXYACIDS AND THEIR HALOGENATED, SULPHONATED, NITRATED OR NITROSATED DERIVATIVES

Saturated acyclic monocarboxylic acids and their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulphonated, nitrated or nitrosated derivatives <table><tr><td>Formic acid, its salts and esters<table><tr><td>Formic acid</td></tr><tr><td>Salts of formic acid</td></tr><tr><td>Esters of formic acid<table><tr><td>Esters of mannitol or sorbitol</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Acetic acid and its salts; acetic anhydride<table><tr><td>Acetic acid<table><tr><td>of a purity by weight of 99% or more (CAS RN 64-19-7)</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Acetic anhydride</td></tr><tr><td>Other<table><tr><td>Antimony triacetate (CAS RN 6923-52-0)</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Esters of acetic acid<table><tr><td>Ethyl acetate</td></tr><tr><td>Vinyl acetate</td></tr><tr><td>n-Butyl acetate</td></tr><tr><td>Dinoseb (ISO) acetate</td></tr><tr><td>Other<table><tr><td>2-Methylcyclohexyl acetate (CAS RN 5726-19-2)</td></tr><tr><td>_tert_-Butyl acetate (CAS RN 540-88-5)</td></tr><tr><td>3-Acetylphenyl acetate (CAS RN 2454-35-5)</td></tr><tr><td>Dodec-8-enyl acetate (CAS RN 28079-04-1)</td></tr></table></td></tr></table></td></tr></table>	Formic acid, its salts and esters <table><tr><td>Formic acid</td></tr><tr><td>Salts of formic acid</td></tr><tr><td>Esters of formic acid<table><tr><td>Esters of mannitol or sorbitol</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Formic acid	Salts of formic acid	Esters of formic acid <table><tr><td>Esters of mannitol or sorbitol</td></tr><tr><td>Other</td></tr></table>	Esters of mannitol or sorbitol	Other	Acetic acid and its salts; acetic anhydride <table><tr><td>Acetic acid<table><tr><td>of a purity by weight of 99% or more (CAS RN 64-19-7)</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Acetic anhydride</td></tr><tr><td>Other<table><tr><td>Antimony triacetate (CAS RN 6923-52-0)</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Acetic acid <table><tr><td>of a purity by weight of 99% or more (CAS RN 64-19-7)</td></tr><tr><td>Other</td></tr></table>	of a purity by weight of 99% or more (CAS RN 64-19-7)	Other	Acetic anhydride	Other <table><tr><td>Antimony triacetate (CAS RN 6923-52-0)</td></tr><tr><td>Other</td></tr></table>	Antimony triacetate (CAS RN 6923-52-0)	Other	Esters of acetic acid <table><tr><td>Ethyl acetate</td></tr><tr><td>Vinyl acetate</td></tr><tr><td>n-Butyl acetate</td></tr><tr><td>Dinoseb (ISO) acetate</td></tr><tr><td>Other<table><tr><td>2-Methylcyclohexyl acetate (CAS RN 5726-19-2)</td></tr><tr><td>_tert_-Butyl acetate (CAS RN 540-88-5)</td></tr><tr><td>3-Acetylphenyl acetate (CAS RN 2454-35-5)</td></tr><tr><td>Dodec-8-enyl acetate (CAS RN 28079-04-1)</td></tr></table></td></tr></table>	Ethyl acetate	Vinyl acetate	n-Butyl acetate	Dinoseb (ISO) acetate	Other <table><tr><td>2-Methylcyclohexyl acetate (CAS RN 5726-19-2)</td></tr><tr><td>_tert_-Butyl acetate (CAS RN 540-88-5)</td></tr><tr><td>3-Acetylphenyl acetate (CAS RN 2454-35-5)</td></tr><tr><td>Dodec-8-enyl acetate (CAS RN 28079-04-1)</td></tr></table>	2-Methylcyclohexyl acetate (CAS RN 5726-19-2)	_tert_-Butyl acetate (CAS RN 540-88-5)	3-Acetylphenyl acetate (CAS RN 2454-35-5)	Dodec-8-enyl acetate (CAS RN 28079-04-1)
Formic acid, its salts and esters <table><tr><td>Formic acid</td></tr><tr><td>Salts of formic acid</td></tr><tr><td>Esters of formic acid<table><tr><td>Esters of mannitol or sorbitol</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Formic acid	Salts of formic acid	Esters of formic acid <table><tr><td>Esters of mannitol or sorbitol</td></tr><tr><td>Other</td></tr></table>	Esters of mannitol or sorbitol	Other																			
Formic acid																								
Salts of formic acid																								
Esters of formic acid <table><tr><td>Esters of mannitol or sorbitol</td></tr><tr><td>Other</td></tr></table>	Esters of mannitol or sorbitol	Other																						
Esters of mannitol or sorbitol																								
Other																								
Acetic acid and its salts; acetic anhydride <table><tr><td>Acetic acid<table><tr><td>of a purity by weight of 99% or more (CAS RN 64-19-7)</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Acetic anhydride</td></tr><tr><td>Other<table><tr><td>Antimony triacetate (CAS RN 6923-52-0)</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Acetic acid <table><tr><td>of a purity by weight of 99% or more (CAS RN 64-19-7)</td></tr><tr><td>Other</td></tr></table>	of a purity by weight of 99% or more (CAS RN 64-19-7)	Other	Acetic anhydride	Other <table><tr><td>Antimony triacetate (CAS RN 6923-52-0)</td></tr><tr><td>Other</td></tr></table>	Antimony triacetate (CAS RN 6923-52-0)	Other																	
Acetic acid <table><tr><td>of a purity by weight of 99% or more (CAS RN 64-19-7)</td></tr><tr><td>Other</td></tr></table>	of a purity by weight of 99% or more (CAS RN 64-19-7)	Other																						
of a purity by weight of 99% or more (CAS RN 64-19-7)																								
Other																								
Acetic anhydride																								
Other <table><tr><td>Antimony triacetate (CAS RN 6923-52-0)</td></tr><tr><td>Other</td></tr></table>	Antimony triacetate (CAS RN 6923-52-0)	Other																						
Antimony triacetate (CAS RN 6923-52-0)																								
Other																								
Esters of acetic acid <table><tr><td>Ethyl acetate</td></tr><tr><td>Vinyl acetate</td></tr><tr><td>n-Butyl acetate</td></tr><tr><td>Dinoseb (ISO) acetate</td></tr><tr><td>Other<table><tr><td>2-Methylcyclohexyl acetate (CAS RN 5726-19-2)</td></tr><tr><td>_tert_-Butyl acetate (CAS RN 540-88-5)</td></tr><tr><td>3-Acetylphenyl acetate (CAS RN 2454-35-5)</td></tr><tr><td>Dodec-8-enyl acetate (CAS RN 28079-04-1)</td></tr></table></td></tr></table>	Ethyl acetate	Vinyl acetate	n-Butyl acetate	Dinoseb (ISO) acetate	Other <table><tr><td>2-Methylcyclohexyl acetate (CAS RN 5726-19-2)</td></tr><tr><td>_tert_-Butyl acetate (CAS RN 540-88-5)</td></tr><tr><td>3-Acetylphenyl acetate (CAS RN 2454-35-5)</td></tr><tr><td>Dodec-8-enyl acetate (CAS RN 28079-04-1)</td></tr></table>	2-Methylcyclohexyl acetate (CAS RN 5726-19-2)	_tert_-Butyl acetate (CAS RN 540-88-5)	3-Acetylphenyl acetate (CAS RN 2454-35-5)	Dodec-8-enyl acetate (CAS RN 28079-04-1)															
Ethyl acetate																								
Vinyl acetate																								
n-Butyl acetate																								
Dinoseb (ISO) acetate																								
Other <table><tr><td>2-Methylcyclohexyl acetate (CAS RN 5726-19-2)</td></tr><tr><td>_tert_-Butyl acetate (CAS RN 540-88-5)</td></tr><tr><td>3-Acetylphenyl acetate (CAS RN 2454-35-5)</td></tr><tr><td>Dodec-8-enyl acetate (CAS RN 28079-04-1)</td></tr></table>	2-Methylcyclohexyl acetate (CAS RN 5726-19-2)	_tert_-Butyl acetate (CAS RN 540-88-5)	3-Acetylphenyl acetate (CAS RN 2454-35-5)	Dodec-8-enyl acetate (CAS RN 28079-04-1)																				
2-Methylcyclohexyl acetate (CAS RN 5726-19-2)																								
tert-Butyl acetate (CAS RN 540-88-5)																								
3-Acetylphenyl acetate (CAS RN 2454-35-5)																								
Dodec-8-enyl acetate (CAS RN 28079-04-1)																								

Dodeca-7,9-dienyl acetate (CAS RN 54364-62-4)
Dodec-9-enyl acetate (CAS RN 16974-11-1)
Isobornyl acetate (CAS RN 125-12-2)
1-Phenylethyl acetate (CAS RN 93-92-5)
2-tert-Butylcyclohexyl acetate (CAS RN 88-41-5)
Other

Mono-, di- or trichloroacetic acids, their salts and esters

Propionic acid, its salts and esters												
Butanoic acids, pentanoic acids, their salts and esters <table><tr><td>Butanoic acids and their salts and esters<table><tr><td>1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate</td></tr><tr><td>Other<table><tr><td>Ethyl butyrate (CAS RN 105-54-4)</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Pentanoic acids and their salts and esters</td></tr></table>	Butanoic acids and their salts and esters <table><tr><td>1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate</td></tr><tr><td>Other<table><tr><td>Ethyl butyrate (CAS RN 105-54-4)</td></tr><tr><td>Other</td></tr></table></td></tr></table>	1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate	Other <table><tr><td>Ethyl butyrate (CAS RN 105-54-4)</td></tr><tr><td>Other</td></tr></table>	Ethyl butyrate (CAS RN 105-54-4)	Other	Pentanoic acids and their salts and esters						
Butanoic acids and their salts and esters <table><tr><td>1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate</td></tr><tr><td>Other<table><tr><td>Ethyl butyrate (CAS RN 105-54-4)</td></tr><tr><td>Other</td></tr></table></td></tr></table>	1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate	Other <table><tr><td>Ethyl butyrate (CAS RN 105-54-4)</td></tr><tr><td>Other</td></tr></table>	Ethyl butyrate (CAS RN 105-54-4)	Other								
1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate												
Other <table><tr><td>Ethyl butyrate (CAS RN 105-54-4)</td></tr><tr><td>Other</td></tr></table>	Ethyl butyrate (CAS RN 105-54-4)	Other										
Ethyl butyrate (CAS RN 105-54-4)												
Other												
Pentanoic acids and their salts and esters												
Palmitic acid, stearic acid, their salts and esters <table><tr><td>Palmitic acid and its salts and esters</td></tr><tr><td>Stearic acid and its salts and esters</td></tr></table>	Palmitic acid and its salts and esters	Stearic acid and its salts and esters										
Palmitic acid and its salts and esters												
Stearic acid and its salts and esters												
Other <table><tr><td>Lauric acid and its salts and esters</td></tr><tr><td>Other<table><tr><td>3,3-Dimethylbutyryl chloride (CAS RN 7065-46-5)</td></tr><tr><td>Trimethyl orthoformate (CAS RN 149-73-5)</td></tr><tr><td>Allyl heptanoate (CAS RN 142-19-8)</td></tr><tr><td>Triethyl orthoformate (CAS RN 122-51-0)</td></tr><tr><td>Ethyl-6,8-dichlorooctanoate (CAS RN 1070-64-0)</td></tr><tr><td>2-Ethyl-2-methyl butanoic acid (CAS RN 19889-37-3)</td></tr><tr><td>Cobalt borate neodecanoate complexes, with a purity by weight of 92% or more, (CAS RN 68457-13-6)</td></tr><tr><td>2,2-Dimethylbutyryl chloride (CAS RN 5856-77-9)</td></tr><tr><td>Ethyl difluoroacetate (CAS RN 454-31-9)</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Lauric acid and its salts and esters	Other <table><tr><td>3,3-Dimethylbutyryl chloride (CAS RN 7065-46-5)</td></tr><tr><td>Trimethyl orthoformate (CAS RN 149-73-5)</td></tr><tr><td>Allyl heptanoate (CAS RN 142-19-8)</td></tr><tr><td>Triethyl orthoformate (CAS RN 122-51-0)</td></tr><tr><td>Ethyl-6,8-dichlorooctanoate (CAS RN 1070-64-0)</td></tr><tr><td>2-Ethyl-2-methyl butanoic acid (CAS RN 19889-37-3)</td></tr><tr><td>Cobalt borate neodecanoate complexes, with a purity by weight of 92% or more, (CAS RN 68457-13-6)</td></tr><tr><td>2,2-Dimethylbutyryl chloride (CAS RN 5856-77-9)</td></tr><tr><td>Ethyl difluoroacetate (CAS RN 454-31-9)</td></tr><tr><td>Other</td></tr></table>	3,3-Dimethylbutyryl chloride (CAS RN 7065-46-5)	Trimethyl orthoformate (CAS RN 149-73-5)	Allyl heptanoate (CAS RN 142-19-8)	Triethyl orthoformate (CAS RN 122-51-0)	Ethyl-6,8-dichlorooctanoate (CAS RN 1070-64-0)	2-Ethyl-2-methyl butanoic acid (CAS RN 19889-37-3)	Cobalt borate neodecanoate complexes, with a purity by weight of 92% or more, (CAS RN 68457-13-6)	2,2-Dimethylbutyryl chloride (CAS RN 5856-77-9)	Ethyl difluoroacetate (CAS RN 454-31-9)	Other
Lauric acid and its salts and esters												
Other <table><tr><td>3,3-Dimethylbutyryl chloride (CAS RN 7065-46-5)</td></tr><tr><td>Trimethyl orthoformate (CAS RN 149-73-5)</td></tr><tr><td>Allyl heptanoate (CAS RN 142-19-8)</td></tr><tr><td>Triethyl orthoformate (CAS RN 122-51-0)</td></tr><tr><td>Ethyl-6,8-dichlorooctanoate (CAS RN 1070-64-0)</td></tr><tr><td>2-Ethyl-2-methyl butanoic acid (CAS RN 19889-37-3)</td></tr><tr><td>Cobalt borate neodecanoate complexes, with a purity by weight of 92% or more, (CAS RN 68457-13-6)</td></tr><tr><td>2,2-Dimethylbutyryl chloride (CAS RN 5856-77-9)</td></tr><tr><td>Ethyl difluoroacetate (CAS RN 454-31-9)</td></tr><tr><td>Other</td></tr></table>	3,3-Dimethylbutyryl chloride (CAS RN 7065-46-5)	Trimethyl orthoformate (CAS RN 149-73-5)	Allyl heptanoate (CAS RN 142-19-8)	Triethyl orthoformate (CAS RN 122-51-0)	Ethyl-6,8-dichlorooctanoate (CAS RN 1070-64-0)	2-Ethyl-2-methyl butanoic acid (CAS RN 19889-37-3)	Cobalt borate neodecanoate complexes, with a purity by weight of 92% or more, (CAS RN 68457-13-6)	2,2-Dimethylbutyryl chloride (CAS RN 5856-77-9)	Ethyl difluoroacetate (CAS RN 454-31-9)	Other		
3,3-Dimethylbutyryl chloride (CAS RN 7065-46-5)												
Trimethyl orthoformate (CAS RN 149-73-5)												
Allyl heptanoate (CAS RN 142-19-8)												
Triethyl orthoformate (CAS RN 122-51-0)												
Ethyl-6,8-dichlorooctanoate (CAS RN 1070-64-0)												
2-Ethyl-2-methyl butanoic acid (CAS RN 19889-37-3)												
Cobalt borate neodecanoate complexes, with a purity by weight of 92% or more, (CAS RN 68457-13-6)												
2,2-Dimethylbutyryl chloride (CAS RN 5856-77-9)												
Ethyl difluoroacetate (CAS RN 454-31-9)												
Other												
Unsaturated acyclic monocarboxylic acids, cyclic monocarboxylic acids, their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulphonated, nitrated or nitrosated derivatives <table><tr><td>Unsaturated acyclic monocarboxylic acids, their anhydrides, halides, peroxides, peroxyacids and their derivatives</td></tr></table>	Unsaturated acyclic monocarboxylic acids, their anhydrides, halides, peroxides, peroxyacids and their derivatives											
Unsaturated acyclic monocarboxylic acids, their anhydrides, halides, peroxides, peroxyacids and their derivatives												

Acrylic acid and its salts
Acrylic acid
Salts of acrylic acid

Esters of acrylic acid
2-tert-Butyl-6-(3-tert-butyl-2-hydroxy-5-methylbenzyl)-4-methylphenyl acrylate (CAS RN 61167-58-6)
2,4-Di-tert-pentyl-6-[1-(3,5-di-tert-pentyl-2-hydroxyphenyl)ethyl]phenylacrylate (CAS RN 123968-25-2)
2-(2-Vinyloxyethoxy)ethyl acrylate (CAS RN 86273-46-3)
Other

Methacrylic acid and its salts
Hydroxyzinc methacrylate powder (CAS RN 63451-47-8)
Zinc dimethacrylate, in the form of powder (CAS RN 13189-00-9)
Other

Esters of methacrylic acid
2,3-Epoxypropyl methacrylate (CAS RN 106-91-2)
Ethyl methacrylate (CAS RN 97-63-2)
Allyl methacrylate (CAS RN 96-05-9) and its' isomers with a purity by weight of 98 % or more and containing at least: - 0,01 % or more but not more than 0,02 % of Allyl alcohol (CAS RN 107-18-6), - 0,01 % or more but not more than 0,1 % of Methacrylic acid (CAS RN 79-41-4), and - 0,5 % or more but not more than 1 % of 4-Methoxyphenol (CAS RN 150-76-5)
Other

Oleic, linoleic or linolenic acids, their salts and esters
--

Binapacryl (ISO)

Other
Undecenoic acids and their salts and esters
Crotonic acid
Other
Methyl 3,3-dimethylpent-4-enoate (CAS RN 63721-05-1)
Potassium (E,E)-hexa-2,4-dienoate (CAS RN 24634-61-5)
Sorbic acid for use in the manufacture of animal feeds (CAS RN 110-44-1)
Methyl 2-fluoroacrylate (CAS RN 2343-89-7)
Other

Cyclanic, cyclenic or cycloterpenic monocarboxylic acids, their anhydrides, halides, peroxides, peroxyacids and their derivatives
Ethyl 2,2-dimethyl-3-(2-methylpropenyl)cyclopropanecarboxylate (CAS RN 97-41-6)

3-Cyclohexylpropionic acid (CAS RN 701-97-3)
Other

Aromatic monocarboxylic acids, their anhydrides, halides, peroxides, peroxyacids and their derivatives
Benzoic acid, its salts and esters
Benzyl benzoate (CAS RN 120-51-4)
Other

Benzoyl peroxide and benzoyl chloride

Phenylacetic acid and its salts

Other
Esters of phenylacetic acid
Other
2,3,4,5-Tetrafluorobenzoic acid (CAS RN 1201-31-6)
3,5-Dinitrobenzoic acid (CAS RN 99-34-3)
2-Chloro-5-nitrobenzoic acid (CAS RN 2516-96-3)
2,4-Dichlorophenylacetic acid (CAS RN 19719-28-9)
3,5-Dichlorobenzoyl chloride (CAS RN 2905-62-6)
(2,4,6-Trimethylphenyl)acetyl chloride (CAS RN 52629-46-6)
2-Methyl-3-(4-Fluorophenyl)-propionyl chloride (CAS RN 1017183-70-8)
2,5-dimethylphenylacetyl chloride (CAS RN 55312-97-5)
2,4,6-Trimethylbenzoyl chloride (CAS RN 938-18-1)
Methyl 4-tert-butylbenzoate (CAS RN 26537-19-9)
6-Bromonaphthalene-2-carboxylic acid (CAS RN 5773-80-8)
4-Bromo-2,6-difluorobenzoyl chloride (CAS RN 497181-19-8)
2-Chlorobenzoic acid (CAS RN 118-91-2)
3-Fluorobenzoyl chloride (CAS RN 1711-07-5)
3,5-Dimethylbenzoyl chloride (CAS RN 6613-44-1)
3-Chloro-2-fluorobenzoic acid (CAS RN 161957-55-7)
5-Iodo-2-methylbenzoic acid (CAS RN 54811-38-0)
4-tert-Butylbenzoic acid (CAS RN 98-73-7)
4-Ethylbenzoyl chloride (CAS RN 16331-45-6)
2-Phenylbutyric Acid (CAS RN 90-27-7)
Ibuprofen (INN) (CAS RN 15687-27-1)
m-Toluic acid (CAS RN 99-04-7)
(2,4,5-Trifluorophenyl)acetic acid (CAS RN 209995-38-0)
Other

--

Polycarboxylic acids, their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulphonated, nitrated or nitrosated derivatives
--

Acyclic polycarboxylic acids, their anhydrides, halides, peroxides, peroxyacids and their derivatives
Oxalic acid, its salts and esters
Bis(p-methylbenzyl) oxalate (CAS RN 18241-31-1)
Cobalt oxalate (CAS RN 814-89-1)
Other
Oxalic acid, whether in dihydrate (CUS number 0028635-1 and CAS number 6153-56-6) or anhydrous form (CUS number 0021238-4 and CAS number 144-62-7) and whether or not in aqueous solution
Other

Adipic acid, its salts and esters
Adipic acid and its salts
Esters of adipic acid

Azelaic acid, sebacic acid, their salts and esters
Sebacic acid
Other
Dimethyl sebacate (CAS RN 106-79-6)
Other

Maleic anhydride

Other
Malonic acid, its salts and esters
Dimethyl malonate (CAS RN 108-59-8)
Diethyl malonate (CAS RN 105-53-3)
Other

Ethane-1,2-dicarboxylic acid or butanedioic acid (succinic acid) having a bio-based carbon content of 100 % by mass

Other
Dimethyl but-2-ynedioate (CAS RN 762-42-5)
Sodium 1,2-bis(cyclohexyloxycarbonyl)ethanesulphonate (CAS RN 23386-52-9)
n-Dodecelylsuccinic acid anhydride (CAS RN 19780-11-1) with: - a Gardner colour index level of not more than 1, - a transmission at 500 nm of 98% or more for a 10% solution by weight in toluene, for use in the manufacture of automotive coatings
Ethylene brassylate (CAS RN 105-95-3)
Dodecanedioic acid, of a purity by weight of more than 98,5 % (CAS RN 693-23-2)

<table><tr><td>Tetradecanedioic acid (CAS RN 821-38-5)</td></tr><tr><td>Itaconic acid (CAS RN 97-65-4)</td></tr><tr><td>Other</td></tr></table>	Tetradecanedioic acid (CAS RN 821-38-5)	Itaconic acid (CAS RN 97-65-4)	Other
Tetradecanedioic acid (CAS RN 821-38-5)			
Itaconic acid (CAS RN 97-65-4)			
Other			
Cyclanic, cyclenic or cycloterpenic polycarboxylic acids, their anhydrides, halides, peroxides, peroxyacids and their derivatives			
1,4,5,6,7,7-Hexachloro-8,9,10-trinorborn-5-ene-2,3-dicarboxylic anhydride (CAS RN 115-27-5)			
3-Methyl-1,2,3,6-tetrahydrophthalic anhydride (CAS RN 5333-84-6)			
Other			
Aromatic polycarboxylic acids, their anhydrides, halides, peroxides, peroxyacids and their derivatives			
Diethyl orthophthalates			
Dinonyl or didecyl orthophthalates			
Other esters of orthophthalic acid			
Diallyl phthalate (CAS RN 131-17-9)			
Other			
Phthalic anhydride			
Terephthalic acid and its salts			
Of a purity by weight of 99,5 % or more			
Other			
Dimethyl terephthalate			
Other			
Ester or anhydride of tetrabromophthalic acid; benzene-1,2,4-tricarboxylic acid; isophthaloyl dichloride, containing by weight 0,8% or less of terephthaloyl dichloride; naphthalene-1,4,5,8-tetracarboxylic acid; tetrachlorophthalic anhydride; sodium 3,5-bis(methoxycarbonyl)benzenesulphonate			
Other			
Dibutyl-1,4-benzenedicarboxylate (CAS RN 1962-75-0)			
Naphthalene-1,8-dicarboxylic anhydride (CAS RN 81-84-5)			
Benzene-1,2:4,5-tetracarboxylic dianhydride (CAS RN 89-32-7)			
1-Methyl-2-nitroterephthalate (CAS RN 35092-89-8)			
Dimethyl 2-nitroterephthalate (CAS RN 5292-45-5)			
1,4,5,8-Naphthalenetetracarboxylic acid-1,8-monoanhydride (CAS RN 52671-72-4)			
Perylene-3,4:9,10-tetracarboxylic dianhydride(CAS RN 128-69-8)			
1,2,4-Benzenetricarboxylic acid, 1,2,4-trioctyl ester (CAS RN 89-04-3) with a purity by weight of more than 96% Other			

Carboxylic acids with additional oxygen function and their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulphonated, nitrated or nitrosated derivatives
Carboxylic acids with alcohol function but without other oxygen function, their anhydrides, halides, peroxides, peroxyacids and their derivatives
Lactic acid, its salts and esters
Tartaric acid
D-(-)-tartaric acid with a negative optical rotation of at least 12.0 degrees, measured in a water solution according to the method described in the European Pharmacopoeia
Other
Salts and esters of tartaric acid
Citric acid
Consigned from Malaysia
Other
Salts and esters of citric acid
Trisodium citrate dihydrate
Consigned from Malaysia
Other
Other
Gluconic acid, its salts and esters
Dry sodium gluconate with a Customs Union and Statistics (CUS) number 0023277-9 and a Chemical Abstracts Service (CAS) registry number 527-07-1
Calcium digluconate monohydrate (CAS RN 66905-23-5) for use in the manufacture of calcium gluconate lactate (CAS RN 11116-97-5)
Other
Chlorobenzilate (ISO)
Other
Cholic acid, 3- α ,12- α -dihydroxy-5- β -cholan-24-oic acid (deoxycholic acid), their salts and esters
Cholic Acid (CAS RN 81-25-4)
3- α ,12- α -Dihydroxy-5- β -cholan-24-oic acid (deoxycholic acid) (CAS RN 83-44-3)
Other
2,2-Bis(hydroxymethyl)propionic acid
2,2-Diphenyl-2-hydroxyacetic acid (benzilic acid)
Other
L-Malic acid (CAS RN 97-67-6)
Other
Carboxylic acids with phenol function but without other oxygen function, their anhydrides, halides, peroxides, peroxyacids and their derivatives
Salicylic acid and its salts
o-Acetylsalicylic acid, its salts and esters

o-Acetylsalicylic acid (CAS RN 50-78-2)
Other
Other esters of salicylic acid and their salts
Other
Sulphosalicylic acids, hydroxynaphthoic acids; their salts and esters
Monohydroxynaphthoic acids
Other
Propyl 3,4,5-trihydroxybenzoate (CAS RN 121-79-9)
Hexamethylene bis[3-(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)propionate] (CAS RN 35074-77-2)
Octadecyl 3-(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)propionate (CAS RN 2082-79-3) with - a sieve passing fraction at a mesh width of 500 μ m of more than 99 % by weight and - a melting point of 110 $^{\circ}$ C or more, but not more than 125 $^{\circ}$ C, for use in the manufacture of PVC-processing stabilizer-one packs based on powder mixtures
Methyl-, ethyl-, propyl- or butyl esters of 4-hydroxybenzoic acid or their sodium salts, (CAS RN 35285-68-8, 99-76-3, 5026-62-0, 94-26-8, 94-13-3, 35285-69-9, 120-47-8, 36457-20-2 or 4247-02-3)
Pentaerythritol tetrakis (3-(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)propionate) (CAS RN 6683-19-8): - with a sieve passing fraction at a mesh width of 250 μ m of more than 75 % by weight and at a mesh width of 500 μ m of more than 99 % by weight, and - a melting point of 49 $^{\circ}$ C or more, but not more than 54 $^{\circ}$ C, for use in the manufacture of PVC-processing stabilizer-one packs based on powder mixtures
3,5-Diiodosalicylic acid (CAS RN 133-91-5)
Other
Carboxylic acids with aldehyde or ketone function but without other oxygen function, their anhydrides, halides, peroxides, peroxyacids and their derivatives
Benzophenone-3,3':4,4'-tetracarboxylic dianhydride (CAS RN 2421-28-5)
Methyl-2-benzoylbenzoate (CAS RN 606-28-0)
Ethyl acetoacetate (CAS RN 141-97-9)
4-Oxovaleric acid (CAS RN 123-76-2)
2-[4-Chloro-3-(chlorosulphonyl) benzoyl]benzoic acid (CAS RN 68592-12-1)
Other
Other
2,4,5-T (ISO) (2,4,5-trichlorophenoxyacetic acid), its salts and esters
Other

2,6-Dimethoxybenzoic acid; dicamba (ISO); sodium phenoxyacetate
Other
3,4-Epoxycyclohexylmethyl 3,4-epoxycyclohexanecarboxylate (CAS RN 2386-87-0)
3-Methoxy-2-methylbenzoyl chloride (CAS RN 24487-91-0)
Ethyl 2,3-epoxy-3-phenylbutyrate (CAS RN 77-83-8)
Ethyl 2-hydroxy-2-(4-phenoxyphenyl)propanoate (CAS RN 132584-17-9)
Methyl 3-methoxyacrylate (CAS RN 5788-17-0)
Methyl (E)-3-methoxy-2-(2-chloromethylphenyl)-2-propenoate (CAS RN 117428-51-0)
Methyl 2-(4-hydroxyphenoxy)propionate (CAS RN 96562-58-2)
p-Anisic acid (CAS RN 100-09-4)
trans-4-Hydroxy-3-methoxycinnamic acid (CAS RN 1135-24-6)
4-Methylcatechol dimethyl acetate (CAS RN 52589-39-6)
Methyl 3,4,5-trimethoxybenzoate (CAS RN 1916-07-0)
Stearyl glycyrrhetinate(CAS RN 13832-70-7)
3,4,5-Trimethoxybenzoic acid (CAS RN 118-41-2)
Acetic acid, difluoro[1,1,2,2-tetrafluoro-2-(pentafluoroethoxy)ethoxy]-, ammonium salt (CAS RN 908020-52-0)
Allyl-(3-methylbutoxy)acetate (CAS RN 67634-00-8)
3,4-Dimethoxybenzoic acid (CAS RN 93-07-2)
Sodium 5-[2-chloro-4-(trifluoromethyl)phenoxy]-2-nitrobenzoate, (CAS RN 62476-59-9)
Trinexapac-Ethyl (ISO) (CAS RN 95266-40-3) with a purity by weight of 96 % or more
Other

VIII. ESTERS OF INORGANIC ACIDS OF NON-METALS AND THEIR SALTS, AND THEIR HALOGENATED, SULPHONATED, NITRATED OR NITROSATED DERIVATIVES

Phosphoric esters and their salts, including lactophosphates; their halogenated, sulphonated, nitrated or nitrosated derivatives
Tris(2,3-dibromopropyl) phosphate
Other
2,2'-Methylenebis(4,6-di-tert-butylphenyl) phosphate, monosodium salt (CAS RN 85209-91-2)
Aluminium hydroxybis[2,2'-methylenebis(4,6-di_ tert_ -

butylphenyl)phosphate] (CAS RN 151841-65-5)
Tri-n-hexylphosphate (CAS RN 2528-39-4)
Triethyl phosphate (CAS RN 78-40-0)
Bisphenol-A bis(diphenyl phosphate) (CAS RN 5945-33-5)
Tris(2-butoxyethyl)phosphate (CAS RN 78-51-3)
Other

Esters of other inorganic acids of non-metals (excluding esters of hydrogen halides) and their salts; their halogenated, sulphonated, nitrated or nitrosated derivatives

Thiophosphoric esters (phosphorothioates) and their salts; their halogenated, sulphonated, nitrated or nitrosated derivatives
Parathion (ISO) and parathion-methyl (ISO) (methyl-parathion)
Other
Fenitrothion (ISO) (CAS RN 122-14-5)
Tolclofos-methyl (ISO) (CAS RN 57018-04-9)
2,2'-Oxybis(5,5-dimethyl-1,3,2-dioxaphosphorinane)-2,2'-disulphide (CAS RN 4090-51-1)
Other

Other
Sulphuric esters and carbonic esters and their salts, and their halogenated, sulphonated, nitrated or nitrosated derivatives
Diethyl sulphate (CAS RN 64-67-5)
Diallyl 2,2'-oxydiethyl dicarbonate (CAS RN 142-22-3)
Dimethyl carbonate (CAS RN 616-38-6)
Di-tert-butyl dicarbonate (CAS RN 24424-99-5)
2,4-Di-tert-butyl-5-nitrophenyl methyl carbonate (CAS RN 873055-55-1)
Dimethyl Sulphate (CAS RN 77-78-1)
Other

Dimethyl phosphonate (dimethyl phosphite)
Trimethyl phosphite (trimethoxyphosphine)
Triethyl phosphite
Diethyl phosphonate (diethyl hydrogenphosphite) (diethyl phosphite)
Other
O,O'-Diocetadecyl pentaerythritol bis(phosphite) (CAS RN 3806-34-6)
Tris(methylphenyl)phosphite (CAS RN 25586-42-9)
2,2'-[[3,3',5,5'-Tetrakis(1,1-dimethylethyl)[1,1'-biphenyl]-2,2'-diyl]bis(oxy)]bis[biphenyl-1,3,2-dioxaphosphepine] (CAS RN 138776-88-2)

Bis(2,4-dicumylphenyl)pentaerythritol diphosphite (CAS RN 154862-43-8)
Fosetyl-aluminium (CAS RN 39148-24-8)
Bis(neopentylglycolato)diboron (CAS RN 201733-56-4)
Tris (2,4-di-tert-butylphenyl)phosphite (CAS RN 31570-04-4)
Bis(pinacolato)diboron (CAS RN 73183-34-3)
Other

IX. NITROGEN-FUNCTION COMPOUNDS

Amine-function compounds
Acyclic monoamines and their derivatives; salts thereof
Methylamine, di- or trimethylamine and their salts
Other
1,1,3,3-Tetramethylbutylamine
Diethylamine and its salts
Diethylamino-triethoxysilane (CAS RN 35077-00-0)
Other
2-(N,N-Diethylamino)ethyl chloride hydrochloride, 2-(N,N-diisopropylamino)ethyl chloride hydrochloride, and 2-(N,N-dimethylamino)ethyl chloride hydrochloride
2-(N,N-Diethylamino)ethyl chloride hydrochloride (CAS RN 869-24-9)
Other
Other
Ethyl(2-methylallyl)amine (CAS RN 18328-90-0)
Allylamine (CAS RN 107-11-9)
Tetrakis(ethylmethylamino) zirconium (IV), (CAS RN 175923-04-3)
N,N-Dimethyloctylamine - boron trichloride (1:1) (CAS RN 34762-90-8)
Taurine (CAS RN 107-35-7), with 0.5 % addition of anti-caking agent silicon dioxide (CAS RN 112926-00-8)
Other

Acyclic polyamines and their derivatives; salts thereof

Ethylenediamine and its salts
Hexamethylenediamine and its salts
Other
Tris[3-(dimethylamino)propyl]amine (CAS RN 33329-35-0)
Bis[3-(dimethylamino)propyl]methylamine (CAS RN 3855-32-1)
Decamethylenediamine (CAS RN 646-25-3)

N'-[3-(Dimethylamino)propyl]-N,N-dimethylpropane-1,3-diamine, (CAS RN 6711-48-4)
Bis(2-dimethylaminoethyl) (methyl)amine (CAS RN 3030-47-5)
Other

Cyclanic, cyclenic or cycloterpenic mono- or polyamines, and their derivatives; salts thereof

Cyclohexylamine and cyclohexyldimethylamine, and their salts
Cyclohex-1,3-ylenediamine (1,3-diaminocyclohexane)
Other
1,3-Cyclohexanedimethanamine (CAS RN 2579-20-6)
Cyclopropylamin (CAS RN 765-30-0)
Other

Aromatic monoamines and their derivatives; salts thereof

Aniline and its salts
Aniline with a purity by weight of 99% or more (CAS RN 62-53-3)
Other
Aniline derivatives and their salts
4-Amino-3-nitrobenzenesulphonic acid (CAS RN 616-84-2)
3-Chloroaniline (CAS RN 108-42-9)
Sodium hydrogen 2-aminobenzene-1,4-disulphonate (CAS RN 24605-36-5)
4-Nitroaniline (CAS RN 100-01-6)
2-Fluoroaniline (CAS RN 348-54-9)
2-Nitroaniline (CAS RN 88-74-4)
Sodium sulphanilate (CAS RN 515-74-2), also in form of its mono- or dihydrates (CAS RN 12333-70-0 or 6106-22-5)
2,4,5-Trichloroaniline (CAS RN 636-30-6)
3-Aminobenzenesulfonic acid (CAS RN 121-47-1)
Sulphanilic acid
2-Aminobenzene-1,4-disulfonic acid (CAS RN 98-44-2)
4-Chloro-2-nitroaniline (CAS RN 89-63-4)
2-Chloro-4-nitroaniline (CAS RN 121-87-9)
3,5-Dichloroaniline (CAS RN 626-43-7)
2,5-Dichloroaniline (CAS RN 95-82-9)
N-Methylaniline (CAS RN 100-61-8)
3,4-Dichloroaniline-6-sulphonic acid (CAS RN 6331-96-0)
Other
Toluidines and their derivatives; salts thereof

4-Amino-6-chlorotoluene-3-sulphonic acid (CAS RN 88-51-7)
3-Nitro-p-toluidine (CAS RN 119-32-4)
4-Aminotoluene-3-sulphonic acid (CAS RN 88-44-8)
4-Aminobenzotrifluoride (CAS RN 455-14-1)
3-Aminobenzotrifluoride (CAS RN 98-16-8)
N-Ethyl-m-toluidine (CAS RN 102-27-2)
6-Chloro- α,α,α -trifluoro-m-toluidine (CAS RN 121-50-6)
Other

Diphenylamine and its derivatives; salts thereof

Diphenylamine (CAS RN 122-39-4)
Other

1-Naphthylamine (α -naphthylamine), 2-naphthylamine (β -naphthylamine) and their derivatives; salts thereof

2-Aminonaphthalene-1,5-disulphonic acid (CAS RN 117-62-4) or one of its sodium salts (CAS RN 19532-03-7) or (CAS RN 62203-79-6)
7-Aminonaphthalene-1,3,6-trisulphonic acid (CAS RN 118-03-6)
Other

Amfetamine (INN), benzfetamine (INN), dexametamine (INN), etilametamine (INN), fencamfamin (INN), lefetamine (INN), levametamine (INN), mafenorex (INN) and phentermine (INN); salts thereof

Other
Pendimethalin (ISO) (CAS RN 40487-42-1)
N-1-Naphthylaniline (CAS RN 90-30-2)
3,4-Xylidine (CAS RN 95-64-7)
2,6-Diisopropylaniline (CAS RN 24544-04-5)
4-Heptafluoroisopropyl-2-methylaniline (CAS RN 238098-26-5)
4-Isopropylaniline (CAS RN 99-88-7)
Other

Aromatic polyamines and their derivatives; salts thereof

o-, m-, p-Phenylenediamine, diaminotoluenes, and their derivatives; salts thereof
o-, m-, p-Phenylenediamine, diaminotoluenes and their halogenated, sulphonated, nitrated and nitrosated derivatives; salts thereof
m-Phenylenediamine, of a purity by weight of 99 % or more and containing:- 1 % or less by weight of water,- 200 mg/kg or less of o-phenylenediamine and- 450 mg/kg or less of p-phenylenediamine
Other

o-Phenylenediamine (CAS RN 95-54-5)
Toluene diamine (TDA), containing by weight: - 72 % or more but not more than 82 % of 4-methyl-m-phenylenediamine, and - 17 % or more but not more than 22 % of 2-methyl-m-phenylenediamine, and - not more than 0,23 % of residual tar whether or not containing 7 % or less of water
2-Methyl-p-phenylenediamine sulphate (CAS RN 615-50-9)
p-Phenylenediamine (CAS RN 106-50-3)
Mono- and dichloroderivatives of p-phenylenediamine and p-diaminotoluene
2,4-Diaminobenzenesulphonic acid (CAS RN 88-63-1)
4-Bromo- 1,2-diaminobenzene (CAS RN 1575-37-7)
Other

Other

Other

m-Phenylenebis(methylamine); 2,2'-dichloro-4,4'-methylenedianiline; 4,4'-bi-o-toluidine; 1,8-naphthylenediamine
Other
Mixture of isomers of 3,5-diethyltoluenediamine
3,3'-Dichlorobenzidine dihydrochloride (CAS RN 612-83-9)
4,4'-Diaminostilbene-2,2'-disulphonic acid (CAS RN 81-11-8)
(2R,5R)-1,6-Diphenylhexane-2,5-diamine dihydrochloride (CAS RN 1247119-31-8)
Tris(4-aminophenyl)methane (CAS RN 548-61-8)
Other

Oxygen-function amino-compounds

Amino-alcohols, other than those containing more than one kind of oxygen function, their ethers and esters; salts thereof
Monoethanolamine and its salts
Diethanolamine and its salts
Triethanolamine and its salts
Triethanolamine
Salts of triethanolamine
Dextropropoxyphene (INN) and its salts
Other
N-Ethyldiethanolamine
2,2'-Methyliminodiethanol (N-methyldiethanolamine)
2-(N,N-Diisopropylamino)ethanol
Other

2-(2-Methoxyphenoxy)ethylamine hydrochloride (CAS RN 64464-07-9)
Titanium bis(triethanolamine)diisopropoxide (CAS RN 36673-16-2)
N,N,N',N'-Tetramethyl-2,2'-oxybis(ethylamine) (CAS RN 3033-62-3)
2-[2-(Dimethylamino)ethoxy] ethanol (CAS RN 1704-62-7)
2-[2-Hydroxyethyl(octadecyl)amino]ethanol (CAS RN 10213-78-2)
2-(2-Methoxyphenoxy)ethylamine (CAS RN 1836-62-0)
N,N,N'-trimethyl-N'-(2-hydroxy-ethyl) 2,2'-oxybis(ethylamine), (CAS RN 83016-70-0)
trans-4-Aminocyclohexanol (CAS RN 27489-62-9)
D-(-)-threo-2-amino-1-(p-nitrophenyl)propane-1,3-diol (CAS RN 716-61-0)
2-Ethoxyethylamine (CAS RN 110-76-9)
N-[2-[2-(Dimethylamino)ethoxy]ethyl]-N-methyl-1,3-propanediamine (CAS RN 189253-72-3)
(1S,4R)-cis-4-Amino-2-cyclopentene-1-methanol-D-tartrate (CAS RN 229177-52-0)
Other

Amino-naphthols and other amino-phenols, other than those containing more than one kind of oxygen function, their ethers and esters; salts thereof
Aminohydroxynaphthalenesulphonic acids and their salts
2-Amino-5-hydroxynaphthalene-1,7-disulphonic acid (CAS RN 6535-70-2)
6-Amino-4-hydroxynaphthalene-2-sulphonic acid (CAS RN 90-51-7)
7-Amino-4-hydroxynaphthalene-2-sulphonic acid (CAS RN 87-02-5)
Sodium hydrogen 4-amino-5-hydroxynaphthalene-2,7-disulphonate (CAS RN 5460-09-3)
4-Amino-5-hydroxynaphthalene-2,7-disulphonic acid with a purity by weight of 80 % or more (CAS RN 90-20-0)
Other

Other
3-Aminophenol (CAS RN 591-27-5)
5-Amino-o-cresol (CAS RN 2835-95-2)
1,2-Bis(2-aminophenoxy)ethane (CAS RN 52411-34-4)
4-Hydroxy-6-[(3-sulphophenyl)amino]naphthalene-2-sulphonic acid (CAS RN 25251-42-7)
Anisidines

Aclonifen (ISO) (CAS RN 74070-46-5) with a purity by weight of 97 % or more
4-Trifluoromethoxyaniline (CAS RN 461-82-5)
4-Nitro-o-anisidine (CAS RN 97-52-9)
4-(2-Aminoethyl)phenol (CAS RN 51-67-2)
3-Diethylaminophenol (CAS RN 91-68-9)
4-Benzyloxyaniline hydrochloride (CAS RN 51388-20-6)
Other

Amino-aldehydes, amino-ketones and amino-quinones, other than those containing more than one kind of oxygen function; salts thereof
Amfepramone (INN), methadone (INN) and normethadone (INN); salts thereof
Other
1-Amino-4-bromo-9,10-dioxoanthracene-2-sulfonic acid and its salts
2-Amino-5-chlorobenzophenone (CAS RN 719-59-5)
3-(Dimethylamino)-1-(1-naphthalenyl)-1-propanone)hydrochloride (CAS RN 5409-58-5)
5-Chloro-2-(methylamino)benzophenone (CAS RN 1022-13-5)
p-[(2-Chloroethyl)ethylamino]benzaldehyde (CAS RN 2643-07-4)
Other

Amino-acids, other than those containing more than one kind of oxygen function, and their esters; salts thereof
Lysine and its esters; salts thereof
Glutamic acid and its salts
Monosodium glutamate
Other
Anthranilic acid and its salts
Anthranilic acid (CAS RN 118-92-3)
Other
Tilidine (INN) and its salts
Other
β-Alanine
Other
Ornithine aspartate (INNM), (CAS RN 3230-94-2)
DL-Aspartic acid used for the manufacture of food-integrators (CAS RN 617-45-8)
3-Amino-4-chlorobenzoic acid (CAS RN 2840-28-0)
Dimethyl 2-aminobenzene-1,4-dicarboxylate (CAS RN 5372-81-6)
Aqueous solution containing 40 % by weight or more of

sodium methylaminoacetate (CAS RN 4316-73-8)
Norvaline
Glycine (CAS RN 56-40-6)
D-(-)-Dihydrophenylglycine (CAS RN 26774-88-9)
(E)-Ethyl 4-(dimethylamino)but-2-enoate maleate (CUS 0138070-7)
Ethyl-4-dimethylaminobenzoate (CAS RN 10287-53-3)
Diethyl aminomalonate hydrochloride (CAS RN 13433-00-6)
2-Ethylhexyl-4-dimethylaminobenzoate (CAS RN 21245-02-3)
12-Aminododecanoic acid (CAS RN 693-57-2)
Other

Amino-alcohol-phenols, amino-acid-phenols and other amino-compounds with oxygen function
1-[2-Amino-1-(4-methoxyphenyl)-ethyl]-cyclohexanol hydrochloride (CAS RN 130198-05-9)
2-(1-Hydroxycyclohexyl)-2-(4-methoxyphenyl)ethylammonium acetate
Other

Quaternary ammonium salts and hydroxides; lecithins and other phosphoaminolipids, whether or not chemically defined
Choline and its salts
Calcium phosphoryl choline chloride tetra hydrate (CAS RN 72556-74-2)
Other

Lecithins and other phosphoaminolipids
Other
Tetramethylammonium hydroxide, in the form of an aqueous solution containing 25% (± 0,5%) by weight of tetramethylammonium hydroxide
Tetramethylammonium hydrogen phthalate (CAS RN 79723-02-7)
Tetrakis(dimethylditetradecylammonium) molybdate, (CAS RN 117342-25-3)
Tetrapropylammonium hydroxide, in the form of an aqueous solution containing: - 40 % (± 2 %) by weight of tetrapropylammonium hydroxide, - 0,3 % by weight or less of carbonate, - 0,1 % by weight or less of tripropylamine, - 500 mg/kg or less of bromide and - 25 mg/kg or less of potassium and sodium taken together
Tetraethylammonium hydroxide, in the form of an aqueous solution containing: - 35 % (± 0,5 %) by weight of tetraethylammonium hydroxide, - not more than 1 000 mg/kg of chloride, - not more than 2 mg/kg of iron and - not more than 10 mg/kg of potassium
Diallyldimethylammonium chloride, in the form of an aqueous solution containing by weight 63 % or more but

not more than 67[% of diallyldimethylammonium chloride, (CAS RN 7398-69-8)
N,N,N-Trimethylanilinium chloride (CAS RN 138-24-9)
Other

Carboxyamide-function compounds; amide-function compounds of carbonic acid
Acyclic amides (including acyclic carbamates) and their derivatives; salts thereof
Meprobamate (INN)
Fluoroacetamide (ISO), monocrotophos (ISO) and phosphamidon (ISO)
Other
2-Acrylamido-2-methylpropanesulphonic acid (CAS RN 15214-89-8) or its sodium salt (CAS RN 5165-97-9), or its ammonium salt (CAS RN 58374-69-9)
N-Ethyl N-Methylcarbamoyl Chloride (CAS RN 42252-34-6)
(R)-(-)-3-(carbamoylmethyl)-5-methylhexanoic acid (CAS RN 181289-33-8)
Methyl 2-acetamido-3-chloropropionate (CAS RN 87333-22-0)
Acetamide (CAS RN 60-35-5)
N-(1,1-Dimethyl-3-oxobutyl)acrylamide (CAS RN 2873-97-4)
Acrylamide (CAS RN 79-06-1)
N,N-Dimethylacrylamide (CAS RN 2680-03-7)
Methylcarbamate (CAS RN 598-55-0)
Tetrabutylurea (CAS RN 4559-86-8)
3-Iodoprop-2-ynyl N-butylcarbamate (CAS RN 55406-53-6)
Other

Cyclic amides (including cyclic carbamates) and their derivatives; salts thereof
Ureines and their derivatives; salts thereof
4,4'-Dihydroxy-7,7'-ureylenedi(naphthalene-2-sulfonic acid) and its sodium salts
(3-Aminophenyl)urea hydrochloride (CAS RN 59690-88-9)
Other
2-Acetamidobenzoic acid (N-acetylanthranilic acid) and its salts
Ethinamate (INN)
Other
Lidocaine (INN)
Other
Aspartame (CAS RN 22839-47-0)
Alachlor (ISO), (CAS RN 15972-60-8)

4-(Acetylamino)-2-aminobenzenesulphonic acid (CAS RN 88-64-2)
Acetochlor (ISO), (CAS RN 34256-82-1)
2-(Trifluoromethyl) benzamide (CAS RN 360-64-5)
2-[[2-(Benzyloxycarbonylamino)acetyl]amino]p acid (CAS RN 3079-63-8)
2-Chloro-N-(2-ethyl-6-methylphenyl)-N-(propan-2-yloxymethyl)acetamide (CAS RN 86763-47-5)
Benalaxyl-M (ISO) (CAS RN 98243-83-5)
2-Bromo-4-fluoroacetanilide (CAS RN 1009-22-9)
N-(4-Amino-2-ethoxyphenyl)acetamide (CAS RN 848655-78-7)
Beflubutamid (ISO) (CAS RN 113614-08-7)
N,N'-1,4-Phenylenebis[3-oxobutyramide] (CAS RN 24731-73-5)
N,N'-(3,3'-Dimethylbiphenyl-4,4'-ylene)di(acetoacetamide) (CAS RN 91-96-3)
Propoxur (ISO) (CAS RN 114-26-1)
Methyl 2-amino-4-[[2,5-dichlorophenyl]amino]carbonyl]benzoate
4-Amino-N-[4-(aminocarbonyl)phenyl]benzamide (CAS RN 74441-06-8)
N,N'-(2,5-Dimethyl-1,4-phenylene)bis[3-oxobutyramide] (CAS RN 24304-50-5)
N,N'-(2-Chloro-5-methyl-1,4-phenylene)bis[3-oxobutyramide] (CAS RN 41131-65-1)
(S)-1-Phenylethanamine (S)-2-(((1R,2R)-2-allylcyclopropoxy)carbonylamino)-3,3-dimethylbutanoate (CUS 0143288-8)
2-Chlorobenzamide (CAS RN 609-66-5)
N-Ethyl-2-(isopropyl)-5-methylcyclohexanecarboxamide (CAS RN 39711-79-0)
N-(3',4'-dichloro-5-fluoro[1,1'-biphenyl]-2-yl)-acetamide (CAS RN 877179-03-8)
2-(4-Hydroxyphenyl)acetamide (CAS RN 17194-82-0)
Napropamide (ISO) (CAS RN 15299-99-7)
3-Amino-p-anisanilide (CAS RN 120-35-4)
5'-Chloro-3-hydroxy-2',4'-dimethoxy-2-naphthanilide (CAS RN 92-72-8)
p-Aminobenzamide (CAS RN 2835-68-9)
Anthranilamide of a purity by weight of 99,5[% or more (CAS RN 88-68-6)

Paracetamol (INN) (CAS RN 103-90-2)
5'-Chloro-3-hydroxy-2'-methyl-2-naphthanilide (CAS RN 135-63-7)
Flutolanil (ISO) (CAS RN 66332-96-5)
3-Hydroxy-2'-methoxy-2-naphthanilide (CAS RN 135-62-6)
3-Hydroxy-2-naphthanilide (CAS RN 92-77-3)
3-Hydroxy-2'-methyl-2-naphthanilide (CAS RN 135-61-5)
2'-Ethoxy-3-hydroxy-2-naphthanilide (CAS RN 92-74-0)
1,1-Cyclohexanediacetic acid monoamide (CAS RN 99189-60-3)
Other

Carboxyimide-function compounds (including saccharin and its salts) and imine-function compounds
Imides and their derivatives; salts thereof
Saccharin and its salts
Saccharin and its sodium salt
Other
Glutethimide (INN)
Other
3,3',4,4',5,5',6,6'-Octabromo-N,N'-ethylenediphthalimide; N,N'-ethylenebis(4,5-dibromohexahydro-3,6-methanophthalimide)
Other
N-Phenylmaleimide (CAS RN 941-69-5)
4,5,6,7-Tetrahydroisoindole-1,3-dione (CAS RN 4720-86-9)
N,N'-(m-Phenylene)dimaleimide (CAS RN 3006-93-7)
Other
Imines and their derivatives; salts thereof
Chlordimeform (ISO)
Other
Dicyclohexylcarbodiimide (CAS RN 538-75-0)
N-[3-(Dimethylamino)propyl]-N'-ethylcarbodiimide hydrochloride (CAS RN 25952-53-8)
Guanidine sulphamate (CAS RN 50979-18-5)
Other

Nitrile-function compounds
Acrylonitrile
1-Cyanoguanidine (dicyandiamide)
Fenproporex (INN) and its salts; methadone (INN) intermediate (4-cyano-2-dimethylamino-4,4-diphenylbutane)
Other
Isophthalonitrile

Other
Cyfluthrin (ISO) (CAS RN 68359-37-5) with a purity by weight of 95 % or more
alpha-Bromo-o-toluenitrile (CAS RN 22115-41-9)
Cyanoacetic acid (CAS RN 372-09-8)
4-Cyano-2-nitrobenzoic acid methyl ester (CAS RN 52449-76-0)
Cypermethrin (ISO) with its stereoisomers (CAS RN 52315-07-8) with a purity by weight of 90 % or more
2-(m-Benzoylphenyl)propiononitrile (CAS RN 42872-30-0)
Acrinathrin (ISO) (CAS RN 101007-06-1)
2,2-Dibromo-3-nitrilopropionamide (CAS RN 10222-01-2)
Cyhalofop-butyl (ISO) (CAS RN 122008-85-9)
Alpha-phenylacetoacetonitrile, CAS No 4468-48-8
Alkyl or alkoxyalkyl esters of cyanoacetic acid
Methyl-2-cyano-2-phenylbutyrate (CAS RN 24131-07-5)
m-(1-Cyanoethyl)benzoic acid (CAS RN 5537-71-3)
Esfenvalerate of a purity by weight of 83 % or more in a mixture of its own isomers (CAS RN 66230-04-4)
Malononitrile (CAS RN 109-77-3)
Methacrylonitrile (CAS RN 126-98-7)
Chlorothalonil (ISO) (CAS RN 1897-45-6)
Ethyl 2-cyano-2-ethyl-3-methylhexanoate (CAS RN 100453-11-0)
Ethyl 2-cyano-2-phenylbutyrate (CAS RN 718-71-8)
2-Nitro-4(trifluoromethyl)benzonitrile (CAS RN 778-94-9)
Ethylenediaminetetraacetonitrile (CAS RN 5766-67-6)
Butyronitrile (CAS RN 109-74-0)
Other

Diazo-, azo- or azoxy-compounds
2,2'-Dimethyl-2,2'-azodipropionamidine dihydrochloride
4-Anilino-2-methoxybenzenediazonium hydrogen sulphate (CAS RN 36305-05-2)
4'-Aminoazobenzene-4-sulphonic acid (CAS RN 104-23-4)
C.C'-Azodi(formamide) (CAS RN 123-77-3) in the form of yellow powder with a decomposition temperature of 180°C or more but not more than 220°C used as a foaming agent in the manufacture of thermoplastic resins, elastomer and cross-linked polythene foam
4,4'-Dicyano-4,4'-azodivaleric acid (CAS RN 2638-94-0)

4-[(2,5-Dichlorophenyl)azo]-3-hydroxy-2-naphthoic acid (CAS RN 51867-77-7)
C,C'-Azodi(formamide) (CAS RN 123-77-3) with: - a pH of 6,5 or more but not more than 7,5, and - a semicarbazide (CAS RN 57-56-7) content of not more than 1 500 mg/kg as determined by liquid chromatography mass spectrometry (LC-MS), - decomposition temperature range of 195 °C - 205 °C, - specific gravity 1,64 – 1,66, and - combustion heat 215 - 220 Kcal/mol
Other

Organic derivatives of hydrazine or of hydroxylamine
N,N-Bis(2-methoxyethyl)hydroxylamine
Other
3,3´-Bis(3,5-di-tert-butyl-4-hydroxyphenyl)-N,N´-bipropionamide (CAS RN 32687-78-8)
Cymoxanil (ISO) (CAS RN 57966-95-7)
Acetone oxime (CAS RN 127-06-0) of a purity by weight of 99 % or more
Metobromuron (ISO) (CAS RN 3060-89-7) with a purity by weight of 98 % or more
Acetaldehyde oxime in an aqueous solution (CAS RN 107-29-9)
N-Isopropylhydroxylamine (CAS RN 5080-22-8)
2-Chloro-N-methoxy-N-methylacetamide (CAS RN 67442-07-3)
O-Ethylhydroxylamine, in the form of an aqueous solution (CAS RN 624-86-2)
Tebufenozide (ISO) (CAS RN 112410-23-8)
Aqueous solution of 2,2'-(hydroxyimino) bisethanesulphonic acid disodium salt (CAS RN 133986-51-3) with a content by weight of more than 33,5 % but not more than 36,5 %
Aminoguanidinium hydrogen carbonate (CAS RN 2582-30-1)
Adipohydrazide (CAS RN 1071-93-8)
2-Amino-3-(4-hydroxyphenyl) propanal semicarbazone hydrochloride
Butanone oxime (CAS RN 96-29-7)
Metaflumizone (ISO) ((CAS RN 139968-49-3)
Cyflufenamid (ISO) (CAS RN 180409-60-3)
Daminozide (ISO) with a purity by weight of 99 % or more (CAS RN 1596-84-5)
Other

Compounds with other nitrogen function
Isocyanates
Methylenedicyclohexyl diisocyanates (CAS RN 28605-81-4)
3,3'-Dimethylbiphenyl-4,4'-diyl diisocyanate (CAS RN 91-97-4)
Butyl isocyanate (CAS RN 111-36-4)
m-Isopropenyl-α,α-dimethylbenzyl isocyanate (CAS RN 2094-99-7)

m-Phenylenediisopropylidene diisocyanate (CAS RN 2778-42-9)
2,5 (and 2,6)-Bis(isocyanatomethyl)bicyclo[2.2.1]heptane (CAS RN 74091-64-8)
Trimethylhexamethylene diisocyanate, mixed isomers
1,3-Bis(isocyanatomethyl) benzene (CAS RN 3634-83-1)
Other

Other
Sodium cyclamate
Diethylamino-triethoxysilane (CAS RN 35077-00-0)
Nitroguanidine (CAS RN 556-88-7)
Other

X. ORGANO-INORGANIC COMPOUNDS, HETEROCYCLIC COMPOUNDS, NUCLEIC ACIDS AND THEIR SALTS, AND SULPHONAMIDES

Organo-sulphur compounds
Thiocarbamates and dithiocarbamates
Prosulfocarb (ISO) (CAS RN 52888-80-9)
2-Isopropylethylthiocarbamate (CAS RN 141-98-0)
Other

Thiuram mono-, di- or tetrasulphides
Methionine
Methionine (INN)
Other

Captafol (ISO) and methamidophos (ISO)
--

Other
Cysteine and cystine
Derivatives of cysteine or cystine
Thiodiglycol (INN) (2,2'-thiodiethanol)
DL-2-hydroxy-4-(methylthio)butyric acid
2,2'-Thiodiethylbis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]
Mixture of isomers consisting of 4-methyl-2,6-bis(methylthio)-m-phenylenediamine and 2-methyl-4,6-bis(methylthio)-m-phenylenediamine
2-(N,N-Diethylamino)ethanethiol

Other
2,3-Bis((2-mercaptoethyl)thio)-1-propanethiol (CAS RN 131538-00-6)
Mercaptamine hydrochloride (CAS RN 156-57-0)
4-(Methylthio)benzaldehyde (CAS RN 3446-89-7)
Ethoprophos (ISO) (CAS RN 13194-48-4)
3-(Dimethoxymethylsilyl)-1-propanethiol (CAS RN 31001-77-1)
2-(3-Aminophenylsulphonyl)ethyl hydrogen sulphate (CAS RN 2494-88-4)

1-Methyl-5-[3-methyl-4-[4- [(trifluoromethyl)thio]phenoxy]phenyl]biurea (CAS RN 106310-17-2)
N-(2-Methylsulfinyl-1,1-dimethyl-ethyl)-N'-{2-methyl-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]phenyl}phthalamide (CAS RN 371771-07-2)
[2,2'-Thio-bis(4-tert-octylphenolato)]-n-butylamine nickel (CAS RN 14516-71-3)
Tembotrione (ISO) (CAS RN 335104-84-2) with a purity by weight of 94,5 % or more
Dimethyl [(methylsulphanyl)methylylidene]biscarbodiimide (CAS RN 34840-23-8)
Thiophanate-methyl (ISO) (CAS RN 23564-05-8)
Folpet (ISO)(CAS RN 133-07-3) with a purity by weight of 97,5 % or more
2-[(4-Amino-3-methoxyphenyl)sulphonyl]ethyl hydrogen sulphate (CAS RN 26672-22-0)
Flubendiamide (ISO) (CAS RN 272451-65-7)
4-(4-Isopropoxyphenylsulphonyl)phenol (CAS RN 95235-30-6)
2-Amino-5-[[2-(sulfooxy)ethyl]sulfonyl]benzenesulfonyl chloride (CAS RN 42986-22-1)
glutathione (CAS RN 70-18-8)
Ethanethioamide (CAS RN 62-55-5)
3,3'-Thiodi(propionic acid) (CAS RN 111-17-1)
Trimethylsulfoxonium iodide (CAS RN 1774-47-6)
2-[(p-Aminophenyl)sulphonyl]ethyl hydrogen sulphate (CAS RN 2494-89-5)
Bis(4-chlorophenyl) sulphone (CAS RN 80-07-9)
Thiourea (CAS RN 62-56-6)
Methyl (methylthio)acetate (CAS RN 16630-66-3)
Methyl phenyl sulphide (CAS RN 100-68-5)
3-Chloro-2-methylphenyl methyl sulphide (CAS RN 82961-52-2)
Pentaerythritol tetrakis(3-mercaptopropionate) (CAS RN 7575-23-7)
Diphenyl sulphide (CAS RN 139-66-2)
3-Bromomethyl-2-chloro-4-(methylsulphonyl)-benzoic acid (CAS RN 120100-05-2)
Clethodim (ISO) (CAS RN 99129-21-2)
4-[4-(2-Propenyloxy)phenylsulphonyl]phenol (CAS RN 97042-18-7)
4-Mercaptomethyl-3,6-dithia-1,8-octanedithiol (CAS RN 131538-00-6)
Bis(3-triethoxysilylpropyl)tetrasulphide

(CAS RN 40372-72-3)
Captan (ISO) (CAS RN 133-06-2)
Disodium hexamethylene-1,6-bisthiosulfate dihydrate (CAS RN 5719-73-3)
Methyl-p-tolyl sulphone (CAS RN 3185-99-7)
3-Sulphinobenzoic acid (CAS RN 15451-00-0)
Dithiocarbonates (xanthates) <div>Potassium- or sodium-salt of O-ethyl-, O-isopropyl-, O-butyl-, O-isobutyl- or O-pentyl-dithiocarbonates</div> <div>Other</div>
Other

Other organo-inorganic compounds

Tetramethyl lead and tetraethyl lead
Tributyltin compounds
Other <div>Dimethyl methylphosphonate</div> <div>Methylphosphonoyl difluoride (methylphosphonic difluoride)</div> <div>Methylphosphonoyl dichloride (methylphosphonic dichloride)</div> <div>(5-Ethyl-2-methyl-2-oxido-1,3,2-dioxaphosphan-5-yl)methyl methyl methylphosphonate; bis[(5-ethyl-2-methyl-2-oxido-1,3,2-dioxaphosphan-5-yl)methyl]methylphosphonate; 2,4,6-tripropyl-1,3,5,2,4,6-trioxatriphosphan-2,4,6-trioxide; dimethyl propylphosphonate; diethyl ethylphosphonate; sodium 3-(trihydroxysilyl)propyl methylphosphonate; mixtures consisting mainly of methylphosphonic acid and (aminoiminomethyl)urea (in the ratio 50:50)</div> <div>Etidronic acid (INN) (1-hydroxyethane-1,1-diphosphonic acid) and its salts</div> <div>(Nitrilotrimethanediyl)tris(phosphonic acid), {ethane-1,2-diylbis[nitrilobis(methylene)]}tetrakis(phosphonic acid), [(bis{2-[bis(phosphonomethyl)amino]ethyl}amino)nitrilobis(methylene)]tetrakis(phosphonic acid), {hexane-1,6-diylbis[nitrilobis(methylene)]}tetrakis(phosphonic acid), {[2-hydroxyethyl]imino}bis(methylene)}bis(phosphonic acid), and [(bis{6-[bis(phosphonomethyl)amino]hexyl}amino)nitrilobis(methylene)]tetrakis(phosphonic acid); salts thereof</div>

Other

Butylethylmagnesium (CAS RN 62202-86-2), in the form of a solution in heptane
Diethylmethoxyborane (CAS RN 7397-46-8), whether or not in the form of a solution in tetrahydrofuran according to note 1e to Chapter 29 of the CN
Sodium diisobutylidithiophosphinate (CAS RN 13360-78-6) in an aqueous solution
Trioctylphosphine oxide (CAS RN 78-50-2)

7-Methylcyclopentadienyl manganese tricarbonyl containing not more than 4,9 % by weight of cyclopentadienyl manganese tricarbonyl (CAS RN 12108-13-3)
Methyl tris (2-pentanoneoxime) silane (CAS RN 37859-55-5)
Di-tert-butylphosphane (CAS RN 819-19-2)
(Z)-Prop-1-en-1-ylphosphonic acid (CAS RN 25383-06-6)
N-(Phosphonomethyl)iminodiacetic acid (CAS RN 5994-61-6)
Bis(2,4,4-trimethylpentyl)phosphinic acid (CAS RN 83411-71-6)
Dimethyl[dimethylsilyldiindenyl]hafnium (CAS RN 220492-55-7)
N,N-Dimethylanilinium tetrakis(pentafluorophenyl)borate (CAS RN 118612-00-3)
Phenylphosphonic dichloride (CAS RN 824-72-6)
Tetrakis(hydroxymethyl)phosphonium chloride (CAS RN 124-64-1)
Mixture of the isomers 9-icosyl-9-phosphabicyclo[3.3.1]nonane and 9-icosyl-9-phosphabicyclo[4.2.1]nonane
Tris(4-methylpentan-2-oximino)methylsilane (CAS RN 37859-57-7)
Tetrabutylphosphonium acetate in the form of an aqueous solution (CAS RN 30345-49-4)
Trimethylsilane (CAS RN 993-07-7)
Trimethylborane (CAS RN 593-90-8)
3-(Hydroxyphenylphosphinoyl)propionic acid (CAS RN 14657-64-8)
Trimethyl phosphonoacetate (CAS RN 5927-18-4)
4-Chloro-2-fluoro-3-methoxyphenylboronic acid (CAS RN 944129-07-1)
Chloroethenyldimethylsilane (CAS RN 1719-58-0)
Bis(4-tert-butylphenyl)iodonium hexafluorophosphate (CAS RN 61358-25-6)
Dimethyltin dioleate (CAS RN 3865-34-7)
(4-Propylphenyl)boronic acid (CAS RN 134150-01-9)
Other

Heterocyclic compounds with oxygen hetero-atom(s) only

Compounds containing an unfused furan ring (whether or not hydrogenated) in the structure
Tetrahydrofuran
2-Furaldehyde (furfuraldehyde)
Furfuryl alcohol and tetrahydrofurfuryl alcohol
Tetrahydrofurfuryl alcohol (CAS RN 97-99-4)
Other

Other
Tetrahydrofuran-borane (CAS RN 14044-65-6)
Anhydrous mannitol or sorbitol compounds, excluding maltol and isomaltol
Furan (CAS RN 110-00-9) of a purity by weight of 99 % or more
2,2 di(tetrahydrofuryl)propane (CAS RN 89686-69-1)
1,6-Dichloro-1,6-dideoxy-β-D-fructofuranosyl-4-chloro-4 deoxy-α-D-galactopyranoside (CAS RN 56038-13-2)
Flurtamone (ISO) (CAS RN 96525-23-4)
Furfurylamine (CAS RN 617-89-0)
Tetrahydro-2-methylfuran (CAS RN 96-47-9)
5-Nitrofurfurylidene di(acetate) (CAS RN 92-55-7)
Other

Lactones
Phenolphthalein; 1-hydroxy-4-[1-(4-hydroxy-3-methoxycarbonyl-1-naphthyl)-3-oxo-1H,3H-benzo[de]isochromen-1-yl]-6-octadecyloxy-2-naphthoic acid; 3'-chloro-6'-cyclohexylaminospiro[isobenzofuran-1(3H),9'-xanthen]-3-one; 6'- (N-ethyl-p-toluidino)-2'-methylspiro[isobenzofuran-1(3H),9'-xanthen]-3-one; methyl-6-docosyloxy-1-hydroxy-4-[1-(4-hydroxy-3-methyl-1-phenanthryl)-3-oxo-1H,3H-naphtho[1,8-cd]pyran-1-yl]naphthalene-2-carboxylate
gamma-Butyrolactone
Other
2'-Anilino-6'-[ethyl(isopentyl)amino]-3'-methylspiro[isobenzofuran-1(3H),9'-xanthen]-3-one (CAS RN 70516-41-5)
Coumarin (CAS RN 91-64-5)
Ethyl 6'-(diethylamino)-3-oxo-3H-spiro[2-benzofuran-1,9'-xanthene]-2'-carboxylate (CAS RN 154306-60-2)
Decan-5-olide (CAS RN 705-86-2)
Dodecan-5-olide (CAS RN 713-95-1)
6'-Diethylamino-3'-methyl-2'-(2,4-xylydino)spiro[isobenzofuran-1(3H),9'-xanthen]-3-one (CAS RN 36431-22-8)
(S)-(-)-α-Amino-γ-butyrolactonehydrobromide (CAS RN 15295-77-9)
2,2-Dimethyl-1,3-dioxane-4,6-dione (CAS RN 2033-24-1)
6-Dimethylamino-3,3-bis(4-dimethylaminophenyl)phthalide (CAS RN 1552-42-7)
6'-(Diethylamino)-3'-methyl-2'-(phenylamino)-spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one (CAS RN 29512-49-0)

Sodium 4-(methoxycarbonyl)-5-oxo-2,5-dihydrofuran-3-olate (CAS RN 1134960-41-0)
3',6'-Bis(ethylamino)-2',7'-dimethylspiro[isobenzofuran-1(3H),9'-[9H]-xanthen]-3-one, (CAS RN 41382-37-0)
6'-(Dibutylamino)-3'-methyl-2'-(phenylamino)-spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one (CAS RN 89331-94-2)
2'-[Bis(phenylmethyl)amino]-6'-(diethylamino)-spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one (CAS RN 34372-72-0)
Hexan-6-olide (CAS RN 502-44-3)
Gibberellic acid with a minimum purity by weight of 88 % (CAS RN 77-06-5)
Decahydro-3a,6,6,9a-tetramethylnaphth [2,1-b] furan-2 (1H)-one (CAS RN 564-20-5)
Methylcoumarins and ethylcoumarins
Other

Other
Isosafrole
1-(1,3-Benzodioxol-5-yl)propan-2-one
Piperonal
Safrole
Tetrahydrocannabinols (all isomers)
Other
Bendiocarb (ISO) (CAS RN 22781-23-3)
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (CAS RN 1222-05-5)
Ethyl-2-methyl-1,3-dioxolane-2-acetate (CAS RN 6413-10-1)
1-(2,2-Difluorobenzo[d][1,3]dioxol-5-yl)cyclopropanecarboxylic acid (CAS RN 862574-88-7)
1,3:2,4-Bis-O-(3,4-dimethylbenzylidene)-D-glucitol (CAS RN 135861-56-2)
Ethofumesate (ISO) (CAS RN 26225-79-6) with a purity by weight of 97 % or more
2-Butylbenzofuran (CAS RN 4265-27-4)
7-Methyl-3,4-dihydro-2H-1,5-benzodioxepin-3-one (CAS RN 28940-11-6)
1,3-Dihydro-1,3-dimethoxyisobenzofurane (CAS RN 24388-70-3)
6-Fluoro-3,4-dihydro-2H-1-benzopyran-2-carboxylic acid (CAS RN 99199-60-7)
4,4-Dimethyl-3,5,8-trioxabicyclo[5,1,0]octane (CAS RN 57280-22-5)
1,3:2,4-bis-O-Benzylidene-D-glucitol (CAS RN 32647-67-9)
3-(3,4-Methylenedioxyphenyl)-2-methylpropanal (CAS RN 1205-17-0)

1,3:2,4-bis-O-(4-Methylbenzylidene)-D-glucitol (CAS RN 81541-12-0)
Other

Heterocyclic compounds with nitrogen hetero-atom(s) only
Compounds containing an unfused pyrazole ring (whether or not hydrogenated) in the structure
Phenazone (antipyrin) and its derivatives
Propyphenazone (INN)
Other
Other
Phenylbutazone (INN)
Other
Pyrasulfotole (ISO) (CAS RN 365400-11-9) with a purity by weight of 96 % or more
3-Difluoromethyl-1-methyl-1H-pyrazole-4-carboxylic acid (CAS RN 176969-34-9)
3-Methyl-1-p-tolyl-5-pyrazolone (CAS RN 86-92-0)
1,3-Dimethyl-5-fluoro-1H-pyrazole-4-carbonyl fluoride (CAS RN 191614-02-5)
Edaravone (INN) (CAS RN 89-25-8)
Fenpyroximate (ISO) (CAS RN 134098-61-6)
Pyraflufen-ethyl (ISO) (CAS RN 129630-19-9)
4,5-Diamino-1-(2-hydroxyethyl)-pyrazolsulphate (CAS RN 155601-30-2)
3-(4,5-Dihydro-3-methyl-5-oxo-1H-pyrazol-1-yl)benzenesulphonic acid (CAS RN 119-17-5)
Allyl 5-amino-4-(2-methylphenyl)-3-oxo-2,3-dihydro-1H-1-pyrazolcarbothioat (CAS RN 473799-16-5)
Other

Compounds containing an unfused imidazole ring (whether or not hydrogenated) in the structure
Hydantoin and its derivatives
Iprodione (ISO) (CAS RN 36734-19-7) with a purity by weight of 97 % or more
1-Bromo-3-chloro-5,5-dimethylhydantoin (CAS RN 16079-88-2) / (CAS RN 32718-18-6)
1-Aminohydantoin hydrochloride (CAS RN 2827-56-7)
DL-p-Hydroxyphenylhydantoin (CAS RN 2420-17-9)
α-(4-Methoxybenzoyl)-α-(1-benzyl-5-ethoxy-3-hydantoinyl)-2-chloro-5-dodecyloxyacetylacetanilide (CAS RN 70950-45-7)
5,5-Dimethylhydantoin (CAS RN 77-71-4)
Other

Other
Naphazoline hydrochloride (INN ^M) and naphazoline nitrate (INN ^M); phentolamine (INN); tolazoline hydrochloride (INN ^M)
Other
Ethyl 4-(1-hydroxy-1-methylethyl)-2-propylimidazole-5-carboxylate (CAS RN 144689-93-0)
Prochloraz (ISO) (CAS RN 67747-09-5)
1-Trityl-4-formylimidazole (CAS RN 33016-47-6)
Triflumizole (ISO) (CAS RN 68694-11-1)
Prochloraz copper chloride (ISO) (CAS RN 156065-03-1)
1,3-Dimethylimidazolidin-2-one (CAS RN 80-73-9)
Fenamidone (ISO) (CAS RN 161326-34-7) with a purity by weight of 97 % or more
1-Cyano-2-methyl-1-[2-(5-methylimidazol-4-ylmethylthio)ethyl]isothiurea (CAS RN 52378-40-2)
(S)-tert-Butyl 2-(5-bromo-1H-imidazol-2-yl)pyrrolidine-1-carboxylate (CAS RN 1007882-59-8)
Cyazofamid (ISO), (CAS RN 120116-88-3)
Imazalil (ISO) (CAS RN 35554-44-0)
Other

Compounds containing an unfused pyridine ring (whether or not hydrogenated) in the structure

Pyridine and its salts
Piperidine and its salts
Alfentanil (INN), anileridine (INN), bezitramide (INN), bromazepam (INN), difenoxin (INN), diphenoxylate (INN), dipipanone (INN), fentanyl (INN), ketobemidone (INN), methylphenidate (INN), pentazocine (INN), pethidine (INN), pethidine (INN) intermediate A, phencyclidine (INN) (PCP), phenoperidine (INN), pipradrol (INN), piritramide (INN), propiram (INN) and trimeperidine (INN); salts thereof

Other
Iproniazid (INN); ketobemidone hydrochloride (INN ^M); pyridostigmine bromide (INN)
2,3,5,6-Tetrachloropyridine
3,6-Dichloropyridine-2-carboxylic acid
2-Hydroxyethylammonium-3,6-dichloropyridine-2-carboxylate
2-Butoxyethyl(3,5,6-trichloro-2-pyridyloxy)acetate
3,5-Dichloro-2,4,6-trifluoropyridine
Fluroxypyr (ISO), methyl ester
4-Methylpyridine
Other

2-(Chloromethyl)-4-(3-methoxypropoxy)-3-methylpyridine hydrochloride(CAS RN 153259-31-5)
2,3-Dichloropyridine (CAS RN 2402-77-9)
Methyl (1S,3S,4R)-2-[(1R)-1-phenylethyl]-2-azabicyclo[2.2.1]hept-5-ene-3-carboxylate (CAS RN 130194-96-6)
N,4-Dimethyl-1-(phenylmethyl)- 3-piperidinamine hydrochloride (1:2) (CAS RN 1228879-37-5)
Pyridine-2,3-dicarboxylic acid (CAS RN 89-00-9)
Methyl (2S,5R)-5-[(benzyloxy)amino]piperidine-2-carboxylate dihydrochloride (CAS RN 1501976-34-6)
3,5-Dimethylpyridine (CAS RN 591-22-0)
6-Chloro-3-nitropyridin-2-ylamine (CAS RN 27048-04-0)
Methyl nicotinate (INN ^M) (CAS RN 93-60-7)
Copper pyrithione powder (CAS RN 14915-37-8)
Boscalid (ISO) (CAS RN 188425-85-6)
Isonicotinic Acid (CAS RN 55-22-1)
2-Chloro-3-cyanopyridine (CAS RN 6602-54-6)
2-Chloromethyl-4-methoxy-3,5-dimethylpyridine hydrochloride (CAS RN 86604-75-3)
Imazethapyr (ISO) (CAS RN 81335-77-5)
2-[4-(Hydrazinylmethyl)phenyl]-pyridine dihydrochloride (CAS RN 1802485-62-6)
Ethyl-3-[(3-amino-4-methylamino-benzoyl)-pyridin-2-yl-amino]-propionate (CAS RN 212322-56-0)
2-(Chloromethyl)-3-methyl-4-(2,2,2-trifluoroethoxy)pyridine hydrochloride(CAS RN 127337-60-4)
2-(Chloromethyl)-3,4-dimethoxypyridine hydrochloride (CAS RN 72830-09-2)
3-Chloro-(5-trifluoromethyl)-2-pyridineacetonitrile (CAS RN 157764-10-8)
Aminopyralid (ISO) (CAS RN 150114-71-9)
Aqueous solution of pyridine-2-thiol-1-oxide, sodium salt (CAS RN 3811-73-2)
2-Chloropyridine (CAS RN 109-09-1)
2,2,6,6-Tetramethylpiperidine (CAS RN 768-66-1)
2,2,6,6-tetramethylpiperidin-4-ol (CAS RN 2403-88-5)
Chlorpyrifos (ISO) (CAS RN 2921-88-2)

5-Difluoromethoxy-2-[[[(3,4-dimethoxy-2-pyridyl)methyl]thio]-1H-benzimidazole (CAS RN 102625-64-9)
(-)-trans-4-(4'-Fluorophenyl)-3-hydroxymethyl-N-methylpiperidine (CAS RN 105812-81-5)
Flonicamid (ISO) (CAS RN 158062-67-0)
N-Fluoro-2,6-dichloropyridinium tetrafluoroborate (CAS RN 140623-89-8)
3-Bromopyridine (CAS RN 626-55-1)
Pyriproxyfen (ISO) (CAS RN 95737-68-1) of a purity by weight of 97 % or more
Tert-butyl 3-(6-amino-3-methylpyridin-2-yl)benzoate (CAS RN 1083057-14-0)
4-Chloro-1-methylpiperidine (CAS RN 5570-77-4)
2-Fluoro-6-(trifluoromethyl)pyridine (CAS RN 94239-04-0)
2-Aminomethyl-3-chloro-5-trifluoromethylpyridine hydrochloride (CAS RN 326476-49-7)
Acetamiprid (ISO) (CAS RN 135410-20-7)
(1R,3S,4S)-tert-Butyl 3-(6-bromo-1H-benzo[d]imidazol-2-yl)-2-azabicyclo[2.2.1]heptane-2-carboxylate (CAS RN 1256387-74-2)
2,3-Dichloro-5-trifluoromethylpyridine, (CAS RN 69045-84-7)
5,6-Dimethoxy-2-[(4-piperidiny)lmethyl]indan-1-one, (CAS RN 120014-30-4)
Imazamox (ISO) (CAS RN 114311-32-9)
2-Chloro-5-chloromethylpyridine (CAS RN 70258-18-3)
Other

Compounds containing in the structure a quinoline or isoquinoline ring-system (whether or not hydrogenated), not further fused

Levorphanol (INN) and its salts
Other
Halogen derivatives of quinoline; quinolinecarboxylic acid derivatives
Quinmerac (ISO) (CAS RN 90717-03-6)
3-Hydroxy-2-methylquinoline-4-carboxylic acid (CAS RN 117-57-7)
Ethyl 4-oxo-1,4-dihydroquinoline-3-carboxylate (CAS RN 52980-28-6)
4,7-Dichloroquinoline (CAS RN 86-98-6)

1-Cyclopropyl-6,7,8-trifluoro-1,4-dihydro-4-oxo-3-quinolinecarboxylic acid (CAS RN 94695-52-0)
Other
Dextromethorphan (INN) and its salts
Other
Quinoline (CAS RN 91-22-5)
[1-(4-Benzyloxy-benzyl)-2-cyclobutylmethyl-octahydro-isoquinoline-4a,8a-diol] (CUS 0141126-3)
Isoquinoline (CAS RN 119-65-3)
Quinolin-8-ol (CAS RN 148-24-3)
Ethyl 6,7,8-trifluoro-1-[formyl(methyl)amino]-4-oxo-1,4-dihydroquinoline-3-carboxylate (CAS RN 100276-65-1)
Other

Compounds containing a pyrimidine ring (whether or not hydrogenated) or piperazine ring in the structure

Malonylurea (barbituric acid) and its salts
Malonylurea (barbituric acid) (CAS RN 67-52-7)
Other
Allobarbital (INN), amobarbital (INN), barbital (INN), butalbital (INN), butobarbital, cyclobarbital (INN), methylphenobarbital (INN), pentobarbital (INN), phenobarbital (INN), secbutabarbital (INN), secobarbital (INN) and vinylbital (INN); salts thereof
Phenobarbital (INN), barbital (INN), and their salts
Other

Other derivatives of malonylurea (barbituric acid); salts thereof
Loprazolam (INN), mecloqualone (INN), methaqualone (INN) and zipeprol (INN); salts thereof
Other
Diazinon (ISO)
1,4-Diazabicyclo[2.2.2]octane (triethylenediamine)
Other
6-Amino-1,3-dimethyluracil (CAS RN 6642-31-5)
2-Diethylamino-6-hydroxy-4-methylpyrimidine (CAS RN 42487-72-9)
Sitagliptin phosphate monohydrate (CAS RN 654671-77-9)
N,N'-(4,6-Dichloropyrimidine-2,5-diyl)diformamide (CAS RN 116477-30-6)
1-Methyl-3-phenylpiperazine (CAS RN 5271-27-2)
2,4-Diamino-6-chloropyrimidine (CAS RN 156-83-2)

N-(2-oxo-1,2-dihydropyrimidin-4-yl)benzamide (CAS RN 26661-13-2)
6-Chloro-3-methyluracil (CAS RN 4318-56-3)
2-[(2-Amino-6-oxo-1,6-dihydro-9H-purin-9-yl)methoxy]-3-hydroxypropylacetate (CAS RN 88110-89-8)
Mepanipyrin (ISO) (CAS RN 110235-47-7)
4,6-Dichloro-5-fluoropyrimidine (CAS RN 213265-83-9)
6-Iodo-3-propyl-2-thioxo-2,3-dihydroquinazolin-4(1H)-one (CAS RN 200938-58-5)
2-(4-(2-Hydroxyethyl)piperazin-1-yl)ethanesulfonic acid (CAS RN 7365-45-9)
1-[3-(Hydroxymethyl)pyridin-2-yl]-4-methyl-2-phenylpiperazine (CAS RN 61337-89-1)
6-Methyl-2-oxoperhydropyrimidin-4-ylurea (CAS RN 1129-42-6) with a purity of 94 % or more
2-(2-Piperazin-1-ylethoxy)ethanol (CAS RN 13349-82-1)
5-Fluoro-2-methoxypyrimidin-4(3H)-one (CAS RN 1480-96-2)
5,7-Dimethoxy(1,2,4)triazolo(1,5-a)pyrimidin-2-amine (CAS RN 13223-43-3)
2,6-Dichloro-4,8-dipiperidinopyrimido[5,4-d]pyrimidine (CAS RN 7139-02-8)
1-Chloromethyl-4-fluoro-1,4-diazoniabicyclo[2.2.2]octane bis(tetrafluoroborate) (CAS RN 140681-55-6)
N-(4-Ethyl-2,3-dioxopiperazin-1-ylcarbonyl)-D-2-phenylglycine (CAS RN 63422-71-9)
Triacetyl ganciclovir (CAS RN 86357-14-4)
(2R,3S/2S,3R)-3-(6-Chloro-5-fluoro pyrimidin-4-yl)-2-(2,4-difluorophenyl)-1-(1H-1,2,4-triazol-1-yl)butan-2-ol hydrochloride, (CAS RN 188416-20-8)
3-(Trifluoromethyl)-5,6,7,8-tetrahydro[1,2,4]triazolo[4,3-a]pyrazine hydrochloride (1:1) (CAS RN 762240-92-6)
Other

Compounds containing an unfused triazine ring (whether or not hydrogenated) in the structure
Melamine
Other
Atrazine (ISO); propazine (ISO); simazine (ISO); hexahydro-1,3,5-trinitro-1,3,5-triazine (hexogen, trimethylenetrinitramine)
Methenamine (INN) (hexamethylenetetramine); 2,6-di-tert-butyl-4-[4,6-bis(octylthio)-1,3,5-triazin-2-ylamino]phenol

Other
1,3,5-Triazinane-2,4,6-trione-1,3,5-triazine-2,4,6-triamine(1:1) (CAS RN 37640-57-6)
Metribuzin (ISO) (CAS RN 21087-64-9) with a purity by weight of 93 % or more
2-Chloro-4,6-dimethoxy-1,3,5-triazine (CAS RN 3140-73-6)
Benzoguanamine (CAS RN 91-76-9)
1,3,5-Triazine-2,4,6-triamine monophosphate (CAS RN 20208-95-1)
1,3,5-Tris[3-(dimethylamino)propyl]hexahydro-1,3,5-triazine (CAS RN 15875-13-5)
Troclosene sodium (INN NM) (CAS RN 2893-78-9)
1,3,5-Tris(2,3-dibromopropyl)-1,3,5-triazinane-2,4,6-trione (CAS RN 52434-90-9)
Terbutryn (ISO) (CAS RN 886-50-0)
Cyanuric acid (CAS RN 108-80-5)
1,3,5-Triazine-2,4,6(1H,3H,5H)-trithione, trisodium salt (CAS RN 17766-26-6)
Trichloroisocyanuric acid, also referred to as ‘synclosene’ under the international non-proprietary name (INN)
Metamitron (ISO) (CAS RN 41394-05-2)
Tris(2-hydroxyethyl)-1,3,5-triazinetriane (CAS RN 839-90-7)
Other

Lactams
6-Hexanelactam (epsilon-caprolactam)
Clobazam (INN) and methyprylon (INN)
Other lactams
5-Vinyl-2-pyrrolidone (CAS RN 7529-16-0)
6-Bromo-3-methyl-3H-dibenz(f,i)isoquinoline-2,7-dione (CAS RN 81-85-6)
3,3-Pentamethylene-4-butyrolactam (CAS RN 64744-50-9)
(S)-N-[(Diethylamino)methyl]-alpha-ethyl-2-oxo-1-pyrrolidineacetamide L-(+)-tartrate (CAS RN 754186-36-2)
Other

Other
Alprazolam (INN), camazepam (INN), chlordiazepoxide (INN), clonazepam (INN), clorazepate, delorazepam (INN), diazepam (INN), estazolam (INN), ethyl loflazepate (INN), fludiazepam (INN), flunitrazepam (INN), flurazepam (INN), halazepam (INN), lorazepam (INN), lormetazepam (INN), mazindol (INN), medazepam (INN), midazolam (INN), nimetazepam (INN), nitrazepam (INN), nordazepam (INN), oxazepam (INN), pinazepam (INN), prazepam (INN),

pyrovalerone (INN), temazepam (INN), tetrazepam (INN) and triazolam (INN); salts thereof
Chlordiazepoxide (INN)
Other
Other
Indole, 3-methylindole (skatole), 6-allyl-6,7-dihydro-5H-dibenz[c,e]azepine (azapetine), phenindamine (INN) and their salts; imipramine hydrochloride (INNM)
2,4-Di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol
Other
2-(2H-Benzotriazol-2-yl)-4,6-di-tert-butylphenol (CAS RN 3846-71-7)
Fenbuconazole (ISO) (CAS RN 114369-43-6)
Myclobutanil (ISO) (CAS RN 88671-89-0)
5-Difluormethoxy-2-mercapto-1-H-benzimidazole[(CAS RN 97963-62-7)
2-(2H-benzotriazol-2-yl)-4-methyl-6-(2-methylprop-2-en-1-yl)phenol(CAS RN 98809-58-6)
2-(2H-Benzotriazol-2-yl)-4,6-di-tert-pentylphenol (CAS RN 25973-55-1)
Pyridate (ISO)(CAS RN 55512-33-9) with a purity by weight of 90 % or more
Carfentrazone-ethyl (ISO) (CAS RN 128639-02-1) with a purity by weight of 93 % or more
4,4'-[(9-Butyl-9H-carbazol-3-yl)methylene]bis[N-methyl-N-phenylaniline] (CAS RN 67707-04-4)
2-(2,4-Dichlorophenyl)-3-(1H-1,2,4-triazol-1-yl)propan-1-ol (CAS RN 112281-82-0)
2-(2H-Benzotriazol-2-yl)-4,6-bis(1-methyl-1-phenylethyl)phenol (CAS RN 70321-86-7)
1-(Bis(dimethylamino)methylene)-1H-[1,2,3]triazolo[4,5-b]pyridinium 3-oxide hexafluorophosphate(V) (CAS RN 148893-10-1)
(2S)-2-Benzyl-N,N-dimethylaziridine-1-sulfonamide (CAS RN 902146-43-4)
Tebuconazole (ISO) (CAS RN 107534-96-3) with a purity by weight of 95 % or more
1,3-Dihydro-5,6-diamino-2H-benzimidazol-2-one (CAS RN 55621-49-3)
(2S,3S,4R)-Methyl 4-(3-(1,1-difluorobut-3-enyl)-7-methoxyquinoxalin-2-yloxy)-3-ethylpyrrolidine-2-carboxylate 4-methylbenzenesulfonate (CUS 0143289-9)
5,6-Dimethylbenzimidazole (CAS RN 582-60-5)
N-(2,3-Dihydro-2-oxo-1H-benzimidazol-5-yl)-3-

hydroxynaphthalene-2-carboxamide (CAS RN 26848-40-8)
3-[3-(4-Fluorophenyl)-1-(1-methylethyl)-1H-indol-2-yl]-(E)-2-propenal (CAS RN 93957-50-7)
Quizalofop-P-ethyl (ISO) (CAS RN 100646-51-3)
Triadimenol (ISO) (CAS RN 55219-65-3) with a purity by weight of 97 % or more
Penconazole (ISO) (CAS RN 66246-88-6)
8-Chloro-5,10-dihydro-11H-dibenzo [b,e] [1,4]diazepin-11-one (CAS RN 50892-62-1)
trans-4-Hydroxy-L-proline (CAS RN 51-35-4)
2,3-Dihydro-1H-pyrrole[3,2,1-ij]quinoline (CAS RN 5840-01-7)
Maleic hydrazide (ISO) (CAS RN 123-33-1)
Paclobutrazol (ISO) (CAS RN 76738-62-0)
Metconazole (ISO) (CAS RN 125116-23-6)
N-Boc-trans-4-Hydroxy-L-proline methyl ester (CAS RN 74844-91-0)
Potassium (S)-5-(tert-butoxycarbonyl)-5-azaspiro[2.4]heptane-6-carboxylate (CUS 0133723-1)
3-(Salicyloylamino)-1,2,4-triazole (CAS RN 36411-52-6)
Pyridaben (ISO) (CAS RN 96489-71-3)
2-(5-Methoxyindol-3-yl)ethylamine (CAS RN 608-07-1)
1H-Indole-6-carboxylic acid (CAS RN 1670-82-2)
Candesartan ethyl ester (INNM), (CAS RN 139481-58-6)
10-Methoxyiminostilbene (CAS RN 4698-11-7)
1,4,7-Trimethyl-1,4,7-Triazacyclononane
5-(acetoacetylamino)benzimidazolone (CAS RN 26576-46-5)
Imidazo[1,2-b] pyridazine-hydrochloride (CAS RN 18087-70-2)
3-Amino-3-azabicyclo (3.3.0) octane hydrochloride (CAS RN 58108-05-7)
1,2,3-Benzotriazole (CAS RN 95-14-7)
Tolytriazole (CAS RN 29385-43-1)
Carbendazim (ISO) (CAS RN 10605-21-7)
Other

Nucleic acids and their salts, whether or not chemically defined; other heterocyclic compounds

Compounds containing an unfused thiazole ring (whether or not

hydrogenated) in the structure
Hexythiazox (ISO) (CAS RN 78587-05-0)
4-Nitrophenyl thiazol-5-ylmethyl carbonate (CAS RN 144163-97-3)
2-(4-Methylthiazol-5-yl)ethanol (CAS RN 137-00-8)
(S)-Ethyl-2-(3-((2-isopropylthiazol-4-yl)methyl)-3-methylureido)-4-morpholinobutanoate oxalate (CAS RN 1247119-36-3)
(2-Isopropylthiazol-4-yl)-N-methylmethanamine dihydrochloride (CAS RN 1185167-55-8)
(Z)-2-(2-tert-butoxycarbonylaminothiazol-4-yl)-2-pentenoic acid (CAS RN 86978-24-7)
2-Cyanimino-1,3-thiazolidine (CAS RN 26364-65-8)
Fosthiazate (ISO) (CAS RN 98886-44-3)
2-(Formylamino)-4-thiazoleacetyl chloride, hydrochloride (CAS RN 372092-18-7)
3,4-Dichloro-5-carboxyisothiazole (CAS RN 18480-53-0)
Other

Compounds containing in the structure a benzothiazole ring-system (whether or not hydrogenated), not further fused

Di(benzothiazol-2-yl)disulphide; benzothiazole-2-thiol (mercaptobenzothiazole) and its salts

Other
S-1,3-Benzothiazol-2-yl (2Z)-(5-amino-1,2,4-thiadiazol-3-yl) (methoxyimino)ethanethioate (CAS RN 89604-91-1)
2-[[[(Z)-[1-(2-Amino-4-thiazolyl)-2-(2-benzothiazolylthio)-2-oxoethylidene]amino]oxy]-acetic acid, methyl ester (CAS RN 246035-38-1)
1,2-Benzisothiazol-3(2H)-one (Benzisothiazolinone (BIT)) (CAS RN 2634-33-5)
S-(1,3-Benzothiazol-2-yl)-(Z)-2-(2-aminothiazol-4-yl)-2-(acetyloxyimino)thioacetate, (CAS RN 104797-47-9)
Benzothiazol-2-yl-(Z)-2-trityloxyimino-2-(2-aminothiazole-4-yl)-thioacetate (CAS RN 143183-03-3)
N,N-Bis(1,3-benzothiazol-2-ylsulphanyl)-2-methylpropan-2-amine (CAS RN 3741-80-8)
Other

Compounds containing in the structure a phenothiazine ring-system (whether or not hydrogenated), not further fused

Thiethylperazine (INN); thioridazine (INN) and its salts

Other
2-Methylthiophenothiazine (CAS RN 7643-08-5)
Other

Other

Aminorex (INN), brotizolam (INN), clotiazepam (INN), cloxazolam (INN), dextromoramide (INN), haloxazolam (INN), ketazolam (INN), mesocarb (INN), oxazolam (INN), pemoline (INN), phendimetrazine (INN), phenmetrazine (INN) and sufentanil (INN); salts thereof
Other
Chlorprothixene (INN); thenalidine (INN) and its tartrates and maleates; furazolidone (INN); 7-aminocephalosporanic acid; salts and esters of (6R,7R)-3-acetoxymethyl-7-[(R)-2-formyloxy-2-phenylacetamido]-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid; 1-[2-(1,3-dioxan-2-yl)ethyl]-2-methylpyridinium bromide
Other
Fluralaner (INN) (CAS RN 864731-61-3)
Methyl 3-{1,4-dioxaspiro[4.5]dec-8-yl}[(trans-4-methylcyclohexyl)carbonyl]amino]-5-iodothiophene-2-carboxylate (CAS RN 1026785-65-8)
Dimethomorph (ISO) (CAS RN 110488-70-5)
Buprofezin (ISO) of a purity by weight of 98,5 % or more (CAS RN 953030-84-7)
Ethyl N-{{1-methyl-2-{{4-(5-oxo-4,5-dihydro-1,2,4-oxadiazol-3-yl)phenyl}amino}methyl)-1H-benzimidazol-5-yl}carbonyl}-N-pyridin-2-yl-b-alaninate (CAS RN 872728-84-2)
Carboxin (ISO) (CAS RN 5234-68-4)
Difenoconazole (ISO) (CAS RN 119446-68-3)
Methyl(1,8-diethyl-1,3,4,9-tetrahydropyrano[3,4-b]indol-1-yl)acetate (CAS RN 122188-02-7)
3,3-bis(2-Methyl-1-octyl-1H-indol-3-yl)phthalide (CAS RN 50292-95-0)
2-[4-(Dibenzo[b,f][1,4]thiazepin-11-yl)piperazin-1-yl] ethanol(CAS RN 329216-67-3)
Thiophene (CAS RN 110-02-1)
Acesulfame potassium (potassium salt of 6-methyl-1,2,3-oxathiazin-4(3H)-one 2,2-dioxide; CAS RN 55589-62-3) ace-K
7-[4-(Diethylamino)-2-ethoxyphenyl]-7-(2-methyl-1-octyl-1H-indol-3-yl) furo[3,4-b]pyridin-5(7H)-one (CAS RN 87563-89-1)
Bromuconazole (ISO) with a purity by weight of 96 % or more (CAS RN 116255-48-2)
Flufenacet (ISO) (CAS RN 142459-58-3) with a purity by weight of 95 % or more
2,4-Diethyl-9H-thioxanthen-9-one (CAS RN 82799-44-8)
4-Methylmorpholine 4-oxide in an aqueous solution (CAS RN 7529-22-8)

2-(4-Hydroxyphenyl)-1-benzothiophene-6-ol (CAS RN 63676-22-2)
11-(Piperazin-1-yl)dibenzo[b,f][1,4]thiazepine dihydrochloride (CAS RN 111974-74-4)
Dibenzo[b,f][1,4]thiazepin-11(10H)-one (CAS RN 3159-07-7)
Uridine 5'-diphospho-N-acetylgalactosamine disodium salt (CAS RN 91183-98-1)
Uridine 5'-diphosphoglucuronic acid trisodium salt (CAS RN 63700-19-6)
7-[4-(Diethylamino)-2-ethoxyphenyl]-7-(1-ethyl-2-methyl-1H-indol-3-yl)furo[3,4-b]pyridin-5(7H)-one (CAS RN 69898-40-4)
Dimethenamide (ISO) (CAS RN 87674-68-8)
Oxadiazon (ISO) (CAS RN 19666-30-9) with a purity by weight of 95 % or more
4-Propan-2-ylmorpholine (CAS RN 1004-14-4)
Clomazone (ISO) (CAS RN 81777-89-1) with a purity by weight of 96 % or more
4-(Oxiran-2-ylmethoxy)-9H-carbazole (CAS RN 51997-51-4)
11-[4-(2-Chloro-ethyl)-1-piperazinyl]dibenzo(b,f)(1,4)thiazepine (CAS RN 352232-17-8)
1-(Morpholin-4-yl)prop-2-en-1-one (CAS RN 5117-12-4)
Clopidogrel acid hydrochloride (CAS RN 144750-42-5)
Propiconazole (ISO) (CAS RN 60207-90-1) with a purity by weight of 92 % or more
Tris(2,3-epoxypropyl)-1,3,5-triazinanetrione (CAS RN 2451-62-9)
Propan-2-ol --[2-methyl-4-(4-methylpiperazin-1-yl)-10H-thieno[2,3-b][1,5]benzodiazepine (1:2) dihydrate, (CAS RN 864743-41-9)
10-[1,1'-Biphenyl]-4-yl-2-(1-methylethyl)-9-oxo-9H-thioxanthenium hexafluorophosphate (CAS RN 591773-92-1)
DL-Homocysteine thiolactone hydrochloride (CAS RN 6038-19-3)
Tetrahydrothiophene-1,1-dioxide (CAS RN 126-33-0)
1-[3-(5-Nitro-2-furyl)allylideneamino]imidazolidine-2,4-dione (CAS RN 1672-88-4)
2-Isopropylthioxanthone (CAS RN 5495-84-1)
(4R-cis)-1,1-Dimethylethyl-6-[2[2-(4-fluorophenyl)-5-(1-isopropyl)-3-phenyl-4-[(phenylamino)carbonyl]-1H-pyrrol-1-yl]ethyl]-2,2-dimethyl-1,3-

dioxane-4-acetate (CAS RN 125971-95-1)
2,5-Thiophenediylbis(5-tert-butyl-1,3-benzoxazole) (CAS RN 7128-64-5)
Potassium 5-methyl-1,3,4-oxadiazole-2-carboxylate (CAS RN 888504-28-7)
Thiophen-2-ethanol (CAS RN 5402-55-1)
Flumioxazin (ISO) (CAS RN 103361-09-7) of a purity by weight of 96 % or more
Etoxazole (ISO) (CAS RN 153233-91-1) of a purity by weight of 94,8 % or more
Dithianon (ISO) (CAS RN 3347-22-6)
2,2'-(1,4-Phenylene)bis(4H-3,1-benzoxazin-4-one) (CAS RN 18600-59-4)
Other

Sulphonamides

3-{1-[7-(Hexadecylsulphonylamino)-1H-indole-3-yl]-3-oxo-1H,3H-naphtho[1,8-cd]pyran-1-yl}-N,N-dimethyl-1H-indole-7-sulphonamide; metosulam (ISO)
Other
Florasulam (ISO) (CAS RN 145701-23-1)
Flupyrsulfuron-methyl-sodium (ISO) (CAS RN 144740-54-5)
6-Methyl-4-oxo-5,6-dihydro-4H-thieno[2,3-b]thiopyran-2-sulfonamide (CAS RN 120279-88-1)
Toluenesulphonamides
N-[4-(2-Chloroacetyl)phenyl]methanesulphonamide (CAS RN 64488-52-4)
Triflusulfuron-methyl (ISO) (CAS RN 126535-15-7)
Methyl (3R,5S,6E)-7-{4-(4-fluorophenyl)-6-isopropyl-2-[methyl(methylsulfonyl)amino]pyrimidin-5-yl]-3,5-dihydroxyhept-6-enoate (CAS RN 147118-40-9)
N-Fluorobenzenesulphonimide (CAS RN 133745-75-2)
Chlorsulfuron (ISO) (CAS RN 64902-72-3)
Imazosulfuron (ISO), of a purity by weight of 98 % or more (CAS RN 122548-33-8)
Penoxsulam (ISO) (CAS RN 219714-96-2)
Oryzalin (ISO) (CAS RN 19044-88-3)
Rimsulfuron (ISO) (CAS RN 122931-48-0)
Halosulfuron-methyl (ISO) (CAS RN 100784-20-1) with a purity by weight of 98 % or more
(3R,5S,6E)-7-[4-(4-Fluorophenyl)-2-[methyl(methylsulfonyl)amino]-6-(propan-2-yl)pyrimidin-5-yl]-3,5-dihydroxyhept-6-enoic acid -- 1-[(R)-(4-chlorophenyl)

(phenyl)methyl]piperazine (1:1), (CAS RN 1235588-99-4)
4,4'-Oxydi(benzenesulphonohydrazide)] (CAS RN 80-51-3)
(1R,2R)-1-Amino-2-(difluoromethyl)-N-(1-methylcyclopropylsulphonyl) cyclopropanecarboxamide hydrochloride (CUS 0143290-2)
2,4-Dichloro-5-sulphamoylbenzoic acid (CAS RN 2736-23-4)
Propoxycarbazone-sodium (ISO) (CAS RN 181274-15-7) with a purity by weight of 95 % or more
Thifensulfuron-methyl (ISO) (CAS RN 79277-27-3)
N-(p-Toluenesulphonyl)-N'-(3-(p-toluenesulphonyloxy)phenyl)urea (CAS RN 232938-43-1)
N-{2-[(phenylcarbamoyl)amino]phenyl}benzenesulphonamide (CAS RN 215917-77-4)
1-Methylcyclopropane-1-sulphonamide (CAS RN 669008-26-8)
Flazasulfuron (ISO) (CAS RN 104040-78-0) with a purity of 94 % by weight or more
Nicosulphuron (ISO), (CAS RN 111991-09-4) of a purity by weight of 91 % or more
Tribenuron-methyl (ISO) (CAS RN 101200-48-0)
Metsulfuron-methyl (ISO) (CAS RN 74223-64-6)
[[4-[2-[[[3-Ethyl-2,5-dihydro-4-methyl-2-oxo-1H-pyrrol-1-yl)carbonyl]amino]ethyl]phenyl]sulfonyl]-carbamic acid ethyl ester, (CAS RN 318515-70-7)
4-[[[2-Methoxybenzoyl)amino]sulfonyl]benzoyl]chloride (CAS RN 816431-72-8)
N-[4-(Isopropylaminoacetyl)phenyl]methanesulphonamide hydrochloride
N-(2-(4-Amino-N-ethyl-m-toluidino)ethyl)methanesulphonamide sesquisulphate monohydrate (CAS RN 25646-71-3)
3-(3-Bromo-6-fluoro-2-methylindol-1-ylsulphonyl)-N,N-dimethyl-1,2,4-triazol-1-sulphonamide (CAS RN 348635-87-0)
Other

XI. PROVITAMINS, VITAMINS AND HORMONES

Provitamins and vitamins, natural or reproduced by synthesis (including natural concentrates), derivatives thereof used primarily as vitamins, and intermixtures of the foregoing, whether or not in any solvent
Vitamins and their derivatives, unmixed
Vitamins A and their derivatives
Vitamin B@1 and its derivatives
Vitamin B@2 and its derivatives
D- or DL-Pantothenic acid (vitamin B@3 or vitamin B@5) and its derivatives
Other

Vitamin B@6 and its derivatives
Vitamin B@1@2 and its derivatives
Vitamin C and its derivatives
Vitamin E and its derivatives
Other vitamins and their derivatives
Other, including natural concentrates

Hormones, prostaglandins, thromboxanes and leukotrienes, natural or reproduced by synthesis; derivatives and structural analogues thereof, including chain modified polypeptides, used primarily as hormones

Polypeptide hormones, protein hormones and glycoprotein hormones, their derivatives and structural analogues
Somatotropin, its derivatives and structural analogues
Insulin and its salts
Other

Steroidal hormones, their derivatives and structural analogues
Cortisone, hydrocortisone, prednisone (dehydrocortisone) and prednisolone (dehydrohydrocortisone)
Halogenated derivatives of corticosteroidal hormones
Oestrogens and progestogens
Other

Prostaglandins, thromboxanes and leukotrienes, their derivatives and structural analogues
Other

XII. GLYCOSIDES AND VEGETABLE ALKALOIDS, NATURAL OR REPRODUCED BY SYNTHESIS, AND THEIR SALTS, ETHERS, ESTERS AND OTHER DERIVATIVES

Glycosides, natural or reproduced by synthesis, and their salts, ethers, esters and other derivatives

Rutoside (rutin) and its derivatives
Other
Digitalis glycosides
Glycyrrhizic acid and glycyrrhizates
Ammonium glycyrrhizate (CAS RN 53956-04-0)
Other

Other
Hesperidin (CAS RN 520-26-3)
Ethylvanillin beta-D-glucopyranoside (CAS RN 122397-96-0)
Other

Vegetable alkaloids, natural or reproduced by synthesis, and their salts, ethers, esters and other derivatives

Alkaloids of opium and their derivatives; salts thereof
Concentrates of poppy straw; buprenorphine (INN), codeine,

dihydrocodeine (INN), ethylmorphine, etorphine (INN), heroin, hydrocodone (INN), hydromorphone (INN), morphine, nicomorphine (INN), oxycodone (INN), oxymorphone (INN), pholcodine (INN), thebacon (INN) and thebaine; salts thereof
Other

Alkaloids of cinchona and their derivatives; salts thereof

Caffeine and its salts

Ephedrine and its salts
Pseudoephedrine (INN) and its salts
Cathine (INN) and its salts
Norephedrine and its salts
Other

Theophylline and aminophylline (theophylline-ethylenediamine) and their derivatives; salts thereof
Fenetylline (INN) and its salts
Other

Alkaloids of rye ergot and their derivatives; salts thereof
Ergometrine (INN) and its salts
Ergotamine (INN) and its salts
Lysergic acid and its salts
Other

Other
Cocaine, ecgonine, levometamfetamine, metamfetamine (INN), metamfetamine racemate; salts, esters and other derivatives thereof
Other
(1R,2S)-(-)-chloroephedrine CAS No 110925-64-9
(1S,2R)-(+)-chloroephedrine CAS No 1384199-95-4
Other(1S,2S)-(+)-chloropseudoephedrine CAS No 73393-61-0
Other(1R,2R)-(-)-chloropseudoephedrine CAS No 771434-80-1
Other

XIII. OTHER ORGANIC COMPOUNDS

Sugars, chemically pure, other than sucrose, lactose, maltose, glucose and fructose; sugar ethers, sugar acetals and sugar esters, and their salts, other than products of heading|2937, 2938|or 2939

Rhamnose, raffinose and mannose
Other
D-Xylose (CAS RN 58-86-6)
Other

Antibiotics
Penicillins and their derivatives with a penicillanic acid structure; salts thereof
Streptomycins and their derivatives; salts thereof

Dihydrostreptomycin, its salts, esters and hydrates
Dihydrostreptomycin sulphate (CAS RN 5490-27-7)
Other
Other
Tetracyclines and their derivatives; salts thereof
Chloramphenicol and its derivatives; salts thereof
Erythromycin and its derivatives; salts thereof
Other
Other organic compounds

PHARMACEUTICAL PRODUCTS

Glands and other organs for organo-therapeutic uses, dried, whether or not powdered; extracts of glands or other organs or of their secretions for organo-therapeutic uses; heparin and its salts; other human or animal substances prepared for therapeutic or prophylactic uses, not elsewhere specified or included
Extracts of glands or other organs or of their secretions
Of human origin
Other
Other
Of human origin
Other
Heparin and its salts
Other
Human blood; animal blood prepared for therapeutic, prophylactic or diagnostic uses; antisera, other blood fractions and immunological products, whether or not modified or obtained by means of biotechnological processes; vaccines, toxins, cultures of micro-organisms (excluding yeasts) and similar products
Antisera, other blood fractions and immunological products, whether or not modified or obtained by means of biotechnological processes
Antisera
Other
Haemoglobin, blood globulins and serum globulins
Other
Vaccines for human medicine
Vaccines for veterinary medicine
Other
Human blood
Animal blood prepared for therapeutic, prophylactic or diagnostic uses
Cultures of micro-organisms
Pathogens and cultures of pathogens
Other
Other

Pathogens and cultures of pathogens
Other
Medicaments (excluding goods of heading 3002, 3005 or 3006) consisting of two or more constituents which have been mixed together for therapeutic or prophylactic uses, not put up in measured doses or in forms or packings for retail sale
Containing penicillins or derivatives thereof, with a penicillanic acid structure, or streptomycins or their derivatives
Containing other antibiotics
Containing hormones or other products of heading 2937 but not containing antibiotics
Containing insulin
Other
Containing alkaloids or derivatives thereof but not containing hormones or other products of heading 2937 or antibiotics
Containing ephedrine or its salts
Containing pseudoephedrine (INN) or its salts
Containing norephedrine or its salts
Other
Other
Medicaments (excluding goods of heading 3002, 3005 or 3006) consisting of mixed or unmixed products for therapeutic or prophylactic uses, put up in measured doses (including those in the form of transdermal administration systems) or in forms or packings for retail sale
Containing penicillins or derivatives thereof, with a penicillanic acid structure, or streptomycins or their derivatives
Containing other antibiotics
Containing hormones or other products of heading 2937 but not containing antibiotics
Containing insulin
Containing corticosteroid hormones, their derivatives or structural analogues
Other
Containing alkaloids or derivatives thereof but not containing hormones, other products of heading 2937 or antibiotics
Containing ephedrine or its salts
Containing pseudoephedrine (INN) or its salts
Containing norephedrine or its salts
Other
Other medicaments containing vitamins or other products of heading 2936
Other
Wadding, gauze, bandages and similar articles (for example, dressings, adhesive plasters, poultices), impregnated or coated with pharmaceutical substances or put up in forms or packings for retail sale for

medical, surgical, dental or veterinary purposes
Adhesive dressings and other articles having an adhesive layer
Other
Wadding and articles of wadding
Other
Of textile materials
Gauze and articles of gauze
Other
Other
Pharmaceutical goods specified in note 4 to this chapter
Sterile surgical catgut, similar sterile suture materials (including sterile absorbable surgical or dental yarns) and sterile tissue adhesives for surgical wound closure; sterile laminaria and sterile laminaria tents; sterile absorbable surgical or dental haemostatics; sterile surgical or dental adhesion barriers, whether or not absorbable
Sterile surgical catgut
Sterile surgical or dental adhesion barriers, whether or not absorbable
Other
Blood-grouping reagents
Opacifying preparations for X-ray examinations; diagnostic reagents designed to be administered to the patient
Dental cements and other dental fillings; bone reconstruction cements
First-aid boxes and kits
Chemical contraceptive preparations based on hormones, on other products of heading 2937 or on spermicides
Gel preparations designed to be used in human or veterinary medicine as a lubricant for parts of the body for surgical operations or physical examinations or as a coupling agent between the body and medical instruments
Other
Appliances identifiable for ostomy use
Waste pharmaceuticals

FERTILISERS

Animal or vegetable fertilisers, whether or not mixed together or chemically treated; fertilisers produced by the mixing or chemical treatment of animal or vegetable products
Mineral or chemical fertilisers, nitrogenous
Urea, whether or not in aqueous solution
Urea containing more than 45 % by weight of nitrogen on the dry anhydrous product
Other
Ammonium sulphate; double salts and mixtures of ammonium sulphate and ammonium nitrate
Ammonium sulphate

<div>Other</div> <div>Solid fertilisers with an ammonium nitrate content exceeding 80% by weight</div> <div>Other</div>	<div>tablets or similar forms or in packages of a gross weight not exceeding 10 kg</div> <div>Goods of this chapter in tablets or similar forms or in packages of a gross weight not exceeding 10 kg</div> <div>Solid fertilisers with an ammonium nitrate content exceeding 80% by weight, with no phosphorus and no potassium content</div> <div>Solid fertilisers with an ammonium nitrate content exceeding 80% by weight, and a phosphorus content evaluated as P₂O₅ and/or a potassium content evaluated as K₂O of less than 3% by weight</div> <div>Solid fertilisers with an ammonium nitrate content exceeding 80% by weight, and a phosphorus content evaluated as P@2O@5 and/or a potassium content evaluated as K@2O of 3% by weight or more but less than 6% by weight</div> <div>Solid fertilisers with an ammonium nitrate content exceeding 80% by weight, and a phosphorus content evaluated as P@2O@5 and/or a potassium content evaluated as K@2O of 6% by weight or more but less than 9% by weight</div> <div>Solid fertilisers with an ammonium nitrate content exceeding 80% by weight, and a phosphorus content evaluated as P@2O@5 and/or a potassium content evaluated as K@2O of 9% by weight or more but not exceeding 12% by weight</div> <div>Other</div>	<div>ammonium dihydrogenorthophosphate (monoammonium phosphate) and mixtures thereof with diammonium hydrogenorthophosphate (diammonium phosphate)</div> <div>Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus</div> <div>Containing nitrates and phosphates</div> <div>Solid fertilisers with an ammonium nitrate content exceeding 80% by weight, and a phosphorus content evaluated as P@2O@5 of less than 3% by weight</div> <div>Solid fertilisers with an ammonium nitrate content exceeding 80% by weight, and a phosphorus content evaluated as P@2O@5 of 3% by weight or more but less than 6% by weight</div> <div>Solid fertilisers with an ammonium nitrate content exceeding 80% by weight, and a phosphorus content evaluated as P@2O@5 of 6% by weight or more but less than 9% by weight</div> <div>Solid fertilisers with an ammonium nitrate content exceeding 80% by weight, and a phosphorus content evaluated as P@2O@5 of 9% by weight or more but not exceeding 10.40% by weight</div> <div>Other</div> <div>Other</div> <div>Solid fertilisers with an ammonium nitrate content exceeding 80% by weight, and a phosphorus content evaluated as P@2O@5 of less than 3% by weight</div> <div>Solid fertilisers with an ammonium nitrate content exceeding 80% by weight, and a phosphorus content evaluated as P@2O@5 of 3% by weight or more but less than 6% by weight</div> <div>Solid fertilisers with an ammonium nitrate content exceeding 80% by weight, and a phosphorus content evaluated as P₂O₅ of 6% by weight or more but less than 9% by weight</div> <div>Solid fertilisers with an ammonium nitrate content exceeding 80% by weight, and a phosphorus content evaluated as P₂O₅ of 9% by weight or more but not exceeding 10.40% by weight</div> <div>Other</div>
<div>Ammonium nitrate, whether or not in aqueous solution</div> <div>In aqueous solution</div> <div>Other</div>		
<div>Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances</div> <div>With a nitrogen content not exceeding 28 % by weight</div> <div>With a nitrogen content exceeding 28 % by weight</div>		
<div>Sodium nitrate</div> <div>Natural Chilean sodium nitrate</div> <div>Other</div> <div>Natural sodium nitrate</div> <div>Other</div>		
<div>Double salts and mixtures of calcium nitrate and ammonium nitrate</div> <div>Solid fertilisers with an ammonium nitrate content exceeding 80% by weight</div> <div>Other</div>		
<div>Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution</div> <div>Other, including mixtures not specified in the foregoing subheadings</div> <div>Solid fertilisers with an ammonium nitrate content exceeding 80% by weight</div> <div>Other</div>		
<div>Mineral or chemical fertilisers, phosphatic</div> <div>Superphosphates</div> <div>Containing more than 35 % by weight of diphosphorus pentaoxide</div> <div>Other</div> <div>Other</div>	<div>Mineral or chemical fertilisers containing the three fertilising elements nitrogen, phosphorus and potassium</div> <div>With a nitrogen content exceeding 10 % by weight on the dry anhydrous product</div> <div>Solid fertilisers with an ammonium nitrate content exceeding 80% by weight, and a phosphorus content evaluated as P@2O@5 and a potassium content evaluated as K@2O of less than 3% by weight</div> <div>Solid fertilisers with an ammonium nitrate content exceeding 80% by weight, and a phosphorus content evaluated as P@2O@5 and a potassium content evaluated as K@2O of 3% by weight or more but less than 6% by weight</div> <div>Solid fertilisers with an ammonium nitrate content exceeding 80% by weight, and a phosphorus content evaluated as P@2O@5 and a potassium content evaluated as K@2O of 6% by weight or more but less than 9%</div> <div>Solid fertilisers with an ammonium nitrate content exceeding 80% by weight, and a phosphorus content evaluated as P@2O@5 and a potassium content evaluated as K@2O of 9% by weight or more but not exceeding 12% by weight</div> <div>Other</div> <div>Other</div>	<div>Mineral or chemical fertilisers containing the two fertilising elements phosphorus and potassium</div> <div>Other</div> <div>With a nitrogen content exceeding 10 % by weight on the dry anhydrous product</div> <div>Natural Chilean potassic sodium nitrate, consisting of a natural mixture of sodium nitrate and potassium nitrate (the proportion of potassium nitrate may be as high as 44 %), of a total nitrogen content not exceeding 16,3 % by weight on the dry anhydrous product</div> <div>Solid fertilisers with an ammonium nitrate content exceeding 80% by</div>
<div>Mineral or chemical fertilisers, potassic</div> <div>Potassium chloride</div> <div>With a potassium content evaluated as K@2O, by weight, not exceeding 40 % on the dry anhydrous product</div> <div>With a potassium content evaluated as K@2O, by weight, exceeding 40 % but not exceeding 62 % on the dry anhydrous product</div> <div>With a potassium content evaluated as K@2O, by weight, exceeding 62 % on the dry anhydrous product</div> <div>Potassium sulphate</div> <div>Other</div>		
<div>Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium; other fertilisers; goods of this chapter in</div>	<div>Diammonium hydrogenorthophosphate (diammonium phosphate)</div>	

weight, and a potassium content evaluated as K@2O of less than 3% by weight
Solid fertilisers with an ammonium nitrate content exceeding 80% by weight, and a potassium content evaluated as K@2O of 3% by weight or more but less than 6% by weight
Solid fertilisers with an ammonium nitrate content exceeding 80% by weight, and a potassium content evaluated as K@2O of 6% by weight or more but less than 9% by weight
Solid fertilisers with an ammonium nitrate content exceeding 80% by weight, and a potassium content evaluated as K@2O of 9% by weight or more but not exceeding 12% by weight
Other
Other
Natural Chilean potassic sodium nitrate, consisting of a natural mixture of sodium nitrate and potassium nitrate (the proportion of potassium nitrate may be as high as 44 %), of a total nitrogen content not exceeding 16,3 % by weight on the dry anhydrous product
Other

TANNING OR DYEING EXTRACTS; TANNINS AND THEIR DERIVATIVES; DYES, PIGMENTS AND OTHER COLOURING MATTER; PAINTS AND VARNISHES; PUTTY AND OTHER MASTICS; INKS

Tanning extracts of vegetable origin; tannins and their salts, ethers, esters and other derivatives
Quebracho extract
Wattle extract
Other
Sumach extract, vallonia extract, oak extract or chestnut extract
Other
Tanning extracts of eucalyptus
Tanning extracts derived from gambier and myrobalan fruits
other tanning extracts of vegetable origin
Reaction product of Acacia mearnsii extract, ammonium chloride and formaldehyde (CAS RN. 85029-52-3)
Other
Synthetic organic tanning substances; inorganic tanning substances; tanning preparations, whether or not containing natural tanning substances; enzymatic preparations for pre-tanning
Synthetic organic tanning substances
Other
Reaction product of Acacia mearnsii extract, ammonium chloride and formaldehyde (CAS RN 85029-52-3)
Other
Colouring matter of vegetable or animal origin (including dyeing extracts but

excluding animal black), whether or not chemically defined; preparations as specified in note 3 to this chapter based on colouring matter of vegetable or animal origin
Colouring matter of vegetable origin and preparations based thereon
Colouring matter of animal origin and preparations based thereon

Synthetic organic colouring matter, whether or not chemically defined; preparations as specified in note 3 to this chapter based on synthetic organic colouring matter; synthetic organic products of a kind used as fluorescent brightening agents or as luminophores, whether or not chemically defined
Synthetic organic colouring matter and preparations based thereon as specified in note 3 to this chapter
Disperse dyes and preparations based thereon
Colourant C.I. Disperse Blue 360 (CAS RN 70693-64-0) and preparations based thereon with a colourant C.I. Disperse Blue 360 content of 99 % or more by weight
Colourant C.I. Disperse Yellow 241 (CAS RN 83249-52-9) and preparations based thereon with a colourant C.I. Disperse Yellow 241 content of 97 % or more by weight
N-(2-chloroethyl)-4-[(2,6-dichloro-4-nitrophenyl)azo]-N-ethyl-m-toluidine (CAS RN 63741-10-6)
Preparation of dispersion dyes, containing: - C.I. Disperse Orange 61, - C.I. Disperse Blue 291:1, - C.I. Disperse Violet 93:1, - C.I. Disperse Red 54
Colourant C.I. Disperse Red 60 (CAS RN 17418-58-5) and preparations based thereon with a colourant C.I. Disperse Red 60 content of 50 % or more by weight
Colourant C.I. Disperse Blue 72 (CAS RN 81-48-1) and preparations based thereon with a colourant C.I. Disperse Blue 72 content of 95 % or more by weight
Colourant C.I. Disperse Blue 359 (CAS RN 62570-50-7) and preparations based thereon with a colourant C.I. Disperse Blue 359 content of 50 % or more by weight
Colourant C.I. Disperse Red 343 (CAS RN 99035-78-6) and preparations based thereon with a colourant C.I. Disperse Red 343 content of 95 % or more by weight
Colourant C.I. Disperse Yellow 54 (CAS RN 7576-65-0) and preparations based thereon with a colourant C.I. Disperse Yellow 54 content of 99 % or more by weight
Dye preparation, non-ionogenic, containing: - N-[5-(acetylamino)-4-[(2-chloro-4,6-dinitrophenyl)azo]-2-methoxyphenyl]- 2-oxo-2-(phenylmethoxy)ethyl-β-alanine (CAS RN 159010-67-0) - N-[4-[(2-cyano-4-nitrophenyl)azo]phenyl]-N-

methyl-2-(1,3-dihydro-1,3-dioxo-2H-isoindol-2-yl)ethyl-β-alanine (CAS RN 170222-39-6) and - N-[2-chloro-4-[(4-nitrophenyl)azo]phenyl]-2-[2-(1,3-dihydro-1,3-dioxo-2H-isoindol-2-yl)ethoxy]-2-oxoethyl-β-alanine (CAS RN 371921-34-5)
Other
Acid dyes, whether or not premetallised, and preparations based thereon; mordant dyes and preparations based thereon
Colourant C.I. Acid Blue 9 (CAS RN 2650-18-2) and preparations based thereon with a colourant C.I. Acid Blue 9 content of 50 % or more by weight
Dye preparation, anionic, containing by weight 75 % or more of disodium-7-((4-chloro-6-(dodecylamino)-1,3,5-triazin-2-yl)amino)-4-hydroxy-3-((4-(4-sulfophenyl)azo)phenyl)azo)-2-naphthalenesulfonate (CAS RN 145703-76-0)
Acid dye preparation, anionic, containing: - lithium-amino-4-(4-tert-butylanilino)anthraquinone-2-sulfonate (CAS RN 125328-86-1), - C.I. Acid Green 25 (CAS RN 4403-90-1) and - C.I. Acid Blue 80 (CAS RN 4474-24-2)
Liquid dye preparation containing anionic acid dye C.I. Acid Blue 182 (CAS RN 12219-26-0)
Colourant C.I. Acid Blue 80 (CAS RN 4474-24-2) and preparations based thereon with a colourant C.I. Acid Blue 80 content of 99 % or more by weight
Colourant C.I. Acid Red 52 (CAS RN 3520-42-1) and preparations based thereon with a colourant C.I. Acid Red 52 content of 97 % or more by weight
Colourant C.I. Acid blue 25 (CAS RN 6408-78-2) and preparations based thereon with a colourant C.I. Acid blue 25 content of 80 % or more by weight
Other
Basic dyes and preparations based thereon
Colourant C.I. Basic Red 1 (CAS RN 989-38-8) and preparations based thereon with a colourant C.I. Basic Red 1 content of 50 % or more by weight
(2,2'-(3,3'-Dioxidobiphenyl-4,4'-diyldiazo)bis(6-(4-(3-(diethylamino)propylamino)-6-(3-(diethylammonio)propylamino)-1,3,5-triazin-2-ylamino)-3-sulfonato-1-naphtholato))dicopper(II) acetate lactate (CAS RN 159604-94-1)
Colourant C.I. Basic Blue 7 (CAS RN 2390-60-5) and preparations based thereon with a colourant C.I. Basic Blue 7 content of 50 % or more by weight
Colourant C.I. Basic Violet 1 (CAS RN 603-47-4 or CAS RN 8004-87-3) and preparations based thereon with a colourant C.I. Basic Violet 1 content of 90 % or more by weight

[illegible]

Photochromic dye, 4-(4-(13,13-dimethyl-3,11-diphenyl-3,13-dihydrobenzo[h]indeno[2,1-f]chromen-3-yl)phenyl)morpholine (CUS 0133726-4)
Photochromic dye, 3-(4-butoxyphenyl)-3-(4-fluorophenyl)-6,7-dimethoxy-13,13-dimethyl-3,13-dihydrobenzo[h]indeno[2,1-f]chromene-11-carbonitrile (CUS 0133725-3)
Photochromic dye, 4, 4'-(7-methoxy-11-phenyl-13, 13-dipropyl-3, 13-dihydrobenzo[h]indeno[2, 1-f]chromene-3, 3-diyl)diphenol (CUS 0133728-6)
Photochromic dye, bis(2-{4-[11-cyano-3-(4-fluorophenyl)-6,7-dimethoxy-13,13-dimethyl-3, 13-dihydrobenzo[h]indeno[2,1-f]chromen-3-yl]}phenoxy)ethyl) decanedioate (CUS 0133729-7)
Photochromic dye, 1-{4-(6-methoxy-3-(4-methoxyphenyl)-13,13-dimethyl-3, 13-dihydrobenzo[h]indeno[2,1-f]chromen-3-yl)phenyl}piperidine (CUS 0133727-5)
Colourant C.I. Solvent Red 49:2 (CAS RN 1103-39-5) and preparations based thereon with a colourant C.I. Solvent Red 49:2 content of 90 % or more by weight
Colourant C.I. Solvent Brown 53 (CAS RN 64696-98-6) and preparations based thereon with a colourant C.I. Solvent Brown 53 content of 95 % or more by weight
Colourant C.I. Solvent Blue 104 (CAS RN 116-75-6) and preparations based thereon with a colourant C.I. Solvent Blue 104 content of 97 % or more by weight
Colourant C.I. Solvent Yellow 98 (CAS RN 27870-92-4 or CAS RN 12671-74-8) and preparations based thereon with a colourant C.I. Solvent Yellow 98 content of 95 % or more by weight
Colourant C.I. Solvent Blue 67 (CAS RN 12226-78-7) and preparations based thereon with a colourant C.I. Solvent Blue 67 content of 98 % or more by weight
Colourant C.I. Solvent Red HPR (CAS RN 75198-96-8) and preparations based thereon with a colourant C.I. Solvent Red HPR content of 95 % or more by weight
Other

Synthetic organic products of a kind used as fluorescent brightening agents
2,5-Thiophenediylbis(5-tert-butyl-1,3-benzoxazole) (CAS RN 7128-64-5)
Colourant C.I. Fluorescent Brightener 351 (CAS RN 27344-41-8) and preparations based thereon with a colourant C.I. Fluorescent Brightener 351 content of 90 % or more by weight
Other

Other

Colourant C.I Solvent Yellow 172 (also known as C.I. Solvent Yellow 135) (CAS RN 68427-35-0) and preparations based thereon with a colourant C.I Solvent Yellow 172 (also known as C.I. Solvent Yellow 135) content of 90 % or more by weight
Other

Colour lakes; preparations as specified in note 3 to this chapter based on colour lakes
Aluminium lakes prepared from dyes for use in the manufacture of pigments for the pharmaceutical industry
Dye C.I. Carbon Black 7 Lake
Other

Other colouring matter; preparations as specified in note 3 to this chapter, other than those of heading 3203, 3204 or 3205; inorganic products of a kind used as luminophores, whether or not chemically defined
Pigments and preparations based on titanium dioxide
Containing 80 % or more by weight of titanium dioxide calculated on the dry matter
Titanium dioxide coated with isopropoxytitanium triisostearate, containing by weight 1,5 % or more but not more than 2,5 % of isopropoxytitanium triisostearate
Other
Other
Preparation containing by weight: - 72 % (± 2 %) of mica (CAS RN 12001-26-2) and - 28 % (± 2 %) of titanium dioxide (CAS RN 13463-67-7)
Other

Pigments and preparations based on chromium compounds
Other colouring matter and other preparations
Ultramarine and preparations based thereon
Lithopone and other pigments and preparations based on zinc sulphide
Lithopone (CAS RN 1345-05-7)
Other

Other
Magnetite
Other
Non aqueous dispersion, containing by weight: - 57 % or more but not more than 63 % of aluminium oxide (CAS RN 1344-28-1) - 37 % or more but not more than 42 % of titanium dioxide (CAS RN13463-67-7), and - 1 % or more but not more than 2 % of triethoxycaprylyl silane (CAS RN 2943-75-1)
Colourant C.I. Pigment Blue 27 (CAS RN 14038-43-8)
Other

Inorganic products of a kind used as luminophores

Prepared pigments, prepared opacifiers and prepared colours, vitrifiable enamels and glazes, engobes (slips), liquid lustres and similar preparations, of a kind used in the ceramic, enamelling or glass industry; glass frit and other glass, in the form of powder, granules or flakes

Prepared pigments, prepared opacifiers, prepared colours and similar preparations

Vitrifiable enamels and glazes, engobes (slips) and similar preparations
Engobes (slips)
Other

Liquid lustres and similar preparations
Preparation containing : - not more than 85 % by weight of silver, - not less than 2 % by weight of palladium, - barium titanate, - terpeneol, and - ethyl cellulose, used for screen printing in the manufacture of multilayer ceramic capacitors
Printing paste containing - 30 % by weight or more, but not more than 50 % of silver and - 8 % by weight or more, but not more than 17 % of palladium
Other

Glass frit and other glass, in the form of powder, granules or flakes
Glass in the form of flakes of a length of 0,1 mm or more but not exceeding 3,5 mm and of a thickness of 2 micrometres or more but not exceeding 5 micrometres; glass, in the form of powder or granules, containing by weight 99 % or more of silicon dioxide
Other
Glass flakes coated with silver, of an average diameter of 40 (± 10) µm
Glass flakes (CAS RN 65997-17-3): - of a thickness of 0,3 µm or more but not more than 10 µm, and - coated with titanium dioxide (CAS RN 13463-67-7) or iron oxide (CAS RN 18282-10-5)
Other

Paints and varnishes (including enamels and lacquers) based on synthetic polymers or chemically modified natural polymers, dispersed or dissolved in a non-aqueous medium; solutions as defined in note 4 to this chapter

Based on polyesters
Solutions as defined in note 4 to this chapter
Thermoplastic polyester copolymer resin with a solid content of 30 % or more but not more than 50 %, in organic solvents
Other

Other
Anti-reflection coating, consisting of an ester based polymer modified with a chromophore group, in the form of a solution of either 2-methoxy-1-propanol, 2-methoxy-1-

<div><div>methylethyl acetate or methyl-2-hydroxyisobutyrate, containing by weight not more than 10 % of polymer</div><div>Other</div></div>
Based on acrylic or vinyl polymers
<div><div>Solutions as defined in note 4 to this chapter</div><div><div>Copolymer of N-vinylcaprolactam, N-vinyl-2-pyrrolidone and dimethylaminoethyl methacrylate, in the form of a solution in ethanol containing by weight 34 % or more but not more than 40 % of copolymer</div><div>Immersion topcoat solution containing by weight 0,5 % or more but not more than 15 % of acrylate-methacrylate-alkenesulphonate copolymers with fluorinated side chains, in a solution of n-butanol and/or 4-methyl-2-pentanol and/or diisoamylether</div><div>Other</div></div></div>
Other

Other
<div><div>Solutions as defined in note 4 to this chapter</div><div><div>Polyurethane of 2,2'-(tert-butylimino)diethanol and 4,4'-methylenedicyclohexyl diisocyanate, in the form of a solution in N,N-dimethylacetamide, containing by weight 48 % or more of polymer</div><div>Copolymer of p-cresol and divinylbenzene, in the form of a solution in N,N-dimethylacetamide, containing by weight 48 % or more of polymer</div><div><div>Other</div><div><div>Copolymer of maleic acid and methyl vinyl ether, monoesterified with ethyl and/or isopropyl and/or butyl groups, in the form of a solution in ethanol, ethanol and butanol, isopropanol or isopropanol and butanol</div><div>Chlorinated polyolefins, in a solution</div><div>Preparation of 5 % or more but not more than 20 % by weight of propylene maleic anhydride copolymer or a blend of polypropylene and propylene maleic anhydride copolymer in an organic solvent</div><div>Tetrafluoroethylene copolymer in butylacetate solution with a content of solvent of 50 % (± 2 %) by weight</div><div>Silicones containing 50 % by weight or more of xylene of a kind used for the manufacture of long term surgical implants</div><div>Polymer of methylsiloxane, in the form of a solution in a mixture of acetone, butanol, ethanol and isopropanol, containing by weight 5 % or more but not more than 11 % of polymer of methylsiloxane</div></div></div></div></div>

<div><div>Polymer consisting of a polycondensate of formaldehyde and naphthalenediol, chemically modified by reaction with an alkyne halide, dissolved in propylene glycol methyl ether acetate</div><div>Solution containing by weight: - (65 ± 10) % of γ-butyrolactone, - (30 ± 10) % of polyamide resin, - (3,5 ± 1,5) % of naphthoquinone ester derivative and - (1,5 ± 0,5) % of arylsilicic acid</div><div>Copolymer of hydroxystyrene with one or more of the following: •styrene •alkoxystyrene •alkylacrylates dissolved in ethyl lactate</div><div>Acenaphthalene copolymer in ethyl lactate solution</div><div>Other</div></div>
Other
<div><div>Based on synthetic polymers</div><div><div>Tetrafluoroethylene copolymer in butylacetate solution with a content of solvent of 50 % (± 2 %) by weight</div><div>Other</div></div></div>
<div><div>Based on chemically modified natural polymers</div><div><div>Solution based on chemically modified natural polymers, containing two or more of the following dyes: - methyl 8'-acetoxy-1,3,3,5,6-pentamethyl-2,3-dihydrospiro[1H-indole-2,3'-naphtho[2,1-b][1,4]oxazine]-9'-carboxylate, - methyl 6-(isobutyryloxy)-2,2-diphenyl-2H-benzo[h]chromene-5-carboxylate, - 13-isopropyl-3,3-bis(4-methoxyphenyl)-6,11-dimethyl-3,13-dihydrobenzo[h]indeno[2,1-f]chromen-13-ol, - ethoxycarbonylmethyl 8-methyl-2,2-diphenyl-2H-benzo[h]chromene-5-carboxylate, - 13-ethyl-3-[4-(morpholino)phenyl]-3-phenyl-3,13-dihydrobenzo[h]indeno[2,1-f]chromen-13-ol</div><div>Other</div></div></div>

Paints and varnishes (including enamels and lacquers) based on synthetic polymers or chemically modified natural polymers, dispersed or dissolved in an aqueous medium
<div><div>Based on acrylic or vinyl polymers</div><div>Other</div></div>
Other paints and varnishes (including enamels, lacquers and distempers); prepared water pigments of a kind used for finishing leather
<div><div>Oil paints and varnishes (including enamels and lacquers)</div><div>Other</div></div>
Prepared driers
Pigments (including metallic powders and flakes) dispersed in non-aqueous media, in liquid or paste form, of a kind used in the

manufacture of paints (including enamels); stamping foils; dyes and other colouring matter put up in forms or packings for retail sale
<div><div>Stamping foils</div><div><div>Metallised film: - consisting of eight or more layers of aluminium (CAS RN 7429-90-5) of a purity of 99,8 % or more, - with an optical density of each aluminium layer of not more than 3.0, - with each aluminium layer separated by a resin layer, - on a carrier film of PET, and - on rolls of up to 50 000 metres in length</div><div>Other</div></div><div>Other</div></div>
Artists', students' or signboard painters' colours, modifying tints, amusement colours and the like, in tablets, tubes, jars, bottles, pans or in similar forms or packings
<div><div>Colours in sets</div><div>Other</div></div>
Glaziers' putty, grafting putty, resin cements, caulking compounds and other mastics; painters' fillings; non-refractory surfacing preparations for façades, indoor walls, floors, ceilings or the like
<div><div>Glaziers' putty, grafting putty, resin cements, caulking compounds and other mastics; painters' fillings</div><div><div>Glaziers' putty, grafting putty, resin cements, caulking compounds and other mastics</div><div>Painters' fillings</div></div><div>Other</div></div>

Printing ink, writing or drawing ink and other inks, whether or not concentrated or solid
<div><div>Printing ink</div><div><div>Black</div><div><div>Printing ink, liquid, consisting of a dispersion of a vinyl acrylate copolymer and colour pigments in isoparaffins, containing by weight not more than 13 % of vinyl acrylate copolymer and colour pigments</div><div>Ink cartridges (without an integrated print head) for insertion into apparatus of subheadings 8443 31, 8443 32 or 8443 39, and incorporating mechanical or electrical components</div><div>Other</div></div></div><div>Other</div><div><div>Printing ink, liquid, consisting of a dispersion of a vinyl acrylate copolymer and colour pigments in isoparaffins, containing by weight not more than 13 % of vinyl acrylate copolymer and colour pigments</div><div>Ink: - consisting of a polyester polymer and a dispersion of silver (CAS RN 7440-22-4) and silver chloride (CAS RN 7783-90-6) in methyl propyl ketone (CAS RN 107-87-9), - with a total solid content by weight of 55 % or more, but not more than 57 %, and - with a specific gravity of 1,40 g/cm\$3 or more, but not more than</div></div></div>

1,60lg/cm\$3, used to imprint electrodes
Ink cartridges (without an integrated print head) for insertion into apparatus of subheadings 8443 31, 8443 32 or 8443 39, and incorporating mechanical or electrical components
Other
Other
Ink formulation, for use in the manufacture of ink-jet cartridges
Heat sensitive ink fixed on a plastic film
Disposable cartridge ink, containing by weight: - 5 % or more, but not more than 10 % of amorphous silicon dioxide or - 3,8 % or more of dye C.I. Solvent Black 7 in organic solvents for use in the marking of integrated circuits
Dry ink powder with a base of hybrid resin (made from polystyrene acrilyc resin and polyester resin) mixed with: - wax; - a vinyl-based polymer and - a colouring agent for use in the manufacture of toner bottles for photocopiers, fax machines, printers and multifunction devices
Ink cartridges (without an integrated print head) for insertion into apparatus of subheadings 8443 31, 8443 32 or 8443 39, and incorporating mechanical or electrical components; solid ink in engineered shapes for insertion into apparatus of subheadings 8443 31, 8443 32 or 8443 39
Other

ESSENTIAL OILS AND RESINOIDS; PERFUMERY, COSMETIC OR TOILET PREPARATIONS

Essential oils (terpeneless or not), including concretes and absolutes; resinoids; extracted oleoresins; concentrates of essential oils in fats, in fixed oils, in waxes or the like, obtained by enfleurage or maceration; terpenic by-products of the deterpenation of essential oils; aqueous distillates and aqueous solutions of essential oils

Essential oils of citrus fruit
Of orange
Not deterpenated
Deterpenated
Of lemon
Not deterpenated
Deterpenated
Other
Not deterpenated
Deterpenated

Essential oils other than those of citrus fruit
Of peppermint (Mentha piperita)
Not deterpenated
Deterpenated
Of other mints

Not deterpenated
Deterpenated
Other
Of clove, niaouli and ylang-ylang
Not deterpenated
Deterpenated
Other
Not deterpenated
Deterpenated
Of geranium; of jasmin; of vetiver
Of lavender or of lavandin
Other

Resinoids
Other
Terpenic by-products of the deterpenation of essential oils
Extracted oleoresins
Of liquorice and hops
Other
Other

Mixtures of odoriferous substances and mixtures (including alcoholic solutions) with a basis of one or more of these substances, of a kind used as raw materials in industry; other preparations based on odoriferous substances, of a kind used for the manufacture of beverages

Of a kind used in the food or drink industries
Of a kind used in the drink industries
Preparations containing all flavouring agents characterising a beverage
Of an actual alcoholic strength by volume exceeding 0,5 %
Other
Containing no milkfats, sucrose, isoglucose, glucose or starch or containing, by weight, less than 1,5 % milkfat, 5 % sucrose or isoglucose, 5 % glucose or starch
Other
Containing 70 % or more by weight of sucrose (including invert sugar expressed as sucrose) or isoglucose expressed as sucrose
Other
Other
Of a kind used in the food industries
Other
Alcoholic solutions
Other

Perfumes and toilet waters

Perfumes
Toilet waters
Beauty or make-up preparations and preparations for the care of the skin (other than medicaments), including sunscreen or suntan preparations; manicure or pedicure preparations
Lip make-up preparations
Eye make-up preparations
Manicure or pedicure preparations
Other
Powders, whether or not compressed
Other

Preparations for use on the hair
Shampoos
Preparations for permanent waving or straightening
Hair lacquers
Other

Preparations for oral or dental hygiene, including denture fixative pastes and powders; yarn used to clean between the teeth (dental floss), in individual retail packages
Dentifrices
Yarn used to clean between the teeth (dental floss)
Other

Pre-shave, shaving or aftershave preparations, personal deodorants, bath preparations, depilatories and other perfumery, cosmetic or toilet preparations, not elsewhere specified or included; prepared room deodorisers, whether or not perfumed or having disinfectant properties
Pre-shave, shaving or aftershave preparations
Personal deodorants and antiperspirants
Perfumed bath salts and other bath preparations
Preparations for perfuming or deodorising rooms, including odoriferous preparations used during religious rites
'Agarbatti' and other odoriferous preparations which operate by burning
Other
Other

SOAP, ORGANIC SURFACE-ACTIVE AGENTS, WASHING PREPARATIONS, LUBRICATING PREPARATIONS, ARTIFICIAL WAXES, PREPARED WAXES, POLISHING OR SCOURING PREPARATIONS, CANDLES AND SIMILAR ARTICLES, MODELLING PASTES, 'DENTAL WAXES' AND DENTAL PREPARATIONS WITH A BASIS OF PLASTER

Soap; organic surface-active products and preparations for use as soap, in the form of bars, cakes, moulded pieces or shapes, whether or not containing soap; organic surface-active products and preparations for washing the skin, in the form of liquid or cream and put up for retail sale, whether or
--

not containing soap; paper, wadding, felt and nonwovens, impregnated, coated or covered with soap or detergent
Soap and organic surface-active products and preparations, in the form of bars, cakes, moulded pieces or shapes, and paper, wadding, felt and nonwovens, impregnated, coated or covered with soap or detergent
For toilet use (including medicated products)
Other
Soap in other forms
Flakes, wafers, granules or powders
Other
Organic surface-active products and preparations for washing the skin, in the form of liquid or cream and put up for retail sale, whether or not containing soap

Organic surface-active agents (other than soap); surface-active preparations, washing preparations (including auxiliary washing preparations) and cleaning preparations, whether or not containing soap, other than those of heading3401
Organic surface-active agents, whether or not put up for retail sale
Anionic
Aqueous solution containing by weight 30% or more but not more than 50% of disodium alkyl [oxydi(benzenesulphonate)]
Other
Sodium lauroyl methyl isethionate
Other
Cationic
Non-ionic
Vinyl copolymer surface active agent based on polypropylene glycol
Surfactant containing 1,4-dimethyl-1,4-bis(2-methylpropyl)-2-butyne-1,4-diyl ether, polymerised with oxirane, methyl terminated
Polyoxyethylated-12-hydroxystearic acid (CAS RN 70142-34-6)
Other
Other
Preparations put up for retail sale
Surface-active preparations
Washing preparations and cleaning preparations
Other
Surface-active preparations
Surface-active mixture of methyltri-C8-C10-alkylammonium chlorides
Mixture of docusate sodium (INN) and sodium benzoate
Surface-active preparation, consisting of a mixture of sodium docusate and ethoxylated 2,4,7,9-tetramethyldec-5-yne-4,7-diol (CAS RN 577-11-7and 9014-85-1)

Surface-active preparation, consisting of a mixture of polysiloxane and poly(ethylene glycol)
Surface-active preparation, containing 2-ethylhexyloxymethyl oxirane
Surface-active preparation, containing ethoxylated 2,4,7,9-tetramethyl-5-decyne-4,7-diol (CAS RN 9014-85-1)
Other
Washing preparations and cleaning preparations
Lubricating preparations (including cutting-oil preparations, bolt or nut release preparations, anti-rust or anti-corrosion preparations and mould-release preparations, based on lubricants) and preparations of a kind used for the oil or grease treatment of textile materials, leather, furskins or other materials, but excluding preparations containing, as basic constituents, 70% or more by weight of petroleum oils or of oils obtained from bituminous minerals
Containing petroleum oils or oils obtained from bituminous minerals
Preparations for the treatment of textile materials, leather, furskins or other materials
Other
Containing 70% or more by weight of petroleum oils or of oils obtained from bituminous minerals but not as the basic constituent
Lubricants having a bio-based carbon content of at least 25% by mass and which are biodegradable at a level of at least 60%
Other
Other
Preparations for the treatment of textile materials, leather, furskins or other materials
Other
Cutting-fluid preparation based on an aqueous solution of synthetic polypeptides
Other
Artificial waxes and prepared waxes
Of poly(oxyethylene) (polyethylene glycol)
Other
Polishes and creams, for footwear, furniture, floors, coachwork, glass or metal, scouring pastes and powders and similar preparations (whether or not in the form of paper, wadding, felt, nonwovens, cellular plastics or cellular rubber, impregnated, coated or covered with such preparations), excluding waxes of heading3404
Polishes, creams and similar preparations, for footwear or leather
Polishes, creams and similar preparations, for the maintenance of wooden furniture, floors or other woodwork

Polishes and similar preparations for coachwork, other than metal polishes
Scouring pastes and powders and other scouring preparations
Other
Metal polishes
Other
Candles, tapers and the like
Modelling pastes, including those put up for children's amusement; preparations known as 'dental wax' or as 'dental impression compounds', put up in sets, in packings for retail sale or in plates, horseshoe shapes, sticks or similar forms; other preparations for use in dentistry, with a basis of plaster (of calcined gypsum or calcium sulphate)
ALBUMINOIDAL SUBSTANCES; MODIFIED STARCHES; GLUES; ENZYMES
Casein, caseinates and other casein derivatives; casein glues
Casein
For the manufacture of regenerated textile fibres
For industrial uses other than the manufacture of foodstuffs or fodder
With a water content of more than 50% by weight
Other
Other
Other
Casein glues
Other
Albumins (including concentrates of two or more whey proteins, containing by weight more than 80% whey proteins, calculated on the dry matter), albuminates and other albumin derivatives
Egg albumin
Dried
Unfit, or to be rendered unfit, for human consumption
Other
crystals
Other
Other
Unfit, or to be rendered unfit, for human consumption
Other
Milk albumin, including concentrates of two or more whey proteins
Unfit, or to be rendered unfit, for human consumption
Other
Dried (for example, in sheets, scales, flakes, powder)
Other
Other

Albumins, other than egg albumin and milk albumin (lactalbumin)
Unfit, or to be rendered unfit, for human consumption
Other
Albuminates and other albumin derivatives

Gelatin (including gelatin in rectangular (including square) sheets, whether or not surface-worked or coloured) and gelatin derivatives; isinglass; other glues of animal origin, excluding casein glues of heading3501
Gelatin and derivatives thereof
Other

Peptones and their derivatives; other protein substances and their derivatives, not elsewhere specified or included; hide powder, whether or not chromed
Concentrated milk proteins specified in additional note1to this chapter
Other

Dextrins and other modified starches (for example, pregelatinised or esterified starches); glues based on starches, or on dextrins or other modified starches
Dextrins and other modified starches
Dextrins
Other modified starches
Starches, esterified or etherified
O-(2-Hydroxyethyl)-derivative of hydrolysed maize starch(CAS RN 9005-27-0)
Other
Other

Glues
Containing, by weight, less than 25% of starches or dextrins or other modified starches
Containing, by weight, 25% or more but less than 55% of starches or dextrins or other modified starches
Containing, by weight, 55% or more but less than 80% of starches or dextrins or other modified starches
Containing, by weight, 80% or more of starches or dextrins or other modified starches

Prepared glues and other prepared adhesives, not elsewhere specified or included; products suitable for use as glues or adhesives, put up for retail sale as glues or adhesives, not exceeding a net weight of 1kg
Products suitable for use as glues or adhesives, put up for retail sale as glues or adhesives, not exceeding a net weight of 1kg
Other
Adhesives based on polymers of headings3901to 3913or on rubber
Adhesive based on an aqueous dispersion of a mixture of dimerised rosin and a copolymer of ethylene and vinyl acetate (EVA)

Two component microencapsulated epoxy adhesive dispersed in a solvent
Acrylic pressure sensitive adhesive with a thickness of 0,076mm or more but notmore than0,127mm, put up in rolls of a width of 45,7cm or more but notmore than 132cm supplied on a release liner with an initial peel adhesion release value of not less than 15N/25mm (measured according to ASTM D3330)
Preparation containing by weight: -34,5% or more but not more than 60% of styrene butadiene styrene copolymers, and -rosin esters. Dissolved in: -Methyl ethyl ketone (CAS RN 78-93-3), -Heptane (CAS RN 142-82-5), and -Toluene (CAS RN 108-88-3) or light aliphatic solvent naphtha (CAS RN 64742-89-8)
Optically clear free-film adhesives and optically clear curable liquid adhesives of a kind used solely or principally for the manufacture of flat panel displays or touch-sensitive screen panels
Other
Other

Enzymes; prepared enzymes not elsewhere specified or included
Rennet and concentrates thereof
Other
Lipoprotein lipase; aspergillus alkaline protease
Other
Preparation of Achromobacter lyticus protease (CAS RN 123175-82-6) for use in the manufacture ofhuman and analogue insulin products
Creatine amidinohydrolase (CAS RN 37340-58-2)
Other

EXPLOSIVES; PYROTECHNIC PRODUCTS; MATCHES; PYROPHORIC ALLOYS; CERTAIN COMBUSTIBLE PREPARATIONS
Propellant powders
Pyrotechnical powder in the form of granulate of cylindrical shape, composed of strontium nitrate or copper nitrate in the solution of nitroguanidine, binder and additives, used as a component of airbag inflators
Other
Prepared explosives, other than propellant powders
Safety fuses; detonating fuses; percussion or detonating caps; igniters; electric detonators
Safety fuses; detonating fuses
Other
Fireworks, signalling flares, rain rockets, fog signals and other pyrotechnic articles
Fireworks
Other

Matches, other than pyrotechnic articles of heading3604
Ferro-cerium and other pyrophoric alloys in all forms; articles of combustible materials as specified in note2to this chapter
Liquid or liquefied-gas fuels in containers of a kind used for filling or refilling cigarette or similar lighters and of a capacity not exceeding 300cm\$3
Other
Ferro-cerium and other pyrophoric alloys in all forms
Other

PHOTOGRAPHIC OR CINEMATOGRAPHIC GOODS
Photographic plates and film in the flat, sensitised, unexposed, of any material other than paper, paperboard or textiles; instant print film in the flat, sensitised, unexposed, whether or not in packs
For X-ray
Instant print film
Other plates and film, with any side exceeding 255mm
Photosensitive plate consisting of a photopolymer layer on a polyester foil of a total thickness of more than 0,43mm but not more than 3,18mm
Relief printing plate, of a kind used for printing on newsprint, consisting of a metal substrate coated with a photopolymer layer of a thickness of 0,15mm or more but not more than 0,8mm, not covered with a release film, of a total thickness of not more than 1mm
Other
Other
For colour photography (polychrome)
Other
Plate of quartz or of glass, covered with a film of chromium and coated with a photosensitive or electron-sensitive resin, of a kind used for goods of heading 8541or 8542
Other

Photographic film in rolls, sensitised, unexposed, of any material other than paper, paperboard or textiles; instant print film in rolls, sensitised, unexposed
For X-ray
Other film, without perforations, of a width not exceeding 105mm
For colour photography (polychrome)
Colour negative film:-lof a width of 75mm or more but not exceeding 105mm and-lof a length of 100m or morefor the manufacture of instant-picture film-packs
Other
Other, with silver halide emulsion
Of a width not exceeding 35mm
Microfilm; film for the graphic arts
Other

<div>Of a width exceeding 35 mm</div>
<div>Other</div>
Other film, without perforations, of a width exceeding 105 m
<div>Of a width exceeding 610 mm and of a length exceeding 200 m, for colour photography (polychrome)</div>
<div>Of a width exceeding 610 mm and of a length exceeding 200 m, other than for colour photography</div>
<div>Of a width exceeding 610 mm and of a length not exceeding 200 m</div>
<div>Of a width exceeding 105 mm but not exceeding 610 mm</div>
Other film, for colour photography (polychrome)
<div>Of a width not exceeding 16 mm</div>
<div>Of a width exceeding 16 mm but not exceeding 35 mm and of a length not exceeding 30 m, for slides</div>
<div>Of a width exceeding 16 mm but not exceeding 35 mm and of a length not exceeding 30 m, other than for slides</div>
<div>Of a width exceeding 16 mm but not exceeding 35 mm and of a length exceeding 30 m</div>
<div>Of a width exceeding 35 mm</div>
Other
<div>Of a width not exceeding 35 mm and of a length not exceeding 30 m</div>
<div>Microfilm; film for the graphic arts</div>
<div>Other</div>
<div>Of a width not exceeding 35 mm and of a length exceeding 30 m</div>
<div>Microfilm; film for the graphic arts</div>
<div>Other</div>
<div>Of a width exceeding 35 mm</div>
Photographic paper, paperboard and textiles, sensitised, unexposed
<div>In rolls of a width exceeding 610 mm</div>
<div>Other, for colour photography (polychrome)</div>
<div>Other</div>
Photographic plates, film, paper, paperboard and textiles, exposed but not developed
<div>Plates and film</div>
<div>Other</div>
Photographic plates and film, exposed and developed, other than cinematographic film
<div>For offset reproduction</div>
Other
<div>Microfilms</div>
Other
<div>Photomasks for photographically transferring circuit diagram patterns onto semiconductor wafers</div>
<div>Other</div>

Cinematographic film, exposed and developed, whether or not incorporating soundtrack or consisting only of soundtrack
<div>Of a width of 35 mm or more</div>
<div>Consisting only of soundtrack; negatives; intermediate positives</div>
<div>Other positives</div>
Other
<div>Consisting only of soundtrack; negatives; intermediate positives; newsreels</div>
Other, of a width of
<div>Less than 10 mm</div>
<div>10 mm or more</div>
Chemical preparations for photographic uses (other than varnishes, glues, adhesives and similar preparations); unmixed products for photographic uses, put up in measured portions or put up for retail sale in a form ready for use
Sensitising emulsions
<div>Photosensitive emulsion for the sensitization of silicon discs</div>
<div>Sensitising emulsion consisting of: - by weight not more than 12 % of diazooxonaphtthalenesulphonic acid ester - phenolic resins in a solution containing at least 2-methoxy-1-methylethyl acetate or ethyl lactate or methyl 3-methoxypropionate or 2-heptanone</div>
<div>Sensitising emulsion containing: - phenolic or acrylic resins - a maximum 2 % by weight of light sensitive acid precursor, in a solution containing 2-methoxy-1-methylethyl acetate or ethyl lactate</div>
<div>Preparation based on photosensitive acrylic containing polymer, containing colour pigments, 2-methoxy-1-methylethylacetate and cyclohexanone and whether or not containing ethyl-3-ethoxypropionate</div>
<div>Sensitising emulsion or preparation containing one or more of: •acrylate polymers •methacrylate polymers •derivatives of styrene polymers containing by weight not more than 7% of photosensitive acid precursors, dissolved in an organic solvent containing at least 2-methoxy-1-methylethyl acetate</div>
<div>Sensitising emulsion, containing: - not more than 10 % by weight of naphthoquinonediazide esters, - 2 % or more but not more than 35 % by weight of copolymers of hydroxystyrene - not more than 7 % by weight of epoxy-containing derivatives dissolved in 1-ethoxy-2-propyl acetate and/or ethyl lactate</div>
<div>Photosensitive emulsion consisting of cyclized polyisoprene containing: - 55 % or more but not more than 75 % by weight of xylene and - 12 % or more but not more than 18 % by weight of ethylbenzene</div>
<div>Photosensitive emulsion containing by weight: - 20 % or more but not more than 45 % of copolymers of acrylates and/or methacrylates and hydroxystyrene derivatives, - 25 % or more but not more than 50 % of</div>

organic solvent containing at least ethyl lactate and/or propylene glycolmethylether acetate, - 5 % or more but not more than 30 % of acrylates, - not more than 12 % of a photoinitiator
Dielectric coating, buffering mechanical stress, consisting of a radically photopatternable polyamide-precursor with unsaturated carbon in the side-chains which is convertible into a polyimide, in form of a solution from N-methyl-2-pyrrolidone or N-ethyl-2-pyrrolidon with a polymer content by weight 10 % or more
<div>Other</div>
Other
Developers and fixers
<div>Dry ink powder or toner blend, consisting of a copolymer of styrene and butyl acrylate and either magnetite or carbon black, for use as a developer in the manufacture of cartridges for facsimile machines, computer printers or copiers</div>
<div>Dry ink powder or toner blend, based on a polyol resin, for use as a developer in the manufacture of cartridges for facsimile machines, computer printers or copiers</div>
<div>Dry ink powder or toner blend, based on a polyester resin, manufactured by a polymerisation process, for use as a developer in the manufacture of cartridges for facsimile machines, computer printers or copiers</div>
<div>Dry ink powder or toner blend, consisting of: - styrene acrylate/butadiene copolymer - either carbon black or an organic pigment - whether or not containing polyolefin or amorphous silica for use as a developer in the manufacturing of ink/toner filled bottles or cartridges for facsimile machines, computer printers and copiers</div>
<div>Thermoplastic or electrostatic toner cartridges (without moving parts) for insertion into apparatus of HS subheadings 8443 31, 8443 32 or 8443 39</div>
<div>Other</div>
Other
<div>Anti-reflection coating, consisting of a modified methacrylic polymer, containing by weight not more than 10 % of polymer, in a solution in two or three of the following substances: - 2-methoxy-1-methylethyl acetate (CAS RN 108-65-6) - 1-methoxypropan-2-ol (CAS RN 107-98-2) - ethyl lactate (CAS RN 97-64-3)</div>
<div>Anti-reflection coating, in the form of an aqueous solution, containing by weight not more than: - 2 % of halogen-free alkyl sulphonic acid, and - 5 % of a fluorinated polymer</div>
<div>Anti-reflection coating, consisting of an ester based polymer modified with a chromophore group, in the form of a solution of either 2-methoxy-1-propanol, 2-methoxy-1-methylethyl acetate or methyl-2-</div>

hydroxyisobutyrate, containing by weight not more than 10 % of polymer
Sensitising emulsion or preparation containing one or more of: •acrylate polymers, •methacrylate polymers, •derivatives of styrene polymers, containing by weight not more than 7% of photosensitive acid precursors, dissolved in an organic solvent containing at least 2-methoxy-1-methylethyl acetate
Anti-reflection coating, consisting of either a siloxane polymer or an organic polymer having a phenolic hydroxy group modified with a chromophore group, in the form of a solution of an organic solvent containing either 1-ethoxy-2-propanol or 2-methoxy-1-methylethyl acetate containing by weight not more than 10 % of polymer
Rolls, containing: - a dry layer of a photosensitive acrylic resin, - on one side a poly(ethylene terephthalate) protecting foil and - on the other side a polyethylene protecting foil
Other

MISCELLANEOUS CHEMICAL PRODUCTS

Artificial graphite; colloidal or semi-colloidal graphite; preparations based on graphite or other carbon in the form of pastes, blocks, plates or other semi-manufactures
Artificial graphite
Colloidal or semi-colloidal graphite
Colloidal graphite in suspension in oil; semi-colloidal graphite
Other
Carbonaceous pastes for electrodes and similar pastes for furnace linings
Other
Expandable graphite (CAS RN 90387-90-9 and CAS RN 12777-87-6)
Other
Activated carbon; activated natural mineral products; animal black, including spent animal black
Activated carbon
Mixture of activated carbon and polyethylene, in form of powder
Other
Other
Soda flux calcinated diatomaceous earth
Soda flux calcinated diatomaceous earth, acid washed, for use as a filter aid in the manufacture of pharmaceutical and/or biochemical products
Other
Other
Tall oil, whether or not refined
Crude

Other
Residual lyes from the manufacture of wood pulp, whether or not concentrated, desugared or chemically treated, including lignin sulphonates, but excluding tall oil of heading 3803
Sodium lignosulphonate
Other
Gum, wood or sulphate turpentine and other terpenic oils produced by the distillation or other treatment of coniferous woods; crude dipentene; sulphite turpentine and other crude para-cymene; pine oil containing alpha-terpineol as the main constituent
Gum, wood or sulphate turpentine oils
Gum turpentine
Wood turpentine
Sulphate turpentine
Other
Pine oil
Other
Rosin and resin acids, and derivatives thereof; rosin spirit and rosin oils; run gums
Rosin and resin acids
Obtained from fresh oleoresins
Rosin modified phenolic resin, - containing 60 % or more but not more than 75 % by weight of rosin, - with an acid value of not more than 25, of a kind used in offset printing
Other
Salts of rosin, of resin acids or of derivatives of rosin or resin acids, other than salts of rosin adducts
Ester gums
Other
Wood tar; wood tar oils; wood creosote; wood naphtha; vegetable pitch; brewers' pitch and similar preparations based on rosin, resin acids or on vegetable pitch
Wood tar
Other
Insecticides, rodenticides, fungicides, herbicides, anti-sprouting products and plant-growth regulators, disinfectants and similar products, put up in forms or packings for retail sale or as preparations or articles (for example, sulphur-treated bands, wicks and candles, and fly-papers)
Goods specified in subheading note 1 to this chapter
Other
Insecticides
Based on pyrethroids
Based on chlorinated hydrocarbons
Based on carbamates
Based on organophosphorus compounds
Other
Indoxacarb (ISO) and its (R) isomer, fixed on a support of

silicon dioxide
Preparation containing endospores or spores and protein crystals derived from either: - Bacillus thuringiensis Berliner subsp. aizawai and kurstaki or, - Bacillus thuringiensis subsp. kurstaki or, - Bacillus thuringiensis subsp. israelensis or, - Bacillus thuringiensis subsp. aizawai or, - Bacillus thuringiensis subsp. tenebrionis
Spinosad (ISO)
Spinetoram (ISO) (CAS RN 935545-74-7), preparation of two spinosyn components (3'-ethoxy-5,6-dihydro spinosyn J) and (3'-ethoxy- spinosyn L)
Other
Fungicides
Inorganic
Preparations based on copper compounds
Other
Other
Based on dithiocarbamates
Mancozeb (ISO) (CAS RN 8018-01-7) imported in immediate packings of a content of 500 kg or more
Other
Based on benzimidazoles
Based on diazoles or triazoles
Based on diazines or morpholines
Other
Fungicide in the form of a powder, containing by weight 65 % or more but not more than 75 % of hymexazole (ISO), not put up for retail sale
Preparation consisting of a suspension of pyrithione zinc (INN) in water, containing by weight: - 24 % or more but not more than 26 % of pyrithione zinc (INN), or - 39 % or more but not more than 41 % of pyrithione zinc (INN)
Preparation containing 38% or more but not more than 50% by weight of pyrithione zinc (INN) (CAS RN 13463-41-7) in an aqueous dispersion
Preparations based on copper pyrithione (CAS RN 14915-37-8)
Other
Herbicides, anti-sprouting products and plant-growth regulators
Herbicides
Based on phenoxy-phytohormones
Based on triazines
Based on amides

350,| for use in the manufacture of| lubricating oils

Dispersing agent|: -|containing polyisobutene succinimide derived from reaction products of polyethylenepolyamines with polyisobutenyl succinic anhydride (CAS RN 147880-09-9), - |containing|35|% or more but not more than 55|% by weight of mineral oils, -|with a chlorine content by weight of not more than|0,05|%,| - |having a total base number of less than|15, used in the manufacture of blends of additives for lubricating oils

Additives, consisting of : -|zinc bis[bis(tetrapropylenephenyl)] bis(hydrogen dithiophosphate) (CAS RN 11059-65-7), -|triphenyl thiophosphate (CAS RN 597-82-0), - |triphenyl phosphite (CAS RN 101-02-0), and -|mineral oils,| for use in|the manufacture of| lubricating oils

Detergent containing : -|Calcium salt of beta-aminocarbonyl alkylphenol (reaction product Mannich base of alkylphenol) -|40|% or more but not more than 60|% by weight of mineral oils and -|having a total base number more than 120 used in the manufacture of blends of additives for lubricating oils

Additives containing: -|mainly sulphurized diisobutylene, -|calcium sulphonate, -|dialkylaminoalkyl polyisobutylene succinate, and - |mineral oils, for use in the manufacture of| lubricating oils

Detergent containing : -|long chain alkyltoluene calcium| sulphonates, - |more than 30|% but not more than 50|% by weight of mineral oils, and - |having a total base number of more than 310|but not more| than 340, used in the manufacture of blends of additives for lubricating oils

Additives for lubricating oils, based on complex organic molybdenum compounds, in the form of a solution in mineral oil

Additives containing: -|a| (C8-18) alkyl polymethacrylate copolymer with| N-[3-(dimethylamino)propyl]methacrylamide, of an average molecular weight (Mw) of more than 10,000|but not more than 20,000, and -|more than 15|% , but not more than 30|% by weight of mineral oils, for use in the manufacture of| lubricating oils

Additives containing: -|20|% or more by weight of an ethylene-propylene copolymer chemically modified by succinic anhydride groups reacted with 4-(4-nitrophenylazo)aniline and 3-nitroaniline, and -|mineral oils, for use in the manufacture of lubricating oils

Additives for lubricating oils, containing mineral oils, consisting of calcium salts of reaction products of polyisobutylene substituted phenol with salicylic acid and formaldehyde, used as a concentrated additive for the manufacture of engine oils through a blending process

Additives containing: -|calcium salts of heptylphenol reaction products with formaldehyde (CAS RN 84605-23-2), and -|mineral oils, having a total base number (TBN) of more than 40|but not more than 100, for use in the manufacture of lubricating oils or|overbased detergents for use in lubricating oils

Additives containing: -|o-amino polyisobutylenephenol (CAS RN 78330-13-9), -|polyisobutylene succinimide (CAS RN 84605-20-9), - |alkenylimidazoline (CAS RN 68784-17-8), -|nonylated diphenylamine derivatives| (CAS RN 36878-20-3|and CAS RN 27177-41-9), and - |more than 30|% , but not more than 45|% by weight of mineral oils, for use in|the manufacture of| lubricating oils

Additives containing: -|a styrene-maleic anhydride copolymer esterified with C4-C20|alcohols, modified by| aminopropylmorpholine, and -|more than 50|% but not more than 75|% by weight of mineral oils, |for use in the|manufacture of lubricating oils

Additives containing: -|an| (C8-18) alkyl methacrylate| and| N-[3-(dimethylamino)propyl]methacrylamide copolymer, -|an ethylene-propylene copolymer , -|an ethylene-propylene copolymer chemically modified with succinic anhydride, 4-(4-nitrophenyl) aniline and 3-nitroaniline, and -|more than 15|% but not more than 30|% by weight of mineral oils, whether or not containing a methacrylic pour point depressant polymer, for use in|the manufacture of lubricating oils

Additives containing -|overbased magnesium (C20-C24) alkylbenzenesulphonates (CAS RN 231297-75-9) and -|by weight more than 25|% but not more than 50|% of mineral oils, having a|total base number|of more than 350, but not more than 450, for use in the manufacture of lubricating oils

Additives for lubricating oils, - |based on calcium C16-24|alkylbenzenesulphonates (CAS|RN|70024-69-0), -|containing mineral oils, used as a concentrated additive for the manufacture of engine oils through a blending process

Additives containing:| -|overbased calcium petroleum sulphonates (CAS 68783-96-0) with a sulphonate content by weight of 15|%|or more, but not more than 30|% and -|by weight more than 40|%|but not more than 60|% of mineral oil, having a total base number|of 280|or more but not more than 420,for use in the manufacture of lubricating oils

Additives containing: -|low base number calcium polypropylbenzenesulphonate| (CAS RN 75975-85-8) and -|by weight more than|40|% but not more than 60|% mineral oils, having a total base number|of| more than 10|but not more than 25, for use in the manufacture of lubricating oils

Additives containing: -|a polyisobutylene succinimide based mixture, and -|more than 40|% but

not more than 50|% by weight of mineral oils, having a total base number of more than 40, for use in the manufacture of lubricating oils

Additives for lubricating oils, containing mineral oils, -|based on calcium polypropylenyl substituted benzenesulphonate (CAS RN 75975-85-8) with a content by weight of 25|% or more but not more than 35|%, -|with a total base number (TBN) of 280|or more but not more than 320, used as a concentrated additive for the manufacture of engine oils through a blending process

Additives containing: -|an overbased mixture of calcium petroleum sulphonates (CAS RN|61789-86-4) and synthetic calcium alkylbenzenesulphonates (CAS RN 68584-23-6|and CAS RN 70024-69-0)| with a total sulphonate content by weight of 15|% or more, but not more than 25|% and -|by weight more than 40|%|but not more than 60|% of mineral oils, having a total base number|of 280|or more but not more than 320, for use in the manufacture of lubricating oils

Additives containing: -|a polyisobutylene succinimide based mixture (CAS RN 160610-76-4), and - |more than 35|% but not more than 50|% by weight of mineral oils, having a sulphur content of more than 0,7|% but not more than 1,3|% by weight, having a total base number of more than 8, for use in the manufacture of lubricating oils

Additives for lubricating oils, - |containing polyisobutylene succinimide derived from reaction products of polyethylenepolyamines with polyisobutenyl succinic anhydride (CAS RN 84605-20-9), -|containing mineral oils, -|with a chlorine content by weight of 0,05|% or more but not more than 0,25|%, -|with a total base number (TBN) of more than 20, used as a concentrated additive for the manufacture of engine oils through a blending process

Additives containing: -|borated succinimide compounds (CAS RN 134758-95-5), -|mineral oils, and - |having a total base number (TBN) greater than 40, for use in the manufacture of additive mixtures|for lubricating oils

Additives containing: -|Calcium (C10-C14) dialkylbenzenesulfonates, -|more than 40|%, but not more than 60|% by weight of mineral oils, with a total base number of not more than 10, for use in the manufacture of blends of additives for lubricating oils

Antifoam additives consisting of: -|a copolymer of 2-ethylhexyl acrylate and ethyl acrylate, and -|more than 50|% but not more than 80|% by weight of mineral oils for use in the manufacture of| additive blends for lubricating oils

Additives containing : - |polyisobutylene aromatic polyamine succinimide, -|more than 40|% but not more than 60|% by weight of mineral oils, with a

nitrogen content of more than 0,6 % but not more than 0,9 % by weight, for use in the manufacture of additive blends for lubricating oils
Additives containing: - polyisobutene succinimide derived from reaction of polyethylenepolyamines with polyisobutenyl succinic anhydride (CAS RN 84605-20-9), - containing more than 31,9 % but not more than 43,3 % by weight of mineral oils, - not more than 0,05 % by weight chlorine, and - having a total base number (TBN) greater than 20, for use in the manufacture of additives blends for lubricating oils
Additives, - containing more than 20 % but not more than 45 % by weight of mineral oils, - based on a mixture of branched dodecylphenol sulfide calcium salts, whether or not carbonated, of a kind used in the manufacture of blends of additives for lubricating oils
Other
Other
Additive containing : - products from the reaction of branched heptyl phenol with formaldehyde, carbon disulphide and hydrazine (CAS RN 93925-00-9) and - by weight more than 15 % but not more than 28 % of light aromatic petroleum naphtha solvent, for use in the manufacture of lubricating oils
Additives for lubricating oils, consisting of reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with propylene oxide, phosphorus oxide, and amines with C12-14 alkyl chains, used as a concentrated additive for the manufacture of lubricating oils
Additives containing at least salts of primary amines and mono- and di-alkylphosphoric acids, for use in the manufacture of lubricating oils
Additives for lubricating oils, consisting of reaction products of butyl-cyclohex-3-enecarboxylate, sulphur and triphenyl phosphite (CAS RN 93925-37-2), used as a concentrated additive for the manufacture of engine oils through a blending process
Additives consisting of an imidazoline based mixture (CAS RN 68784-17-8), for use in the manufacture of lubricating oils
Additives for lubricating oils, consisting of reaction products of 2-methyl-prop-1-ene with sulphur monochloride and sodium sulphide (CAS RN 68511-50-2), with a chlorine content by weight of 0,01 % or more but not more than 0,5 %, used as a concentrated additive for the manufacture of lubricating oils
Additives consisting of a mixture of (C7-C9) dialkyl adipates, in which diisooctyl adipate (CAS RN 1330-86-5) is more than 85 % by weight of the mixture, for use in the manufacture of lubricating oils
Additives for lubricating oils, consisting of a mixture of N,N-

dialkyl -2-hydroxyacetamides with alkyl chain lengths between 12 and 18 carbon atoms (CAS RN 866259-61-2), used as a concentrated additive for the manufacture of engine oils through a blending process
Additives consisting of reaction products of diphenylamine and branched nonenes with: - by weight more than 28 % but not more than 35 % 4-monononyldiphenylamine, and - by weight more than 50 % but not more than 65 % 4,4'-dinonyldiphenylamine, - by weight a total percentage of 2, 4-dinonyldiphenylamine and 2, 4'-dinonyldiphenylamine of not more than 5 %, used for the manufacture of lubricating oils
Additives containing: - mainly sulphurized diisobutylene, - calcium sulphonate, and - dialkylaminoalkyl polyisobutylene succinate for use in the manufacture of lubricating oils
Additives consisting of a sulphurised mixture of vegetable oil, long chain α-olefins and tall oil fatty acids, with a sulphur content of 8 % or more but not more than 12 % by weight, for use in the manufacture of blends of additives for lubricating oils
Additives consisting of dialkylphosphites (in which the alkyl groups contain more than 80 % by weight of oleyl, palmityl and stearyl groups), for use in the manufacture of lubricating oils
Additives containing : - more than 70 % by weight of 2,5-bis(tert-nonyldithio)-[1,3,4]-thiadiazole (CAS RN 89347-09-1), and - more than 15 % by weight of 5-(tert-nonyldithio)- 1,3,4-thiadiazole-2(3H)-thione (CAS RN 97503-12-3), for use in the manufacture of lubricating oils
Additives consisting of a mixture of3-((C9-11)-isoalkyloxy)tetrahydrothiophene 1,1-dioxide, C10-rich (CAS RN 398141-87-2), for use in the manufacture of lubricating oils
Other
Other
Dinonylnaphthylsulphonic acid salt, in a mineral oil solution
Solution of a quaternary ammonium salt based on polyisobutenyl succinimide, containing by weight 20 % or more but not more than 29,9 % 2-ethylhexanol
Other
Prepared rubber accelerators; compound plasticisers for rubber or plastics, not elsewhere specified or included; anti-oxidising preparations and other compound stabilisers for rubber or plastics
Prepared rubber accelerators
Rubber accelerator based on diphenyl guanidine granules (CAS RN 102-06-7)
Mixture of bis [3-(triethoxysilyl)propyl] sulphides (CAS

RN 211519-85-6)
Other
Compound plasticisers for rubber or plastics
Reaction mixture containing benzyl 3-isobutyryloxy-1-isopropyl-2,2-dimethylpropyl phthalate and benzyl 3-isobutyryloxy-2,2,4-trimethylpentyl phthalate
Other
Plasticizer, containing: - bis(2-ethylhexyl)-1,4-benzene dicarboxylate (CAS RN 6422-86-2) - more than 10 % but not more than 60 % by weight of dibutylterephthalate (CAS RN 1962-75-0)
Other
Anti-oxidising preparations and other compound stabilisers for rubber or plastics
Anti-oxidising preparations
Mixtures of oligomers of 1,2-dihydro-2,2,4-trimethylquinoline
Other
4,4'-Isopropylidenediphenol C12-15 alcohol phosphite containing by weight 1 % or more but not more than 3 % of bisphenol A (CAS RN 96152-48-6)
Other
Other
Mixture containing predominantly bis(2,2,6,6-tetramethyl-1-octyloxy-4-piperidyl) sebacate
UV photo stabiliser containing: - α-[3-[3-(2H-Benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-ω-hydroxypoly(oxy-1,2-ethanediyl) (CAS RN 104810-48-2); - α-[3-[3-(2H-Benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-ω-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]poly (oxy-1,2-ethanediyl) (CAS RN 104810-47-1); - polyethylene glycol of a weight average molecular weight (Mw) of 300 (CAS RN 25322-68-3) - bis (1,2,2,6,6-pentamethyl-4-piperidyl)sebacate (CAS RN 41556-26-7), and - methyl-1,2,2,6,6-pentamethyl-4- piperidyl sebacate (CAS RN 82919-37-7)
Compound stabilisers containing by weight 15 % or more but not more than 40 % of sodium perchlorate and not more than 70 % of 2-(2-methoxyethoxy)ethanol
Mixture containing by weight: - 25 % or more but not more than 50 % of a mixture of C15-18 tetramethylpiperidiny l esters (CAS RN 86403-32-9) - not more than 20 % of other organic compounds - on a carrier of polypropylene (CAS RN 9003-07-0)
Mixture of: - 80 % (± 10 %) by weight of 2-ethylhexyl 10-ethyl-4,4-dimethyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate, and - 20 % (± 10 %) by weight of 2-ethylhexyl

10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-methyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate	For use as fuel	oxides fixed on a support of silicon dioxide, containing by weight 20% or more but not more than 40% of molybdenum, bismuth and iron evaluated together, for use in the manufacture of acrylonitrile
UV stabilizer, containing: -[2-(4,6-bis(2,4-dimethylphenyl)-1,3,5-triazin-2-yl)-5-(octyloxy)-phenol (CAS RN 2725-22-6) and -[either N,N'-bis(1,2,2,6,6-pentamethyl-4-piperidiny]-1,6-hexanediamine, polymer with 2,4- dichloro-6-(4-morpholinyl)-1,3,5-triazine (CAS RN 193098-40-7)]or -[N,N'-bis(2,2,6,6-tetramethyl-4-piperidiny]-1,6-hexanediamine, polymer with 2,4-[dichloro-6-(4-morpholinyl)-1,3,5-triazine (CAS RN 82451-48-7)	For other uses	Catalyst, -[in the form of solid spheres, -[of a diameter of 4 mm or more but not more than 12 mm, and -[consisting of a mixture of molybdenum oxide and other metal oxides, supported on silicon dioxide and/or aluminium oxide, for use in the manufacture of acrylic acid
Light stabiliser, consisting of branched and linear alkyl esters of 3-(2H-Benzotriazolyl)-5-(1,1-dimethylethyl)-4-hydroxy-benzenepropanoic acid (CAS RN 127519-17-9)	Other	Catalyst in the form of spheres of a diameter of 4,2 mm or more but not more than 9 mm, consisting of a mixture of metal oxides containing predominantly oxides of molybdenum, nickel, cobalt and iron, on a support of aluminium oxide, for use in the manufacture of acrylic aldehyde
Stabiliser for plastic material containing: -[2-ethylhexyl 10-ethyl-4,4-dimethyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (CAS RN 57583-35-4), -[2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-methyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (CAS RN 57583-34-3), and -[2-ethylhexyl mercaptoacetate (CAS RN 7659-86-1)	Mixture containing by weight: -[69% or more but not more than 71% of 1-methoxypropan-2-ol, -[29% or more but not more than 31% of 2-methoxy-1-methylethyl acetate	Catalyst containing titanium tetrachloride supported on magnesium dichloride, for use in the manufacture of polypropylene
Light stabiliser containing: - branched and linear alkyl esters of 3-(2H-benzotriazolyl)-5-(1,1-dimethylethyl)-4-hydroxybenzenepropanoic acid (CAS RN 127519-17-9), and - 1-methoxy-2-propyl acetate (CAS RN 108-65-6)	Azeotrope mixtures containing isomers of nonafluorobutyl methyl ether and/or nonafluorobutyl ethyl ether	Catalyst consisting of phosphoric acid chemically bonded to a support of silicon dioxide
UV-stabilizer, consisting of: -[a hindered amine: N,N'-bis(1,2,2,6,6-pentamethyl-4-piperidiny]-1,6-hexanediamine, polymer with 2,4-dichloro-6-(4-morpholinyl)-1,3,5-triazine (CAS RN 193098-40-7) and - either an o-hydroxyphenyl triazine UV light absorber or -[a chemically modified phenolic compound	Ethyl alcohol produced from agricultural products (as listed in Annex I to the Treaty on the Functioning of the European Union), denatured or undenatured, excluding products with a water content of more than 0,3% (m/m) measured according to the standard EN 15376, but including ethyl alcohol produced from agricultural products (as listed in Annex I to the Treaty on the Functioning of the European Union) contained in blends with gasoline with an ethyl alcohol content of more than 10% (v/v)	Catalyst consisting of organo-metallic compounds of aluminium and zirconium, fixed on a support of silicon dioxide
Other	For use as fuel	Catalyst consisting of organo-metallic compounds of aluminium and chromium, fixed on a support of silicon dioxide
	For other uses	Catalyst consisting of organo-metallic compounds of magnesium and titanium, fixed on a support of silicon dioxide, in the form of a suspension in mineral oil
	Other	Catalyst consisting of organo-metallic compounds of aluminium, magnesium and titanium, fixed on a support of silicon dioxide, in the form of powder
Preparations and charges for fire-extinguishers; charged fire-extinguishing grenades	Reaction initiators, reaction accelerators and catalytic preparations, not elsewhere specified or included	Catalyst containing titanium tetrachloride supported on magnesium dichloride, for use in the manufacture of polyolefins
Preparations and charges for fire-extinguishers, of mentioned in code 8424, for use in certain types of aircraft	Supported catalysts	Cathode, in rolls, for air zinc button cell batteries (hearing aid batteries)
Other	With nickel or nickel compounds as the active substance	Other
Organic composite solvents and thinners, not elsewhere specified or included; prepared paint or varnish removers	With precious metal or precious-metal compounds as the active substance	
Based on butyl acetate	Catalyst, in the form of granules or rings of a diameter of 3 mm or more but not more than 10 mm, consisting of silver on an aluminium oxide support and containing by weight 8 % or more but not more than 40 % of silver	
Ethyl alcohol produced from agricultural products (as listed in Annex I to the Treaty on the Functioning of the European Union), denatured or undenatured, excluding products with a water content of more than 0,3% (m/m) measured according to the standard EN 15376, but including ethyl alcohol produced from agricultural products (as listed in Annex I to the Treaty on the Functioning of the European Union) contained in blends with gasoline with an ethyl alcohol content of more than 10% (v/v)	Other	
	Catalyst in the form of grains of which 90% or more by weight have a particle-size not exceeding 10 micrometres, consisting of a mixture of oxides on a magnesium-silicate support, containing by weight: -[20% or more but not more than 35% of copper and -[2% or more but not more than 3% of bismuth, and of an apparent specific gravity of 0,2 or more but not exceeding 1,0	
	Other	
	Catalysts consisting of chromium trioxide, dichromium trioxide or organometallic compounds of chromium, fixed on a silicon dioxide support with a pore volume of 2cm3/g or more (as determined by the nitrogen absorption method)	
	Catalyst, in the form of a powder, consisting of a mixture of metal	
		Other
		Catalyst consisting of ethyltriphenylphosphonium acetate in the form of a solution in methanol
		Other
		Initiator based on dimethylaminopropyl urea
		Oxidation catalyst with an active ingredient of di[manganese (1+)], 1,2-bis(octahydro-4,7-dimethyl-1H-1,4,7-triazonine-1-yl-kN\$1, kN\$4, kN\$7)ethane-di-μ-oxo-μ-(ethanoato-kO, kO')-, di[chloride(1-)], used to accelerate chemical oxidation or bleaching (CAS RN 1217890-37-3)

Catalyst, in powder form, consisting of a mixture of titanium trichloride and aluminium chloride, containing by weight: -|20|% or more but not more than 30|% of titanium and -|55|% or more but not more than 72|% of chlorine

Catalyst, consisting of a suspension in mineral oil of: -|tetrahydrofuran complexes of magnesium chloride and titanium(III) chloride; and -|silicon dioxide -|containing 6,6|% (± 0,6|%) by weight of magnesium, and -|containing 2,3|% (± 0,2|%) by weight of titanium

Catalyst, consisting of a mixture of different alkyl naphthalene sulphonic acids, with aliphatic hydrocarbon chains, containing 12|-56|carbon atoms

Catalyst: -|containing molybdenum oxide and other metal oxides in a silicon dioxide matrix, -|in the form of hollow cylindrical solids of a length of 4|mm or more but not more than 12|mm for use in the manufacture of acrylic acid

Catalyst containing titanium trichloride, in the form of a suspension in hexane or heptane containing by weight, in the hexane- or heptane-free material, 9|% or more but not more than 30|% of titanium

Catalyst, consisting of a mixture of (2-hydroxypropyl)trimethylammonium formate and dipropylene glycols

Catalyst, containing N-(2-hydroxypropylammonium)diazabicyclo (2,2,2) octane-2-ethyl hexanoate, dissolved in ethane-1,2-diol

Catalyst consisting of titanium dioxide and tungsten trioxide

Catalyst consisting predominantly of dinonylnaphthalenedisulphonic acid in the form of a solution in isobutanol

Catalyst, containing by weight 69|% or more but not more than 79|% of (2-hydroxy-1-methylethyl)trimethylammonium 2-ethylhexanoate

Catalyst based on aluminosilicate (zeolite), for the alkylation of aromatic hydrocarbons, for the transalkylation of alkylaromatic hydrocarbons or for the oligomerization of olefins

Catalyst, in the form of rodlets, consisting of an aluminosilicate (zeolite), containing by weight 2|% or more but not more than 3|% of rare-earth metal oxides and less than 1|% of disodium oxide

Catalyst, consisting of titanium tetrachloride and magnesium chloride, containing by weight on an oil- and hexane-free basis: -|4|% or more but not more than 10|% of titanium and -|10|% or more but not more than 20|% magnesium

Rhodococcus rhodocrous J1 bacteria, containing enzymes, suspended in a polyacrylamide gel or in water, for use as a catalyst in

the production of acrylamide by the hydration of acrylonitrile

Other

Refractory cements, mortars, concretes and similar compositions, other than products of heading|3801

Mixed alkylbenzenes and mixed alkylnaphthalenes, other than those of heading|2707|or 2902

Linear alkylbenzenes

Mixture of alkylbenzenes (C14-26) containing by weight: -|35|% or more but not more than 60|% of eicosylbenzene, -|25|% or more but not more than 50|% of docosylbenzene, -|5|% or more but not more than 25|% of tetracosylbenzene

Other

Other

Mixture of alkyl naphthalenes, containing by weight: -|88|% or more but not more than 98|% of hexadecylnaphthalene -|2|% or more but not more than 12|% of dihexadecylnaphthalene

Mixture of branched alkyl benzenes mainly containing dodecyl benzenes

Mixed alkyl naphthalenes, modified with aliphatic chains, of a chain-length varying from 12|to 56|carbon atoms

Other

Chemical elements doped for use in electronics, in the form of discs, wafers or similar forms; chemical compounds doped for use in electronics

Doped silicon

Wafers of the type used in crystalline silicon photovoltaic modules or panels with a thickness of the wafers not exceeding 400 µm

Consigned from the People's Republic of China, unless the products are in transit in the sense of Article V GATT (http://www.wto.org/english/docs_e/legal_e)

Other

Other

Other

Hydraulic brake fluids and other prepared liquids for hydraulic transmission, not containing or containing less than 70|% by weight of petroleum oils or oils obtained from bituminous minerals

Based on silicate or phosphoric esters, for use in certain types of aircraft

Fire resistant hydraulic fluid based on phosphate ester

Other

Anti-freezing preparations and prepared de-icing fluids

Ethyl alcohol produced from agricultural products (as listed in Annex I to the Treaty on the Functioning of the European Union), denatured or undenatured, excluding products with a water content of more than 0,3|% (m/m)

measured according to the standard EN 15376

For use as fuel

For other uses

Other

Prepared culture media for the development or maintenance of micro-organisms (including viruses and the like) or of plant, human or animal cells

Diagnostic or laboratory reagents on a backing, prepared diagnostic or laboratory reagents whether or not on a backing, other than those of heading|3002|or 3006; certified reference materials

Industrial monocarboxylic fatty acids; acid oils from refining; industrial fatty alcohols

Industrial monocarboxylic fatty acids; acid oils from refining

Stearic acid

Of a kind used for animal feed

Other

Oleic acid

Of a kind used for animal feed

Other

Tall oil fatty acids

Of a kind used for animal feed

Other

Other

Distilled fatty acids

Of a kind used for animal feed

Other

Fatty acid distillate

Palm fatty acid distillate, whether or not hydrogenated, with free fatty acid content|80|% or more for use in the manufacture of

industrial monocarboxylic fatty acids of heading 3823, stearic acid of heading 3823, stearic acid of heading 2915, palmitic acid of heading 2915

animal feed preparations of subheading 2309

Other

Of a kind used for animal feed

Other

Other

Palm acid oils from refining for use in the manufacture of

industrial monocarboxylic fatty acids of heading 3823, stearic acid of heading 3823, stearic acid of heading 2915, palmitic acid of heading 2915

animal feed preparations of subheading 2309

Other

Of a kind used for animal feed

Other

<div>Industrial fatty alcohols</div> <div>Of a kind used for animal feed</div> <div>Other</div>			<div>Containing only 1,1,1-trifluoroethane and pentafluoroethane</div> <div>Containing only 1,1,1-trifluoroethane, pentafluoroethane and 1,1,1,2-tetrafluoroethane</div> <div>Containing only difluoromethane and pentafluoroethane</div> <div>Containing only difluoromethane, pentafluoroethane and 1,1,1,2-tetrafluoroethane</div> <div>Containing unsaturated hydrofluorocarbons</div> <div>Other</div> <div>Other</div>			<div>Intermediate products from the manufacture of monensin salts</div> <div>Other</div>
<div>Prepared binders for foundry moulds or cores; chemical products and preparations of the chemical or allied industries (including those consisting of mixtures of natural products), not elsewhere specified or included</div> <div>Prepared binders for foundry moulds or cores</div> <div>Based on synthetic resins</div> <div>Other</div>						<div>Auxiliary products for foundries (other than those of subheading 3824 10 00)</div>
<div>Non-agglomerated metal carbides mixed together or with metallic binders</div> <div>Tungsten carbide simply mixed with metallic powder</div> <div>Other</div>			<div>Mixtures and preparations containing oxirane (ethylene oxide), polybrominated biphenyls (PBBs), polychlorinated biphenyls (PCBs), polychlorinated terphenyls (PCTs) or tris(2,3-dibromopropyl) phosphate</div> <div>Containing oxirane (ethylene oxide)</div> <div>Containing polychlorinated biphenyls (PCBs), polychlorinated terphenyls (PCTs) or polybrominated biphenyls (PBBs)</div> <div>Containing tris(2,3-dibromopropyl) phosphate</div>			<div>Fireproofing, waterproofing and similar protective preparations used in the building industry</div>
<div>Prepared additives for cements, mortars or concretes</div> <div>Non-refractory mortars and concretes</div> <div>Concrete ready to pour</div> <div>Other</div>			<div>Other</div> <div>Petroleum sulphonates, excluding petroleum sulphonates of alkali metals, of ammonium or of ethanolamines; thiophenated sulphonic acids of oils obtained from bituminous minerals, and their salts</div>			<div>Other</div> <div>Lithium niobate wafer, undoped</div>
<div>Sorbitol other than that of subheading 2905 44</div> <div>In aqueous solution</div> <div>Containing 2 % or less by weight of D-mannitol, calculated on the D-glucitol content</div> <div>Other</div> <div>Other</div> <div>Containing 2 % or less by weight of D-mannitol, calculated on the D-glucitol content</div> <div>Other</div>			<div>Other</div> <div>Ion-exchangers</div> <div>Acid aluminosilicate (artificial zeolite of the Y type) in the sodium form, containing by weight not more than 11 % of sodium evaluated as sodium oxide, in the form of rodlets</div> <div>Other</div>			<div>Mixture of amines derived from dimerised fatty acids, of an average molecular weight of 520 or more but not exceeding 550</div>
<div>Mixtures containing halogenated derivatives of methane, ethane or propane</div> <div>Containing chlorofluorocarbons (CFCs), whether or not containing hydrochlorofluorocarbons (HCFCs), perfluorocarbons (PFCs) or hydrofluorocarbons (HFCs)</div> <div>Containing bromochlorodifluoromethane, bromotrifluoromethane or dibromotetrafluoroethanes</div> <div>Containing hydrobromofluorocarbons (HBFCs)</div> <div>Containing hydrochlorofluorocarbons (HCFCs), whether or not containing perfluorocarbons (PFCs) or hydrofluorocarbons (HFCs), but not containing chlorofluorocarbons (CFCs)</div> <div>Containing carbon tetrachloride</div> <div>Containing 1,1,1-trichloroethane (methyl chloroform)</div> <div>Containing bromomethane (methyl bromide) or bromochloromethane</div> <div>Containing perfluorocarbons (PFCs) or hydrofluorocarbons (HFCs), but not containing chlorofluorocarbons (CFCs) or hydrochlorofluorocarbons (HCFCs)</div>			<div>Getters for vacuum tubes</div> <div>Pyrolignites (for example, of calcium); crude calcium tartrate; crude calcium citrate</div> <div>Naphthenic acids, their water-insoluble salts and their esters</div> <div>Other</div> <div>Anti-scaling and similar compounds</div> <div>Preparations for electroplating</div> <div>Mixtures of mono-, di- and tri-, fatty acid esters of glycerol (emulsifiers for fats)</div> <div>Nicotine patches (transdermal systems), intended to assist smokers to stop smoking</div> <div>Products and preparations for pharmaceutical or surgical uses</div> <div>Intermediate products of the antibiotics manufacturing process obtained from the fermentation of Streptomyces tenebrarius, whether or not dried, for use in the manufacture of human medicaments of heading 3004</div>			<div>3-(1-Ethyl-1-methylpropyl)isoxazol-5-ylamine, in the form of a solution in toluene</div> <div>Mixtures consisting mainly of (5-ethyl-2-methyl-2-oxido-1,3,2-dioxaphosphinan-5-yl)methyl methyl methylphosphonate and bis[(5-ethyl-2-methyl-2-oxido-1,3,2-dioxaphosphinan-5-yl)methyl] methylphosphonate, and mixtures consisting mainly of dimethyl methylphosphonate, oxirane and diphosphorus pentaoxide</div>
						<div>Chemical products or preparations, predominantly composed of organic compounds, not elsewhere specified or included</div> <div>In the form of a liquid at 20 °C</div> <div>Blends containing by weight more than 20 % of paraffinic gasoil obtained from synthesis and/or hydro-treatment, of non-fossil origin</div> <div>Consigned from Canada</div> <div>Other</div>
						<div>Blends containing by weight 20 % or less of paraffinic gasoil obtained from synthesis and/or hydro-treatment, of non-fossil origin</div>
						<div>Solution of 2-chloro-5-(chloromethyl)-pyridine (CAS RN 70258-18-3) in Toluene</div>
						<div>Aqueous solution containing by weight - 38 % or more but not more than 42 % of 2-(3-chloro-5-(trifluoromethyl)pyridin-2-yl)ethanamine (CAS RN 658066-44-5), - 21 % or more but not more than 25 % of sulphuric acid (CAS RN 7664-93-9) and - 1 % or more but not more than 2,9 % of methanol (CAS RN 67-56-1)</div>
						<div>Butylphosphato complexes of titanium(IV) (CAS RN 109037-78-7), dissolved in ethanol and propan-2-ol</div>
						<div>Mixture of divinylbenzene-isomers and ethylvinylbenzene-isomers, containing by weight 56 % or</div>

more but not more than 85|% of divinylbenzene (CAS RN 1321-74-0)

Anti-corrosion preparations consisting of salts of dinonylnaphthalenesulphonic acid, either: -|on a support of mineral wax, whether or not modified chemically, or -|in the form of a solution in an organic solvent

Oligomer of tetrafluoroethylene, having one iodoethyl end-group

Preparations containing not less than 92|% but not more than 96,5|% by weight of 1,3:2,4-bis-O-(4-methylbenzylidene)-D-glucitol and also containing carboxylic acid derivatives and an alkyl sulphate

Calcium phosphonate phenate, dissolved in mineral oil

Mixture of acetates of 3-butylene-1,2-diol with a content by weight of 65|% or more but not more than 90|%

Preparations containing not less than 47|% by weight of 1,3:2,4-bis-O-benzylidene-D-glucitol

Preparation of |tetrahydro- α -(1-naphthylmethyl)furan-2-propionic acid (CAS RN 25379-26-4)| in toluene

Preparation containing by weight: -|85|% or more but not more than 95|% of α -4-(2-cyano-2-butoxycarbonyl)vinyl-2-methoxy-phenyl- ω -hydroxyhexa(oxyethylene), and -|5|% or more but not more than 15|% of polyoxyethylene (20) sorbitan monopalmitate

Preparation consisting predominantly of γ -butyrolactone and quaternary ammonium salts, for the manufacture of electrolytic capacitors

Diethylmethoxyborane (CAS RN 7397-46-8) in the form of a solution in tetrahydrofuran

Preparation, containing: -|trioctylphosphine oxide (CAS RN 78-50-2), -|dioctylhexylphosphine oxide (CAS RN 31160-66-4), -|octyldihexylphosphine oxide|(CAS RN 31160-64-2) and -|trihexylphosphine oxide (CAS RN 3084-48-8)

Mixture of: -|3,3-bis(2-methyl-1-octyl-1H-indol-3-yl)phthalide (CAS RN 50292-95-0) and -|ethyl-6'-(diethylamino)-3-oxo-spiro-[isobenzofuran-1(3H),9'-[9H]xanthene]-2'-carboxylate (CAS RN 154306-60-2)

Preparation based on 2,5,8,11-tetramethyl-6-dodecyn-5,8-diol ethoxylate (CAS RN 169117-72-0)

Alkyl carbonate-based preparation, also containing a UV absorber, for use in the manufacture of spectacle lenses

Mixture containing by weight 40|% or more but not more than 50|% of 2-hydroxyethyl methacrylate and 40|% or more but not more than 50|% of glycerol ester of boric acid

Preparations consisting predominantly of ethylene glycol and: -|either diethylene glycol, dodecandioic acid and ammonia water, -|or N,N-dimethylformamide, -|or γ -butyrolactone, -|or silicon oxide, -|or ammonium hydrogen azelate, -|or ammonium hydrogen azelate and silicon oxide, -|or dodecandioic acid, ammonia water and silicon oxide, for the manufacture of electrolytic capacitors

Poly(tetramethylene glycol) bis[(9-oxo-9H-thioxanthen-1-yloxy)acetate]|with an average polymer chain length of less than 5|monomer units (CAS RN|813452-37-8)

Additives for paints and coatings, containing: -|a mixture of esters of phosphoric acid obtained from the reaction of phosphoric anhydride with 4-(1,1-dimethylpropyl)phenol and| copolymers of styrene-allyl alcohol| (CAS RN 84605-27-6), and -|30|% or more but not more than 35|% by weight of isobutyl alcohol

Poly(tetramethylene glycol) bis[(2-benzoyl-phenoxy)acetate] with an average polymer chain length of less than 5|monomer units

Poly(ethylene glycol) bis(p-dimethyl)aminobenzoate with an average polymer chain length of less than 5|monomer units

2-Hydroxybenzonitrile, in the form of a solution in N,N-dimethylformamide, containing by weight 45|% or more but not more than 55|% of 2-hydroxybenzonitrile

Potassium tert-butanolate (CAS RN 865-47-4) in the form of a solution in tetrahydrofuran

N2-[1-(S)-Ethoxycarbonyl-3-phenylpropyl]-N6-trifluoroacetyl-L-lysyl-N2-carboxy anhydride in a solution of dichloromethane at 37|%

3',4',5'-Trifluorobiphenyl-2-amine, in the form of a solution in toluene containing by weight 80|% or more but not more than 90|%

of 3',4',5'-trifluorobiphenyl-2-amine

Polymer consisting of a polycondensate of formaldehyde and naphthalenediol, chemically modified by reaction with an alkyne halide, dissolved in propylene glycol methyl ether acetate

Preparation containing by weight: -|89|% or more but not more than 98,9|% of 1,2,3-trideoxy-4,6:5,7-bis-O-[(4-propylphenyl)methylene]-nonitol -|0,1|% or more but not more than 1|% of colourants -|1|% or more but not more than 10|% of fluoropolymers

Mixture of primary tert-alkylamines

Ethyl alcohol produced from agricultural products (as listed in Annex I to the Treaty on the Functioning of the European Union), denatured or undenatured, excluding products with a water content of more than 0,3|% (m/m) measured according to the standard EN 15376, but including ethyl alcohol produced from agricultural products (as listed in Annex I to the Treaty on the Functioning of the European Union) contained in blends with gasoline with an ethyl alcohol content of more than 10|% (v/v)

For use as fuel

For other uses

Preparation containing by weight: -|20|% (\pm 1|%) ((3-(sec-butyl)-4-(decyloxy)phenyl)methanetriyl) Tribenzene (CAS RN 1404190-37-9), Dissolved in: -|10|% (\pm 5|%) 2-sec-Butylphenol (CAS RN 89-72-5) -|64|% (\pm 7|%) Solvent naphtha (petroleum), heavy aromatic (CAS RN 64742-94-5) and -|6|% (\pm 1.0|%) Naphthalene (CAS RN 91-20-3)

Preparation containing by weight: -|80|% or more but not more than 92|% of Bisphenol-A bis(diphenyl phosphate) (CAS RN 5945-33-5) -|7|% or more but not more than 20|% oligomers of Bisphenol-A phenol phosphate and -|not more than 1|% triphenyl phosphite (CAS RN 101-02-0)

Mixture of 80|% (\pm |10|%) of 1-[2-(2-aminobutoxy)ethoxy]but-2-ylamine and 20|% |(\pm |10|%) of 1-({[2-(2-aminobutoxy)ethoxy]methyl}propoxy)but-2-ylamine

N-(2-phenylethyl)-1,3-benzenedimethanamine derivatives (CAS RN 404362-22-7)

α-(2,4,6-Tribromophenyl)-ω-(2,4,6-tribromophenoxy)poly[oxy(2,6-dibromo-1,4-phenylene)isopropylidene(3,5-dibromo-1,4-phenylene)oxycarbonyl]	Preparation consisting by weight of 83 % or more of 3a,4,7,7a-tetrahydro-4,7-methanoindene (dicyclopentadiene), a synthetic rubber, whether or not containing by weight 7 % or more of tricyclopentadiene, and: - either an aluminium-alkyl compound, - or an organic complex of tungsten - or an organic complex of molybdenum	Mixture of phytosterols, in the form of powder, containing by weight: - 75% or more of sterols, - not more than 25% of stanols for use in the manufacture of stanols/sterols or stanol/sterol esters
C6-24 and C16-18-unsaturated fatty acid esters with sucrose (sucrose polysoyate) (CAS RN 93571-82-5)	Mixture of bis [3-(triethoxysilyl)propyl]sulphides (CAS RN 211519-85-6)	Oligomeric reaction product, consisting of bis(4-hydroxyphenyl) sulfone and 1,1'-oxybis(2-chloroethane)
Aqueous solution of polymers and ammonia consisting of: - 0,1 % or more but not more than 0,5 % by weight of ammonia (CAS RN 1336-21-6) and - 0,3 % or more but not more than 10 % by weight of polycarboxylate (linear polymers of acrylic acid)	Liquid crystal mixture for use in the manufacture of displays	Oligomer of tetrafluoroethylene, having tetrafluoroiodoethyl end-groups
Preparation containing: - 74 % or more but not more than 90 % by weight of (S)-α-hydroxy-3-phenoxy-benzeneacetonitrile (CAS RN 61826-76-4) and - 10 % or more but not more than 26 % by weight of toluene (CAS RN 108-88-3)	Acetophenone (CAS RN 98-86-2), with a purity by weight of 60 % or more but not more than 90 %	Mixture of phytosterols, in the form of flakes and balls, containing by weight 80 % or more of sterols and not more than 4 % of stanols
Preparation containing by weight: - 55% or more but not more than 78% of dimethyl glutarate - 10% or more but not more than 30% of dimethyl adipate and - not more than 35% of dimethyl succinate	2,4,7,9-Tetramethyldec-5-yne-4,7-diol, hydroxyethylated	Powder mixture containing by weight: - 85 % or more of zinc diacrylate (CAS RN 14643-87-9) - and not more than 5 % of 2,6-di-tert-butyl-alpha-dimethylamino-p-cresol (CAS RN 88-27-7)
Preparation containing by weight either 10 % or more but not more than 20 % of lithiumfluorophosphate or 5 % or more but not more than 10 % of lithium perchlorate in mixtures of organic solvents	Other	Film containing oxides of barium or calcium combined with either oxides of titanium or zirconium, in an acrylic binding material
Mixture of tertiary amines containing by weight: - 2.0-4.0% of N,N-dimethyl-1-octanamine - 94% minimum of N,N-dimethyl-1-decanamine - 2% maximum of N,N-dimethyl-1-dodecanamine	Other	Preparation containing: - C,C'-azodi(formamide) (CAS RN 123-77-3), - magnesium oxide (CAS RN 1309-48-4) and - zinc bis(p-toluene sulphinate) (CAS RN 24345-02-6) in which the gas formation from C,C'-azodi(formamide) occurs at 135 °C
Diethylene glycol propylene glycol triethanolamine titanate complexes (CAS RN 68784-48-5) dissolved in diethylene glycol (CAS RN 111-46-6)	Mixture of bis{4-(3-(3-phenoxycarbonylamino)tolyl)ureido}ph	Particles of silicon dioxide on which are covalently bonded organic compounds, for use in the manufacture of high performance liquid chromatography columns (HPLC) and sample preparation cartridges
Preparation consisting of: - 50 % (±2 %) by weight of bis-alkoxylated ethyl acetoacetate aluminium chelates, - in an ink oil (white mineral) solvent with a boiling point of 160 °C or more but not more than 180 °C	Solid extract of the residual, insoluble in aliphatic solvents, obtained during the extraction of rosin from wood, having the following characteristics: - a resin acid content not exceeding 30 % by weight, - an acid number not exceeding 110 and - a melting point of 100 o! C or more	Non halogenated Flame retardant containing by weight: - 50 % (± 2 %) Polyamide 6 (CAS RN 25038-54-4), and - 50 % (± 2 %) red Phosphorus (CAS RN 7723-14-0)
T-butylchloride dimethylsilane (CAS RN 18162-48-6) solution in toluene	Zinc dimethacrylate (CAS RN 13189-00-9), containing not more than 2,5 % by weight of 2,6-di-tert-butyl-alpha-dimethyl amino-p-cresol (CAS RN 88-27-7), in the form of powder	Mixture of phytosterols derived from wood and wood based oils (tall oil), in the form of powder, containing by weight: - 60 % or more, but not more than 80 % of sitosterols, - not more than 15 % of campesterols, - not more than 5 % of stigmasterols and - not more than 15 % of betasitostanols
Preparation, consisting of two or more of the following glycols: - dipropylene glycol - tripropylene glycol - tetrapropylene glycol or - pentapropylene glycol	Liquid crystal mixture for use in the manufacture of displays	Other
	Mixture of phytosterols, not in the form of powder, containing by weight: - 75 % or more of sterols, - not more than 25 % of stanols, for use in the manufacture of stanols/sterols or stanol/sterol esters	Other
		Calcined bauxite (refractory grade)
		Structured silica alumina phosphate

Aqueous dispersion, containing by weight: - 76 %(± 0,5 %) of silicon carbide (CAS RN 409-21-2) - 4,6 %(± 0,05 %) of aluminium oxide (CAS RN 1344-28-1) and - 2,4 %(± 0,05 %) of yttrium oxide (CAS RN 1314-36-9)
Non halogenated Flame retardant containing by weight: - 50 %(± 2 %) Polyamide 6 (CAS RN 25038-54-4), and - 50 %(± 2 %) red Phosphorus (CAS RN 7723-14-0)
Mixture of: - basic zirconium carbonate (CAS RN 57219-64-4) and - cerium carbonate (CAS RN 537-01-9)
Manganese zinc ferrite granulate, containing by weight: - 52 % or more but not more than 56 % of iron(III)oxide, - 25 % or more but not more than 42 % of manganese(II) oxide and - 3,5 % or more but not more than 22 % of zinc oxide
Mixed metals oxides, in the form of powder, containing by weight: - either 5 % or more of barium, neodymium or magnesium and 15 % or more of titanium, - or 30 % or more of lead and 5 % or more of niobium, for use in the manufacture of dielectric films or for use as dielectric materials in the manufacture of multilayer ceramic capacitors
Zirconium oxide (ZrO@2), calcium oxide stabilised (CAS RN 68937-53-1) with a zirconium oxide content by weight of 92 % or more but not more than 97 %
Nickel hydroxide, doped with 12 % or more but not more than 18 % by weight of zinc hydroxide and cobalt hydroxide, of a kind used to produce positive electrodes for accumulators
Rare-earth concentrate containing by weight 60 % or more but not more than 95 % of rare-earth oxides and not more than 1 % each of zirconium oxide, aluminium oxide or iron oxide, and having a loss on ignition of 5 % or more by weight
Carrier in powder form, consisting of: - ferrite (Iron oxide) (CAS RN 1309-37-1) - manganese oxide (CAS RN 1344-43-0) - magnesium oxide (CAS RN 1309-48-4) - styrene acrylate copolymer to be mixed with the toner powder, in the manufacturing of ink/toner filled bottles or cartridges for facsimile machines, computer printers and copiers
Particles of silicon dioxide on which are covalently bonded organic compounds, for use in the manufacture of high performance liquid chromatography columns (HPLC) and sample preparation cartridges

Fused magnesia containing by weight 15 % or more of dichromium trioxide
Catalyst containing by weight of - 52 %(± 10 %) of cuprous oxide (CAS RN 1317-39-1), - 38 %(± 10 %) of cupric oxide (CAS RN 1317-38-0) and - 10 %(± 5 %) of metallic copper (CAS RN 7440-50-8)
Aluminium sodium silicate, in the form of spheres of a diameter of: - either 1,6mm or more but not more than 3,4mm, - or 4mm or more but not more than 6mm
Film containing oxides of barium or calcium combined with either oxides of titanium or zirconium, in an acrylic binding material
Reaction product, containing by weight: - 1 % or more but not more than 40 % of molybdenum oxide, - 10 % or more but not more than 50 % of nickel oxide, - 30 % or more but not more than 70 % of tungsten oxide
Hollow spheres of fused aluminosilicate containing 65-80 % amorphous aluminosilicate, with the following characteristics: - a melting point of between 1 600 °C and 1 800 °C, - a density of 0,6 - 0,8 g/cm\$3, for use in the manufacture of particle filters in motor vehicles
Preparation, consisting of 2,4,7,9-tetramethyldec-5-yne-4,7-diol and silicon dioxide
Paste containing by weight: - 75 % or more, but not more than 85 % of copper, - inorganic oxides, - ethyl cellulose, and - a solvent
Preparation containing: - C,C'-azodi(formamide) (CAS RN 123-77-3), - magnesium oxide (CAS RN 1309-48-4) and - zinc bis(p-toluene sulphinate) (CAS RN 24345-02-6) in which the gas formation from C,C'-azodi(formamide) occurs at 135 °C
Platinum oxide (CAS RN 12035-82-4) fixed on a porous support of aluminium oxide (CAS RN 1344-28-1), containing by weight: - 0,1 % or more but not more than 1 % of platinum, and - 0,5 % or more but not more than 5 % of ethylaluminium dichloride (CAS RN 563-43-9)
Other

Residual products of the chemical or allied industries, not elsewhere specified or included; municipal waste; sewage sludge; other wastes specified in note 6 to this chapter
Municipal waste
Sewage sludge
Clinical waste

Waste organic solvents
Halogenated
Other
Wastes of metal-pickling liquors, hydraulic fluids, brake fluids and anti-freeze fluids
Other wastes from chemical or allied industries
Mainly containing organic constituents
Other
Other
Alkaline iron oxide for the purification of gas
Other
Biodiesel and mixtures thereof, not containing or containing less than 70 % by weight of petroleum oils or oils obtained from bituminous minerals
Fatty-acid mono-alkyl esters, containing by volume 96,5 % or more of esters (FAMAE)
Mixture of fatty acid methyl esters containing by weight at least: - 65 % or more but not more than 75 % of C12 FAME, - 21 % or more but not more than 28 % of C14 FAME, - 4 % or more but not more than 8 % of C16 FAME, for use in the manufacture of detergents and home and personal care products
Consigned from Canada
Other
Mixture of fatty acid methyl esters containing by weight at least: - 50 % or more but not more than 58 % of C8-FAME - 35 % or more but not more than 50 % of C10-FAME for use in the manufacture of agricultural chemistry, (animal and human) food ingredients, additives to lubricant, solvents, lamp oil and firelighter components
Consigned from Canada
Other
Mixture of fatty acid methyl esters containing by weight at least: - 15 % or more but not more than 32 % of C16 FAME - 65 % or more but not more than 85 % of C18 FAME for use in the manufacture of detergents and home and personal cleaning products, agricultural chemistry, (animal and human) food ingredients, additives to lubricant, solvents, lamp oil and firelighter components
Consigned from Canada
Other
Other
Consigned from Canada
Other
Other
Blends containing by weight more than 20 % of fatty-acid mono-alkyl esters or of a mixture of fatty-acid mono-alkyl esters and paraffinic gasoil obtained from synthesis and/or hydro-treatment, of non-fossil origin

Consigned from Canada
Other
Blends containing by weight 20 % or less of fatty-acid mono-alkyl esters or of a mixture of fatty-acid mono-alkyl esters and paraffinic gasoil obtained from synthesis and/or hydro-treatment, of non-fossil origin
Other

PLASTICS AND ARTICLES THEREOF

I. PRIMARY FORMS

Polymers of ethylene, in primary forms

Polyethylene having a specific gravity of less than 0,94

Linear polyethylene

High flow linear low density polyethylene-1-butene / LLDPE (CAS RN 25087-34-7) in form of powder, with -|a melt flow rate (MFR 190|°C/2,16|kg) of 16g/10min or more, but not more than 24|g/10|min and -|a density (ASTM D 1505) of 0,922|g/cm\$3|or more, but not more than 0,926|g/cm\$3|and -|a vicat softening temperature of min. 94|°C

Linear low-density polyethylene| (LLDPE) (CAS|RN|9002-88-4) in the form of powder, with -|not more than 5|%|by weight of comonomer, -|a melt flow rate of 15|g/10|min or more, but not more than 60|g/10|min and -|a density of 0,922|g/cm\$3|or more, but not more than 0,928|g/cm\$3

Other

Other

Polyethylene, in the form of granules, of a specific gravity of 0,925|(±|0,0015), a melt flow index of 0,3|g/10|min (±|0,05|g/10|min), for the manufacture of blown films of a haze value not more than 6|% and an elongation at break (MD/TD) of 210/340

Polyethylene granules, containing by weight 10|% or more but not more than 25|% of copper

Other

Polyethylene having a specific gravity of 0,94|or more

Polyethylene in one of the forms mentioned in note|6(b) to this chapter, of a specific gravity of 0,958|or more at 23|°C, containing: -|50|mg/kg or less of aluminium, -|2|mg/kg or less of calcium, -|2|mg/kg or less of chromium, -|2|mg/kg or less of iron, - |2|mg/kg or less of nickel, -|2|mg/kg or less of titanium and -|8|mg/kg or less of vanadium, for the manufacture of chlorosulphonated polyethylene

Other

Polyethylene, in one of the forms mentioned in note 6|(b) to Chapter 39, of a specific gravity of 0,945|or more but not more than 0,985, for the manufacture of films for typewriter ribbon or similar ribbon

Polyethylene, containing by weight 35|% or more but not more than 45|% of mica

Other

Ethylene-vinyl acetate copolymers

For cavity filling, for use in certain types of aircraft

Other

Other

lonomer resin consisting of a salt of a terpolymer of ethylene with isobutyl acrylate and methacrylic acid; A-B-A block copolymer of polystyrene, ethylene-butylene copolymer and polystyrene, containing by weight 35|% or less of styrene, in one of the forms mentioned in note|6(b) to this chapter

Other

For cavity filling, for use in certain types of aircraft

Other

High flow linear low density polyethylene-1-butene / LLDPE (CAS RN 25087-34-7) in form of powder, with -|a melt flow rate (MFR 190|°C/2,16|kg) of 16g/10min or more, but not more than 24|g/10|min and -|a density (ASTM D 1505) of 0,922|g/cm\$3|or more, but not more than 0,926|g/cm\$3|and -|a vicat softening temperature of min. 94|°C

Copolymer of ethylene and acrylic acid (CAS RN 9010-77-9) with -|an acrylic acid content of 18,5|% or more but not more than 49,5|% by weight (ASTM D4094), and -|a melt flow rate of 14g/10|min (MFR 125|°C/2.16|kg, ASTM D1238) or more

Zinc or sodium salt of an ethylene and acrylic acid copolymer, with: - |an acrylic acid content of 6|% or more but not more than 50|% by weight, and -|a melt flow rate of 1g/10|min or more at 190|°C/2.16|kg (measured using ASTM D1238)

Octene linear low-density polyethylene (LLDPE) in the form of pellets used in the co-extrusion processing of films for flexible food packaging|with: -|10|% or more but not more than 20|% by weight of|octene,| -|a melt flow ratio of 9,0|or more, but not more than 10,0|(using ASTM D1238|10.0/2.16), -|a melt index (190°C/2.16|kg) of 0,4|g / 10|min or more but not more than 0,6|g / 10|min, -|a density (ASTM D4703) of 0,909|g/cm\$3|or more, but not more than 0,913|g/cm\$3, -|a gel area per 24,6|cm\$3|of not more than 20|mm\$2; and -|an anti-oxidant level not exceeding 240|ppm

Octene linear low-density polyethylene (LLDPE) produced by a Ziegler-Natta catalyst method|in the form of pellets with: -|more than 10|% but not more than 20|% by weight of copolymer, -|a melt flow rate (MFR 190°C/2.16|kg) of 0.7|g / 10|min or more|but not more than 0.9|g / 10|min, and -|a density (ASTM D4703) of 0,911|g/cm\$3|or more,

but not more than 0,913|g/cm\$3 for use in the co-extrusion processing of films for flexible food packaging

Linear low-density polyethylene|(LLDPE) (CAS RN 9002-88-4) in the form of powder, with -|more than 5|%, but not more than 8|% by weight of comonomer, -|a melt flow rate of 15|g/10|min or more, but not more than 60|g/10|min and -|a density of 0,922|g/cm\$3|or more, but not more than 0,928|g/cm\$3

Copolymer made exclusively from ethylene and methacrylic acid monomers in which the methacrylic acid content is 11|% by weight|or more

Ethylene maleic anhydride copolymer, whether or not containing another olefin comonomer, with a melt flow rate of 1,3g/10|min or more at 190|°C/2,16|kg (measured using ASTM D1238)

Block copolymer of ethylene with octene in the form of pellets: - |with a specific gravity of 0,862|or more, but not more than 0,865, - |able to stretch to at least 200|% its original length, -|with a hysteresis of 50|% |(±10|%), -|with permanent deformation of not more than 20|%, for use in the manufacture of napkin liners for babies

lonomer resin consisting of a salt of a copolymer of ethylene with methacrylic acid

Chlorosulphonated polyethylene

Copolymer of ethylene, vinyl acetate and carbon monoxide, for use as a plasticizer in the manufacture of roof sheets

Mixtures of A-B block copolymer of polystyrene and ethylene-butylene copolymer and A-B-A block copolymer of polystyrene, ethylene-butylene copolymer and polystyrene, containing by weight not more than 35|% of styrene

Chlorinated polyethylene, in the form of powder

Other

Polymers of propylene or of other olefins, in primary forms

Polypropylene

Polypropylene containing no plasticizer and not more than: - |7|mg/kg of aluminium, -|2|mg/kg of iron, -|1|mg/kg of magnesium, - |8|mg/kg of chloride

Polypropylene, containing no plasticiser, -|of a melting point of more than 150|°C (as determined by the ASTM D 3417|method), -|of a heat of fusion of 15|J/g or more but not more than 70|J/g, -|of an elongation at break of 1|000|% or more (as determined by the ASTM D 638|method), -|of a tensile modulus of 69|MPa or more but not more than 379|MPa (as determined by the ASTM D 638|method)

<p>Polypropylene, containing not more than 1 mg/kg of aluminium, 0,05 mg/kg of iron, 1 mg/kg of magnesium and 1 mg/kg of chloride, for use in the manufacture of packaging for disposable contact lenses</p>
<p>Polypropylene, containing no plasticiser: - of a tensile strength: of 32-60 MPa (as determined by the ASTM D638 method); - of a flexural strength of 50-90 MPa (as determined by the ASTM D790 method); - of a Melt Flow Rate (MFR) at 230 °C/ 2,16 kg of 5-15 g/10 min (as determined by the ASTM D1238 method); - with 40 % or more but not more than 80 % by weight of polypropylene, - with 10 % or more but not more than 30 % by weight of glass fibre, - with 10 % or more but not more than 30 % by weight of mica</p>
<p>High isotactic polypropylene (HIPP), whether or not coloured, intended for the manufacture of plastic components for air freshener with the following properties: - a density of 0,880 g/cm\$3 or more but not more than 0,913 g/cm\$3 (as determined by test method ASTM D1505), - a tensile strength at yield of 350 kg/cm\$2 or more but not more than 390 kg/cm\$2 (as determined by test method ASTM D638) - a heat deflection temperature of 135 °C or more under load of 0,45 MPa (as determined by test method ASTM 648)</p>
<p>Other</p>
<p>Polyisobutylene</p>
<p>Polyisobutylene, of a number average molecular weight (M@n) of 700 or more but not more than 800</p>
<p>Hydrogenated polyisobutene, in liquid form</p>
<p>Other</p>
<p>Propylene copolymers</p>
<p>For cavity filling, for use in certain types of aircraft</p>
<p>Other</p>
<p>A-B Block copolymer of polystyrene and an ethylene-propylene copolymer, containing by weight 40 % or less of styrene, in one of the forms mentioned in note 6 (b) to Chapter 39</p>
<p>A-B-A block copolymer, consisting of: - a copolymer of propylene and ethylene and - 21 % (± 3 %) by weight of polystyrene</p>
<p>Liquid ethylene-propylene-copolymer with: - a flashpoint of 250 °C or more, - a viscosity index of 150 or more, - of a number average molecular weight (M@n) of 650 or more</p>
<p>Amorphous polyalpha olefin adhesive for the manufacture of hygiene products</p>
<p>Other</p>
<p>Other</p>
<p>A-B-A block copolymer of polystyrene, ethylene-butylene copolymer and polystyrene, containing by weight 35 % or less of styrene, in one of the</p>

<p>forms mentioned in note 6(b) to this chapter</p>
<p>Polybut-1-ene, a copolymer of but-1-ene with ethylene containing by weight 10 % or less of ethylene, or a blend of polybut-1-ene with polyethylene and/or polypropylene containing by weight 10 % or less of polyethylene and/or 25 % or less of polypropylene, in one of the forms mentioned in note 6(b) to this chapter</p>
<p>Other</p>
<p>For cavity filling, for use in certain types of aircraft</p>
<p>Other</p>
<p>Amorphous poly-alpha-olefin copolymer blend of poly(propylene-co-1-butene) and petroleum hydrocarbon resin</p>
<p>Thermoplastic elastomer, with an A-B-A block copolymer structure of polystyrene, polyisobutylene and polystyrene containing by weight 10 % or more but not more than 35 % of polystyrene</p>
<p>Non-hydrogenated 100 % aliphatic resin (polymer), with the following characteristics: - liquid at room temperature - obtained by cationic polymerisation of C-5 alkenes monomers - with a number average molecular weight (Mn) of 370 (± 50) - with a weight average molecular weight (Mw) of 500 (± 100)</p>
<p>Polymers of 4-methylpent-1-ene</p>
<p>Chlorinated polyolefins, whether or not in a solution or dispersion</p>
<p>Synthetic poly-alpha-olefin with a viscosity at 100 ° Celsius (measured according to method ASTM D 445) ranging from 3 centistokes to 9 centistokes and obtained by polymerization of a mixture of dodecene and tetradecene, containing a maximum of 40 % of tetradecene</p>
<p>Other</p>

<p>Polymers of styrene, in primary forms</p>
<p>Polystyrene</p>
<p>Expansible</p>
<p>White expandable polystyrene beads with a thermal conductivity of not more than 0,034 W/mK at a density of 14,0 kg/m\$3 (± 1,5 kg/m\$3), containing 50 % recycled material</p>
<p>Other</p>
<p>Other</p>
<p>Crystalline polystyrene with: - a melting point of 268 °C or more but not more than 272 °C - a setting point of 232 °C or more but not more than 247 °C, - whether or not containing additives and filling material</p>
<p>Other</p>
<p>Styrene-acrylonitrile (SAN) copolymers</p>
<p>Acrylonitrile-butadiene-styrene (ABS) copolymers</p>

<p>Other</p>
<p>Copolymer, solely of styrene with allyl alcohol, of an acetyl value of 175 or more</p>
<p>Brominated polystyrene, containing by weight 58 % or more but not more than 71 % of bromine, in one of the forms mentioned in note 6(b) to this chapter</p>
<p>Other</p>
<p>Butadiene-styrene copolymer pellets or granules, with: - a specific gravity of 1,05 (±0,02), - a melt flow index at 200 °C/5 kg of 13 g/10 min (±1 g/10 min)</p>
<p>Copolymer in the form of granules containing by weight: - 78 ± 4 % styrene, - 9 ± 2 % n-butyl acrylate, - 11 ± 3 % n-butyl methacrylate,, - 1.5 ± 0,7 % methacrylic acid and - 0,01 % or more but not more than 2,5 % of polyolefinic wax</p>
<p>Copolymer in the form of granules containing by weight: - 83 ± 3 % styrene, - 7 ± 2 % n-butyl acrylate, - 9 ± 2 % n-butyl methacrylate and - 0,01 % or more but not more than 1 % of polyolefinic wax</p>
<p>Copolymer in the form of granules containing by weight: - 82 ± 6 % styrene, - 13,5 ± 3 % n-butyl acrylate, - 1 ± 0,5 % methacrylic acid and - 0,01 % or more but not more than 8,5 % of polyolefinic wax</p>
<p>Butadiene-styrene copolymer pellets or granules with a melting point of 85 °C (±5 °C), containing by weight: - 2 % or more but not more than 4 % of tris(tribromophenyl) triazine, - 5 % or more but not more than 10 % of ethane-1,2-bis(pentabromophenyl), - 3 % or more but not more than 5 % of antimony trioxide</p>
<p>Copolymer of _α_-methylstyrene and styrene, having a softening point exceeding 113 °C</p>
<p>Copolymer of styrene with α-methylstyrene and acrylic acid, of a number average molecular weight (M@n) of 500 or more but not more than 6000</p>
<p>Preparation, in form of powder, containing by weight: - 86 % or more but not more than 90 % of styrene-acrylic-copolymer and - 9 % or more but not more than 11 % of fatty acid ethoxylate (CAS RN 9004-81-3)</p>
<p>Copolymer in the form of granules containing by weight: - 74 % (± 4 %) styrene, - 24 % (± 2 %) n-butylacrylate and - 0,01 % or more but not more than 2 % methacrylic acid</p>
<p>Preparation, in form of an aqueous suspension, containing by weight: - 25 % or more but not more than 26 % of styrene-acrylic-copolymer and - 5 % or more but not more than 6 % of glycol</p>
<p>Copolymer of styrene with maleic anhydride, either partially esterified or completely chemically modified, of an average molecular weight (M@n) of not more than 4500, in flake or powder form</p>

<div>Copolymer of Styrene with 2, 5-Furandione and (1-methylethyl)benzene in the form of flakes or powder (CAS RN 26762-29-8)</div> <div>Copolymer in the form of granules containing by weight: -[75] % (± 7 %) styrene and -[25] % (± 7 %) methylmethacrylate</div> <div>Granules of copolymer of styrene and divinylbenzene of a minimum diameter of 150 µm and a maximum diameter of 800 µm and containing by weight: -[minimum 65] % styrene, -[maximum 25] % divinylbenzene for use in the manufacture of ion exchange resins</div> <div>Mixture containing by weight: -[45] % or more but not more than 65)% of polymers of styrene -[35] % or more but not more than 45)% of poly(phenylene ether) -[not more than 10)% of other additives and with one or more of the following special colour effects: -[metallic or pearlescent with a visual angular metamerism caused by at least 0,3)% flake-based pigment -[fluorescent, as characterized by emitting light during absorption of ultraviolet radiation -[bright white, as characterized by L* not less than 92 and b* not more than 2 and a* between -5 and 7 on the CIELab colour scale</div> <div>Other</div>	<div>more than 8)% of vinyl alcohol, in one of the forms mentioned in note 6 (a) or (b) to Chapter 39, for the manufacture of goods of headings 3215 or 8523 or for use in the manufacture of coatings for containers and closures of a kind used for preserving food and drink</div> <div>Other</div>	<div>Other</div> <div>For cavity filling, for use in certain types of aircraft</div> <div>Other</div> <div>Copolymer of vinyl chloride with vinyl acetate and vinyl alcohol, containing by weight: -[87)% or more but not more than 92)% of vinyl chloride, -[2)% or more but not more than 9)% of vinyl acetate and -[1)% or more but not more than 8)% of vinyl alcohol, in one of the forms mentioned in note 6 (a) or (b) to Chapter 39, for the manufacture of goods of headings 3215 or 8523 or for use in the manufacture of coatings for containers and closures of a kind used for preserving food and drink</div> <div>Copolymer of vinyl chloride and methyl acrylate, containing by weight 80)% (±1)% of vinyl chloride and 20)% (±1)% of methyl acrylate, in the form of a aqueous emulsion</div> <div>Other</div>	<div>Other</div> <div>For cavity filling, for use in certain types of aircraft</div> <div>Other</div>
<div>Polymers of vinyl chloride or of other halogenated olefins, in primary forms</div> <div>Poly(vinyl chloride), not mixed with any other substances</div> <div>In the form of granules, for use in certain types of aircraft</div> <div>Poly(vinyl chloride) powder, not mixed with any other substances or containing any vinyl acetate monomers, with: -[a degree of polymerisation of 1 000 (± 300) monomer units, -[a coefficient of heat transmission (K-value) of 60 or more, but not more than 70, -[a volatile material content of less than 2,00)% by weight, -[a sieve non-passing fraction at a mesh width of 120 µm of not more than 1)% by weight, for use in the manufacture of battery separators</div> <div>Other</div>	<div>Vinylidene chloride polymers</div> <div>Copolymer of vinylidene chloride with acrylonitrile, in the form of expansible beads of a diameter of 4 micrometres or more but not more than 20 micrometres</div> <div>Other</div> <div>For cavity filling, for use in certain types of aircraft</div> <div>Other</div> <div>Vinylidene-chloride methacrylate co-polymer for use in the manufacture of monofilaments</div> <div>Other</div>	<div>Polymers of vinyl acetate or of other vinyl esters, in primary forms; other vinyl polymers in primary forms</div> <div>Poly(vinyl acetate)</div> <div>In aqueous dispersion</div> <div>Other</div> <div>For cavity filling, for use in certain types of aircraft</div> <div>Other</div>	<div>Other</div> <div>For cavity filling, for use in certain types of aircraft</div> <div>Other</div>
<div>Other poly(vinyl chloride)</div> <div>Non-plasticised</div> <div>In the form of granules, for use in certain types of aircraft</div> <div>Other</div> <div>Plasticised</div> <div>In the form of granules, for use in certain types of aircraft</div> <div>Other</div>	<div>Fluoropolymers</div> <div>Polytetrafluoroethylene</div> <div>Copolymer of tetrafluoroethylene and trifluoro(heptafluoropropoxy)ethylene, containing 3,2)% or more but not more than 4,6)% by weight of trifluoro(heptafluoropropoxy)ethylene and less than 1 mg/kg of extractable fluoride ions</div> <div>Polytetrafluoroethylene, in the form of powder, of a specific surface of 8 m\$2/g or more but not more than 12 m\$2/g, a particle size distribution of 10)% of less than 10 µm and 90)% of less than 35 µm and an average particle size of 20 µm</div> <div>Other</div> <div>Other</div> <div>Poly(vinyl fluoride), in one of the forms mentioned in note 6(b) to this chapter</div> <div>Fluoroelastomers FKM</div>	<div>Vinyl acetate copolymers</div> <div>In aqueous dispersion</div> <div>Other</div> <div>For cavity filling, for use in certain types of aircraft</div> <div>Other</div>	<div>Other</div> <div>Copolymers</div> <div>For cavity filling, for use in certain types of aircraft</div> <div>Water soluble copolymer of ethylene and vinyl alcohol (CAS RN 26221-27-2), containing not more than 32)% by weight of ethylene</div> <div>Other</div>
<div>Vinyl chloride-vinyl acetate copolymers</div> <div>Copolymer of vinyl chloride with vinyl acetate and vinyl alcohol, containing by weight: -[87)% or more but not more than 92)% of vinyl chloride, -[2)% or more but not more than 9)% of vinyl acetate and -[1)% or more but not</div>			

<div>Other</div> <div>Poly(vinyl formal), in one of the forms mentioned in note 6(b) to this chapter, of a molecular weight of 10 000 or more but not exceeding 40 000 and containing by weight: - 9,5% or more but not more than 13% of acetyl groups evaluated as vinyl acetate and -5% or more but not more than 6,5% of hydroxy groups evaluated as vinyl alcohol</div> <div>Other</div> <div>For cavity filling, for use in certain types of aircraft</div> <div>Other</div> <div>Poly(vinyl butyral)(CAS RN 63148-65-2): — containing by weight 17,5 % or more, but not more than 20 % of hydroxyl groups, and — with a median particle size (D50) of more than 0,6 mm</div> <div>Polymer of vinylpyrrolidone and dimethylaminoethyl methacrylate, containing by weight 97% or more but not more than 99% of vinylpyrrolidone, in the form of a solution in water</div> <div>Hexadecylated or eicosylated polyvinylpyrrolidone</div> <div>Polymer of vinyl formal, in one of the forms mentioned in note 6(b) to Chapter 39, of a weight average molecular weight (M@w) of 25 000 or more but not more than 150 000 and containing by weight: - 9,5% or more but not more than 13% of acetyl groups evaluated as vinyl acetate and -5% or more but not more than 6,5% of hydroxy groups evaluated as vinyl alcohol</div> <div>Povidone (INN)-iodine(CAS 25655-41-8)</div> <div>Poly(vinyl pyrrolidone) partially substituted by triacontyl groups, containing by weight 78% or more but not more than 82% of triacontyl groups</div> <div>Other</div>	<div>as a thickener in the manufacture of textile printing pastes</div> <div>Copolymer of methyl acrylate with ethylene and a monomer containing a non-terminal carboxy group as a substituent, containing by weight 50% or more of methyl acrylate, whether or not compounded with silica</div> <div>Other</div> <div>Polymerization product of acrylic acid with small quantities of a polyunsaturated monomer, for the manufacture of medicaments of heading 3003 or 3004</div> <div>Photosensitive resin consisting of modified acrylate, acrylic monomer, catalyst (photoinitiator) and stabilizer</div> <div>Copolymer of stearyl methacrylate, isooctyl acrylate and acrylic acid, dissolved in isopropyl palmitate</div> <div>Copolymer of styrene with hydroxyethyl methacrylate and 2-ethylhexyl acrylate, of a number average molecular weight (M@n) of 500 or more but not more than 6 000</div> <div>Core shell copolymer of butyl acrylate and alkyl methacrylate, with a particle size of 5 µm or more but not more than 10 µm</div> <div>White powder of 1,2-ethanediol dimethacrylate-methyl methacrylate copolymer of a particle size of not more than 18 µm, insoluble in water</div> <div>Copolymer of trimethylolpropane trimethacrylate and methyl methacrylate (CAS RN 28931-67-1), in microsphere form with an average diameter of 3 µm</div> <div>Transparent acrylic polymer in packages of not more than 1 kg, and not for retail sale with: - a viscosity of not more than 50 000 Pa.s at 120 °C as determined by the test method ASTM D 3835 - a weight average molecular weight (Mw) of more than 500 000 but not more than 1 200 000 according to the Gel Permeation Chromatography (GPC) test, - a residual monomer content of less than 1%</div> <div>Poly(alkyl acrylate) with an ester alkyl chain of C10 to C30</div> <div>Acrylonitrile-butadiene-styrene-methylmethacrylate copolymer pellets with: - a melting point of 96 °C (±3 °C), - a specific gravity of 1,03 or more but not more than 1,07, and containing by weight: - 25% or more but not more than 50% of acrylonitrile-butadiene-styrene, and - 50% or more but not more than 75% of methylmethacrylate</div> <div>Polymers of esters of acrylic acid with one or more of the following monomers in the chain: - chloromethyl vinyl ether, - chloroethyl vinyl ether, - chloromethylstyrene, - vinyl chloroacetate, - methacrylic acid, - butenedioic acid monobutyl ester, containing by weight not more than 5% of each of the monomeric units, in one of the forms mentioned in note 6(b) to Chapter 39</div>	<div>Polyalkylacrylate, chemically modified with cobalt, with a melting temperature (Tm) of 65 °C (±5 °C), measured with Differential Scanning Calorimetry (DSC)</div> <div>Preparation containing by weight: - 33% or more but not more than 37% of butyl methacrylate - methacrylic acid copolymer, - 24% or more but not more than 28% of propylene glycol, and - 37% or more but not more than 41% of water</div> <div>Polydimethylsiloxane-graft-(polyacrylates; polymethacrylates)</div> <div>Aqueous solution of polymers and ammonia consisting of: - 0,1% or more but not more than 0,5% by weight of ammonia (CAS RN 1336-21-6) and - 0,3% or more but not more than 10% by weight of polycarboxylate (linear polymers of acrylic acid)</div> <div>Other</div> <div>Polyacetals, other polyethers and epoxide resins, in primary forms; polycarbonates, alkyd resins, polyallyl esters and other polyesters, in primary forms</div> <div>Polyacetals</div> <div>Mixture of a trioxan-oxirane-copolymer and polytetrafluoroethylene</div> <div>Polyoxymethylene with acetyl endcaps, containing polydimethylsiloxane and fibers of a copolymer of terephthalic acid and 1,4-phenyldiamine</div> <div>Other</div> <div>Other polyethers</div> <div>Polyether alcohols</div> <div>Polyethylene glycols</div> <div>Poly(ethylene oxide) of a number average molecular weight (M@n) of 100 000 or more</div> <div>Bis[Methoxypoly(ethyleneglycol)]-maleimidopropionamide, chemically modified with lysine, of a number average molecular weight (M@n) of 40 000</div> <div>[3-[3-(2H-Benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-hydroxypoly(oxo-1,2-ethanediyl) (CAS RN 104810-48-2)</div> <div>Preparation containing: - α-[3-[3-(2H-Benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-ω-hydroxypoly(oxy-1,2-ethanediyl) (CAS RN 104810-48-2) and - α-[3-[3-(2H-Benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]poly(oxy-1,2-ethanediyl) (CAS RN 104810-47-1)</div> <div>Other</div> <div>Other</div> <div>Polytetramethylene ether glycol with a weight average molecular weight (Mw) of 2 700 or</div>
Acrylic polymers in primary forms		
Poly(methyl methacrylate)		
Other		
Poly[N-(3-hydroxyimino-1,1-dimethylbutyl)acrylamide]		
Copolymer of 2-diisopropylaminoethyl methacrylate with decyl methacrylate, in the form of a solution in N,N-dimethylacetamide, containing by weight 55% or more of copolymer		
Copolymer of acrylic acid with 2-ethylhexyl acrylate, containing by weight 10% or more but not more than 11% of 2-ethylhexyl acrylate		
Copolymer of acrylonitrile with methyl acrylate, modified with polybutadiene-acrylonitrile (NBR)		
Polymerisation product of acrylic acid with alkyl methacrylate and small quantities of other monomers, for use		

more but not more than 3 100 (CAS RN 25190-06-1)
Mixture, containing by weight 70 % or more but not more than 80 % of a polymer of glycerol and 1,2-epoxypropane and 20 % or more but not more than 30 % of a copolymer of dibutyl maleate and N-vinyl-2-pyrrolidone
Copolymer of tetrahydrofuran and tetrahydro-3-methylfuran with a number average molecular weight (M@n) of 3 500 (\pm 100)
Poly(p-phenylene oxide) in the form of powder - with a glasstransitiontemperature of 210 °C - with a weight average molecular weight (Mw) of 35 000 or ore but not more than 80 000 - with an inherent viscosity of 0,2 or more but not more than 0,6 dl/gram
Other

Other
Copolymer of 1-chloro-2,3-epoxypropane with ethylene oxide
Other
Poly(oxypropylene) having alkoxysilyl end-groups
Homopolymer of 1-chloro-2,3-epoxypropane (epichlorohydrin)
Polyethylene glycol chemically modified with an isocyanate group containing a carbodiimide group, in the form of a solution in 2-methoxy-1-methylethyl acetate
Copolymer of ethylene oxide and propylene oxide, having aminopropyl and methoxy end-groups
Vinyl-silyl terminated perfluoropolyether polymer or an assortment of two components consisting of the same type of vinyl-silyl terminated perfluoropolyether polymer as the main ingredient
Succinimidyl ester of methoxy poly(ethylene glycol)propionic acid, of a number average molecular weight (Mn) of 5 000
Polytetramethylene oxide di-p-aminobenzoate
L-Lysine N-hydroxysuccinimidyl ester .alpha.,.epsilon.-bis(polyethylene glycol monomethylether carbamate) (CAS RN 266318-38-1) of a number average molecular weight (Mn) of 38 000 or more but not more than 40 000
α -[3-(3-Maleimido-1-oxopropyl)amino]propyl- ω -methoxy, polyoxyethylene (CAS RN 883993-35-9)
Poly(p-phenylene oxide) in the form of powder - with a glasstransitiontemperature of 210 °C - with a weight average molecular weight (Mw) of 35 000 or ore but not more than 80 000 - with an inherent viscosity of 0,2 or more but not more than 0,6 dl/gram

Other
Epoxide resins
Epoxide resin, halogen-free, - containing by weight more than 2 % phosphoros calculated on the solid content, chemically bound in the epoxide resin, - not containing any hydrolysable chloride or containing less than 300 ppm hydrolysable chloride, and - containing solvents for use in the manufacture of prepreg sheets or rolls of a kind used for the production of printed circuits
Epoxide resin -containing by weight 21% or more of brome, -not containing any hydrolysable chloride or containing less than 500 ppm hydrolysable chloride, and -containing solvents
Epoxide resin, containing by weight 70 % or more of silicon dioxide, for the encapsulation of goods of headings 8533, 8535, 8536, 8541, 8542 or 8548
Liquid epoxide resin of 2-propenenitrile/1,3-butadiene-epoxide copolymer, not containing any solvent, with: - a zinc borate hydrate content of not more than 40 % by weight, - a diantimony trioxide content of not more than 5 % by weight
Polyglycerol polyglycidyl ether resin (CAS RN 118549-88-5)
Other

Polycarbonates
Polymer blend of polycarbonate and poly(methyl methacrylate) with a polycarbonate content of 98.5 % or more, in the form of pellets or granules, with a luminous transmittance of 88.5% or more, measured using a test sample with a thickness of 4 mm at a wavelength of λ = 400 nm (according to ISO 13468-2)
α -Phenoxycarbonyl- ω -phenoxypoly[oxy(2,6-dibromo-1,4-phenylene) isopropylidene(3,5-dibromo-1,4-phenylene)oxycarbonyl] (CAS RN 94334-64-2)
Polycarbonate of phosgene and bisphenol A: - containing by weight 12 % or more but not more than 26 % of a copolymer of isophthaloyl chloride, terephthaloyl chloride and resorcinol, - with p-cumylphenol endcaps, and - with a weight average molecular weight (Mw) of 29 900 or more but not more than 31 900
Polycarbonate of carbonic dichloride, 4,4'-(1-methylethylidene)bis[2,6-dibromophenol] and 4,4'-(1-methylethylidene)bis[phenol] with 4-(1-methyl-1-phenylethyl)phenol endcaps
Other

Alkyd resins
Poly(ethylene terephthalate)
Having a viscosity number of 78 ml/g or higher
Other
Copolymer of terephthalic acid and isophthalic acid with ethylene glycol, butane-1,4-diol and hexane-1,6-diol

Poly(ethylene terephthalate) pellets or granules: - with a specific gravity of 1,23 or more but not more than 1,27 at 23° C, and - containing not more than 10 % by weight of other modifiers or additives
Flexible packages (for oxygen sensitive polymers) manufactured from a laminate of: - not more than 75 μ m of polyethylene, - not more than 50 μ m of polyamide, - not more than 15 μ m of polyethylene terephthalate and - not more than 9 μ m of aluminium with a tensile strength of more than 70 N/15 mm and oxygen transmission rate of less than 0,1 cm\$3/m\$2/24 hrs at 0,1 MPa
Oxygen binding copolymer (as determined by the ASTM D 1434 and 3985 methods), obtained from benzenedicarboxylic acids, ethylene glycol and polybutadiene substituted by hydroxy groups
Other

Poly(lactic acid)
Other polyesters
Unsaturated
Liquid
Other
Diallyl phthalate prepolymer, in powder form
Other

Other
Poly(ethylene naphthalene-2,6-dicarboxylate)
Other
Poly(oxy-1,4-phenylenecarbonyl) (CAS RN 26099-71-8), in the form of powder
Liquid crystal copolyester with a melting point of not less than 270 °C, whether or not containing fillers
Copolymer, containing 72 % by weight or more of terephthalic acid and/or isomers thereof and cyclohexanedimethanol
Poly(hydroxyalkanoate), predominantly consisting of poly(3-hydroxybutyrate)
Polycarbonate of phosgene, bisphenol A, resorcinol, isophthaloyl chloride, terephthaloyl chloride andpolysiloxane, with p-cumylphenolendcaps, and a weight average molecular weight (Mw) of 24 100 or more but not more than 25 900
Copolymer of terephthalic acid and isophthalic acid with bisphenol A
Copolymer of poly(ethylene terephthalate) and cyclohexane dimethanol, containing more than 10 % by weight of cyclohexane dimethanol
Copolymer, consisting of 72 % by weight or more of terephthalic

<div>acid and/ or derivatives thereof and cyclohexanedimethanol, completed with linear and/ or cyclic dioles</div> <div>Thermoplastic liquid crystal aromatic polyester copolymers</div> <div>Other</div>	
<div>Polyamides in primary forms</div> <div> <div>Polyamide-6, -11, -12, -6,6, -6,9, -6,10 or -6,12</div> <div> <div>Other</div> <div> <div>Poly(iminomethylene-1,3-phenylenemethyleneiminoadipoyl), in one of the forms mentioned in note 6 (b) to Chapter 39</div> <div>Reaction product of mixtures of octadecanecarboxylic acids polymerised with an aliphatic polyetherdiamine</div> <div>1,4-Benzenedicarboxylic acid polymer with 2-methyl-1,8-octanediamine and 1,9-nonanediamine in powder form (CAS RN 169284-22-4)</div> <div>Copolymer consisting of: - hexanedioic acid - 12-aminododecanoic acid - hexahydro-2H-azepin-2-one, and - 1,6-hexanediamine</div> <div>Copolymer containing: - 1,3-benzenedimethanamine (CAS RN 1477-55-0) and - adipic acid (CAS RN 124-04-9) whether or not containing isophthalic acid (CAS RN 121-91-5)</div> <div>Other</div> </div> </div> </div> <tr> <td> <div>Amino-resins, phenolic resins and polyurethanes, in primary forms</div> <div> <div>Urea resins; thiourea resins</div> <div>Melamine resins</div> <div>Other amino-resins</div> <div> <div>Phenolic resins</div> <div> <div>Polycondensation product of phenol with formaldehyde, in the form of hollow spheres of a diameter of less than 150 µm</div> <div>Powder of thermosetting resin in which magnetic particles have been evenly distributed, for use in the manufacture of ink for photocopiers, fax machines, printers and multifunction devices</div> <div>Mixture of: - alkyl phenol -formaldehyde resin, whether or not brominated, and - zinc oxide</div> <div>Polymer in powder form with a content of: - phenolic resin polymer (CAS RN 9003-35-4) with 80 % by weight or more but not more than 90 % - phenol (CAS RN 108-95-2) with not more than 5 % and - hexamethylenetetramine (CAS RN 100-97-0) with 5 % by weight or more but not more than 15 %</div> <div>Rosin modified phenolic resin, - containing 60 % or more but not more than 75 % by weight of rosin, - with an acid value of not more than 25, of a kind used in offset printing</div> <div>Other</div> </div> </div> </div> </td></tr>	<div>Amino-resins, phenolic resins and polyurethanes, in primary forms</div> <div> <div>Urea resins; thiourea resins</div> <div>Melamine resins</div> <div>Other amino-resins</div> <div> <div>Phenolic resins</div> <div> <div>Polycondensation product of phenol with formaldehyde, in the form of hollow spheres of a diameter of less than 150 µm</div> <div>Powder of thermosetting resin in which magnetic particles have been evenly distributed, for use in the manufacture of ink for photocopiers, fax machines, printers and multifunction devices</div> <div>Mixture of: - alkyl phenol -formaldehyde resin, whether or not brominated, and - zinc oxide</div> <div>Polymer in powder form with a content of: - phenolic resin polymer (CAS RN 9003-35-4) with 80 % by weight or more but not more than 90 % - phenol (CAS RN 108-95-2) with not more than 5 % and - hexamethylenetetramine (CAS RN 100-97-0) with 5 % by weight or more but not more than 15 %</div> <div>Rosin modified phenolic resin, - containing 60 % or more but not more than 75 % by weight of rosin, - with an acid value of not more than 25, of a kind used in offset printing</div> <div>Other</div> </div> </div> </div>
<div>Amino-resins, phenolic resins and polyurethanes, in primary forms</div> <div> <div>Urea resins; thiourea resins</div> <div>Melamine resins</div> <div>Other amino-resins</div> <div> <div>Phenolic resins</div> <div> <div>Polycondensation product of phenol with formaldehyde, in the form of hollow spheres of a diameter of less than 150 µm</div> <div>Powder of thermosetting resin in which magnetic particles have been evenly distributed, for use in the manufacture of ink for photocopiers, fax machines, printers and multifunction devices</div> <div>Mixture of: - alkyl phenol -formaldehyde resin, whether or not brominated, and - zinc oxide</div> <div>Polymer in powder form with a content of: - phenolic resin polymer (CAS RN 9003-35-4) with 80 % by weight or more but not more than 90 % - phenol (CAS RN 108-95-2) with not more than 5 % and - hexamethylenetetramine (CAS RN 100-97-0) with 5 % by weight or more but not more than 15 %</div> <div>Rosin modified phenolic resin, - containing 60 % or more but not more than 75 % by weight of rosin, - with an acid value of not more than 25, of a kind used in offset printing</div> <div>Other</div> </div> </div> </div>	

<div>Polyurethanes</div> <div> <div>Polyurethane of 2,2'-(tert-butylimino)diethanol and 4,4'-methylenedicyclohexyl diisocyanate, in the form of a solution in N,N-dimethylacetamide, containing by weight 50 % or more of polymer</div> <div> <div>Other</div> <div> <div>UV curable water soluble liquid photopolymer consisting of a mixture by weight of - 60 % or more of two-functional acrylated polyurethane oligomers and - 30 % (± 8 %) of mono-functional and tri-functional (metha) acrylates, and - 10 % (± 3 %) of hydroxyl functionalized mono-functional (metha) acrylates</div> <div>Preparation containing by weight: - 14 % or more but not more than 18 % of ethoxylated polyurethane modified with hydrophobic groups, - 3 % or more but not more than 5 % of enzymatically modified starch, and - 77 % or more but not more than 83 % of water</div> <div>Preparation containing by weight: - 16 % or more but not more than 20 % of ethoxylated polyurethane modified with hydrophobic groups, - 19 % or more but not more than 23 % of diethylene glycol butyl ether, and - 60 % or more but not more than 64 % of water</div> <div>Preparation containing by weight: - 34 % or more but not more than 36 % of ethoxylated polyurethane modified with hydrophobic groups, - 37 % or more but not more than 39 % of propylene glycol, and - 26 % or more but not more than 28 % of water</div> <div>Other</div> </div> </div> </div>
--

<div>Silicones in primary forms</div> <div> <div>Dimethyl, methyl(propyl(polypropylene oxide)) siloxane (CAS RN 68957-00-6), trimethylsiloxyl-terminated</div> <div>Block copolymer of poly(methyl-3,3,3-trifluoropropylsiloxane) and poly[methyl(vinyl)siloxane]</div> <div>Polydimethylsiloxane with a degree of polymerisation of 2800 monomer units (+/- 100)</div> <div>Silicones of a kind used in the manufacture of long term surgical implants</div> <div>Silicone based pressure sensitive adhesive in solvent containing copoly(dimethylsiloxane/diphenylsiloxane) gum</div> <div>Polydimethylsiloxane, whether or not polyethylene glycol and trifluoropropyl substituted, with methacrylate end groups</div> <div>Passivating silicon coating in primary form, to protect edges and prevent short circuits in semiconductor devices</div> <div>Monomethacryloxypropylterminated poly(dimethylsiloxane)</div> <div>Other</div> </div>

<div>Petroleum resins, coumarone-indene resins, polyterpenes, polysulphides, polysulphones and other products</div>

<div>specified in note 3 to this chapter, not elsewhere specified or included, in primary forms</div> <div> <div>Petroleum resins, coumarone, indene or coumarone-indene resins and polyterpenes</div> <div> <div>For cavity filling, for use in certain types of aircraft</div> <div> <div>Non-hydrogenated hydrocarbon resin, obtained by polymerization of more than 75 % by weight C-5 to C-12 cycloaliphatic alkenes and more than 10 % but not more than 25 % by weight aromatic alkenes yielding a hydrocarbon resin with: - an iodine value of more than 120 and - a Gardner Colour of more than 10 for the pure product or - a Gardner Colour of more than 8 for a 50 % solution by weight in toluene (as determined by the ASTM method D6166)</div> <div>Other</div> </div> </div> </div> <tr> <td> <div>Other</div> <div> <div>Condensation or rearrangement polymerisation products whether or not chemically modified</div> <div> <div>Poly(oxy-1,4-phenylenesulphonyl-1,4-phenyleneoxy-1,4-phenyleneisopropylidene-1,4-phenylene), in one of the forms mentioned in note 6(b) to this chapter</div> <div>Poly(thio-1,4-phenylene)</div> <div> <div>Other</div> <div> <div>Poly(oxy-1,4-phenylenesulfonyl-1,4-phenyleneoxy-4,4'-biphenylene)</div> <div>Copolymer of ethyleneimine and ethyleneimine dithiocarbamate, in an aqueous solution of sodium hydroxide</div> <div>m- Xylene formaldehyde resin</div> <div>Polycarboxylate sodium salt of 2,5-furandione and 2,4,4-trimethylpentene in powder form</div> <div>Formaldehyde, polymer with 1,3-dimethylbenzene and tert-butyl-phenol (CAS RN 60806-48-6)</div> <div>Preparation, containing: - Cyanic acid, C,C'-((1-methylethylidene)di-4,1-phenylene) ester, homopolymer (CAS RN 25722-66-1), - 1,3-Bis(4-cyanophenyl)propane (CAS RN 1156-51-0), - in a solution of butanone (CAS RN 78-93-3) with a content of less than 50 % by weight</div> <div>Other</div> </div> </div> </div> </div></td></tr>	<div>Other</div> <div> <div>Condensation or rearrangement polymerisation products whether or not chemically modified</div> <div> <div>Poly(oxy-1,4-phenylenesulphonyl-1,4-phenyleneoxy-1,4-phenyleneisopropylidene-1,4-phenylene), in one of the forms mentioned in note 6(b) to this chapter</div> <div>Poly(thio-1,4-phenylene)</div> <div> <div>Other</div> <div> <div>Poly(oxy-1,4-phenylenesulfonyl-1,4-phenyleneoxy-4,4'-biphenylene)</div> <div>Copolymer of ethyleneimine and ethyleneimine dithiocarbamate, in an aqueous solution of sodium hydroxide</div> <div>m- Xylene formaldehyde resin</div> <div>Polycarboxylate sodium salt of 2,5-furandione and 2,4,4-trimethylpentene in powder form</div> <div>Formaldehyde, polymer with 1,3-dimethylbenzene and tert-butyl-phenol (CAS RN 60806-48-6)</div> <div>Preparation, containing: - Cyanic acid, C,C'-((1-methylethylidene)di-4,1-phenylene) ester, homopolymer (CAS RN 25722-66-1), - 1,3-Bis(4-cyanophenyl)propane (CAS RN 1156-51-0), - in a solution of butanone (CAS RN 78-93-3) with a content of less than 50 % by weight</div> <div>Other</div> </div> </div> </div> </div>
<div>Other</div> <div> <div>Condensation or rearrangement polymerisation products whether or not chemically modified</div> <div> <div>Poly(oxy-1,4-phenylenesulphonyl-1,4-phenyleneoxy-1,4-phenyleneisopropylidene-1,4-phenylene), in one of the forms mentioned in note 6(b) to this chapter</div> <div>Poly(thio-1,4-phenylene)</div> <div> <div>Other</div> <div> <div>Poly(oxy-1,4-phenylenesulfonyl-1,4-phenyleneoxy-4,4'-biphenylene)</div> <div>Copolymer of ethyleneimine and ethyleneimine dithiocarbamate, in an aqueous solution of sodium hydroxide</div> <div>m- Xylene formaldehyde resin</div> <div>Polycarboxylate sodium salt of 2,5-furandione and 2,4,4-trimethylpentene in powder form</div> <div>Formaldehyde, polymer with 1,3-dimethylbenzene and tert-butyl-phenol (CAS RN 60806-48-6)</div> <div>Preparation, containing: - Cyanic acid, C,C'-((1-methylethylidene)di-4,1-phenylene) ester, homopolymer (CAS RN 25722-66-1), - 1,3-Bis(4-cyanophenyl)propane (CAS RN 1156-51-0), - in a solution of butanone (CAS RN 78-93-3) with a content of less than 50 % by weight</div> <div>Other</div> </div> </div> </div> </div>	

<div>Other</div> <div> <div>Copolymer of p-cresol and divinylbenzene, in the form of a solution in N,N-dimethylacetamide containing by weight 50 % or more of polymer; hydrogenated copolymers of vinyltoluene and α-methylstyrene</div> <div> <div>Other</div> <div> <div>For cavity filling, for use in certain types of aircraft</div> <div>Other</div> </div> </div> </div>

Copolymer of vinyltoluene and α-methylstyrene
1,4:5,8-Dimethanonaphthalene, 2-ethylidene-1,2,3,4,4a,5,8,8a-octahydro-, polymer with 3a,4,7,7a- tetrahydro- 4,7-methano-1H-indene,hydrogenated
Alternated copolymer of ethylene and maleic anhydride (EMA)
Mixed calcium and sodium salt of a copolymer of maleic acid and methyl vinyl ether, having a calcium content of 9 % or more but not more than 16 % by weight
Copolymer of α-methylstyrene and styrene, having a softening point of more than 113 °C
Copolymer of maleic acid and methyl vinyl ether
Copolymer of styrene with α-methylstyrene and acrylic acid, of a number average molecular weight (M@n) of 500 or more but not more than 6000
Hydrogenated polymer of 1,2,3,4,4a,5,8,8a-octahydro-1,4:5,8-dimethanonaphthalene with 3a,4,7,7a-tetrahydro-4,7-methano-1H-indene and 4,4a,9,9a-tetrahydro-1,4-methano-1H-fluorene (CAS RN 503442-46-4)
Hydrogenated polymer of 1,2,3,4,4a,5,8,8a-octahydro-1,4:5,8-dimethanonaphthalene with 4,4a,9,9a-tetrahydro-1,4-methano-1H-fluorene (CAS RN 503298-02-0)
Copolymer of styrene with maleic anhydride, either partially esterified or completely chemically modified, of an average molecular weight (M@n) of not more than 4500, in flake or powder form
Calcium zinc salt of a copolymer of maleic acid and methyl vinyl ether
Aqueous solution containing by weight: - 30 % or more but not more than 40 % of poly-4-vinylpyridine-N-oxide, - 0,1 % or more but not more than 4 % of isonicotinic acid-N-oxide, - 0,1 % or more but not more than 3,5 % of sodium sulphate, - 0,1 % or more but not more than 2 % of 4-acetylpyridine-N-oxide
Copolymer of methyl vinyl ether and maleic acid anhydride (CAS RN 9011-16-9)
Other
Cellulose and its chemical derivatives, not elsewhere specified or included, in primary forms
Cellulose acetates
Non-plasticised

Cellulose acetate flakes
Cellulose triacetate (CAS RN 9012-09-3)
Cellulose diacetate powder
Other
Plasticised
Cellulose nitrates (including collodions)
Non-plasticised
Collodions and celloidin
Other
Plasticised
Cellulose ethers
Carboxymethylcellulose and its salts
Other
Hydroxypropylcellulose
Other
Ethylcellulose, not plasticized
Ethylcellulose, in the form of an aqueous dispersion containing hexadecan-1-ol and sodium dodecyl sulphate, containing by weight 27 (±3) % of ethylcellulose
Cellulose, both hydroxyethylated and alkylated with alkyl chain-lengths of 3 or more carbon atoms
Hypromellose (INN) (CAS RN 9004-65-3)
Polyquaternium 10 (CAS RN 68610-92-4)
Other
Other
Cellulose esters
Cellulose acetate propionate, non-plasticised, in the form of powder: - containing by weight 25 % or more of propionyl (as determined by the ASTM D 817-72 method) and - of a viscosity of not more than 120 poise (as determined by the ASTM D 817-72 method), for the manufacture of printing inks, paints, lacquers and other coatings, and reprographic coatings
Hydroxypropyl methylcellulose phthalate
Other
Other
Natural polymers (for example, alginic acid) and modified natural polymers (for example, hardened proteins, chemical derivatives of natural rubber), not elsewhere specified or included, in primary forms
Alginic acid, its salts and esters
Sodium alginate, extracted from brown seaweed (CAS RN 9005-38-3)
Other
Other
Chemical derivatives of natural rubber

Poly(hydroxyalkanoate), predominantly consisting of poly(3-hydroxybutyrate)
Sodium hyaluronate
Sterile sodium hyaluronate (CAS RN 9067-32-7)
Non sterile
With: - a weight average molecular weight (Mw) of not more than 900 000, - an endotoxin level of not more than 0,008 Endotoxin units (EU)/mg, - an ethanol content of not more than 1% by weight, - an isopropanol content of not more than 0,5% by weight
Other
Protein, chemically modified by carboxylation and/or phthalic acid addition, having a weight average molecular weight (M@w) of 100 000 to 300 000
Hardened proteins
Granules containing by weight: - 35 % or more but less than 75 % of a high amylose extruded biopolymer produced from corn starch, - 5 % or more but less than 16 % polyvinyl alcohol, - 10 % or more but less than 46 % of polyol plasticisers, - 0.25 % or more but less than 3 % of stearic acid, - whether or not containing 30 % (± 10 %) of biodegradable polyester resin but never to a level that exceeds the amount of the high amylose biopolymer
Chondroitinsulphuric acid, sodium salt (CAS RN 9082-07-9)
Powder consisting of 90 % (± 5 %) by weight of a high amylose extruded biopolymer produced from corn starch, 10 % (± 5 %) by weight of a synthetic polymer and 0.5 % (± 0.25 %) of stearic acid
Other
Ion-exchangers based on polymers of headings 3901 to 3913, in primary forms
II. WASTE, PARINGS AND SCRAP; SEMI-MANUFACTURES; ARTICLES
Waste, parings and scrap, of plastics
Of polymers of ethylene
Of polymers of styrene
Of polymers of vinyl chloride
Of other plastics
Of polymers of propylene
Other
Monofilament of which any cross-sectional dimension exceeds 1 mm, rods, sticks and profile shapes, whether or not surface-worked but not otherwise worked, of plastics
Of polymers of ethylene
For use in certain types of aircraft
Other
Of polymers of vinyl chloride
For use in certain types of aircraft

Other

Profiles of poly(vinyl chloride) of a kind|used in the manufacture of|sheet pilings and facings, containing the following additives: -|titanium dioxide -|poly(methyl methacrylate) -|calcium carbonate -|binding agents

Other

Of other plastics

Of condensation or rearrangement polymerisation products, whether or not chemically modified

Rods with cellular structure, containing by weight: -|polyamide-6|or poly(epoxy anhydride) -|7|% or more but not more than 9|% of polytetrafluorethylene if present -|10|% or more but not more than 25|% of inorganic fillers

Other

Of addition polymerisation products

For use in certain types of aircraft

Other

Other

Tubes, pipes and hoses, and fittings therefor (for example, joints, elbows, flanges), of plastics

Artificial guts (sausage casings) of hardened protein or of cellulosic materials

Of hardened protein

Of cellulosic materials

Tubes, pipes and hoses, rigid

Of polymers of ethylene

Seamless and of a length exceeding the maximum cross-sectional dimension, whether or not surface-worked, but not otherwise worked

For use in certain types of aircraft

Other

Other

With fittings attached, for use in civil aircraft

For use in certain types of aircraft

Other

Of polymers of propylene

Seamless and of a length exceeding the maximum cross-sectional dimension, whether or not surface-worked, but not otherwise worked

For use in certain types of aircraft

Other

Other

With fittings attached, for use in civil aircraft

For use in certain types of aircraft

Other

Of polymers of vinyl chloride

Seamless and of a length exceeding the maximum cross-sectional dimension, whether or not surface-worked, but not otherwise worked

For use in certain types of aircraft

Other

Other

With fittings attached, for use in civil aircraft

For use in certain types of aircraft

Other

Of other plastics

Of addition polymerisation products

For use in certain types of aircraft

Other

Other

With fittings attached, for use in civil aircraft

Other

Other tubes, pipes and hoses

Flexible tubes, pipes and hoses, having a minimum burst pressure of 27,6|MPa

With fittings attached, for use in civil aircraft

For use in certain types of aircraft

Other

Other, not reinforced or otherwise combined with other materials, without fittings

For use in certain types of aircraft

Other

Pipe consisting of a block copolymer of polytetrafluoroethylene and polyperfluoroalkoxytrifluoroethylene, of a length of not more than 600|mm, a diameter of not more than 85|mm and a wall-thickness of 30|µm or more but not more than 110|µm

Other

Other, not reinforced or otherwise combined with other materials, with fittings

With fittings attached, for use in civil aircraft

Other

Other

With fittings attached, for use in civil aircraft

Other

For use in certain types of aircraft

Other

Fittings

For use in civil aircraft

Other

Plastic connectors containing O-rings,|a retainer clip and a release system for insertion into car fuel hoses

Other

Floor coverings of plastics, whether or not self-adhesive, in rolls or in the form of tiles; wall or ceiling coverings of plastics, as defined in note 9|to this chapter

Of polymers of vinyl chloride

Consisting of a support impregnated, coated or covered with poly(vinyl chloride)

For use in certain types of aircraft

Other

Other

For use in certain types of aircraft

Other

Of other plastics

For use in certain types of aircraft

Other

Self-adhesive plates, sheets, film, foil, tape, strip and other flat shapes, of plastics, whether or not in rolls

In rolls of a width not exceeding 20|cm

Strips, the coating of which consists of unvulcanised natural or synthetic rubber

Of poly(vinyl chloride) or of polyethylene

Of polypropylene

Other

Reflecting film, consisting of a layer of polyurethane, with, on one side, security imprints against counterfeiting, alteration or substitution of data or duplication, or an official mark for an intended use, and embedded glass beads and, on the other side, an adhesive layer, covered on one side or on both sides with a release film

Rolls of two-sided adhesive tape: -|coated with non-vulcanised natural or synthetic rubber -|with a width of 20|mm or more but not more than 40|mm -|containing silicone, aluminium hydroxide, acryl and urethane

Other

Other

For use in certain types of aircraft

Other

Reflecting film, consisting of a layer of polyurethane, with, on one side, security imprints against counterfeiting, alteration or substitution of data or duplication, or an official mark for an intended use, and embedded glass beads and, on the other side, an adhesive layer, covered on one side or on both sides with a release film

Polyester film: -|coated on one side|with an acrylic thermal release adhesive that debonds at temperatures of|90|°C or more but not more than|200|°C, and a polyester liner, and -|on the other side not coated or coated with an acrylic pressure sensitive adhesive or with an acrylic thermal release adhesive that debonds at temperatures of|90|°C or more but not more than| 200| °C, and a polyester liner

Double-sided, self-adhesive modified epoxy resin foil, put up in rolls, 10 to 20 cm wide, 10 to 210 m long and with a total thickness of 10 to 50 µm, not for retail sale

Reflecting film, consisting of a layer of poly(vinyl chloride), a layer of alkyd polyester, with, on one side, security imprints against counterfeiting, alteration or substitution of data or duplication, or an official mark for an intended use, only visible by means of a retroreflecting lighting, and embedded glass beads and, on the other side, an adhesive layer, covered on one side or on both sides with a release film

Polytetrafluoroethylene film: - |with a thickness of 100|µm or more, -|an elongation at break of not more than 100|%, -|coated on one side with a pressure sensitive silicon adhesive

Black poly(vinyl chloride) film: •with a gloss of more than 30 degrees according to ASTM D2457, •whether or not covered on one side with a protective poly(ethylene terephthalate) film, and on the other side with a pressure sensitive adhesive with channels and a release liner

Ethylene vinyl acetate film: -|of|a thickness of 100|µm or more, - |coated on one side with an acrylic pressure sensitive or UV-sensitive adhesive and a polyester|or polypropylene liner

Reinforced polyethylene foam tape, coated on both sides with an acrylic micro channelled pressure sensitive adhesive and on one side a liner, with an application thickness of 0,38|mm or more but not more than 1,53|mm

Polyester, polyurethane or polycarbonate foil: -|with pressure sensitive silicone polymer adhesive, -|of a total thickness of not more than 0,7|mm, -|of a total width of 1|cm or more, but not more than 1|m, - |whether or not in rolls of a kind used for the protection of the surface of products of headings 8521|and 8528

Adhesive film consisting of a base of a copolymer of ethylene and vinyl acetate (EVA) of a thickness of 70 µm or more and an adhesive part of acrylic type of a thickness of 5 µm or more, for use in the grinding and/or dicing process of silicon discs

Polyethylene foil: -|with pressure sensitive, non-rubber adhesive adhering solely to clean and smooth surfaces, -|of a total thickness of 0,025|mm or more, but not more than 0,7|mm, and - |of a total width of 6|cm or more, but not more than 1|m, -|whether or not in rolls, of a kind used for the protection of the surface of products of headings 8521|and 8528

Acrylic foam tape, covered on one side with a heat activatable adhesive or an acrylic pressure sensitive adhesive and on the other side with an acrylic pressure sensitive adhesive and a release sheet, of a peel adhesion at an angle of 90|° of more than 25|N/cm (as determined by the ASTM D 3330|method)

Reflecting sheet: -|of a polycarbonate or acrylic polymer film embossed on one side in a regular shaped pattern -|covered on one or both sides with one or more layers of plastic or metallisation, and -|whether or not covered on one side with a self-adhesive layer and a release sheet

Reflecting laminated sheet showing a regular pattern, consisting of a film of poly(methylmethacrylate), followed by a layer of acrylic polymer containing microprisms, a film of poly(methylmethacrylate), an adhesive layer and a release sheet

Reflecting film consisting of -|a layer of an acrylic resin with imprints against counterfeiting, alteration or substitution of data or duplication, or an official mark for an intended use, -|a layer of an acrylic resin having embedded glass beads, -|a layer of an acrylic resin hardened by a melamine cross-linking agent, -|a metal layer, -|an acrylic adhesive, and - |a release film

Rolls of polyethylene foil: -|self-adhesive on one side, -|of a total thickness of 0,025|mm or more, but not more than 0,09|mm, -|of a total width of 60|mm or more, but not more than 1|110|mm, of a kind used for the protection of the surface of products of headings 8521|or 8528

Self-adhesive reflecting sheet whether or not in segmented pieces, -|whether or not containing a watermark, -|with or without an application tape coated on one side with an adhesive; the reflective sheet consists of: -|a layer of acrylic or vinyl polymer, -|a layer of poly(methyl methacrylate)| or| polycarbonate containing microprisms, -|a layer of metallisation, -|an adhesive layer, and -|a release sheet -|whether or not containing an additional layer of polyester

Self adhesive reflecting film, consisting of several layers

including: -|a copolymer of acrylic resin, -|polyurethane,| -|a metalised layer with, on one side, laser imprints against counterfeiting, alteration or substitution of data or duplications, or an official mark for an intended use, -|glass microspheres, and -|an adhesive layer, with a release liner on one or both sides

Acrylic tape put up in rolls: -|self-adhesive on both sides,| -|of a total thickness of 0,04|mm or more, but not more than 1,25|mm, -|of a total width of 5|mm or more but not more than 1|205|mmfor use in the manufacture of products of headings 8521|and 8528

Poly(vinyl chloride) or polyethylene or any other polyolefine film: -|of|a thickness of 65|µm or more, -|coated on one side|with an acrylic UV-sensitive adhesive and a polyester liner

Other

Other

For use in certain types of aircraft

Other

Transparent poly(ethylene terephthalate) self-adhesive film: - |free from impurities or faults, - |coated on one side with an acrylic pressure sensitive adhesive and a protective liner, and on the other side with an antistatic layer of ionic organic choline compound, - |whether or not with a printable dust-proof layer of modified long chain alkyl organic compound, - |with a total thickness without the liner of 54|µm or more but not more than 64|µm, and -|a width of more than 1|295|mm but not more than 1|305|mm

Polyester film: -|coated on one side|with an acrylic thermal release adhesive that debonds at temperatures of|90|°C or more but not more than|200|°C, and a polyester liner, and -|on the other side not coated or coated with an acrylic pressure sensitive adhesive or with an acrylic thermal release adhesive that debonds at temperatures of|90|°C or more but not more than| 200|°C, and a polyester liner

Film consisting of 1|to 3|laminated layers of poly(ethylene terephthalate) and a copolymer of terephthalic acid, sebacic acid and ethylene glycol, coated on one side with an acrylic abrasion resistant coating and on the other side with an acrylic pressure sensitive adhesive, a water soluble methylcellulose coating and a poly(ethylene terephthalate) protective liner

Reflecting laminated sheet: - |consisting of an epoxy acrylate layer embossed on one side in a regular shaped pattern, -|covered on both sides with one or more layers of plastic material and - |covered on one side with an adhesive layer and a release sheet

Film consisting of a multi-layer construction of poly(ethylene terephthalate) and copolymer of butylacrylate and methylmethacrylate, coated on one side with an acrylic abrasion resistant coating incorporating nanoparticles of antimony tin oxide and carbon black, and on the other side with an acrylic pressure sensitive adhesive and a silicone-coated poly(ethylene terephthalate) protective liner

Ethylene vinyl acetate film: -|of|a thickness of 100|µm or more, -|coated on one side with an acrylic pressure sensitive or UV-sensitive adhesive and a polyester|or polypropylene liner

Poly(ethylene terephthalate) film, with an adhesive strength of not more than 0,147|N/25|mm and an electrostatic discharge of not more than 500|V

Poly(vinyl chloride) or polyethylene or any other polyolefine film: -|of|a thickness of 65|µm or more, -|coated on one side|with an acrylic UV-sensitive adhesive and a polyester liner

Polyester film coated on both sides with an acrylic and/or rubber (pressure sensitive) adhesive put up in rolls of a width of 45,7|cm or more but not more than 132|cm (supplied with a release liner)

Reflecting sheet: -|of a polycarbonate or acrylic polymer film embossed on one side in a regular shaped pattern -|covered on one or both sides with one or more layers of plastic or metallisation, and -|whether or not covered on one side with a self-adhesive layer and a release sheet

Reflecting film, consisting of a layer of polyurethane, with, on one side, security imprints against counterfeiting, alteration or substitution of data or duplication, or an official mark for an intended use, and embedded glass beads and, on the other side, an adhesive layer, covered on one side or on both sides with a release film

Polyester, polyurethane or polycarbonate foil: -|with pressure sensitive silicone polymer adhesive, -|of a total thickness of not more than 0,7|mm, -|of a total width of 1|cm or more, but not more than 1|m, -|whether or not in rolls of a kind used for the protection of the surface of products of headings 8521|and 8528

Transparent poly(ethylene) self-adhesive film, free from impurities or faults, coated on one side with an acrylic pressure sensitive adhesive, with a thickness of 60|µm or more, but not more than 70|µm, and with a width of more than 1|245|mm but not more than 1|255|mm

Polyethylene foil: -|with pressure sensitive, non-rubber adhesive adhering solely to clean and smooth surfaces, -|of a total thickness of 0,025|mm or more, but not more than 0,7|mm, and -|of a total width of 6|cm or more, but not more than 1|m, -|whether or not in

rolls, of a kind used for the protection of the surface of products of headings 8521|and 8528

Reflecting layered sheet on rolls, with a width of more than 20|cm, showing an embossed regular pattern, consisting of poly(vinyl chloride) film coated on one side with: -|a layer of polyurethane containing glass micro beads, -|a layer of poly(ethylene vinyl acetate), -|an adhesive layer, and -|a release sheet

Printed laminated sheet with a central layer of poly(vinyl chloride), coated on both sides with a layer of poly(vinyl fluoride) •|whether or not with a pressure or heat sensitive adhesive layer •|whether or not with a release film •|with a toxicity (as determined by test method ABD|0031) of not more than 70|ppm hydrogen fluoride, not more than 120|ppm hydrogen chloride, not more than 10|ppm hydrogen cyanide, not more than 10|ppm nitrogen oxides, not more than 300|ppm carbon monoxide and not more than 10|ppm dihydrogen sulphide and sulphur dioxide taken together •|with a flammability within 60|seconds of not more than 130|mm (as determined by test method FAR 25|App.F Pt. I Amdt.83) •|with a weight (without release film) of 240|g/m\$2|(±|30|g/m\$2) without adhesive layer, of|340|g/m\$2|(±|40|g/m\$2) with heat sensitive adhesive layer or of 330|g/m\$2|(±|40|g/m\$2) with pressure sensitive layer

Self-adhesive film composed of: -|a|top layer predominantly of polyurethane mixed with acrylic polymer emulsions and titanium dioxide, -|whether or not containing a second layer of a mixture of vinyl acetate-ethylene copolymer and cross-linkable|vinyl acetate polymer|emulsions, -|not more than 6|% by weight of other additives, -|a|pressure sensitive adhesive; and -|covered on one side with a release liner, -|whether or not with a separate self-adhesive over laminate protective film, -|of a total thickness of not more than 400|µm

Poly(vinyl chloride) sheeting, of a thickness of less than 1|mm, coated with an adhesive in which are embedded glass balls of a diameter of not more than 100|µm

Film, with a total thickness of 40|µm or more, consisting of one or more layers of transparent polyester film: -|containing at least one infrared reflective layer with a total normal reflectance according to EN|12898|of 80|% or more -|having on one side a layer with a normal emissivity according to EN|12898|of not more|than|0,2 -|coated on the other side with a pressure sensitive adhesive and a release liner

Adhesive film consisting of a base of a copolymer of ethylene and vinyl acetate (EVA) of a thickness of 70 µm or more and an adhesive part of acrylic type of a thickness of 5 µm or more, for use in the grinding and/or dicing process of silicon discs

Self-adhesive film composed of: -|a|first layer containing a mixture of thermoplastic polyurethane and anti-blocking agent, -|a|second layer containing a maleic anhydride copolymer, -|a|third layer containing a mixture of low density polyethylene, titanium dioxide and additives, -|a fourth layer containing a mixture of low density polyethylene, titanium dioxide, additives and colour pigment, -|a|pressure sensitive adhesive; and -|covered on one side with a release liner -|whether or not with a separate self-adhesive over laminate protective film -|of a total thickness of not more than 400|µm

Black poly(vinyl chloride) film: •|with a gloss of more than 30 degrees according to ASTM D2457, •|whether or not covered on one side with a protective poly(ethylene terephthalate) film, and on the other side with a pressure sensitive adhesive with channels and a release liner

Printed laminated sheet -|with a core layer of glass fabric, coated on each side with a layer of poly(vinyl chloride), -|on one side covered with a layer of poly(vinyl fluoride), -|whether or not with a pressure sensitive adhesive layer and a release film on the other side, -|with a toxicity (as determined by test method ABD|0031) of not more than 50|ppm hydrogen fluoride, not more than 85|ppm hydrogen chloride, not more than 10|ppm hydrogen cyanide, not more than 10|ppm nitrogen oxides, not more than 300|ppm carbon monoxide and not more than 10|ppm dihydrogen sulphide and sulphur dioxide taken together, -|with a flammability within 60|seconds of not more than 110|mm (as determined by test method FAR 25|App.F Pt. I Amdt.83), and -|with a weight (without release film) of 490|g/m\$2|(±|45|g/m\$2) without adhesive layer or of 580|g/m\$2|(±|50|g/m\$2) with pressure sensitive layer

Reinforced polyethylene foam tape, coated on both sides with an acrylic micro channelled pressure sensitive adhesive and on one side a liner, with an application thickness of 0,38|mm or more but not more than 1,53|mm

Polariser film, in rolls, consisting of a multilayered polyvinyl alcohol film, supported on either side by a triacetyl cellulose film, with a pressure sensitive adhesive and release film on one side

Reflecting laminated sheet consisting of a film of poly(methyl methacrylate) embossed on one side in a regular shaped pattern, a film of a polymer containing glass microspheres, an adhesive layer and a release sheet

Self-adhesive reflecting sheet whether or not in segmented pieces, -|whether or not containing a watermark, -|with or without an application tape coated on one side with an adhesive; the reflective sheet consists of: -|a layer of acrylic or vinyl polymer, -|a layer of poly(methyl methacrylate)| or|

polycarbonate containing microprisms, -|a layer of metallisation, -|an adhesive layer, and -|a release sheet -|whether or not containing an additional layer of polyester

Biaxially-oriented film of poly(methyl methacrylate), of a thickness of 50µm or more but not exceeding 90µm, covered on one side with an adhesive layer and a release sheet

White polyolefin tape consisting of: -|an adhesive layer based on synthetic rubber with a thickness of 8µm or more but not more than 17µm, -|a polyolefin layer with a thickness of 28µm or more but not more than 40µm, and -|a non-silicone release layer with a thickness below 1µm

Acrylic foam tape, covered on one side with a heat activatable adhesive or an acrylic pressure sensitive adhesive and on the other side with an acrylic pressure sensitive adhesive and a release sheet, of a peel adhesion at an angle of 90° of more than 25N/cm (as determined by the ASTM D 3330|method)

Poly(vinyl chloride) film, whether or not covered on one side with a layer of polymer, with -|an acrylic adhesive with an adhesive strength of 70N/m or more whether or not reduced upon irradiation, -|a total thickness without release liner of 78|microns or more, and -|a release liner, whether or not equipped with oblate spheres and on one side embossed

Reflecting film containing: -|a poly(vinyl chloride) layer, -|a polyurethane layer, -|a glass microspheres layer, -|a layer whether or not incorporating a security and/or official mark which changes appearance with angle of view, -|a metallised aluminium layer, and -|an adhesive, covered on one side with a release liner

Co-extruded trilayer film, -|each layer containing a mixture of polypropylene and polyethylene, -|containing not more than 3% by weight of other polymers, -|whether or not containing titanium dioxide in the core layer, -|coated with an acrylic pressure sensitive adhesive and -|with a release liner -|of an overall thickness of not more than 110µm

Self-adhesive film with a thickness of 40 µm or more, but not more than 400 µm, consisting of one or more layers of transparent, metallized or dyed poly(ethylene terephthalate), covered on one side with a scratch resistant coating and on the other side with a pressure sensitive adhesive and a release liner

Self-adhesive plastic film consisting of: -|a poly(olefin) layer with a thickness of more than 95|but not more than 110|microns -|an adhesive layer with a thickness of more than 5|but not more than 15|microns -|a layer based on epoxy resin, with a thickness of more than 4|but not more than 100|microns -|a liner consisting of poly(ethylene terephthalate) with a thickness of

more than 35|but not more than 40|microns

Self-adhesive polishing discs of microporous polyurethane, whether or not|coated with a|pad

Rolls of polyethylene foil: -|self-adhesive on one side, -|of a total thickness of 0,025|mm or more, but not more than 0,09|mm, -|of a total width of 60|mm or more, but not more than 1|110|mm, of a kind used for the protection of the surface of products of headings 8521|or 8528

Self adhesive reflecting film, consisting of several layers including: -|a copolymer of acrylic resin, -|polyurethane,| -|a metallised layer with, on one side, laser imprints against counterfeiting, alteration or substitution of data or duplications, or an official mark for an intended use, -|glass microspheres, and -|an adhesive layer, with a release liner on one or both sides

Film of a minimum thickness of 0,36|mm, consisting of the following: -|an embossed polyester layer, -|a caprolactone-cyclohexylene isocyanate copolymer layer, -|a pressure sensitive adhesive and covered on one side with a release liner

Acrylic tape put up in rolls: -|self-adhesive on both sides,| -|of a total thickness of 0,04|mm or more, but not more than 1,25|mm, -|of a total width of 5|mm or more but not more than 1|205|mmfor use in the manufacture of products of headings 8521|and 8528

Multi-layered film of poly(methyl methacrylate) and metallised layers of silver and copper: -|having a minimum reflectance of 93,5|% as determined by ASTM G173-03, -|covered on one side with a removable layer of polyethylene, -|covered on the other side with an acrylic pressure sensitive adhesive and a siliconised polyester liner

Self adhesive transparent film, having a transmittance of more than 90|% and a haze of less than 3|% (as determined by ASTM D1003), consisting of several layers including: -|an acrylic adhesive layer with a thickness of 20µm or more but not more than 70µm, -|a polyurethane based layer with a thickness of 100µm or more but not more than 300µm

Self-adhesive circular polishing pads of a kind used for the manufacture of semiconductor wafers

Other

Other plates, sheets, film, foil and strip, of plastics, non-cellular and not reinforced, laminated, supported or similarly combined with other materials

Of polymers of ethylene

Of a thickness not exceeding 0,125|mm

Of polyethylene having a specific gravity of

Less than 0,94

Polyethylene film, of a thickness of 20|micrometres or more but not exceeding 40|micrometres, for the production of photoresist film used in the manufacture of semiconductors or printed circuits

Stretch film, not printed

For use in certain types of aircraft

Other

Other

For use in certain types of aircraft

Other

Film of a thickness of not more than 0,20|mm, of a blend of polyethylene and a copolymer of ethylene with oct-1-ene, embossed in a regular rhomboidal pattern, for coating both sides of a layer of unvulcanized rubber

Film of polyethylene, of a kind used for typewriter ribbon

Other

0,94|or more

For use in certain types of aircraft

Other

Printed embossed|film -|of polymers of ethylene -|having a|gravity of 0,94g/cm3|or more -|of a thickness of 0,019mm ±| 0,003mm -|with permanent graphics consisting of two different alternating designs whose individual length is 525|mm or more

Poly(ethylene) film printed with a graphic design, which is achieved by using four base colours in ink plus specialist colours, to achieve multiple colours in ink on one side of the film, and one colour on the opposite side, the graphic design also has the following characteristics: -|is repetitive and equally spaced along the length of the film -|is equally and visibly aligned when viewed from the back or front of the film

Polyethylene foil: -|with pressure sensitive, non-rubber adhesive adhering solely to clean and smooth surfaces, -|of a total thickness of 0,025|mm or more, but not more than 0,7|mm, and -|of a total width of 6|cm or more, but not more than 1|m, -|whether or not in rolls, of a kind used for the protection of the surface of products of headings 8521|and 8528

Other

Other
For use in certain types of aircraft
Other
Co-extruded seven to nine layered film predominately of copolymers of ethylene or functionalized polymers of ethylene, consisting of: - a tri-layer barrier with a core layer predominantly of ethylene vinyl alcohol covered on either side with a layer predominantly of cyclic olefin polymers, - covered on either side with two or more layers of polymeric material, and having an overall total thickness of not more than 110 µm
Tubular layered film predominately of polyethylene: - consisting of a tri-layer barrier with a core layer of ethylene vinyl alcohol covered on either side with a layer of polyamide, covered on either side with at least one layer of polyethylene, - having a total thickness of 55 µm or more, - having a diameter of 500 mm or more but not more than 600 mm
Other

Of a thickness exceeding 0,125 mm
Synthetic paper pulp, in the form of moist sheets made from unconnected finely branched polyethylene fibrils, whether or not blended with cellulose fibres in a quantity not exceeding 15 %, containing poly(vinyl alcohol) dissolved in water as the moistening agent
Other
For use in certain types of aircraft
Other
Film of a thickness of not more than 0,20 mm, of a blend of polyethylene and a copolymer of ethylene with oct-1-ene, embossed in a regular rhomboidal pattern, for coating both sides of a layer of unvulcanized rubber
Adhesive film consisting of a base of a copolymer of ethylene and vinyl acetate (EVA) of a thickness of 70 µm or more and an adhesive part of acrylic type of a thickness of 5 µm or more, for use in the grinding and/or dicing process of silicon discs
Ethylene vinyl acetate (EVA) film with: - a raised relief surface with embossed undulations, and - a thickness of more than 0,125 mm
Composite sheet containing an acrylic coating and laminated to a high-density polyethylene layer, of a total thickness of 0.8 mm or more but not exceeding 1.2 mm
Polyethylene foil: - with pressure sensitive, non-rubber adhesive adhering solely to clean and smooth surfaces, - of

a total thickness of 0,025 mm or more, but not more than 0,7 mm, and - of a total width of 6 cm or more, but not more than 1 m, - whether or not in rolls, of a kind used for the protection of the surface of products of headings 8521 and 8528
Other

Of polymers of propylene
Of a thickness not exceeding 0,10 mm
Biaxially oriented
For use in certain types of aircraft
Biaxially oriented polypropylene film with a coextruded layer of polyethylene on one side and a total thickness of 11,5 µm or more but not more than 13,5 µm
Sheets of biaxially - oriented polypropylenefilm: - with the thickness of not more than 0,1 mm, - printed on both sides with specialised coatings to allow banknote security printing
Other
Other
For use in certain types of aircraft
Other
Sheet of polypropylene in the form of a roll: - with a thickness of not more than 30 µm, - of a width of not more than 210 mm, - conforming to ASTM D882,for use in the manufacture of separators for lithium-ion electric vehicle batteries
Co-extruded seven to nine layered film predominately of copolymers of propylene, consisting of: - a tri-layer barrier with a core layer predominantly of ethylene vinyl alcohol covered on either side with a layer predominantly of cyclic olefin polymers, - covered on either side with two or more layers of polymeric material, and having an overall total thickness of not more than 110 µm
Mono-axial oriented film, of a total thickness of not more than 75µm, consisting of three or four layers, each layer containing a mixture of polypropylene and polyethylene, with a core layer whether or not containing titanium dioxide, having: - a tensile strength in the machine direction of 120 MPa or more but not more than 270 MPa and - a tensile strength in the transverse direction of 10 MPa or more but not more than 40 MPa as determined by test method ASTM D882/ISO 527-3
Mono-axial oriented film, consisting of three layers, each layer consisting of a mixture of polypropylene and a copolymer of ethylene and vinyl acetate, with a core layer whether or not containing

titanium dioxide, having: - a thickness of 55 µm or more but not more than 97 µm, - a tensile modulus in the machine direction of 0,30 GPa or more but not more than 1,45 GPa, and - a tensile modulus in the transverse direction of 0,20 GPa or more but not more than 0,70 GPa
Co-extruded trilayer film, •each layer containing a mixture of polypropylene and polyethylene, •containing not more than 3% by weight of other polymers, •whether or not containing titanium dioxide in the core layer, •of an overall thickness of not more than 70 µm
Other

Of a thickness exceeding 0,10 mm
For use in certain types of aircraft
Other
Laminated sheet or strip, consisting of a film of a thickness of 181 µm or more but not more than 223 µm composed of a blend of a copolymer of propylene with ethylene and a copolymer of styrene-ethylene-butylene-styrene (SEBS) coated or covered on one side with a layer of a copolymer of styrene-ethylene-butylene-styrene (SEBS) and a layer of polyester
Co-extruded seven to nine layered film predominately of copolymers of propylene, consisting of: - a tri-layer barrier with a core layer predominantly of ethylene vinyl alcohol covered on either side with a layer predominantly of cyclic olefin polymers, - covered on either side with two or more layers of polymeric material, and having an overall total thickness of not more than 110 µm
Polypropylene sheet, put up in rolls, with: - flame retardant level of UL 94 V-0 for material thicknesses of 0,25 mm or more and level UL 94 VTM-0 for material thicknesses of 0,05 mm or more but not more than 0,25 mm (as determined by Flammability Standard UL-94) - dielectric breakdown of 13,1 kV or more but not more than 60,0 kV(as determined by ASTM D149) - tensile yield in a machine direction of 30 MPa or more but not more than 33 MPa (as determined by ASTM D882) - tensile yield in a transverse direction of 22 MPa or more but not more than 25 MPa (as determined by ASTM D882) - density range of 0,988 g/cm\$3 or more but not more than 1,035 g/cm\$3 (as determined by ASTM D792) - moisture absorption of 0,01 % or more but not more than 0,06 % (as determined by ASTM D570) for use in the manufacture of insulators used in the electronics and electrical industries
Other

Of polymers of styrene
Acrylonitrile-butadiene-styrene, for use in certain types of aircraft
Other
Of polymers of vinyl chloride
Containing by weight not less than 6% of plasticisers
Of a thickness not exceeding 1mm
For use in certain types of aircraft
Other
Sheeting of poly(vinyl chloride), stabilized against ultraviolet rays, without any holes, even microscopic, of a thickness of 60µm or more but not more than 80µm, containing 30 or more but not more than 40 parts of plasticizer to 100 parts of poly(vinyl chloride)
Film of a specular gloss of 70 or more, measured at an angle of 60° using a glossmeter (as determined by the ISO 2813:2000 method), consisting of one or two layers of poly(vinyl chloride) coated on both sides with a layer of plastic, of a thickness of 0,26mm or more but not more than 1,0mm, covered on the gloss surface with a protective film of polyethylene, in rolls of a width of 1000mm or more but not more than 1450mm, for use in the manufacture of goods of heading 9403
Reflecting laminated sheet, consisting of a film of poly(vinyl chloride) and a film of an other plastic totally embossed in a regular pyramidal pattern, covered on one side with a release sheet
Other
Of a thickness exceeding 1mm
For use in certain types of aircraft
Other
Other
Of a thickness not exceeding 1mm
For use in certain types of aircraft
Other
Film of a (polyvinyl)chloride-copolymer -containing by weight 45% or more of fillers - on a support
Film of a specular gloss of 70 or more, measured at an angle of 60° using a glossmeter (as determined by the ISO 2813:2000 method), consisting of one or two layers of poly(vinyl chloride) coated on both sides with a layer of plastic, of a thickness of 0,26mm or more but not more than 1,0mm, covered on the gloss surface with a protective film of polyethylene, in rolls of a width of 1000mm or more but not more than 1450mm, for

use in the manufacture of goods of heading 9403
Printed laminated sheet with a central layer of poly(vinyl chloride), coated on both sides with a layer of poly(vinyl fluoride) -whether or not with a pressure or heat sensitive adhesive layer -whether or not with a release film -with a toxicity (as determined by test method ABD 0031) of not more than 70ppm hydrogen fluoride, not more than 120ppm hydrogen chloride, not more than 10ppm hydrogen cyanide, not more than 10ppm nitrogen oxides, not more than 300ppm carbon monoxide and not more than 10ppm dihydrogen sulphide and sulphur dioxide taken together -with a flammability within 60seconds of not more than 130mm (as determined by test method FAR 25 App.F Pt. I Amdt.83) -with a weight (without release film) of 240g/m ² (±30g/m ²) without adhesive layer, of 340g/m ² (±40g/m ²) with heat sensitive adhesive layer or of 330g/m ² (±40gm ²) with pressure sensitive layer
Other
Of a thickness exceeding 1mm
For use in certain types of aircraft
Other

Of acrylic polymers
Of poly(methyl methacrylate)
Plate of poly(methyl methacrylate) containing aluminium trihydroxide, of a thickness of 3,5mm or more but not more than 19mm
Biaxially-oriented film of poly(methyl methacrylate), of a thickness of 50µm or more but not exceeding 90µm
Sheets of polymethylmethacrylate conforming to standard EN 4366 (MIL-PRF-25690)
Sheets of polymethylmethacrylate conforming to standard — EN 4364 (MIL-P-5425E) and DTD5592A, or — EN 4365 (MIL-P-8184) and DTD5592A
Other

Other
Copolymer of acrylic and methacrylic esters, in the form of film of a thickness not exceeding 150micrometres
Other
Non-cellular and non-laminated sheet of modified copolymer of acrylonitrile-methyl acrylate with a thickness of 1.0mm or more but not more than 1.3mm, put up in rolls
Non-self adhesive reflecting film, consisting of several layers including: -a copolymer of acrylic resin -polyurethane -a metalised

layer with, on one side, laser imprints against counterfeiting, alteration or substitution of data or duplications, or an official mark for an intended use -glass microspheres, and -a permanent liner of poly(ethyleneterephthalate)
other

Of polycarbonates, alkyd resins, polyallyl esters or other polyesters
Of polycarbonates
Reflecting sheet: -of a polycarbonate or acrylic polymer film embossed on one side in a regular shaped pattern -covered on one or both sides with one or more layers of plastic or metallisation, and -whether or not covered on one side with a self-adhesive layer and a release sheet
Other

Of poly(ethylene terephthalate)
Of a thickness not exceeding 0,35mm
Poly(ethylene terephthalate) film, of a thickness of 72micrometres or more but not exceeding 79micrometres, for the manufacture of flexible magnetic disks; poly(ethylene terephthalate) film, of a thickness of 100micrometres or more but not exceeding 150micrometres, for the manufacture of photopolymer printing plates
Other
Coextruded opaque sheet of poly(ethylene terephthalate), of a thickness of 50µm or more but not more than 350µm, consisting especially of a layer containing carbon black
Poly(ethylene terephthalate) film, not coated with an adhesive, of a thickness of not more than 25µm, either: -only dyed in the mass, or -dyed in the mass and metallised on one side
Film of poly(ethylene terephthalate) only, of a total thickness of not more than 120µm, consisting of one or two layers each containing a colouring and/or UV-absorbing material throughout the mass, uncoated with an adhesive or any other material
Laminated film of poly(ethylene terephthalate) only, of a total thickness of not more than 120µm, consisting of one layer which is metallised only and one or two layers each containing a colouring and/or UV-absorbing material throughout the mass, uncoated with an adhesive or any other material
Reflecting polyester sheeting embossed in a pyramidal pattern, for the manufacture of safety stickers and badges, safety clothing and accessories thereof, or of

School satchels, bags or similar containers
Poly(ethylene terephthalate) film, of a thickness of not more than 12 µm, coated on one side with a layer of aluminium oxide of a thickness of not more than 35 nm
Sheets or rolls of poly(ethylene terephthalate): - coated on both sides with a layer of epoxy acrylic resin, - of a total thickness of 37 µm (±3 µm)
Film of poly(ethylene terephthalate), poly(ethylene naphthalate) or similar polyester, coated on one side with metal and/or metal oxides, containing by weight less than 0,1 % of aluminium, of a thickness of not more than 300 µm and having a surface resistivity of not more than 10 000 ohms (per square) (as determined by the ASTM D 257-99 method)
Poly (ethylene terephthalate) film: - of a thickness of not more than 20 µm, - coated on at least one side with a gas barrier layer consisting of a polymeric matrix in which silica or aluminium oxide has been dispersed and of a thickness of not more than 2µm
Iridescent film of polyester and poly(methyl methacrylate)
Transparent poly(ethylene terephthalate) film: - coated on both sides with layers of organic substances on the basis of acryl of a thickness of 7 nm or more but not more than 80 nm, - with a surface tension of 36 Dyne/cm or more but not more than 39 Dyne/cm, - with a light transmission of more than 93 %, - with a haze value of not more than 1,3 %, - with a total thickness of 10 µm or more but not more than 350 µm, - with a width of 800 mm or more but not more than 1 600 mm
Other
Of a thickness exceeding 0,35 mm

Of unsaturated polyesters
Of other polyesters
Film of poly(ethylene naphthalene-2,6-dicarboxylate)
Iridescent film of polyester and poly(methyl methacrylate)
Monolayer, biaxially oriented film: - composed of more than 85 % by weight of poly(lactic acid) and not more than 10,50 % by weight of modified poly(lactic acid) based polymer, poly-glycol ester and talc, - having a thickness of 20 µm or more but not more than 120 µm - biodegradable and compostable (as determined by the method EN 13432)
Monolayer, transverse oriented, shrink film: - composed of more than 80 % by weight of poly(lactic acid) and not more than 15,75 % by

weight of additives of modified poly(lactic acid), - having a thickness of 45 µm or more but not more than 50 µm, - biodegradable and compostable (as determined by the method EN 13432)
Other
Of cellulose or its chemical derivatives
Of regenerated cellulose
Of cellulose acetate
Film in rolls or in strips, for cinematography or photography
Other
Of other cellulose derivatives
Of vulcanised fibre
Sheets of painted vulcanised fibre-board with a thickness of not more than 1,5 mm
Other
Other
Of other plastics
Of poly(vinyl butyral)
For use in certain types of aircraft
Other
Poly(vinyl butyral) film containing by weight 25 % or more but not more than 28 % of tri-isobutyl phosphate as a plasticiser
Poly(vinyl butyral) film: - containing by weight 26 % or more but not more than 30 % of triethyleneglycol bis(2-ethyl hexanoate) as a plasticiser, - with a thickness of 0,73 mm or more but not more than 1,50 mm
Poly(vinyl butyral) film having a graduated coloured band
Film of poly(ethylene terephthalate), whether or not metallised on one or both sides, or laminated film of poly(ethylene terephthalate) films, metallised on the external sides only, and having the following characteristics: - a visible light transmission of 50 % or more, - coated on one or both sides with a layer of poly(vinyl butyral) but not coated with an adhesive or any other material except poly(vinyl butyral), - a total thickness of not more than 0,2 mm without taking the presence of poly(vinyl butyral) into account and a thickness of poly(vinyl butyral) of more than 0,2 mm
Co-extruded trilayer poly(vinyl butyral) film
Co-extruded trilayer poly(vinyl butyral) film with a graduated colour band containing by weight 29 % or more but not more than 31 % of 2,2'-ethylenedioxydiethyl bis(2-ethylhexanoate) as a plasticiser
Other
Other

Of polyamides
Polyamide film: - of a thickness of not more than 20 µm, - coated on at least one side with a gas barrier layer which consists of a polymeric matrix in which silica has been dispersed and of a thickness of not more than 2 µm
Other
Of amino-resins
Of phenolic resins
Of other plastics
Of condensation or rearrangement polymerisation products, whether or not chemically modified
Polyimide sheet and strip, uncoated, or coated or covered solely with plastic
Other
Polyether imide sheets, in rolls, with - a thickness of 5 µm or more, but not more than 14 µm, - a width of 478 mm or more, but not more than 532 mm, - a tensile strength at break of 78 MPa or more (as determined by JIS C-2318 for a film thickness of 50 µm), - an elongation at break of 50 % or more (as determined by JIS C-2318 for a film thickness of 50 µm), - a glass transition point (Tg) of 226 °C, - a continuous service temperature of 180 °C (as determined by UL-746 B for a film thickness of 50 µm), - a flammability of VTM-0 (as determined by UL 94 for a film thickness of 25 µm)
Polymer film containing the following monomers: - poly (tetramethylene ether glycol), - bis (4-isocyanotocyclohexyl) methane, - 1,4-butanediol or 1,3-butanediol, - with a thickness of 0,25 mm or more but not more than 5,0 mm, - embossed with a regular pattern on one surface, - and covered with a release sheet
Transparent polyurethane film metallised on one side: - with a gloss of more than 90 degrees according to ASTM D2457 - covered on the metalized side with a heat bonding adhesive layer consisting of polyethylene/polypropylene copolymer - covered on the other side with a protective poly(ethylene terephthalate) film - with a total thickness of more than 204 µm but not more than 244 µm
Thermoplastic polyurethane film, of a thickness of 250 µm or more but not more than 350 µm, covered on one side with a removable protective film
Thermoplastic polyurethane film extruded, with : - not self-adhesive, - an index of yellow lower of more than 1,0 but not more than 2,5 for 10 mm stacked films (as determined by test method ASTM E 313-10), - a light transmission higher to 87 % for 10 mm stacked films (as determined

High-pressure laminates with a decorative surface on one or both sides
Other
Other
Other
Other
Pre-impregnated reinforced fibreglass containing cyanate ester resin or bismaleimide (B) triazine (T) resin mixed with epoxide resin, measuring: - 469,9 mm (± 2 mm) \x! 622,3 mm (± 2 mm), or - 469,9 mm (± 2 mm) \x! 414,2 mm (± 2 mm), or - 546,1 mm (± 2 mm) \x! 622,3 mm (± 2 mm for use in the manufacture of printed circuit boards
Prepreg sheets or rolls containing polyimide resin
Three layered fabric sheet, in rolls, - comprising a core layer of 100 % Nylon Taffeta or Nylon/Polyester blended Taffeta, - coated on both sides with polyamide , - of a total thickness not more than 135 µm, - of a total weight not more than 80 g/m\$2
Glass fiber-reinforced sheets of reactive, halogen-free epoxid resin with hardener, additives and inorganic fillers for use in encapsulating semiconductor systems
Other

Of addition polymerisation products
For use in certain types of aircraft
Other
Heat-, infra- and UV insulating poly(vinyl butyral) film: - laminated with a metal layer with a thickness of 0,05 mm(±0,01 mm), - containing by weight 29,75 % or more but not more than 40,25 % of triethyleneglycol di (2-ethyl hexanoate) as plasticizer, - with a light transmission of 70 % or more (as determined by the ISO 9050 standard); - with an UV transmission of 1 % or less (as determined by the ISO 9050 standard); - with a total thickness of 0,43 mm (± 0,043 mm)
Woven polytetrafluoroethylene fabric, coated or covered with a copolymer of tetrafluoroethylene and trifluoroethylene having perfluorinated alkoxy side-chains ending in carboxylic acid or sulphonic acid groups, whether or not in the potassium or sodium salt form
Film, of a specular gloss of 30 or more but not more than 60 measured at an angle of 60 ° using a glossmeter (as determined by the ISO 2813:2000 method), consisting of a layer of poly(ethylene terephthalate) and a layer of coloured poly(vinyl chloride), joined by a metallised adhesive coating, for coating panels and doors of a kind used in the

manufacture of domestic appliances
Printed laminated sheet - with a core layer of glass fabric, coated on each side with a layer of poly(vinyl chloride), - on one side covered with a layer of poly(vinyl fluoride), - whether or not with a pressure sensitive adhesive layer and a release film on the other side, - with a toxicity (as determined by test method ABD 0031) of not more than 50 ppm hydrogen fluoride, not more than 85 ppm hydrogen chloride, not more than 10 ppm hydrogen cyanide, not more than 10 ppm nitrogen oxides, not more than 300 ppm carbon monoxide and not more than 10 ppm dihydrogen sulphide and sulphur dioxide taken together, - with a flammability within 60 seconds of not more than 110 mm (as determined by test method FAR 25 App.F Pt. I Amdt.83), and - with a weight (without release film) of 490 g/m\$2 (± 45 g/m\$2) without adhesive layer or of 580 g/m\$2 (± 50 g/m\$2) with pressure sensitive layer
Other

Other
Roll of polymer-metal laminate comprising: - a layer of poly(ethylene terephthalate), - a layer of aluminium, - a layer of polypropylene, - with a width of not more than 275 mm, - a total thickness of not more than 165 µm, and - conforming to ASTM D1701-91 and ASTM D882-95A for use in the manufacture of lithium-ion electric vehicle batteries
Other

Baths, shower-baths, sinks, washbasins, bidets, lavatory pans, seats and covers, flushing cisterns and similar sanitary ware, of plastics
Baths, shower-baths, sinks and washbasins
Lavatory seats and covers
Other

Articles for the conveyance or packing of goods, of plastics; stoppers, lids, caps and other closures, of plastics
Boxes, cases, crates and similar articles
Photomask or wafer compacts: - consisting of antistatic materials or blended thermoplastics proving special electrostatic discharge (ESD) and outgassing properties, - having non porous, abrasion resistant or impact resistant surface properties, - fitted with a specially designed retainer system that protects the photomask or wafers from surface or cosmetic damage and - with or without a gasket seal, of a kind used in the photolithography or other semiconductor production to house photomasks or wafers
Boxes, cases, crates and similar articles, of plastic, specially shaped or fitted for the conveyance or packing of

semiconductor wafers, masks, or reticles
Other
Sacks and bags (including cones)
Of polymers of ethylene
Of other plastics
Of poly(vinyl chloride)
Other

Carboys, bottles, flasks and similar articles
Of a capacity not exceeding two litres
Of a capacity exceeding two litres
Polyethylene container, for compressed hydrogen: - with aluminium bosses at both ends, - wholly embedded in an overwrap of carbon fibres impregnated with epoxide resin, - of a diameter of 213 mm or more, but not more than 368 mm, - a length of 860 mm or more, but not more than 1 260 mm and - a capacity of 18 litres or more, but not more than 50 litres
Other

Spools, cops, bobbins and similar supports
Spools, reels and similar supports for photographic and cinematographic film or for tapes, films and the like of heading 8523
Other

Stoppers, lids, caps and other closures
Caps and capsules for bottles
Other
Other

Tableware, kitchenware, other household articles and hygienic or toilet articles, of plastics
Tableware and kitchenware
Kitchenware containing polyamide or melamine
Consigned from China or Hong Kong
Other
Polycarbonate infant feeding bottles
Other
Other
Ironing boards, including sleeve boards, whether or not free standing, and legs and tops thereof
Other

Builders' ware of plastics, not elsewhere specified or included
Reservoirs, tanks, vats and similar containers, of a capacity exceeding 300 litres
Doors, windows and their frames and thresholds for doors
Shutters, blinds (including venetian blinds) and similar articles and parts thereof

Other
Fittings and mountings intended for permanent installation in or on doors, windows, staircases, walls or other parts of buildings
Trunking, ducting and cable trays for electrical circuits
Other

Other articles of plastics and articles of other materials of headings 3901 to 3914
Office or school supplies
Articles of apparel and clothing accessories (including gloves, mittens and mitts)
Fittings for furniture, coachwork or the like
Plastic cover of the exterior rear-view mirror for motor vehicles with clips
Other

Statuettes and other ornamental articles
Other
Perforated buckets and similar articles used to filter water at the entrance to drains
Other
Made from sheet
For technical uses, for use in civil aircraft
Other
Reflecting sheeting or tape, consisting of a facing-strip of poly(vinyl chloride) embossed in a regular pyramidal pattern, heat-sealed in parallel lines or in a grid-pattern to a backing-strip of plastic material, or of knitted or woven fabric covered on one side with plastic material
Other
Other
For technical uses, for use in civil aircraft
Microspheres of a polymer of divinylbenzene, of a diameter of 4,5 µm or more but not more than 80 µm
Glass fibre reinforced plastic traverse leaf spring for use in the manufacture of motor vehicle suspension systems
Housings, housing parts, drums, setting wheels, frames, covers and other parts of acrylonitrile-butadiene-styrene of a kind used for the manufacture of remote controls
Unexpansible microspheres of a copolymer of acrylonitrile, methacrylonitrile and isobornyl methacrylate, of a diameter of 3 µm or more but not more than 4,6 µm
Parts of car radio and car air-conditioner front panels - of acrylonitrile-butadiene-styrene with or without polycarbonate, - coated with a copper, a nickel and a chrome layers, - with a total

thickness of coating of 5,54 µm or more but not more than 49,6 µm
Polycarbonate control interface buttons for steering pad switches coated on the outside with scratch resistant paint
Knob of car radio front panel, made of Bisphenol A-based polycarbonate
Flat product of polyethylene, perforated in opposing directions, of a thickness of 600 µm or more but not more than 1 200 µm and of a weight of 21 g/m\$2 or more but not more than 42 g/m\$2
Sheath contraceptives of polyurethane
Die-cast decoration element made of polycarbonate resin, coated with - a silver-colour acrylic paint, and - a transparent scratch-resistant paint of a kind used in the manufacture of car radio front panels
Epoxide resin, containing by weight 70 % or more of silicon dioxide, for the encapsulation of goods of headings 8533, 8535, 8536, 8541, 8542 or 8548
Other

RUBBER AND ARTICLES THEREOF
Natural rubber, balata, gutta-percha, guayule, chicle and similar natural gums, in primary forms or in plates, sheets or strip
Natural rubber latex, whether or not prevulcanised
Natural rubber in other forms
Smoked sheets
Technically specified natural rubber (TSNR)
Other
Balata, gutta-percha, guayule, chicle and similar natural gums
Synthetic rubber and factice derived from oils, in primary forms or in plates, sheets or strip; mixtures of any product of heading 4001 with any product of this heading, in primary forms or in plates, sheets or strip
Styrene-butadiene rubber (SBR); carboxylated styrene-butadiene rubber (XSBR)
Latex
Other
Styrene-butadiene rubber produced by emulsion polymerisation (E-SBR), in bales
Styrene-butadiene-styrene block copolymers produced by solution polymerisation (SBS, thermoplastic elastomers), in granules, crumbs or powders
Styrene-butadiene rubber produced by solution polymerisation (S-SBR), in bales
Other

Butadiene rubber (BR)
Isobutene-isoprene (butyl) rubber (IIR); halo-isobutene-isoprene rubber (CIIR or BIIR)
Isobutene-isoprene (butyl) rubber (IIR)
Other
Chloroprene (chlorobutadiene) rubber (CR)
Latex
Other
Acrylonitrile-butadiene rubber (NBR)
Latex
Other
Isoprene rubber (IR)
Ethylene-propylene-non-conjugated diene rubber (EPDM)
Mixtures of any product of heading 4001 with any product of this heading
Other
Latex
Other
Products modified by the incorporation of plastics
Other

Reclaimed rubber in primary forms or in plates, sheets or strip
Waste, parings and scrap of rubber (other than hard rubber) and powders and granules obtained therefrom
Compounded rubber, unvulcanised, in primary forms or in plates, sheets or strip
Compounded with carbon black or silica
Solutions; dispersions other than those of subheading 4005 10
Other
Plates, sheets and strip
Other
Other forms (for example, rods, tubes and profile shapes) and articles (for example, discs and rings), of unvulcanised rubber
'Camel-back' strips for retreading rubber tyres
Other

Vulcanised rubber thread and cord
Siliconated vulcanised rubber thread and cord
Other
Plates, sheets, strip, rods and profile shapes, of vulcanised rubber other than hard rubber
Of cellular rubber
Plates, sheets and strip
Other
Of non-cellular rubber
Plates, sheets and strip
Floor coverings and mats

Other
Other
Profile shapes, cut to size, for use in civil aircraft
Other

Tubes, pipes and hoses, of vulcanised rubber other than hard rubber, with or without their fittings (for example, joints, elbows, flanges)

Not reinforced or otherwise combined with other materials

Without fittings

With fittings

Suitable for conducting gases or liquids, for use in civil aircraft

Other

Reinforced or otherwise combined only with metal

Without fittings

With fittings

Suitable for conducting gases or liquids, for use in civil aircraft

Other

Reinforced or otherwise combined only with textile materials

Without fittings

With fittings

Suitable for conducting gases or liquids, for use in civil aircraft

Other

Reinforced or otherwise combined with other materials

Without fittings

With fittings

Suitable for conducting gases or liquids, for use in civil aircraft

Rubber brake hose with -|textile strings, -|a wall thickness of 3,2|mm, -|a metal hollow terminal pressed on both ends, and -|one or more mounting brackets, of kind used in the manufacture of goods of Chapter 87

Other

Conveyor or transmission belts or belting, of vulcanised rubber

Conveyor belts or belting

Reinforced only with metal

Reinforced only with textile materials

Other

Transmission belts or belting

Endless transmission belts of trapezoidal cross-section (V-belts), V-ribbed, of an outside circumference exceeding 60|cm but not exceeding 180|cm

Endless transmission belts of trapezoidal cross-section (V-belts), other than V-ribbed, of an outside

circumference exceeding 60|cm but not exceeding 180|cm

Endless transmission belts of trapezoidal cross-section (V-belts), V-ribbed, of an outside circumference exceeding 180|cm but not exceeding 240|cm

Endless transmission belts of trapezoidal cross-section (V-belts), other than V-ribbed, of an outside circumference exceeding 180|cm but not exceeding 240|cm

Endless synchronous belts, of an outside circumference exceeding 60|cm but not exceeding 150|cm

Endless synchronous belts, of an outside circumference exceeding 150|cm but not exceeding 198|cm

Other

New pneumatic tyres, of rubber

Of a kind used on motor cars (including station wagons and racing cars)

Of a kind used on buses or lorries

With a load index not exceeding 121

With a load index exceeding 121

Of a kind used on aircraft

For use on civil aircraft

Other

Of a kind used on motorcycles

Of a kind used on bicycles

Other, having a 'herring-bone' or similar tread

Of a kind used on agricultural or forestry vehicles and machines

Of a kind used on construction or industrial handling vehicles and machines and having a rim size not exceeding 61|cm

Of a kind used on construction or industrial handling vehicles and machines and having a rim size exceeding 61|cm

Other

Other

Of a kind used on agricultural or forestry vehicles and machines

Of a kind used on construction or industrial handling vehicles and machines and having a rim size not exceeding 61|cm

Of a kind used on construction or industrial handling vehicles and machines and having a rim size exceeding 61|cm

Other

Retreaded or used pneumatic tyres of rubber; solid or cushion tyres, tyre treads and tyre flaps, of rubber

Retreaded tyres

Of a kind used on motor cars (including station wagons and racing cars)

Of a kind used on buses or lorries

Of a kind used on aircraft

For use on civil aircraft

Other

Other

Used pneumatic tyres

For use on civil aircraft

Other

Other

Solid or cushion tyres

Tyre treads

Tyre flaps

Inner tubes, of rubber

Of a kind used on motor cars (including station wagons and racing cars), buses or lorries

Of a kind used on bicycles

Other

Hygienic or pharmaceutical articles (including teats), of vulcanised rubber other than hard rubber, with or without fittings of hard rubber

Sheath contraceptives

Other

Articles of apparel and clothing accessories (including gloves, mittens and mits), for all purposes, of vulcanised rubber other than hard rubber

Gloves, mittens and mitts

Surgical

Other

Other

Other articles of vulcanised rubber other than hard rubber

Of cellular rubber

For technical uses, for use in civil aircraft

Other

Other

Floor coverings and mats

Erasers

Gaskets, washers and other seals

For technical uses, for use in civil aircraft

Gasket made of vulcanised rubber (ethylene-propylene-diene monomers), with permissible outflow of the material in the place of mold split of not more than 0,25|mm, in the shape of a rectangle: -|with a length of 72|mm or more but not more than 825|mm; -|with a width of 18|mm or more but not more than 155|mm

Other

Boat or dock fenders, whether or not inflatable

Other inflatable articles

Other

In the wet state (including wet-blue)

Not split
Split
In the dry state (crust)
Of reptiles
Vegetable pre-tanned
Other
Other
In the wet state (including wet-blue)
In the dry state (crust)

Leather further prepared after tanning or crusting, including parchment-dressed leather, of bovine (including buffalo) or equine animals, without hair on, whether or not split, other than leather of heading|4114

Whole hides and skins
Full grains, unsplit
Bovine (including buffalo) leather, of a unit surface area not exceeding 28 square feet (2,6 m\$2)
Boxcalf
Other
Other
Grain splits
Bovine (including buffalo) leather, of a unit surface area not exceeding 28 square feet (2,6 m\$2)
Boxcalf
Other
Other
Bovine (including buffalo) leather
Equine leather
Other
Bovine (including buffalo) leather, of a unit surface area not exceeding 28 square feet (2,6 m\$2)
Other

Other, including sides

Full grains, unsplit
Sole leather
Other
Grain splits
Bovine (including buffalo) leather
Equine leather
Other
Bovine (including buffalo) leather
Equine leather

Leather further prepared after tanning or crusting, including parchment-dressed leather, of sheep or lamb, without wool on, whether or not split, other than leather of heading|4114

Leather further prepared after tanning or crusting, including parchment-dressed leather, of other animals, without wool or

hair on, whether or not split, other than leather of heading|4114

Of goats or kids
Of swine
Of reptiles
Other

Chamois (including combination chamois) leather; patent leather and patent laminated leather; metallised leather

Chamois (including combination chamois) leather
Of sheep or lambs
Of other animals
Patent leather and patent laminated leather; metallised leather

Composition leather with a basis of leather or leather fibre, in slabs, sheets or strip, whether or not in rolls; parings and other waste of leather or of composition leather, not suitable for the manufacture of leather articles; leather dust, powder and flour

Composition leather with a basis of leather or leather fibre, in slabs, sheets or strip, whether or not in rolls
Parings and other waste of leather or of composition leather, not suitable for the manufacture of leather articles; leather dust, powder and flour

ARTICLES OF LEATHER; SADDLERY AND HARNESS; TRAVEL GOODS, HANDBAGS AND SIMILAR CONTAINERS; ARTICLES OF ANIMAL GUT (OTHER THAN SILKWORM GUT)

Saddlery and harness for any animal (including traces, leads, knee pads, muzzles, saddle-cloths, saddlebags, dog coats and the like), of any material

Riding saddles, of leather, hand-made
Other

Trunks, suitcases, vanity cases, executive-cases, briefcases, school satchels, spectacle cases, binocular cases, camera cases, musical instrument cases, gun cases, holsters and similar containers; travelling-bags, insulated food or beverages bags, toilet bags, rucksacks, handbags, shopping-bags, wallets, purses, map-cases, cigarette-cases, tobacco-pouches, tool bags, sports bags, bottle-cases, jewellery boxes, powder boxes, cutlery cases and similar containers, of leather or of composition leather, of sheeting of plastics, of textile materials, of vulcanised fibre or of paperboard, or wholly or mainly covered with such materials or with paper

Trunks, suitcases, vanity cases, executive-cases, briefcases, school satchels and similar containers

With outer surface of leather or of composition leather

Executive-cases, briefcases, school satchels and similar containers

Hand-made

Other

Other

Hand-made

Other

With outer surface of plastics or of textile materials
In the form of plastic sheeting
Executive-cases, briefcases, school satchels and similar containers
Other
Of moulded plastic material
Of other materials, including vulcanised fibre
Executive-cases, briefcases, school satchels and similar containers
Hand-made
Other
Other
Hand-made
Other

Other

Of aluminium
Of other materials
Hand-made
Other

Handbags, whether or not with shoulder strap, including those without handle

With outer surface of leather or of composition leather

Hand-made

Other

With outer surface of plastic sheeting or of textile materials

Of plastic sheeting

Of textile materials

Hand-made

Other

Other

Articles of a kind normally carried in the pocket or in the handbag

With outer surface of leather or of composition leather

Hand-made

Other

With outer surface of plastic sheeting or of textile materials

Of plastic sheeting

Of textile materials

Hand-made

Other

Other

Hand-made

Other

Other

With outer surface of leather or of composition leather
Travelling-bags, toilet bags, rucksacks and sports bags
Hand-made
Other
Other
Hand-made
Other
With outer surface of plastic sheeting or of textile materials
Of plastic sheeting
Travelling-bags, toilet bags, rucksacks and sports bags
Musical instrument cases
Other
Of textile materials
Travelling-bags, toilet bags, rucksacks and sports bags
Hand-made
Other
Other
Hand-made
Other
Other
Musical instrument cases, hand-made
Other

Articles of apparel and clothing accessories, of leather or of composition leather
Articles of apparel
Gloves, mittens and mitts
Specially designed for use in sports
Other
Protective for all trades
Other

Belts and bandoliers
Hand-made
Other
Other clothing accessories
Hand-made
Other

Other articles of leather or of composition leather
Of a kind used in machinery or mechanical appliances or for other technical uses
Conveyor or transmission belts or belting
Other
Other

Articles of gut (other than silkworm gut), of goldbeater's skin, of bladders or of tendons
FURSKINS AND ARTIFICIAL FUR; MANUFACTURES THEREOF
Raw furskins (including heads, tails, paws and other pieces or cuttings, suitable for furriers' use), other than raw hides and skins of heading 4101, 4102 or 4103
Of mink, whole, with or without head, tail or paws
Of lamb, the following: Astrakhan, Broadtail, Caracul, Persian and similar lamb, Indian, Chinese, Mongolian or Tibetan lamb, whole, with or without head, tail or paws
Of fox, whole, with or without head, tail or paws
Other furskins, whole, with or without head, tail or paws
Heads, tails, paws and other pieces or cuttings, suitable for furriers' use

Tanned or dressed furskins (including heads, tails, paws and other pieces or cuttings), unassembled, or assembled (without the addition of other materials) other than those of heading 4303
Whole skins, with or without head, tail or paws, not assembled
Of mink
Other
Of beaver, muskrat or fox
Of rabbit or hare
Of seal
Of whitecoat pups of harp seal or of pups of hooded seal (blue-backs)
Other
Of sheep or lambs
Of lamb, the following: Astrakhan, Broadtail, Caracul, Persian and similar lamb, Indian, Chinese, Mongolian or Tibetan lamb
Other
Other

Heads, tails, paws and other pieces or cuttings, not assembled
Whole skins and pieces or cuttings thereof, assembled
'Dropped' furskins
Other
Of rabbit or hare
Of seal
Of whitecoat pups of harp seal or of pups of hooded seal (blue-backs)
Other
Other

Articles of apparel, clothing accessories and other articles of furskin
Articles of apparel and clothing accessories

Of furskins of whitecoat pups of harp seal or of pups of hooded seal (blue-backs)
Other
Other
Artificial fur and articles thereof

WOOD AND ARTICLES OF WOOD; WOOD CHARCOAL
Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms
Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms
Wood in chips or particles
Coniferous
Non-coniferous
Sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms
Wood pellets
Other
Agglomerated (for example, briquettes)
Other
Sawdust
Other

Wood charcoal (including shell or nut charcoal), whether or not agglomerated
Of bamboo
Exported from Somalia
Other
Other
Exported from Somalia
Other

Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared
Treated with paint, stains, creosote or other preservatives
Other, coniferous
Spruce of the species Picea abies Karst. or silver fir (Abies alba Mill.)
Sawlogs
Exported from the Russian Federation in accordance with Commission regulation No 498/2012
Other
Other
Exported from the Russian Federation in accordance with Commission regulation No 498/2012
Other
Pine of the species Pinus sylvestris L.
Sawlogs

<div>Exported from the Russian Federation in accordance with Commission regulation No 498/2012</div> <div>Other</div>
<div>Other</div> <div>Exported from the Russian Federation in accordance with Commission regulation No 498/2012</div> <div>Other</div>
<div>Other</div> <div>Sawlogs</div> <div>Other</div>
<div>Other, of tropical wood specified in subheading note2to this chapter</div> <div>Dark red meranti, light red meranti and meranti bakau</div> <div>Other</div> <div>Acajou d'Afrique, iroko and sapelli</div> <div>Okoumé and sipo</div> <div>Other</div>
<div>Other</div> <div>Of oak (Quercus spp.)</div> <div>Sawlogs</div> <div>Other</div> <div>Of beech (Fagus spp.)</div> <div>Sawlogs</div> <div>Other</div> <div>Other</div> <div>Of poplar</div> <div>Of eucalyptus</div> <div>Of birch</div> <div>Sawlogs</div> <div>Other</div> <div>Other</div>
<div>Hoopwood; split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise; wooden sticks, roughly trimmed but not turned, bent or otherwise worked, suitable for the manufacture of walking sticks, umbrellas, tool handles or the like; chipwood and the like</div> <div>Coniferous</div> <div>Chipwood and the like</div> <div>Other</div> <div>Non-coniferous</div> <div>Chipwood and the like</div> <div>Chipwood</div> <div>Other</div> <div>Other</div>
<div>Wood wool; wood flour</div>
<div>Railway or tramway sleepers (cross-ties) of wood</div>

<div>Not impregnated</div> <div>Other</div>
<div>Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6mm</div> <div>Coniferous</div> <div>Sanded; end-jointed, whether or not planed or sanded</div> <div>Other</div> <div>Planed</div> <div>Spruce of the species Picea abies Karst. or silver fir (Abies alba Mill.)</div> <div>Pine of the species Pinus sylvestris L.</div> <div>Other</div> <div>Other</div> <div>Spruce of the species Picea abies Karst. or silver fir (Abies alba Mill.)</div> <div>Pine of the species Pinus sylvestris L.</div> <div>Other</div>
<div>Of tropical wood specified in subheading note2to this chapter</div> <div>Mahogany (Swietenia spp.)</div> <div>Sanded; end-jointed, whether or not planed or sanded</div> <div>Other</div> <div>Planed</div> <div>Other</div> <div>Virola, imbuia and balsa</div> <div>Sanded; end-jointed, whether or not planed or sanded</div> <div>Other</div> <div>Planed</div> <div>Other</div> <div>Dark red meranti, light red meranti and meranti bakau</div> <div>End-jointed, whether or not planed or sanded</div> <div>Other</div> <div>Planed</div> <div>Sanded</div> <div>Other</div> <div>White lauan, white meranti, white seraya, yellow meranti and alan</div> <div>End-jointed, whether or not planed or sanded</div> <div>Other</div> <div>Planed</div> <div>Sanded</div> <div>Other</div> <div>Sapelli</div> <div>Sanded; end-jointed, whether or not planed or sanded</div> <div>Other</div>

<div>Planed</div> <div>Other</div>
<div>Iroko</div> <div>Sanded; end-jointed, whether or not planed or sanded</div> <div>Other</div> <div>Planed</div> <div>Other</div>
<div>Other</div> <div>End-jointed, whether or not planed or sanded</div> <div>Other</div> <div>Acajou d'Afrique, azobé, dibétou, ilomba, jelutong, jongkong, kapur, kempas, keruing, limba, makoré, mansonia, merbau, obeche, okoumé, palissandre de Rio, palissandre de Para, palissandre de Rose, ramin, sipo, teak and tiama</div> <div>Planed</div> <div>Palissandre de Para, palissandre de Rio and palissandre de Rose</div> <div>Other</div> <div>Sanded</div> <div>Other</div> <div>Other</div> <div>Planed</div> <div>Sanded</div> <div>Other</div>
<div>Other</div> <div>Of oak (Quercus spp.)</div> <div>Sanded; end-jointed, whether or not planed or sanded</div> <div>Other</div> <div>Planed</div> <div>Blocks, strips and friezes for parquet or wood block flooring, not assembled</div> <div>Other</div> <div>Other</div> <div>Of beech (Fagus spp.)</div> <div>Planed, sanded or end-jointed</div> <div>Other</div> <div>Of maple (Acer spp.)</div> <div>Planed; end-jointed, whether or not planed or sanded</div> <div>Other</div> <div>Sanded</div> <div>Other</div> <div>Of cherry (Prunus spp.)</div> <div>Planed; end-jointed, whether or not planed or sanded</div> <div>Other</div>

<div>Sanded</div> <div>Other</div>
Of ash (<i>Fraxinus</i> spp.) <div> <div>Planed; end-jointed, whether or not planed or sanded</div> <div>Other <div>Sanded</div> <div>Other</div> </div> </div>
Other <div> <div>Planed; end-jointed, whether or not planed or sanded</div> <div>Other <div>Sanded</div> <div>Other</div> <div>Other <div>Of poplar</div> <div>Of tropical wood</div> <div>Other</div> </div> </div> </div>

<div>Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm</div> <div>Coniferous <div> <div>Planed; sanded; end-jointed, whether or not planed or sanded</div> <div>Other <div>Small boards for the manufacture of pencils</div> <div>Other</div> </div> </div> </div>

<div>Of tropical wood specified in subheading note 2 to this chapter</div> <div>Dark red meranti, light red meranti and meranti bakau <div> <div>End-jointed, whether or not planed or sanded</div> <div>Other <div>Planed</div> <div>Sanded</div> <div>Other</div> </div> </div> </div>
--

<div>Other</div> <div> <div> <div>Acajou d'Afrique, limba, mahogany (<i>Swietenia</i> spp.), obeche, okoumé, palissandre de Para, palissandre de Rio, palissandre de Rose, sapelli, sipo, virola and white lauan</div> <div>Sanded; end-jointed, whether or not planed or sanded</div> <div>Other <div>Planed</div> <div>Other <div>Okoume veneer sheets: - of a length of 1 270 mm or more, but not more than 3 200 mm, - of a width of 150 mm or more, but not more than 2 000 mm, - of a thickness of 0,5 mm or more,</div> </div> </div> </div> </div>
--

<div> <div>but not more than 4 mm, - not sanded and - not planed</div> <div>Other</div> </div> <div>Other <div>Planed; sanded; end-jointed, whether or not planed or sanded</div> <div>Other <div>Small boards for the manufacture of pencils</div> <div>Other <div>Of a thickness not exceeding 1 mm</div> <div>Of a thickness exceeding 1 mm</div> </div> </div> </div>

<div>Other</div> <div>Planed; sanded; end-jointed, whether or not planed or sanded</div> <div>Other <div>Small boards for the manufacture of pencils</div> <div>Other <div>Of a thickness not exceeding 1 mm</div> <div>Of a thickness exceeding 1 mm</div> </div> </div>

<div>Wood (including strips and friezes for parquet flooring, not assembled) continuously shaped (tongued, grooved, rebated, chamfered, V-jointed, beaded, moulded, rounded or the like) along any of its edges, ends or faces, whether or not planed, sanded or end-jointed</div> <div>Coniferous <div> <div>Mouldings for frames for paintings, photographs, mirrors or similar objects</div> <div>Other</div> </div> <div>Non-coniferous <div>Of bamboo</div> <div>Other <div>Mouldings for frames for paintings, photographs, mirrors or similar objects</div> <div>Other <div>Blocks, strips and friezes for parquet or wood block flooring, not assembled</div> <div>Other</div> </div> </div> </div></div>

<div>Particle board, oriented strand board (OSB) and similar board (for example, waferboard) of wood or other ligneous materials, whether or not agglomerated with resins or other organic binding substances</div> <div>Of wood <div> <div>Particle board</div> <div>Unworked or not further worked than sanded</div> <div>Surface-covered with melamine-impregnated paper</div> </div> </div>

<div>Surface-covered with decorative laminates of plastics</div> <div>Other</div> <div>Oriented strand board (OSB) <div> <div>Unworked or not further worked than sanded</div> <div>Other</div> </div> <div>Other</div> </div> <div>Other</div>

<div>Fibreboard of wood or other ligneous materials, whether or not bonded with resins or other organic substances</div> <div>Medium density fibreboard (MDF) <div> <div>Of a thickness not exceeding 5 mm</div> <div>Not mechanically worked or surface covered</div> <div>Other</div> </div> <div>Of a thickness exceeding 5 mm but not exceeding 9 mm <div> <div>Not mechanically worked or surface covered</div> <div>Other</div> </div> </div> <div>Of a thickness exceeding 9 mm <div> <div>Not mechanically worked or surface covered</div> <div>Other</div> </div> </div> </div> <div>Other <div> <div>Of a density exceeding 0,8 g/cm\$3</div> <div>Not mechanically worked or surface covered</div> <div>Other</div> </div> <div>Of a density exceeding 0,5 g/cm\$3 but not exceeding 0,8 g/cm\$3 <div> <div>Not mechanically worked or surface covered</div> <div>Other</div> </div> </div> <div>Of a density not exceeding 0,5 g/cm\$3 <div> <div>Not mechanically worked or surface covered</div> <div>Other</div> </div> </div> </div>
--

<div>Plywood, veneered panels and similar laminated wood</div> <div>Of bamboo</div> <div>Other plywood consisting solely of sheets of wood (other than bamboo), each ply not exceeding 6 mm thickness <div> <div>With at least one outer ply of tropical wood specified in subheading note 2 to this chapter</div> <div>Of acajou d'Afrique, dark red meranti, light red meranti, limba, mahogany (<i>Swietenia</i> spp.), obeche, okoumé, palissandre de Para, palissandre de Rio, palissandre de Rose, sapelli, sipo, virola or white lauan</div> <div>With at least one outer ply of okoumé not coated by a permanent film of other materials</div> </div> </div>
--

Other
Other
Other, with at least one outer ply of non-coniferous wood
Of alder, ash, beech, birch, cherry, chestnut, elm, hickory, hornbeam, horse chestnut, lime, maple, oak, plane tree, poplar, robinia, walnut or yellow poplar
Other
Other
Plywood of coniferous species, without the addition of other substances, of a thickness greater than 18,5 mm when sanded, or of a thickness greater than 8,5 mm when the faces are not further prepared than the peeling process
Other
Other
Blockboard, laminboard and battenboard
With at least one outer ply of non-coniferous wood
Other
Other
Containing at least one layer of particle board
Other
With at least one outer ply of non-coniferous wood
Of alder, ash, beech, birch, cherry, chestnut, elm, hickory, hornbeam, horse chestnut, lime, maple, oak, plane tree, poplar, robinia, walnut or yellow poplar
Other
Other
Plywood of coniferous species, without the addition of other substances,of a thickness greater than 18,5 mm when sanded, or of a thickness greater than 8,5 mm when the faces are not further prepared than the peeling process
Other

Densified wood, in blocks, plates, strips or profile shapes
Wooden frames for paintings, photographs, mirrors or similar objects
Of tropical wood specified in additional note2]to this chapter
Of other wood
Packing cases, boxes, crates, drums and similar packings, of wood; cable-drums of wood; pallets, box pallets and other load boards, of wood; pallet collars of wood
Cases, boxes, crates, drums and similar packings; cable-drums
Cases, boxes, crates, drums and similar packings

Cable-drums
Pallets, box pallets and other load boards; pallet collars
Flat pallets; pallet collars
Other
Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves
Tools, tool bodies, tool handles, broom or brush bodies and handles, of wood; boot or shoe lasts and trees, of wood
Builders' joinery and carpentry of wood, including cellular wood panels, assembled flooring panels, shingles and shakes
Windows, French windows and their frames
Of tropical wood specified in additional note2]to this chapter
Coniferous
Of other wood
Doors and their frames and thresholds
Of tropical wood specified in additional note2]to this chapter
Coniferous
Of other wood
Shuttering for concrete constructional work
Shingles and shakes
Posts and beams
Assembled flooring panels
For mosaic floors
Other, multilayer
Other
Other
Glue-laminated timber
Other
Tableware and kitchenware, of wood
Of tropical wood specified in additional note2]to this chapter
Of other wood
Wood marquetry and inlaid wood; caskets and cases for jewellery or cutlery, and similar articles, of wood; statuettes and other ornaments, of wood; wooden articles of furniture not falling in Chapter94
Statuettes and other ornaments, of wood
Of tropical wood specified in additional note2]to this chapter
Hand-made
Other
Of other wood
Other
Wood marquetry and inlaid wood
Other
Of tropical wood specified in additional note2]to this chapter
Hand-made

Wood in the form of logs or squared logs with simple process in the surface, carved or ginely threaded or painted, does not have significant added-value and no significant change in shape
Other
Other
Wood in the form of logs or squared logs with simple process in the surface, carved or ginely threaded or painted, does not have significant added-value and no significant change in shape
Other
Other
Wood in the form of logs or squared logs with simple process in the surface, carved or ginely threaded or painted, does not have significant added-value and no significant change in shape
Other
Other articles of wood
Clothes hangers
Other
Of fibreboard
Other
Coffins
Other
Ironing boards, including sleeve boards, whether or not free standing, and legs and tops thereof
Other
Wood in the form of logs or squared logs with simple process in the surface, carved or ginely threaded or painted, does not have significant added-value and no significant change in shape
Other

CORK AND ARTICLES OF CORK
Natural cork, raw or simply prepared; waste cork; crushed, granulated or ground cork
Natural cork, raw or simply prepared
Other
Natural cork, debacked or roughly squared, or in rectangular (including square) blocks, plates, sheets or strip (including sharp-edged blanks for corks or stoppers)
Articles of natural cork
Corks and stoppers
Cylindrical
Other
Other

Agglomerated cork (with or without a binding substance) and articles of agglomerated cork

Blocks, plates, sheets and strip; tiles of any shape; solid cylinders, including discs

Corks and stoppers

For sparkling wine, including those with discs of natural cork

Other

Other

With a binding substance

Other

Other

Corks and stoppers

Other

Gaskets, washers and other seals, for use in civil aircraft

Other

MANUFACTURES OF STRAW, OF ESPARTO OR OF OTHER PLAITING MATERIALS; BASKETWARE AND WICKERWORK

Plaits and similar products of plaiting materials, whether or not assembled into strips; plaiting materials, plaits and similar products of plaiting materials, bound together in parallel strands or woven, in sheet form, whether or not being finished articles (for example, mats, matting, screens)

Mats, matting and screens of vegetable materials

Of bamboo

Of plaits or similar products of plaiting materials

Other

Of rattan

Of plaits or similar products of plaiting materials

Other

Other

Of plaits or similar products of plaiting materials

Other

Other

Of bamboo

Plaits and similar products of plaiting materials, whether or not assembled into strips

Other

Of plaits or similar products of plaiting materials

Other

Of rattan

Plaits and similar products of plaiting materials, whether or not assembled into strips

Other

Of plaits or similar products of plaiting materials

Other

Of other vegetable materials

Plaits and similar products of plaiting materials, whether or not assembled into strips

Other

Of plaits or similar products of plaiting materials

Other

Other

Plaits and similar products of plaiting materials, whether or not assembled into strips

Other

Of plaits or similar products of plaiting materials

Other

Basketwork, wickerwork and other articles, made directly to shape from plaiting materials or made up from goods of heading|4601; articles of loofah

Of vegetable materials

Of bamboo

From plaiting materials, hand-made

Other

Of rattan

From plaiting materials, hand-made

Other

Other

Straw envelopes for bottles

Other

Hand-made

Other

Other

PULP OF WOOD OR OF OTHER FIBROUS CELLULOSIC MATERIAL; RECOVERED (WASTE AND SCRAP) PAPER OR PAPERBOARD

Mechanical wood pulp

Thermo-mechanical wood pulp

Other

Chemical wood pulp, dissolving grades

Chemical wood pulp, soda or sulphate, other than dissolving grades

Unbleached

Coniferous

Non-coniferous

Semi-bleached or bleached

Coniferous

Non-coniferous

Chemical wood pulp, sulphite, other than dissolving grades

Unbleached

Coniferous

Non-coniferous

Semi-bleached or bleached

Coniferous

Non-coniferous

Wood pulp obtained by a combination of mechanical and chemical pulping processes

Pulps of fibres derived from recovered (waste and scrap) paper or paperboard or of other fibrous cellulosic material

Cotton linters pulp

Pulps of fibres derived from recovered (waste and scrap) paper or paperboard

Other, of bamboo

Other

Mechanical

Chemical

Obtained by a combination of mechanical and chemical processes

Recovered (waste and scrap) paper or paperboard

Unbleached kraft paper or paperboard or corrugated paper or paperboard

Other paper or paperboard made mainly of bleached chemical pulp, not coloured in the mass

Paper or paperboard made mainly of mechanical pulp (for example, newspapers, journals and similar printed matter)

Old and unsold newspapers and magazines, telephone directories, brochures and printed advertising material

Other

Other, including unsorted waste and scrap

Unsorted

Sorted

PAPER AND PAPERBOARD; ARTICLES OF PAPER PULP, OF PAPER OR OF PAPERBOARD

Newsprint, in rolls or sheets

Uncoated paper and paperboard, of a kind used for writing, printing or other graphic purposes, and non-perforated punchcards and punch-tape paper, in rolls or rectangular (including square) sheets, of any size, other than paper of heading|4801|or 4803; handmade paper and paperboard

Handmade paper and paperboard

Paper and paperboard of a kind used as a base for photosensitive, heat-sensitive or electrosensitive paper or paperboard

Wallpaper base

Not containing fibres obtained by a mechanical process or of which not more than 10|% by weight of the total fibre content consists of such fibres

Other

Other paper and paperboard, not containing fibres obtained by a mechanical or chemi-mechanical process or of which not more than 10 % by weight of the total fibre content consists of such fibres
Weighing less than 40 g/m\$2
Weighing 40 g/m\$2 or more but not more than 150 g/m\$2, in rolls
Weighing 40 g/m\$2 or more but less than 60 g/m\$2
Weighing 60 g/m\$2 or more but less than 75 g/m\$2
Weighing 75 g/m\$2 or more but less than 80 g/m\$2
Weighing 80 g/m\$2 or more
Weighing 40 g/m\$2 or more but not more than 150 g/m\$2, in sheets with one side not exceeding 435 mm and the other side not exceeding 297 mm in the unfolded state
With one side measuring 297 mm and the other side measuring 210 mm (A4 format)
Other
Other, weighing 40 g/m\$2 or more but not more than 150 g/m\$2
Weighing more than 150 g/m\$2
In rolls
Other
Other paper and paperboard, of which more than 10 % by weight of the total fibre content consists of fibres obtained by a mechanical or chemi-mechanical process
In rolls
Weighing less than 72 g/m\$2 and of which more than 50 % by weight of the total fibre content consists of fibres obtained by a mechanical process
Other
In sheets with one side not exceeding 435 mm and the other side not exceeding 297 mm in the unfolded state
Other
Toilet or facial tissue stock, towel or napkin stock and similar paper of a kind used for household or sanitary purposes, cellulose wadding and webs of cellulose fibres, whether or not creped, crinkled, embossed, perforated, surface-coloured, surface-decorated or printed, in rolls or sheets
Cellulose wadding
Creped paper and webs of cellulose fibres (tissues), weighing, per ply
Not more than 25 g/m\$2
More than 25 g/m\$2
Other
Uncoated kraft paper and paperboard, in rolls or sheets, other than that of heading 4802 or 4803
Kraftliner
Unbleached

Of which not less than 80 % by weight of the total fibre content consists of coniferous fibres obtained by the chemical sulphate or soda process
Weighing less than 150 g/m\$2
Weighing 150 g/m\$2 or more but less than 175 g/m\$2
Weighing 175 g/m\$2 or more
Other
Other
Of which not less than 80 % by weight of the total fibre content consists of coniferous fibres obtained by the chemical sulphate or soda process
Composed of one or more layers unbleached and an outside layer bleached, semi-bleached or coloured, weighing per m\$2
Less than 175 g
175 g or more
Other
Other
Sack kraft paper
Unbleached
Of which not less than 80 % by weight of the total fibre content consists of coniferous fibres obtained by the chemical sulphate or soda process
Other
Other
Of which not less than 80 % by weight of the total fibre content consists of coniferous fibres obtained by the chemical sulphate or soda process
Other
Other kraft paper and paperboard weighing 150 g/m\$2 or less
Unbleached
Of which not less than 80 % by weight of the total fibre content consists of coniferous fibres obtained by the chemical sulphate or soda process
Kraft electro-technical insulating paper
Other
Other
Other
Of which not less than 80 % by weight of the total fibre content consists of coniferous fibres obtained by the chemical sulphate or soda process
Bleached uniformly throughout the mass
Other
Other

Other kraft paper and paperboard weighing more than 150 g/m\$2 but less than 225 g/m\$2
Unbleached
Saturating kraft
Other
Bleached uniformly throughout the mass and of which more than 95 % by weight of the total fibre content consists of wood fibres obtained by a chemical process
Other
Other kraft paper and paperboard weighing 225 g/m\$2 or more
Unbleached
Bleached uniformly throughout the mass and of which more than 95 % by weight of the total fibre content consists of wood fibres obtained by a chemical process
Other
Of which not less than 80 % by weight of the total fibre content consists of coniferous fibres obtained by the chemical sulphate or soda process
Other
Other uncoated paper and paperboard, in rolls or sheets, not further worked or processed than as specified in note 3 to this chapter
Fluting paper
Semi-chemical fluting paper
Straw fluting paper
Other
Wellenstoff
Other
Testliner (recycled liner board)
Weighing 150 g/m\$2 or less
Weighing more than 150 g/m\$2
Sulphite wrapping paper
Filter paper and paperboard
Felt paper and paperboard
Other
Weighing 150 g/m\$2 or less
Weighing more than 150 g/m\$2 but less than 225 g/m\$2
Weighing 225 g/m\$2 or more
Made from recovered paper
Other
Vegetable parchment, greaseproof papers, tracing papers and glassine and other glazed transparent or translucent papers, in rolls or sheets
Vegetable parchment
Greaseproof papers
Tracing papers
Glassine and other glazed transparent or translucent papers

Glassine papers
Other

Composite paper and paperboard (made by sticking flat layers of paper or paperboard together with an adhesive), not surface-coated or impregnated, whether or not internally reinforced, in rolls or sheets

Made from recovered paper, whether or not covered with paper
Other

Paper and paperboard, corrugated (with or without glued flat surface sheets), creped, crinkled, embossed or perforated, in rolls or sheets, other than paper of the kind described in heading|4803

Corrugated paper and paperboard, whether or not perforated
Kraft paper, creped or crinkled, whether or not embossed or perforated
Other

Carbon paper, self-copy paper and other copying or transfer papers (including coated or impregnated paper for duplicator stencils or offset plates), whether or not printed, in rolls or sheets

Self-copy paper
Other
Lightweight thermal paper weighing 65 gr/m ² or less; in rolls of a width of 20 cm or more, a weight of the roll (including the paper) of 50 kg or more and a diameter of the roll (including the paper) of 40 cm or more ('jumbo rolls'); with or without a base coat on one or both sides; coated with a thermosensitive substance on one or both sides; and with or without a top coat
Other

Paper and paperboard, coated on one or both sides with kaolin (China clay) or other inorganic substances, with or without a binder, and with no other coating, whether or not surface-coloured, surface-decorated or printed, in rolls or rectangular (including square) sheets, of any size

Paper and paperboard of a kind used for writing, printing or other graphic purposes, not containing fibres obtained by a mechanical or chemi-mechanical process or of which not more than 10% by weight of the total fibre content consists of such fibres
In rolls
With a weight of 70 g/m2 or more but not more than 400 g/m2 and brightness of more than 84 (measured according to ISO 2470-1), excluding multi-ply paper and multi-ply paperboard and excluding rolls suitable for use in web-fed presses
Other
In sheets with one side not exceeding 435 mm and the other side not exceeding 297 mm in the unfolded state
With a weight of 70 g/m2 or more but not more than 400 g/m2 and brightness of more than 84 (measured according to ISO 2470-1),

excluding multi-ply paper and multi-ply paperboard
Other

Other

With a weight of 70 g/m2 or more but not more than 400 g/m2 and brightness of more than 84 (measured according to ISO 2470-1), excluding multi-ply paper and multi-ply paperboard
Other

Paper and paperboard of a kind used for writing, printing or other graphic purposes, of which more than 10% by weight of the total fibre content consists of fibres obtained by a mechanical or chemi-mechanical process

Lightweight coated paper
With a weight of 70 g/m2 or more but not more than 400 g/m2 and brightness of more than 84 (measured according to ISO 2470-1), excluding multi-ply paper and multi-ply paperboard and excluding rolls suitable for use in web-fed presses
Other

Other

In rolls
With a weight of 70 g/m2 or more but not more than 400 g/m2 and brightness of more than 84 (measured according to ISO 2470-1), excluding multi-ply paper and multi-ply paperboard and excluding rolls suitable for use in web-fed presses
Other
Other
With a weight of 70 g/m2 or more but not more than 400 g/m2 and brightness of more than 84 (measured according to ISO 2470-1), excluding multi-ply paper and multi-ply paperboard
Other

Kraft paper and paperboard, other than that of a kind used for writing, printing or other graphic purposes

Bleached uniformly throughout the mass and of which more than 95% by weight of the total fibre content consists of wood fibres obtained by a chemical process, and weighing 150 g/m\$2 or less
Bleached uniformly throughout the mass and of which more than 95% by weight of the total fibre content consists of wood fibres obtained by a chemical process, and weighing more than 150 g/m\$2
Coated with kaolin
Other
Other

Other paper and paperboard

Multi-ply
Each layer bleached
With only one outer layer bleached

Other

Other

Bleached paper and paperboard, coated with kaolin
With a weight of 70 g/m2 or more but not more than 400 g/m2 and brightness of more than 84 (measured according to ISO 2470-1), excluding rolls suitable for use in web-fed presses
Other

Other

With a weight of 70 g/m2 or more but not more than 400 g/m2 and brightness of more than 84 (measured according to ISO 2470-1), excluding rolls suitable for use in web-fed presses
Other

Paper, paperboard, cellulose wadding and webs of cellulose fibres, coated, impregnated, covered, surface-coloured, surface-decorated or printed, in rolls or rectangular (including square) sheets, of any size, other than goods of the kind described in heading|4803, 4809|or 4810

Tarred, bituminised or asphalted paper and paperboard
Gummed or adhesive paper and paperboard
Self-adhesive
Of a width not exceeding 10 cm, the coating of which consists of unvulcanised natural or synthetic rubber
Other
Other

Paper and paperboard, coated, impregnated or covered with plastics (excluding adhesives)

Bleached, weighing more than 150 g/m\$2
Other

Paper and paperboard, coated, impregnated or covered with wax, paraffin wax, stearin, oil or glycerol

Other paper, paperboard, cellulose wadding and webs of cellulose fibres

Lightweight thermal paper weighing 65 gr/m ² or less; in rolls of a width of 20 cm or more, a weight of the roll (including the paper) of 50 kg or more and a diameter of the roll (including the paper) of 40 cm or more ('jumbo rolls'); with or without a base coat on one or both sides; coated with a thermosensitive substance on one or both sides; and with or without a top coat
Other

Filter blocks, slabs and plates, of paper pulp

Cigarette paper, whether or not cut to size or in the form of booklets or tubes

In the form of booklets or tubes
In rolls of a width not exceeding 5 cm

Other
In rolls of a width exceeding 5 cm but not exceeding 15 cm
Other

Wallpaper and similar wallcoverings; window transparencies of paper
Wallpaper and similar wallcoverings, consisting of paper coated or covered, on the face side, with a grained, embossed, coloured, design-printed or otherwise decorated layer of plastics
Other
Wallpaper and similar wallcoverings, consisting of grained, embossed, surface-coloured, design-printed or otherwise surface-decorated paper, coated or covered with transparent protective plastics
Other

Carbon paper, self-copy paper and other copying or transfer papers (other than those of heading 4809), duplicator stencils and offset plates, of paper, whether or not put up in boxes
Self-copy paper
Other
Lightweight thermal paper weighing 65 gr/m² or less; in rolls of a width of 20 cm or more, a weight of the roll (including the paper) of 50 kg or more and a diameter of the roll (including the paper) of 40 cm or more (‘jumbo rolls’); with or without a base coat on one or both sides; coated with a thermosensitive substance on one or both sides; and with or without a top coat
Other

Envelopes, letter cards, plain postcards and correspondence cards, of paper or paperboard; boxes, pouches, wallets and writing compendiums, of paper or paperboard, containing an assortment of paper stationery
Envelopes
Letter cards, plain postcards and correspondence cards
Boxes, pouches, wallets and writing compendiums, of paper or paperboard, containing an assortment of paper stationery

Toilet paper and similar paper, cellulose wadding or webs of cellulose fibres, of a kind used for household or sanitary purposes, in rolls of a width not exceeding 36 cm, or cut to size or shape; handkerchiefs, cleansing tissues, towels, tablecloths, serviettes, bedsheets and similar household, sanitary or hospital articles, articles of apparel and clothing accessories, of paper pulp, paper, cellulose wadding or webs of cellulose fibres
Toilet paper
Weighing, per ply, 25 g/m\$2 or less
Weighing, per ply, more than 25 g/m\$2
Handkerchiefs, cleansing or facial tissues and towels
Handkerchiefs and cleansing or facial tissues

Hand towels
In rolls
Other

Tablecloths and serviettes
Articles of apparel and clothing accessories
Other
Articles of a kind used for surgical, medical or hygienic purposes, not put up for retail sale
Other

Cartons, boxes, cases, bags and other packing containers, of paper, paperboard, cellulose wadding or webs of cellulose fibres; box files, letter trays, and similar articles, of paper or paperboard, of a kind used in offices, shops or the like
Cartons, boxes and cases, of corrugated paper or paperboard
Folding cartons, boxes and cases, of non-corrugated paper or paperboard
Sacks and bags, having a base of a width of 40 cm or more
Other sacks and bags, including cones
Other packing containers, including record sleeves
Box files, letter trays, storage boxes and similar articles, of a kind used in offices, shops or the like

Registers, account books, notebooks, order books, receipt books, letter pads, memorandum pads, diaries and similar articles, exercise books, blotting pads, binders (loose-leaf or other), folders, file covers, manifold business forms, interleaved carbon sets and other articles of stationery, of paper or paperboard; albums for samples or for collections and book covers, of paper or paperboard
Registers, account books, notebooks, order books, receipt books, letter pads, memorandum pads, diaries and similar articles
Registers, account books, order books and receipt books
Notebooks, letter pads and memorandum pads
Diaries
Other

Exercise books
Binders (other than book covers), folders and file covers
Manifold business forms and interleaved carbon sets
Albums for samples or for collections
Other

Paper or paperboard labels of all kinds, whether or not printed
Printed
Self-adhesive
Other
Other
Self-adhesive

Other

Bobbins, spools, cops and similar supports, of paper pulp, paper or paperboard (whether or not perforated or hardened)
Of a kind used for winding textile yarn
Other

Other paper, paperboard, cellulose wadding and webs of cellulose fibres, cut to size or shape; other articles of paper pulp, paper, paperboard, cellulose wadding or webs of cellulose fibres
Filter paper and paperboard
Rolls, sheets and dials, printed for self-recording apparatus
Trays, dishes, plates, cups and the like, of paper or paperboard
Of bamboo
Other
Trays, dishes and plates
Other

Moulded or pressed articles of paper pulp
Moulded trays and boxes for packing eggs
Other

Other
Paper and paperboard, of a kind used for writing, printing or other graphic purposes
Other
Gaskets, washers and other seals, for use in civil aircraft
Lightweight thermal paper weighing 65 gr/m² or less; in rolls of a width of 20 cm or more, a weight of the roll (including the paper) of 50 kg or more and a diameter of the roll (including the paper) of 40 cm or more (‘jumbo rolls’); with or without a base coat on one or both sides; coated with a thermosensitive substance on one or both sides; and with or without a top coat
Other

PRINTED BOOKS, NEWSPAPERS, PICTURES AND OTHER PRODUCTS OF THE PRINTING INDUSTRY; MANUSCRIPTS, TYPESCRIPTS AND PLANS
Printed books, brochures, leaflets and similar printed matter, whether or not in single sheets
In single sheets, whether or not folded
Other
Dictionaries and encyclopaedias, and serial instalments thereof
Other

Newspapers, journals and periodicals, whether or not illustrated or containing advertising material
Appearing at least four times a week
Other

Children's picture, drawing or colouring books
Music, printed or in manuscript, whether or not bound or illustrated
Maps and hydrographic or similar charts of all kinds, including atlases, wall maps, topographical plans and globes, printed
Globes
Other
In book form
Other
Plans and drawings for architectural, engineering, industrial, commercial, topographical or similar purposes, being originals drawn by hand; handwritten texts; photographic reproductions on sensitised paper and carbon copies of the foregoing
Unused postage, revenue or similar stamps of current or new issue in the country in which they have, or will have, a recognised face value; stamp-impressed paper; banknotes; cheque forms; stock, share or bond certificates and similar documents of title
Postage, revenue and similar stamps
Banknotes
Other
Transfers (decalcomanias)
Transfers (decalcomanias), vitrifiable
Other
Printed or illustrated postcards; printed cards bearing personal greetings, messages or announcements, whether or not illustrated, with or without envelopes or trimmings
Calendars of any kind, printed, including calendar blocks
Other printed matter, including printed pictures and photographs
Trade advertising material, commercial catalogues and the like
Commercial catalogues
Other
Other
Pictures, designs and photographs
Sheets (not being trade advertising material), not folded, merely with illustrations or pictures not bearing a text or caption, for editions of books or periodicals which are published in different countries in one or more languages
Other
Other

SILK
Silkworm cocoons suitable for reeling
Raw silk (not thrown)
Silk waste (including cocoons unsuitable for reeling, yarn waste and garnetted stock)
Not carded or combed
Other

Silk yarn (other than yarn spun from silk waste) not put up for retail sale
Unbleached, scoured or bleached
Yarn spun entirely from silk
Other
Other
Yarn spun from silk waste, not put up for retail sale
Unbleached, scoured or bleached
Yarn spun entirely from silk waste (noil), not put up for retail sale
Other
Other
Yarn spun entirely from silk waste (noil), not put up for retail sale
Other
Silk yarn and yarn spun from silk waste, put up for retail sale; silkworm gut
Silk yarn
Yarn spun from noil or other silk waste; silkworm gut
Woven fabrics of silk or of silk waste
Fabrics of noil silk
Manufactured on handlooms
Other
Other fabrics, containing 85% or more by weight of silk or of silk waste other than noil silk
Crêpes
Unbleached, scoured or bleached
Manufactured on handlooms
Other
Other
Manufactured on handlooms
Other
Pongee, habutai, honan, shantung, corah and similar far eastern fabrics, wholly of silk (not mixed with noil or other silk waste or with other textile materials)
Plain-woven, unbleached or not further processed than scoured
Manufactured on handlooms
Other
Other
Plain-woven
Manufactured on handlooms
Other
Other
Manufactured on handlooms
Other
Other
Diaphanous fabrics (open weave)
Manufactured on handlooms
Other

Other
Unbleached, scoured or bleached
Manufactured on handlooms
Other
Dyed
Manufactured on handlooms
Other
Of yarns of different colours
Of a width exceeding 57cm but not exceeding 75cm
Manufactured on handlooms
Other
Other
Manufactured on handlooms
Other
Printed
Manufactured on handlooms
Other
Other fabrics
Unbleached, scoured or bleached
Manufactured on handlooms
Other
Dyed
Manufactured on handlooms
Other
Of yarns of different colours
Manufactured on handlooms
Other
Printed
Manufactured on handlooms
Other
WOOL, FINE OR COARSE ANIMAL HAIR; HORSEHAIR YARN AND WOVEN FABRIC
Wool, not carded or combed
Greasy, including fleece-washed wool
Shorn wool
Other
Degreased, not carbonised
Shorn wool
Other
Carbonised
Fine or coarse animal hair, not carded or combed
Fine animal hair
Of Kashmir (cashmere) goats
Other
Of angora rabbit
Of alpaca, llama or vicuna

<table><tr><td>Of camel (including dromedary) or yak, or of angora, Tibetan or similar goats</td></tr><tr><td>Of rabbit (other than angora rabbit), hare, beaver, nutria or muskrat</td></tr></table>	Of camel (including dromedary) or yak, or of angora, Tibetan or similar goats	Of rabbit (other than angora rabbit), hare, beaver, nutria or muskrat
Of camel (including dromedary) or yak, or of angora, Tibetan or similar goats		
Of rabbit (other than angora rabbit), hare, beaver, nutria or muskrat		
Coarse animal hair		

Waste of wool or of fine or coarse animal hair, including yarn waste but excluding garnetted stock			
<table><tr><td>Noils of wool or of fine animal hair</td></tr><tr><td>Not carbonised</td></tr><tr><td>Carbonised</td></tr></table>	Noils of wool or of fine animal hair	Not carbonised	Carbonised
Noils of wool or of fine animal hair			
Not carbonised			
Carbonised			
Other waste of wool or of fine animal hair			
Waste of coarse animal hair			

Garnetted stock of wool or of fine or coarse animal hair
--

Wool and fine or coarse animal hair, carded or combed (including combed wool in fragments)
Carded wool
Wool tops and other combed wool
Combed wool in fragments
Other
Fine animal hair, carded or combed
Of Kashmir (cashmere) goats
Other
Coarse animal hair, carded or combed

Yarn of carded wool, not put up for retail sale
Containing 85% or more by weight of wool
Unbleached
Other
Containing less than 85% by weight of wool
Containing 85% or more by weight of wool and fine animal hair
Other
Unbleached
Other

Yarn of combed wool, not put up for retail sale
Containing 85% or more by weight of wool
Unbleached
Other
Containing less than 85% by weight of wool
Containing 85% or more by weight of wool and fine animal hair
Unbleached
Other
Other
Mixed solely or mainly with synthetic staple fibres
Unbleached

Other
Otherwise mixed
Unbleached
Other

Yarn of fine animal hair (carded or combed), not put up for retail sale
Carded
Unbleached
Other
Combed
Unbleached
Other

Yarn of wool or of fine animal hair, put up for retail sale
Containing 85% or more by weight of wool or of fine animal hair
In balls, hanks or skeins, of a weight exceeding 125g but not exceeding 500g
Other
Other

Yarn of coarse animal hair or of horsehair (including gimped horsehair yarn), whether or not put up for retail sale

Woven fabrics of carded wool or of carded fine animal hair
Containing 85% or more by weight of wool or of fine animal hair
Of a weight not exceeding 300g/m\$2
Other
Other, mixed mainly or solely with man-made filaments
Other, mixed mainly or solely with man-made staple fibres
Of a weight not exceeding 300g/m\$2
Of a weight exceeding 300g/m\$2
Other
Containing a total of more than 10% by weight of textile materials of Chapter50
Other
Of a weight not exceeding 300g/m\$2
Of a weight exceeding 300g/m\$2

Woven fabrics of combed wool or of combed fine animal hair
Containing 85% or more by weight of wool or of fine animal hair
Of a weight not exceeding 200g/m\$2
Other
Other, mixed mainly or solely with man-made filaments
Other, mixed mainly or solely with man-made staple fibres
Of a weight not exceeding 200g/m\$2
Of a weight exceeding 200g/m\$2

Other
Containing a total of more than 10% by weight of textile materials of Chapter50
Other
Of a weight not exceeding 200g/m\$2
Of a weight exceeding 200g/m\$2
Woven fabrics of coarse animal hair or of horsehair

COTTON
Cotton, not carded or combed
Rendered absorbent or bleached
Other
Cotton waste (including yarn waste and garnetted stock)
Yarn waste (including thread waste)
Other
Garnetted stock
Other
Cotton, carded or combed
Cotton sewing thread, whether or not put up for retail sale
Not put up for retail sale
Containing 85% or more by weight of cotton
Other
Put up for retail sale

Cotton yarn (other than sewing thread), containing 85% or more by weight of cotton, not put up for retail sale
Single yarn, of uncombed fibres
Measuring 714,29 decitex or more (not exceeding 14 metric number)
Measuring less than 714,29 decitex but not less than 232,56 decitex (exceeding 14 metric number but not exceeding 43 metric number)
Measuring less than 232,56 decitex but not less than 192,31 decitex (exceeding 43 metric number but not exceeding 52 metric number)
Measuring less than 192,31 decitex but not less than 125 decitex (exceeding 52 metric number but not exceeding 80 metric number)
Measuring less than 125 decitex (exceeding 80 metric number)
Measuring less than 125 decitex but not less than 83,33 decitex (exceeding 80 metric number but not exceeding 120 metric number)
Measuring less than 83,33 decitex (exceeding 120 metric number)
Single yarn, of combed fibres
Measuring 714,29 decitex or more (not exceeding 14 metric number)
Measuring less than 714,29 decitex but not less than 232,56 decitex (exceeding 14 metric number but not exceeding 43 metric number)

Measuring less than 232,56 decitex but not less than 192,31 decitex (exceeding 43 metric number but not exceeding 52 metric number)
Measuring less than 192,31 decitex but not less than 125 decitex (exceeding 52 metric number but not exceeding 80 metric number)
Measuring less than 125 decitex but not less than 106,38 decitex (exceeding 80 metric number but not exceeding 94 metric number)
Measuring less than 106,38 decitex but not less than 83,33 decitex (exceeding 94 metric number but not exceeding 120 metric number)
Measuring less than 83,33 decitex (exceeding 120 metric number)

Multiple (folded) or cabled yarn, of uncombed fibres <div> <div>Measuring per single yarn 714,29 decitex or more (not exceeding 14 metric number per single yarn) <div> <div>Six ply yarn of bleached cotton, measuring 925 dtex or more but not more than 989 dtex per single yarn, for the manufacture of tampons</div> <div>Other</div> </div> </div> </div> <div> <div>Measuring per single yarn less than 714,29 decitex but not less than 232,56 decitex (exceeding 14 metric number but not exceeding 43 metric number per single yarn)</div> <div> <div>Measuring per single yarn less than 232,56 decitex but not less than 192,31 decitex (exceeding 43 metric number but not exceeding 52 metric number per single yarn)</div> <div> <div>Measuring per single yarn less than 192,31 decitex but not less than 125 decitex (exceeding 52 metric number but not exceeding 80 metric number per single yarn)</div> <div> <div>Measuring per single yarn less than 125 decitex (exceeding 80 metric number per single yarn)</div> </div> </div> </div> </div>

Multiple (folded) or cabled yarn, of combed fibres <div> <div>Measuring per single yarn 714,29 decitex or more (not exceeding 14 metric number per single yarn)</div> <div> <div>Measuring per single yarn less than 714,29 decitex but not less than 232,56 decitex (exceeding 14 metric number but not exceeding 43 metric number per single yarn)</div> <div> <div>Measuring per single yarn less than 232,56 decitex but not less than 192,31 decitex (exceeding 43 metric number but not exceeding 52 metric number per single yarn)</div> <div> <div>Measuring per single yarn less than 192,31 decitex but not less than 125 decitex (exceeding 52 metric number but not exceeding 80 metric number per single yarn)</div> <div> <div>Measuring per single yarn less than 125 decitex but not less than 106,38 decitex (exceeding 80 metric number but not exceeding 94 metric number per single yarn)</div> </div> </div> </div> </div> </div>
--

Measuring per single yarn less than 106,38 decitex but not less than 83,33 decitex (exceeding 94 metric number but not exceeding 120 metric number per single yarn)
Measuring per single yarn less than 83,33 decitex (exceeding 120 metric number per single yarn)

Cotton yarn (other than sewing thread), containing less than 85 % by weight of cotton, not put up for retail sale <div> <div>Single yarn, of uncombed fibres <div> <div>Measuring 714,29 decitex or more (not exceeding 14 metric number)</div> <div> <div>Measuring less than 714,29 decitex but not less than 232,56 decitex (exceeding 14 metric number but not exceeding 43 metric number)</div> <div> <div>Measuring less than 232,56 decitex but not less than 192,31 decitex (exceeding 43 metric number but not exceeding 52 metric number)</div> <div> <div>Measuring less than 192,31 decitex but not less than 125 decitex (exceeding 52 metric number but not exceeding 80 metric number)</div> <div> <div>Measuring less than 125 decitex (exceeding 80 metric number)</div> </div> </div> </div> </div> </div> </div></div>

Single yarn, of combed fibres <div> <div>Measuring 714,29 decitex or more (not exceeding 14 metric number)</div> <div> <div>Measuring less than 714,29 decitex but not less than 232,56 decitex (exceeding 14 metric number but not exceeding 43 metric number)</div> <div> <div>Measuring less than 232,56 decitex but not less than 192,31 decitex (exceeding 43 metric number but not exceeding 52 metric number)</div> <div> <div>Measuring less than 192,31 decitex but not less than 125 decitex (exceeding 52 metric number but not exceeding 80 metric number)</div> <div> <div>Measuring less than 125 decitex (exceeding 80 metric number)</div> </div> </div> </div> </div> </div>

Multiple (folded) or cabled yarn, of uncombed fibres <div> <div>Measuring per single yarn 714,29 decitex or more (not exceeding 14 metric number per single yarn)</div> <div> <div>Measuring per single yarn less than 714,29 decitex but not less than 232,56 decitex (exceeding 14 metric number but not exceeding 43 metric number per single yarn)</div> <div> <div>Measuring per single yarn less than 232,56 decitex but not less than 192,31 decitex (exceeding 43 metric number but not exceeding 52 metric number per single yarn)</div> <div> <div>Measuring per single yarn less than 192,31 decitex but not less than 125 decitex (exceeding 52 metric number but not exceeding 80 metric number per single yarn)</div> <div> <div>Measuring per single yarn less than 125 decitex (exceeding 80 metric number per single yarn)</div> </div> </div> </div> </div> </div>
--

Multiple (folded) or cabled yarn, of combed fibres
--

Measuring per single yarn 714,29 decitex or more (not exceeding 14 metric number per single yarn)
Measuring per single yarn less than 714,29 decitex but not less than 232,56 decitex (exceeding 14 metric number but not exceeding 43 metric number per single yarn)
Measuring per single yarn less than 232,56 decitex but not less than 192,31 decitex (exceeding 43 metric number but not exceeding 52 metric number per single yarn)
Measuring per single yarn less than 192,31 decitex but not less than 125 decitex (exceeding 52 metric number but not exceeding 80 metric number per single yarn)
Measuring per single yarn less than 125 decitex (exceeding 80 metric number per single yarn)

Cotton yarn (other than sewing thread) put up for retail sale <div> <div>Containing 85 % or more by weight of cotton</div> <div>Other</div> </div>
--

Woven fabrics of cotton, containing 85 % or more by weight of cotton, weighing not more than 200 g/m\$2 <div> <div>Unbleached <div> <div>Plain weave, weighing not more than 100 g/m\$2 <div> <div>Fabrics for the manufacture of bandages, dressings and medical gauzes</div> <div>Other</div> </div> </div> <div>Plain weave, weighing more than 100 g/m\$2 <div> <div>Plain weave, weighing more than 100 g/m\$2 but not more than 130 g/m\$2 and of a width <div> <div>Not exceeding 165 cm</div> <div>Exceeding 165 cm</div> </div> </div> </div> <div>Plain weave, weighing more than 130 g/m\$2 and of a width <div> <div>Not exceeding 165 cm</div> <div>Exceeding 165 cm</div> </div> </div> </div> </div> <div>3-thread or 4-thread twill, including cross twill</div> <div>Other fabrics</div> </div> </div>

Bleached <div> <div>Plain weave, weighing not more than 100 g/m\$2 <div> <div>Fabrics for the manufacture of bandages, dressings and medical gauzes</div> <div>Other</div> </div> </div> <div>Plain weave, weighing more than 100 g/m\$2 <div> <div>Plain weave, weighing more than 100 g/m\$2 but not more than 130 g/m\$2 and of a width <div> <div>Not exceeding 165 cm</div> <div>Exceeding 165 cm</div> </div> </div> </div> </div> </div>

<table><tr><td>Plain weave, weighing more than 130 g/m\$2 and of a width</td></tr><tr><td>Not exceeding 165 cm</td></tr><tr><td>Exceeding 165 cm</td></tr></table>	Plain weave, weighing more than 130 g/m\$2 and of a width	Not exceeding 165 cm	Exceeding 165 cm
Plain weave, weighing more than 130 g/m\$2 and of a width			
Not exceeding 165 cm			
Exceeding 165 cm			
3-thread or 4-thread twill, including cross twill			
Other fabrics			

Dyed
Plain weave, weighing not more than 100 g/m\$2
Plain weave, weighing more than 100 g/m\$2
Plain weave, weighing more than 100 g/m\$2 but not more than 130 g/m\$2 and of a width
Not exceeding 165 cm
Exceeding 165 cm
Plain weave, weighing more than 130 g/m\$2 and of a width
Not exceeding 165 cm
Exceeding 165 cm
3-thread or 4-thread twill, including cross twill
Other fabrics

Of yarns of different colours
Plain weave, weighing not more than 100 g/m\$2
Plain weave, weighing more than 100 g/m\$2
3-thread or 4-thread twill, including cross twill
Other fabrics

Printed
Plain weave, weighing not more than 100 g/m\$2
Manufactured on handlooms
Hand-printed by the "batik" method
Other
Other
Hand-printed by the "batik" method
Other
Plain weave, weighing more than 100 g/m\$2
Manufactured on handlooms
Hand-printed by the "batik" method
Other
Other
Hand-printed by the "batik" method
Other
Other fabrics
3-thread or 4-thread twill, including cross twill

Manufactured on handlooms
Hand-printed by the "batik" method
Other
Other
Hand-printed by the "batik" method
Other

Other
Manufactured on handlooms
Hand-printed by the "batik" method
Other
Other
Hand-printed by the "batik" method
Other

Woven fabrics of cotton, containing 85 % or more by weight of cotton, weighing more than 200 g/m\$2
Unbleached
Plain weave
3-thread or 4-thread twill, including cross twill
Other fabrics
Bleached
Plain weave
3-thread or 4-thread twill, including cross twill
Other fabrics
Dyed
Plain weave
3-thread or 4-thread twill, including cross twill
Other fabrics
Of yarns of different colours
Plain weave
Denim
Other fabrics of 3-thread or 4-thread twill, including cross twill
Other fabrics
Printed
Plain weave
Manufactured on handlooms
Hand-printed by the "batik" method
Other
Other
Hand-printed by the "batik" method
Other
3-thread or 4-thread twill, including cross twill
Manufactured on handlooms

Hand-printed by the "batik" method
Other
Other
Hand-printed by the "batik" method
Other

Other fabrics
Manufactured on handlooms
Hand-printed by the "batik" method
Other
Other
Hand-printed by the "batik" method
Other

Woven fabrics of cotton, containing less than 85 % by weight of cotton, mixed mainly or solely with man-made fibres, weighing not more than 200 g/m\$2
Unbleached
Plain weave
Manufactured on handlooms
Other
Other fabrics
Manufactured on handlooms
Other
Bleached
Plain weave
Manufactured on handlooms
Other
Other fabrics
Manufactured on handlooms
Other
Dyed
Plain weave
Manufactured on handlooms
Other
3-thread or 4-thread twill, including cross twill
Manufactured on handlooms
Other
Other fabrics
Manufactured on handlooms
Other
Of yarns of different colours
Plain weave
Manufactured on handlooms
Other
Other fabrics
Manufactured on handlooms

Other

Printed
Plain weave
Manufactured on handlooms
Other

Other fabrics
Manufactured on handlooms
Other

Woven fabrics of cotton, containing less than 85|% by weight of cotton, mixed mainly or solely with man-made fibres, weighing more than 200|g/m\$2

Unbleached
Plain weave
Manufactured on handlooms
Other

3-thread or 4-thread twill, including cross twill
Manufactured on handlooms
Other

Other fabrics
Manufactured on handlooms
Other

Bleached
Manufactured on handlooms
Other

Dyed
Plain weave
Manufactured on handlooms
Other

3-thread or 4-thread twill, including cross twill
Manufactured on handlooms
Other

Other fabrics
Manufactured on handlooms
Other

Of yarns of different colours
Plain weave
Manufactured on handlooms
Other

Denim
Manufactured on handlooms
Other

Other fabrics of 3-thread or 4-thread twill, including cross twill
Manufactured on handlooms
Other

Other fabrics
Jacquard fabrics
Manufactured on handlooms

Other

Other
Manufactured on handlooms
Other

Printed
Plain weave
Manufactured on handlooms
Other

3-thread or 4-thread twill, including cross twill
Manufactured on handlooms
Other

Other fabrics
Manufactured on handlooms
Other

Other woven fabrics of cotton

Weighing not more than 200 g/m\$2
Unbleached
Mixed mainly or solely with flax
Manufactured on handlooms
Other

Otherwise mixed
Manufactured on handlooms
Other

Bleached
Mixed mainly or solely with flax
Manufactured on handlooms
Other

Otherwise mixed
Manufactured on handlooms
Other

Dyed
Mixed mainly or solely with flax
Manufactured on handlooms
Other

Otherwise mixed
Manufactured on handlooms
Other

Of yarns of different colours
Mixed mainly or solely with flax
Manufactured on handlooms
Other

Otherwise mixed
Manufactured on handlooms
Other

Printed
Mixed mainly or solely with flax
Manufactured on handlooms

Hand-printed by the "batik" method
Other

Other
Hand-printed by the "batik" method
Other

Otherwise mixed
Manufactured on handlooms
Hand-printed by the "batik" method
Other

Other
Hand-printed by the "batik" method
Other

Weighing more than 200|g/m\$2

Unbleached
Mixed mainly or solely with flax
Manufactured on handlooms
Other

Otherwise mixed
Manufactured on handlooms
Other

Bleached
Mixed mainly or solely with flax
Manufactured on handlooms
Other

Otherwise mixed
Manufactured on handlooms
Other

Dyed
Mixed mainly or solely with flax
Manufactured on handlooms
Other

Otherwise mixed
Manufactured on handlooms
Other

Of yarns of different colours
Mixed mainly or solely with flax
Manufactured on handlooms
Other

Otherwise mixed
Manufactured on handlooms
Other

Printed
Mixed mainly or solely with flax
Manufactured on handlooms
Hand-printed by the "batik" method

Other
Other
Hand-printed by the "batik" method
Other
Otherwise mixed
Manufactured on handlooms
Hand-printed by the "batik" method
Other
Other
Hand-printed by the "batik" method
Other

OTHER VEGETABLE TEXTILE FIBRES; PAPER YARN AND WOVEN FABRICS OF PAPER YARN
Flax, raw or processed but not spun; flax tow and waste (including yarn waste and garnetted stock)
Flax, raw or retted
Flax, broken, scutched, hackled or otherwise processed, but not spun
Broken or scutched
Other
Flax tow and waste
True hemp (Cannabis sativa L.), raw or processed but not spun; tow and waste of true hemp (including yarn waste and garnetted stock)
True hemp, raw or retted
Other
Jute and other textile bast fibres (excluding flax, true hemp and ramie), raw or processed but not spun; tow and waste of these fibres (including yarn waste and garnetted stock)
Jute and other textile bast fibres, raw or retted
Other
Coconut, abaca (Manila hemp or Musa textilis Nee), ramie and other vegetable textile fibres, not elsewhere specified or included, raw or processed but not spun; tow, noils and waste of these fibres (including yarn waste and garnetted stock)

Flax yarn
Single
Not put up for retail sale
Measuring 833,3 decitex or more (not exceeding 12 metric number)
Flax yarn (other than tow yarn) for the manufacture of multiple or cabled yarns of the footwear industry of for whipping cable
Other
Measuring less than 833,3 decitex but not less than 277,8 decitex (exceeding 12 metric number but not exceeding 36 metric number)

Flax yarn (other than tow yarn), measuring 333,3 decitex or more (not exceeding 30 metric number), for the manufacture of multiple or cabled yarns of the footwear industry or for whipping cable
Other
Measuring less than 277,8 decitex (exceeding 36 metric number)
Put up for retail sale
Multiple (folded) or cabled
Not put up for retail sale
Put up for retail sale
Yarn of jute or of other textile bast fibres of heading 5303
Single
Multiple (folded) or cabled

Yarn of other vegetable textile fibres; paper yarn
Coir yarn
True hemp yarn
Not put up for retail sale
Put up for retail sale
Other
Ramie yarn
Measuring 277,8 decitex or more (not exceeding 36 metric number)
Measuring less than 277,8 decitex (exceeding 36 metric number)
Paper yarn
Other

Woven fabrics of flax
Containing 85 % or more by weight of flax
Unbleached or bleached
Unbleached
Bleached
Other
Containing less than 85 % by weight of flax
Unbleached or bleached
Other

Woven fabrics of jute or of other textile bast fibres of heading 5303
Unbleached
Of a width not exceeding 150 cm
Of a width exceeding 150 cm
Other
Of a width not exceeding 150 cm
Other

Woven fabrics of other vegetable textile fibres; woven fabrics of paper yarn
Of ramie

Other
MAN-MADE FILAMENTS; STRIP AND THE LIKE OF MAN-MADE TEXTILE MATERIALS
Sewing thread of man-made filaments, whether or not put up for retail sale
Of synthetic filaments
Not put up for retail sale
Core yarn
Polyester filament surrounded by cotton fibres
Other
Other
Textured yarn
Other
Put up for retail sale
Of artificial filaments
Not put up for retail sale
Put up for retail sale

Synthetic filament yarn (other than sewing thread), not put up for retail sale, including synthetic monofilament of less than 67 decitex
High-tenacity yarn of nylon or other polyamides
Of aramids
Other
High-tenacity yarn of polyesters
Textured yarn
Of nylon or other polyamides, measuring per single yarn not more than 50 tex
Of nylon or other polyamides, measuring per single yarn more than 50 tex
Of polyesters
Of polypropylene
Other
Other yarn, single, untwisted or with a twist not exceeding 50 turns per metre
Elastomeric
Other, of nylon or other polyamides
Yarn of synthetic textile fibres solely of aromatic polyamides obtained by the polycondensation of m- phenylenediamine and isophthalic acid
Other

Other, of polyesters, partially oriented
Other, of polyesters
Synthetic bicomponent filament yarn, not textured, untwisted, measuring 1 650 decitex or more but not more than 1 800 decitex, consisting of 110 filaments or more but not more than 120 filaments, each having a core of poly(ethylene terephthalate) and a skin of polyamide-6, containing by weight 75 % or more but not exceeding 77 % of poly(ethylene

terephthalate), for use in the manufacture of roofings
Bicomponent monofilament yarn of not more than 30 dtex, consisting of: - a polyethylene terephthalate core, and - an outer layer of a copolymer of polyethylene terephthalate and polyethylenel isophthalate, for use in the manufacture of filtration fabrics
Other
Other, of polypropylene
Other
Yarn of a copolymer of glycollic acid with lactic acid, for the manufacture of surgical sutures
Non-textured filament yarn of poly(vinyl alcohol)
Synthetic filament yarn, single, containing by weight 85 % or more of acrylonitrile, in the form of a wick containing 1 000 continuous filaments or more but not more than 25 000 continuous filaments, of a weight per metre of 0,12 g or more but not more than 3,75 g and of a length of 100 m or more, for the manufacture of carbon-fibre yarn
Other
Other yarn, single, with a twist exceeding 50 turns per metre
Of nylon or other polyamides
Of polyesters
Other
Of polypropylene
Other
Other yarn, multiple (folded) or cabled
Of nylon or other polyamides
Of polyesters
Other
Of polypropylene
Other
Artificial filament yarn (other than sewing thread), not put up for retail sale, including artificial monofilament of less than 67 decitex
High-tenacity yarn of viscose rayon
Other yarn, single
Of viscose rayon, untwisted or with a twist not exceeding 120 turns per metre
Textured yarn
Other
Of viscose rayon, with a twist exceeding 120 turns per metre
With a twist not exceeding 250 turns per metre
Textured yarn
Other
Other
Of cellulose acetate

Single, untwisted or with a twist not exceeding 250 turns per metre
Textured yarn
Other
Other
Other
Biodegradable (norm EN 14995) monofilament of not more than 33 dtex, containing at least 98 % by weight polylactide (PLA), for use in the manufacture of filtration fabrics for the food industry
Other
Other yarn, multiple (folded) or cabled
Of viscose rayon
Of cellulose acetate
Other
Synthetic monofilament of 67 decitex or more and of which no cross-sectional dimension exceeds 1 mm; strip and the like (for example, artificial straw), of synthetic textile materials, of an apparent width not exceeding 5 mm
Monofilament
Elastomeric
Other, of polypropylene
Other
Monofilament of poly(1,4-dioxanone)
Monofilaments of polyester or poly(butylene terephthalate), with cross-sectional dimension of 0,5 mm or more but not more than 1 mm, for use in the manufacture of zippers
Other
Other
Of polypropylene
Other
Strip of polyimide
Other
Artificial monofilament of 67 decitex or more and of which no cross-sectional dimension exceeds 1 mm; strip and the like (for example, artificial straw), of artificial textile materials, of an apparent width not exceeding 5 mm
Man-made filament yarn (other than sewing thread), put up for retail sale
Woven fabrics of synthetic filament yarn, including woven fabrics obtained from materials of heading 5404
Woven fabrics obtained from high-tenacity yarn of nylon or other polyamides or of polyesters
Textile fabric, consisting of warp filament yarns of polyamide-6,6 and weft filament yarns of polyamide-6,6, polyurethane and a copolymer of terephthalic acid, p-phenylenediamine and 3,4'-oxybis (phenyleneamine)
Other

Woven fabrics obtained from strip or the like
Of polyethylene or polypropylene, of a width of
Less than 3 m
3 m or more
Other
Fabrics specified in note 9 to Section XI
Other woven fabrics, containing 85 % or more by weight of filaments of nylon or other polyamides
Unbleached or bleached
Dyed
Of yarns of different colours
Printed
Other woven fabrics, containing 85 % or more by weight of textured polyester filaments
Unbleached or bleached
Dyed
Of yarns of different colours
Printed
Other woven fabrics, containing 85 % or more by weight of polyester filaments
Containing 85 % or more by weight of non-textured polyester filaments
Unbleached or bleached
Dyed
Of yarns of different colours
Printed
Other
Unbleached or bleached
Other
Other woven fabrics, containing 85 % or more by weight of synthetic filaments
Unbleached or bleached
Woven polytetrafluoroethylene fabric, coated or covered with a copolymer of tetrafluoroethylene and trifluoroethylene having perfluorinated alkoxy side-chains ending in carboxylic acid or sulphonic acid groups, whether or not in the potassium or sodium salt form
Other
Dyed
Of yarns of different colours
Printed
Other woven fabrics, containing less than 85 % by weight of synthetic filaments, mixed mainly or solely with cotton
Unbleached or bleached
Dyed
Of yarns of different colours
Printed
Other woven fabrics

Unbleached or bleached
Dyed
Of yarns of different colours
Printed
Woven fabrics of artificial filament yarn, including woven fabrics obtained from materials of heading 5405
Woven fabrics obtained from high-tenacity yarn of viscose rayon
Other woven fabrics, containing 85% or more by weight of artificial filament or strip or the like
Unbleached or bleached
Dyed
Of a width exceeding 135 cm but not exceeding 155 cm, plain weave, twill weave, cross twill weave or satin weave
Manufacture from man-made filament yarns
Other
Other
Manufacture from man-made filament yarns
Other
Of yarns of different colours
Printed
Other woven fabrics
Unbleached or bleached
Dyed
Manufacture from man-made filament yarns
Other
Of yarns of different colours
Printed

MAN-MADE STAPLE FIBRES
Synthetic filament tow
Of nylon or other polyamides
Of polyesters
Acrylic or modacrylic
Of polypropylene
Other
Artificial filament tow
Of viscose rayon
Of acetate
Other
Synthetic staple fibres, not carded, combed or otherwise processed for spinning
Of nylon or other polyamides
Of aramids
Synthetic staple fibres of a copolymer of terephthalic acid, p-phenylenediamine and 3,4'-oxybis(phenyleneamine), of a length of not more than 7 mm
Other

Other
Of polyesters
Acrylic or modacrylic
Of polypropylene
Hollow polypropylene staple fibres: - - measuring 6 decitex or more but not more than 10 decitex, - - of a strength of 3,5 cN/dtex or more - - of a diameter of 30 µm or more for use in the manufacture of napkins and napkin liners for babies and other sanitary products
Other
Other
Poly(vinyl alcohol) fibres, whether or not acetalized
Trilobal poly(thio-1,4-phenylene) fibres
Other
Artificial staple fibres, not carded, combed or otherwise processed for spinning
Of viscose rayon
Other
Waste (including noils, yarn waste and garnetted stock) of man-made fibres
Of synthetic fibres
Of nylon or other polyamides
Of polyesters
Acrylic or modacrylic
Of polypropylene
Other
Of artificial fibres
Synthetic staple fibres, carded, combed or otherwise processed for spinning
Of nylon or other polyamides
Of polyesters
Acrylic or modacrylic
Other
Poly(vinyl alcohol) fibres, whether or not acetalized
Other
Artificial staple fibres, carded, combed or otherwise processed for spinning
Sewing thread of man-made staple fibres, whether or not put up for retail sale
Of synthetic staple fibres
Not put up for retail sale
Put up for retail sale
Of artificial staple fibres
Not put up for retail sale
Put up for retail sale
Yarn (other than sewing thread) of synthetic staple fibres, not put up for retail sale
Containing 85% or more by weight of staple fibres of nylon or other polyamides

Single yarn
Multiple (folded) or cabled yarn
Containing 85% or more by weight of polyester staple fibres
Single yarn
Multiple (folded) or cabled yarn
Containing 85% or more by weight of acrylic or modacrylic staple fibres
Single yarn
Multiple (folded) or cabled yarn
Other yarn, containing 85% or more by weight of synthetic staple fibres
Single yarn
Multiple (folded) or cabled yarn
Other yarn, of polyester staple fibres
Mixed mainly or solely with artificial staple fibres
Mixed mainly or solely with wool or fine animal hair
Mixed mainly or solely with cotton
Other
Other yarn, of acrylic or modacrylic staple fibres
Mixed mainly or solely with wool or fine animal hair
Mixed mainly or solely with cotton
Other
Other yarn
Mixed mainly or solely with wool or fine animal hair
Mixed mainly or solely with cotton
Other
Yarn (other than sewing thread) of artificial staple fibres, not put up for retail sale
Containing 85% or more by weight of artificial staple fibres
Single yarn
Multiple (folded) or cabled yarn
Other yarn, mixed mainly or solely with wool or fine animal hair
Other yarn, mixed mainly or solely with cotton
Other yarn
Yarn (other than sewing thread) of man-made staple fibres, put up for retail sale
Of synthetic staple fibres, containing 85% or more by weight of such fibres
Of synthetic staple fibres, containing less than 85% by weight of such fibres
Of artificial staple fibres
Woven fabrics of synthetic staple fibres, containing 85% or more by weight of synthetic staple fibres
Containing 85% or more by weight of polyester staple fibres
Unbleached or bleached
Other

Printed
Other

Containing 85% or more by weight of acrylic or modacrylic staple fibres
Unbleached or bleached
Other
Printed
Other

Other
Unbleached or bleached
Other
Printed
Other

Woven fabrics of synthetic staple fibres, containing less than 85% by weight of such fibres, mixed mainly or solely with cotton, of a weight not exceeding 170g/m\$2
Unbleached or bleached
Of polyester staple fibres, plain weave
Of a width of 165cm or less
Of a width of more than 165cm
3-thread or 4-thread twill, including cross twill, of polyester staple fibres
Other woven fabrics of polyester staple fibres
Other woven fabrics

Dyed
Of polyester staple fibres, plain weave
Other woven fabrics of polyester staple fibres
3-thread or 4-thread twill, including cross twill
Other
Other woven fabrics

Of yarns of different colours
Of polyester staple fibres, plain weave
Other woven fabrics

Printed
Of polyester staple fibres, plain weave
Other woven fabrics

Woven fabrics of synthetic staple fibres, containing less than 85% by weight of such fibres, mixed mainly or solely with cotton, of a weight exceeding 170g/m\$2
Unbleached or bleached
Of polyester staple fibres, plain weave
3-thread or 4-thread twill, including cross twill, of polyester staple fibres
Other woven fabrics
Of polyester staple fibres
Other

Dyed
Of polyester staple fibres, plain weave

3-thread or 4-thread twill, including cross twill, of polyester staple fibres
Other woven fabrics of polyester staple fibres
Other woven fabrics

Of yarns of different colours
Of polyester staple fibres, plain weave
3-thread or 4-thread twill, including cross twill, of polyester staple fibres
Other woven fabrics of polyester staple fibres
Other woven fabrics

Printed
Of polyester staple fibres, plain weave
3-thread or 4-thread twill, including cross twill, of polyester staple fibres
Other woven fabrics of polyester staple fibres
Other woven fabrics

Other woven fabrics of synthetic staple fibres
Of polyester staple fibres
Mixed mainly or solely with viscose rayon staple fibres
Unbleached or bleached
Printed
Other
Mixed mainly or solely with man-made filaments
Unbleached or bleached
Printed
Other
Mixed mainly or solely with wool or fine animal hair
Mixed mainly or solely with carded wool or fine animal hair (woollen)
Unbleached or bleached
Other
Mixed mainly or solely with combed wool or fine animal hair (worsted)
Unbleached or bleached
Other
Other
Unbleached or bleached
Printed
Other

Of acrylic or modacrylic staple fibres
Mixed mainly or solely with man-made filaments
Unbleached or bleached
Printed
Other
Mixed mainly or solely with wool or fine animal hair

Mixed mainly or solely with carded wool or fine animal hair (woollen)
Unbleached or bleached
Other
Mixed mainly or solely with combed wool or fine animal hair (worsted)
Unbleached or bleached
Other
Other

Other woven fabrics
Mixed mainly or solely with man-made filaments
Unbleached or bleached
Printed
Other
Other
Unbleached or bleached
Printed
Other

Woven fabrics of artificial staple fibres
Containing 85% or more by weight of artificial staple fibres
Unbleached or bleached
Dyed
Of yarns of different colours
Printed

Containing less than 85% by weight of artificial staple fibres, mixed mainly or solely with man-made filaments
Unbleached or bleached
Dyed
Of yarns of different colours
Jacquard fabrics of a width of 140cm or more (mattress tickings)
Other
Printed

Containing less than 85% by weight of artificial staple fibres, mixed mainly or solely with wool or fine animal hair
Unbleached or bleached
Dyed
Of yarns of different colours
Printed

Containing less than 85% by weight of artificial staple fibres, mixed mainly or solely with cotton
Unbleached or bleached
Dyed
Of yarns of different colours
Printed
Other
Unbleached or bleached
Dyed

Of yarns of different colours
Printed
WADDING, FELT AND NONWOVENS; SPECIAL YARNS; TWINE, CORDAGE, ROPES AND CABLES AND ARTICLES THEREOF
Wadding of textile materials and articles thereof; textile fibres, not exceeding 5 mm in length (flock), textile dust and mill neps
Wadding of textile materials and articles thereof
Of cotton
Absorbent
Other
Of man-made fibres
Rolls of a diameter not exceeding 8 mm
Other
Other
Textile flock and dust and mill neps
Poly(vinyl alcohol) fibres, whether or not acetalized
Synthetic staple fibres of a copolymer of terephthalic acid, p-phenylenediamine and 3,4'-oxybis(phenyleneamine), of a length of not more than 7 mm
Other
Felt, whether or not impregnated, coated, covered or laminated
Needleloom felt and stitch-bonded fibre fabrics
Not impregnated, coated, covered or laminated
Needleloom felt
Of jute or other textile bast fibres of heading 5303
Of other textile materials
Stitch-bonded fibre fabrics
Of wool or fine animal hair
Of other textile materials
Of coarse animal hair
Other
Impregnated, coated, covered or laminated
Other felt, not impregnated, coated, covered or laminated
Of wool or fine animal hair
Of other textile materials
Of coarse animal hair
Of other textile materials
Other
Nonwovens, whether or not impregnated, coated, covered or laminated
Of man-made filaments
Weighing not more than 25 g/m\$2
Coated or covered

Poly(vinyl alcohol) non-wovens, in the piece or cut into rectangles: - of a thickness of 200 µm or more but not more than 280 µm and - of a weight of 20 g/m\$2 or more but not more than 50 g/m\$2
Nonwovens, not weighing more than 20g/m2, containing spunbonded and meltblown filaments put together in a sandwich way with the two outer layers containing fine endless filaments (not less than 10µm but not more than 20µm in diameter) and the inner layer containing super-fine endless filaments (not less than 1µm but not more than 5µm in diameter), for the manufacture of napkins and napkin liners for babies and similar sanitary napkins
Other
Other
Poly(vinyl alcohol) non-wovens, in the piece or cut into rectangles: - of a thickness of 200 µm or more but not more than 280 µm and - of a weight of 20 g/m\$2 or more but not more than 50 g/m\$2
Nonwovens, not weighing more than 20g/m2, containing spunbonded and meltblown filaments put together in a sandwich way with the two outer layers containing fine endless filaments (not less than 10µm but not more than 20µm in diameter) and the inner layer containing super-fine endless filaments (not less than 1µm but not more than 5µm in diameter), for the manufacture of napkins and napkin liners for babies and similar sanitary napkins
Other
Weighing more than 25 g/m\$2 but not more than 70 g/m\$2
Coated or covered
Poly(vinyl alcohol) non-wovens, in the piece or cut into rectangles: - of a thickness of 200 µm or more but not more than 280 µm and - of a weight of 20 g/m\$2 or more but not more than 50 g/m\$2
Other
Other
Poly(vinyl alcohol) non-wovens, in the piece or cut into rectangles: - of a thickness of 200 µm or more but not more than 280 µm and - of a weight of 20 g/m\$2 or more but not more than 50 g/m\$2
Non-wovens of aromatic polyamide fibres obtained by polycondensation of m-phenylenediamine and isophthalic acid, in the piece or cut into rectangles
Non-woven: - weighing 30g/m2 or more, but not more than 60g/m2, - containing fibres of polypropylene or of

polypropylene and polyethylene, - whether or not printed, with: - on one side, 65% of the total surface area having circular bobbles of 4mm in diameter, consisting of anchored, elevated un-bonded curly fibres, suitable for the engagement of extruded hook materials, and the remaining 35% of the surface area being bonded, - and on other side a smooth untextured surface, for use in the manufacture of napkins and napkin liners for babies and similar sanitary articles
Non-woven of spunbonded polyethylene, of a weight of more than 60 g/m2 but not more than 80 g/m2 and an air resistance (Gurley) of 8 seconds or more but not more than 36 seconds (as determined by the ISO 5636/5 method)
Non-wovens of polypropylene, - with a melt blown layer, laminated on each side with spunbonded filaments of polypropylene, - with a weight of not more than 150 g/m\$2, - in the piece or simply cut into squares or rectangles, and - not impregnated
Other
Weighing more than 70 g/m\$2 but not more than 150 g/m\$2
Coated or covered
Electrically nonconductive nonwovens, consisting of a central film of poly(ethylene terephthalate) laminated on each side with unidirectionally aligned fibres of poly(ethylene terephthalate), coated on both sides with high grade temperature resistant electrical nonconductive resin, weighing 147 g/m\$2 or more but not more than 265 g/m\$2, with non-isotropic tensile strength on both directions, to be used as electrical insulation material
Non-woven of spunbonded polyethylene, with a coating, - of a weight of more than 80 g/m\$2 but not more than 105 g/m\$2 and - an air resistance (Gurley) of 8 seconds or more but not more than 75 seconds (as determined by the ISO 5636/5 method)
Other
Other
Non-wovens of aromatic polyamide fibres obtained by polycondensation of m-phenylenediamine and isophthalic acid, in the piece or cut into rectangles
Non-woven of spunbonded polyethylene, of a weight of more than 60 g/m2 but not more than 80 g/m2 and an air resistance (Gurley) of 8 seconds or more but not more than 36 seconds (as determined by the ISO 5636/5 method)
Non-wovens of polypropylene, - with a melt blown layer, laminated on each side with spunbonded filaments of polypropylene, - with

<div> <div>a weight of not more than 150 g/m\$2, - in the piece or simply cut into squares or rectangles, and - not impregnated</div> <div>Other</div> </div>
<div> <div>Weighing more than 150 g/m\$2</div> <div> <div>Coated or covered</div> <div> <div>Electrically nonconductive nonwovens, consisting of a central film of poly(ethylene terephthalate) laminated on each side with unidirectionally aligned fibres of poly(ethylene terephthalate), coated on both sides with high grade temperature resistant electrical nonconductive resin, weighing 147 g/m\$2 or more but not more than 265 g/m\$2, with non-isotropic tensile strength on both directions, to be used as electrical insulation material</div> <div>Other</div> </div> </div> <div> <div>Other</div> <div> <div>Non-wovens of aromatic polyamide fibres obtained by polycondensation of m-phenylenediamine and isophthalic acid, in the piece or cut into rectangles</div> <div> <div>Non-wovens, consisting of poly(ethylene terephthlate) spun bonded media: - of weight of 160 g/m\$2 or more but not more than 300 g/m\$2, - whether or not laminated on one side with a membrane or a membrane and aluminium of a kind used for the manufacture of industrial filters</div> <div>Other</div> </div> </div> </div> </div>

<div> <div>Other</div> <div> <div>Weighing not more than 25 g/m\$2</div> <div> <div>Coated or covered</div> <div> <div>Poly(vinyl alcohol) non-wovens, in the piece or cut into rectangles: - of a thickness of 200 µm or more but not more than 280 µm and - of a weight of 20 g/m\$2 or more but not more than 50 g/m\$2</div> <div>Other</div> </div> </div> <div> <div>Other</div> <div> <div>Poly(vinyl alcohol) non-wovens, in the piece or cut into rectangles: - of a thickness of 200 µm or more but not more than 280 µm and - of a weight of 20 g/m\$2 or more but not more than 50 g/m\$2</div> <div>Other</div> </div> </div> </div> </div>
--

<div> <div>Weighing more than 25 g/m\$2 but not more than 70 g/m\$2</div> <div> <div>Coated or covered</div> <div> <div>Poly(vinyl alcohol) non-wovens, in the piece or cut into rectangles: - of a thickness of 200 µm or more but not more than 280 µm and - of a weight of 20 g/m\$2 or more but not more than 50 g/m\$2</div> </div> </div> </div>
--

<div> <div>Other</div> </div>
<div> <div>Other</div> <div> <div>Poly(vinyl alcohol) non-wovens, in the piece or cut into rectangles: - of a thickness of 200 µm or more but not more than 280 µm and - of a weight of 20 g/m\$2 or more but not more than 50 g/m\$2</div> <div> <div>Non-wovens consisting of a meltblown central layer of a thermoplastic elastomer laminated on each side with spunbonded filaments of polypropylene</div> <div> <div>Non-wovens of polypropylene, - with a melt blown layer, laminated on each side with spunbonded filaments of polypropylene, - with a weight of not more than 150 g/m\$2, - in the piece or simply cut into squares or rectangles, and - not impregnated</div> </div> </div> <div> <div>Non-wovens of aromatic polyamide fibres obtained by polycondensation of m-phenylenediamine and isophthalic acid, in the piece or cut into rectangles</div> <div> <div>Non-wovens, consisting of multiple layers of a mixture of meltblown fibres and staple fibres of polypropylene and polyester, whether or not laminated on one side or on both sides with spunbonded filaments of polypropylene</div> <div> <div>Non-woven polyolefin fabric, consisting of an elastomeric layer, laminated on each side with polyolefin filaments: •a weight of 25 g/m\$2 or more but not more than 70 g/m\$2, •in the piece or simply cut into squares or rectangles, •not impregnated, •with cross-directional or machine-directional stretch properties for use in the manufacture of infant/child care products</div> <div>Other</div> </div> </div> </div> </div></div>

<div> <div>Weighing more than 70 g/m\$2 but not more than 150 g/m\$2</div> <div> <div>Coated or covered</div> </div> <div> <div>Other</div> <div> <div>Non-wovens of polypropylene, - with a melt blown layer, laminated on each side with spunbonded filaments of polypropylene, - with a weight of not more than 150 g/m\$2, - in the piece or simply cut into squares or rectangles, and - not impregnated</div> <div> <div>Non-wovens consisting of a meltblown central layer of a thermoplastic elastomer laminated on each side with spunbonded filaments of polypropylene</div> <div> <div>Non-wovens of aromatic polyamide fibres obtained by polycondensation of m-phenylenediamine and isophthalic acid, in the piece or cut into rectangles</div> </div> </div> </div> </div> </div>

<div> <div>Non-woven polyolefin fabric, consisting of an elastomeric layer, laminated on each side with polyolefin filaments: •a weight of 70 g/m\$2 or more but not more than 150 g/m\$2, •in the piece or simply cut into squares or rectangles, •not impregnated, •with cross-directional or machine-directional stretch properties for use in the manufacture of infant/child care products</div> <div> <div>Nonwovens made of polyester fibres, - with a weight of 85 g/m2, - with a constant thickness of 95 µm (± 5 µm), - neither coated nor covered, - in 1 m wide rolls of 2 000m to 5 000 m length, suitable for the coating of membranes in the manufacture of osmosis and reverse osmosis filters</div> <div>Other</div> </div> </div>
<div> <div>Weighing more than 150 g/m\$2</div> <div> <div>Coated or covered</div> </div> <div> <div>Other</div> <div> <div>Acrylic fibre rods, having a length of not more than 50 cm, for the manufacture of pen tips</div> <div> <div>Non-wovens of aromatic polyamide fibres obtained by polycondensation of m-phenylenediamine and isophthalic acid, in the piece or cut into rectangles</div> <div> <div>Non-wovens, consisting of multiple layers of a mixture of meltblown fibres and staple fibres of polypropylene and polyester, whether or not laminated on one side or on both sides with spunbonded filaments of polypropylene</div> <div>Other</div> </div> </div> </div> </div></div>

<div> <div>Rubber thread and cord, textile covered; textile yarn, and strip and the like of heading 5404 or 5405, impregnated, coated, covered or sheathed with rubber or plastics</div> <div> <div>Rubber thread and cord, textile covered</div> </div> <div> <div>Other</div> <div> <div>High-tenacity yarn of polyesters, of nylon or other polyamides or of viscose rayon, impregnated or coated</div> <div> <div>Of synthetic filament (continuous), not put up for retail sale, other than non-textured single yarn untwisted or with a twist of not more than 50 turns per metre</div> <div> <div>Of viscose rayon, not put up for retail sale, other than single yarn, untwisted or with a twist of not more than 250 turns per metre</div> <div>Other</div> </div> </div> </div> </div> <div> <div>Other</div> <div> <div>Silk yarn spun from silk waste, and silk worm gut</div> <div> <div>Monofil, strip (artificial straw and the like) and imitation catgut, of synthetic textile materials</div> <div>Artificial monofil</div> </div> </div> </div></div>
--

<table><tr><td>Cotton yarn, not put up for retail sale</td></tr><tr><td>Other</td></tr></table>	Cotton yarn, not put up for retail sale	Other									
Cotton yarn, not put up for retail sale											
Other											
Metallised yarn, whether or not gimped, being textile yarn, or strip or the like of heading 5404 or 5405, combined with metal in the form of thread, strip or powder or covered with metal											
Gimped yarn, and strip and the like of heading 5404 or 5405, gimped (other than those of heading 5605 and gimped horsehair yarn); chenille yarn (including flock chenille yarn); loop wale-yarn											
<table><tr><td>Loop wale-yarn</td></tr><tr><td>Other</td></tr><tr><td>Gimped yarn</td></tr><tr><td>Other</td></tr></table>	Loop wale-yarn	Other	Gimped yarn	Other							
Loop wale-yarn											
Other											
Gimped yarn											
Other											
Twine, cordage, ropes and cables, whether or not plaited or braided and whether or not impregnated, coated, covered or sheathed with rubber or plastics											
<table><tr><td>Of sisal or other textile fibres of the genus Agave</td></tr><tr><td><table><tr><td>Binder or baler twine</td></tr><tr><td>For agricultural machinery</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table>	Of sisal or other textile fibres of the genus Agave	<table><tr><td>Binder or baler twine</td></tr><tr><td>For agricultural machinery</td></tr><tr><td>Other</td></tr></table>	Binder or baler twine	For agricultural machinery	Other	Other					
Of sisal or other textile fibres of the genus Agave											
<table><tr><td>Binder or baler twine</td></tr><tr><td>For agricultural machinery</td></tr><tr><td>Other</td></tr></table>	Binder or baler twine	For agricultural machinery	Other								
Binder or baler twine											
For agricultural machinery											
Other											
Other											
Of polyethylene or polypropylene											
<table><tr><td>Binder or baler twine</td></tr><tr><td>Other</td></tr><tr><td>Measuring more than 50 000 decitex (5 g/m)</td></tr><tr><td>Plaited or braided</td></tr><tr><td>Other</td></tr><tr><td>Measuring 50 000 decitex (5 g/m) or less</td></tr></table>	Binder or baler twine	Other	Measuring more than 50 000 decitex (5 g/m)	Plaited or braided	Other	Measuring 50 000 decitex (5 g/m) or less					
Binder or baler twine											
Other											
Measuring more than 50 000 decitex (5 g/m)											
Plaited or braided											
Other											
Measuring 50 000 decitex (5 g/m) or less											
Of other synthetic fibres											
<table><tr><td>Of nylon or other polyamides or of polyesters</td></tr><tr><td>Measuring more than 50 000 decitex (5 g/m)</td></tr><tr><td>Plaited or braided</td></tr><tr><td>Twine</td></tr><tr><td>Other</td></tr><tr><td>Other</td></tr><tr><td>Twine</td></tr><tr><td>Other</td></tr><tr><td>Measuring 50 000 decitex (5 g/m) or less</td></tr><tr><td>Twine</td></tr><tr><td>Other</td></tr></table>	Of nylon or other polyamides or of polyesters	Measuring more than 50 000 decitex (5 g/m)	Plaited or braided	Twine	Other	Other	Twine	Other	Measuring 50 000 decitex (5 g/m) or less	Twine	Other
Of nylon or other polyamides or of polyesters											
Measuring more than 50 000 decitex (5 g/m)											
Plaited or braided											
Twine											
Other											
Other											
Twine											
Other											
Measuring 50 000 decitex (5 g/m) or less											
Twine											
Other											
Of other synthetic fibres											
Unsterilised twine of poly(glycolic acid) or of poly(glycolic acid) and its copolymers with lactic acid, plaited or braided, with an inner core, for the manufacture of surgical sutures											
Other											

<table><tr><td>Twine</td></tr><tr><td>Other</td></tr></table>	Twine	Other
Twine		
Other		
Other		
Of abaca (Manila hemp or Musa textilis Nee) or other hard (leaf) fibres; of jute or other textile bast fibres of heading 5303		
Of abaca (Manila hemp or Musa textilis Nee) or other hard (leaf) fibres		
Of jute or other textile bast fibres of heading 5303		
Other		
Of true hemp		
Of flax or ramie		
Other		
Knotted netting of twine, cordage or rope; made-up fishing nets and other made-up nets, of textile materials		
Of man-made textile materials		
Made-up fishing nets		
Of twine, cordage, rope or cables		
Other		
Other		
Made-up nets		
Of nylon or other polyamides		
Of twine, cordage, rope or cables		
Other		
Other		
Other		
Other		
Hammocks, of cotton, hand-made		
Other		
Articles of yarn, strip or the like of heading 5404 or 5405, twine, cordage, rope or cables, not elsewhere specified or included		
CARPETS AND OTHER TEXTILE FLOOR COVERINGS		
Carpets and other textile floor coverings, knotted, whether or not made up		
Of wool or fine animal hair		
Containing a total of more than 10 % by weight of silk or of waste silk other than noil		
Hand-made		
Other		
Other		
Of other textile materials		
Of silk, of waste silk other than noil, of synthetic fibres, of yarn of heading 5605 or of textile materials containing metal threads		
Hand-made		
Other		

Of other textile materials
Hand-made
Other
Carpets and other textile floor coverings, woven, not tufted or flocked, whether or not made up, including 'Kelem', 'Schumacks', 'Karamanie' and similar hand-woven rugs
'Kelem', 'Schumacks', 'Karamanie' and similar hand-woven rugs
Floor coverings of coconut fibres (coir)
Other, of pile construction, not made up
Of wool or fine animal hair
Axminster carpets
Other
Of man-made textile materials
Axminster carpets
Other
Of other textile materials
Of jute or of other textile bast fibres falling within heading 5303
Of sisal, of other fibres of the genus Agave or of Manila hemp
Of cotton
Other
Other, of pile construction, made up
Of wool or fine animal hair
Axminster carpets
Other
Of man-made textile materials
Axminster carpets
Other
Of other textile materials
Of jute or of other textile bast fibres falling within heading 5303
Of sisal, of other fibres of the genus Agave or of Manila hemp
Other
Other, not of pile construction, not made up
Of wool or fine animal hair
Of man-made textile materials
Of polypropylene
Other
Of other textile materials
Of jute or of other textile bast fibres falling within heading 5303
Of sisal, of other fibres of the genus Agave or of Manila hemp
Other
Other, not of pile construction, made up
Of wool or fine animal hair
Of man-made textile materials
Of polypropylene

Other
Of other textile materials
Of jute or of other textile bast fibres falling within heading 5303
Of sisal, of other fibres of the genus Agave or of Manila hemp
Other

Carpets and other textile floor coverings, tufted, whether or not made up
Of wool or fine animal hair
Of nylon or other polyamides
Printed
Tiles, having a maximum surface area of 1 m\$2
Other
Other
Tiles, having a maximum surface area of 1 m\$2
Other
Of other man-made textile materials
Of polypropylene
Tiles, having a maximum surface area of 1 m\$2
Other
Other
Tiles, having a maximum surface area of 1 m\$2
Other
Of other textile materials
Tiles, having a maximum surface area of 1 m\$2
Of jute or of other textile bast fibres falling within heading 5303
Other
Other
Of jute or of other textile bast fibres falling within heading 5303
Other

Carpets and other textile floor coverings, of felt, not tufted or flocked, whether or not made up
Tiles, having a maximum surface area of 0,3 m\$2
Other
Hand-made
Other

Other carpets and other textile floor coverings, whether or not made up
Of man-made textile materials
Hand-made
Other
Of other textile materials
Of sisal, of other fibres of the genus Agave or of Manila hemp

Hand-made
Other
Other
Hand-made
Other

SPECIAL WOVEN FABRICS; TUFTED TEXTILE FABRICS; LACE; TAPESTRIES; TRIMMINGS; EMBROIDERY
Woven pile fabrics and chenille fabrics, other than fabrics of heading 5802 or 5806
Of wool or fine animal hair
Of cotton
Uncut weft pile fabrics
Manufactured on handlooms
Other
Cut corduroy
Manufactured on handlooms
Other
Other weft pile fabrics
Manufactured on handlooms
Other
Chenille fabrics
Manufactured on handlooms
Other
Warp pile fabrics
Manufactured on handlooms
Other

Of man-made fibres
Uncut weft pile fabrics
Cut corduroy
Other weft pile fabrics
Chenille fabrics
Warp pile fabrics
Of other textile materials
Of flax
Other
Of silk, of noil silk or of other silk waste
Of ramie
Other

Terry towelling and similar woven terry fabrics, other than narrow fabrics of heading 5806; tufted textile fabrics, other than products of heading 5703
Terry towelling and similar woven terry fabrics, of cotton
Unbleached
Other
Terry towelling and similar woven terry fabrics, of other textile materials
Tufted textile fabrics

Gauze, other than narrow fabrics of heading 5806
Of cotton
Manufactured on handlooms
Other
Gauze of cotton, of a width of less than 1 500 mm
Other
Of silk or silk waste
Manufactured on handlooms
Other
Other
Of synthetic fibres
Of artificial fibres
Other
Tulles and other net fabrics, not including woven, knitted or crocheted fabrics; lace in the piece, in strips or in motifs, other than fabrics of headings 6002 to 6006
Tulles and other net fabrics
Plain
Other
Mechanically made lace
Of man-made fibres
Made on mechanical bobbin machines
Other
Of other textile materials
Made on mechanical bobbin machines
Other
Handmade lace

Hand-woven tapestries of the type Gobelins, Flanders, Aubusson, Beauvais and the like, and needle-worked tapestries (for example, petit point, cross stitch), whether or not made up
Narrow woven fabrics, other than goods of heading 5807; narrow fabrics consisting of warp without weft assembled by means of an adhesive (bolducs)
Woven pile fabrics (including terry towelling and similar terry fabrics) and chenille fabrics
Of silk, of noil silk or of other silk waste
Of other textile materials
Other woven fabrics, containing by weight 5 % or more of elastomeric yarn or rubber thread
Other woven fabrics
Of cotton
Of man-made fibres
With real selvages
Other
Of other textile materials
Of jute or of other textile bast fibres of heading 5303

Other

Fabrics consisting of warp without weft assembled by means of an adhesive (bolducs)
Of jute or of other textile bast fibres of heading 5303
Other

Labels, badges and similar articles of textile materials, in the piece, in strips or cut to shape or size, not embroidered
Woven
With woven inscription
Other
Other
Of felt or nonwovens
Of felt
Other
Other

Braids in the piece; ornamental trimmings in the piece, without embroidery, other than knitted or crocheted; tassels, pompons and similar articles
Braids, in the piece
Other

Woven fabrics of metal thread and woven fabrics of metallised yarn of heading 5605, of a kind used in apparel, as furnishing fabrics or for similar purposes, not elsewhere specified or included

Embroidery in the piece, in strips or in motifs
Embroidery without visible ground
Of a value exceeding € 35/kg (net weight)
Hand-made
Other
Other
Hand-made
Other

Other embroidery
Of cotton
Of a value exceeding € 17,50/kg (net weight)
Hand-made
Other
Other
Hand-made
Other

Of man-made fibres
Of a value exceeding € 17,50/kg (net weight)
Hand-made
Other
Other
Hand-made

Other

Of other textile materials
Of a value exceeding € 17,50/kg (net weight)
Hand-made
Other
Other
Hand-made
Other

Quilted textile products in the piece, composed of one or more layers of textile materials assembled with padding by stitching or otherwise, other than embroidery of heading 5810
Knitted or crocheted
Other
Of cotton
Of synthetic filaments
Of artificial filaments
Other

IMPREGNATED, COATED, COVERED OR LAMINATED TEXTILE FABRICS; TEXTILE ARTICLES OF A KIND SUITABLE FOR INDUSTRIAL USE
Textile fabrics coated with gum or amylaceous substances, of a kind used for the outer covers of books or the like; tracing cloth; prepared painting canvas; buckram and similar stiffened textile fabrics of a kind used for hat foundations
Textile fabrics coated with gum or amylaceous substances, of a kind used for the outer covers of books or the like
Other

Tyre cord fabric of high-tenacity yarn of nylon or other polyamides, polyesters or viscose rayon
Of nylon or other polyamides
Impregnated with rubber
Other
Of polyesters
Impregnated with rubber
Other
Other
Impregnated with rubber
Other

Textile fabrics impregnated, coated, covered or laminated with plastics, other than those of heading 5902
With poly(vinyl chloride)
Impregnated
Coated, covered or laminated
Knitted or woven fabrics, coated or covered on one side with artificial plastic material in which are embedded microspheres
Other

With polyurethane
Impregnated
Coated, covered or laminated
Knitted or woven fabrics, coated or covered on one side with artificial plastic material in which are embedded microspheres
Other

Other
Impregnated
Coated, covered or laminated
With cellulose derivatives or other plastics, with the fabric forming the right side
Other
Woven polytetrafluoroethylene fabric, coated or covered with a copolymer of tetrafluoroethylene and trifluoroethylene having perfluorinated alkoxy side-chains ending in carboxylic acid or sulphonic acid groups, whether or not in the potassium or sodium salt form
Knitted or woven fabrics, coated or covered on one side with artificial plastic material in which are embedded microspheres
Other

Linoleum, whether or not cut to shape; floor coverings consisting of a coating or covering applied on a textile backing, whether or not cut to shape
Linoleum
Other

Textile wall coverings
Consisting of parallel yarns, fixed on a backing of any material
Other
Of flax
Of jute
Of man-made fibres
Woven, of synthetic fibres (staple or waste)
Woven, of continuous artificial fibres
Woven, of artificial staple fibres
Nonwovens
Felt
Other
Other
Of other textile bast fibres of heading 5303
Of silk
Other

Rubberised textile fabrics, other than those of heading 5902
Adhesive tape of a width not exceeding 20 cm
Other

Knitted or crocheted
Other
Fabrics mentioned in note 4(c) to this chapter
Other
Rubberised textile fabric, consisting of warp yarns of polyamide-6,6 and weft yarns of polyamide-6,6, polyurethane and a copolymer of terephthalic acid, p-phenylenediamine and 3,4'-oxybis(phenyleneamine)
Other

Textile fabrics otherwise impregnated, coated or covered; painted canvas being theatrical scenery, studio backcloths or the like

Textile fabrics, coated with adhesive in which are embedded spheres of a diameter not exceeding 150|µm

Other

Textile wicks, woven, plaited or knitted, for lamps, stoves, lighters, candles or the like; incandescent gas mantles and tubular knitted gas-mantle fabric therefor, whether or not impregnated

Textile hosepiping and similar textile tubing, with or without lining, armour or accessories of other materials

Of synthetic fibres

Of other textile materials

Transmission or conveyor belts or belting, of textile material, whether or not impregnated, coated, covered or laminated with plastics, or reinforced with metal or other material

Textile products and articles, for technical uses, specified in note|7|to this chapter

Textile fabrics, felt and felt-lined woven fabrics, coated, covered or laminated with rubber, leather or other material, of a kind used for card clothing, and similar fabrics of a kind used for other technical purposes, including narrow fabrics made of velvet impregnated with rubber, for covering weaving spindles (weaving beams)

Needle-punched synthetic-fibre felts, not containing polyester, whether or not containing catalytic particles entrapped within the synthetic fibres, coated or covered on one side with polytetrafluoroethylene film, for the manufacture of filtration products

Other

Bolting cloth, whether or not made up

Of silk

Of other textile materials

Textile fabrics and felts, endless or fitted with linking devices, of a kind used in paper-making or similar machines (for example, for pulp or asbestos-cement)

Weighing less than 650|g/m\$2

Of silk or man-made fibres

Woven fabrics, of a kind used in papermaking machines (for example, forming fabrics)

Other

Of other textile materials

Weighing 650|g/m\$2|or more

Of silk or man-made fibres

Woven fabrics having a batt layer needled on them, of a kind used in papermaking machines (for example, press felts)

Other

Of other textile materials

Straining cloth of a kind used in oil-presses or the like, including that of human hair

Other

Of felt

Other

Parts of equipment for the purification of water by reverse osmosis, consisting essentially of plastic-based membranes, supported internally by woven or non-woven textile materials which are wound round a perforated tube, and enclosed in a cylindrical plastic casing of a wall-thickness of not more than 4|mm, whether or not housed in a cylinder of a wall-thickness of 5|mm or more

Multi-layered non-woven polyester polishing pads, impregnated with polyurethane

Self-adhesive circular polishing pads of a kind used for the manufacture of semiconductor wafers

Other

KNITTED OR CROCHETED FABRICS

Pile fabrics, including 'long pile' fabrics and terry fabrics, knitted or crocheted

'Long pile' fabrics

Of synthetic fibres

Of wool or fine animal hair, of cotton or of artificial fibres

Other

Looped pile fabrics

Of cotton

Of man-made fibres

Of other textile materials

Of wool or fine animal hair

Other

Other

Of cotton

Of man-made fibres

Of other textile materials

Of wool or fine animal hair

Other

Knitted or crocheted fabrics of a width not exceeding 30|cm, containing by weight 5|% or more of elastomeric yarn or rubber thread, other than those of heading|6001

Containing by weight 5|% or more of elastomeric yarn, but not containing rubber thread

Of synthetic fibres

Other

Of wool, of cotton or artificial fibres

Other

Other

Knitted or crocheted fabrics of a width not exceeding 30|cm, other than those of heading|6001|or 6002

Of wool or fine animal hair

Of cotton

Of synthetic fibres

Raschel lace

Other

Of artificial fibres

Other

Knitted or crocheted fabrics of a width exceeding 30|cm, containing by weight 5|% or more of elastomeric yarn or rubber thread, other than those of heading|6001

Containing by weight 5|% or more of elastomeric yarn, but not containing rubber thread

Of synthetic fibres

Other

Of wool, of cotton or artificial fibres

Other

Other

Warp knit fabrics (including those made on galloon knitting machines), other than those of headings|6001|to 6004

Of cotton

Unbleached or bleached

Dyed

Of yarns of different colours

Printed

Of synthetic fibres

Unbleached or bleached

For curtains, including net curtain fabric

Raschel lace, other than for curtains or net curtain fabric

Other

Dyed

For curtains, including net curtain fabric

Raschel lace, other than for curtains or net curtain fabric

Other

Of yarns of different colours

For curtains, including net curtain fabric

Raschel lace, other than for curtains or net curtain fabric

Other

Printed
For curtains, including net curtain fabric
Raschel lace, other than for curtains or net curtain fabric
Other
Of artificial fibres
Unbleached or bleached
Dyed
Of yarns of different colours
Printed
Other
Of wool or fine animal hair
Other
Other knitted or crocheted fabrics
Of wool or fine animal hair
Of cotton
Unbleached or bleached
Dyed
Of yarns of different colours
Printed
Of synthetic fibres
Unbleached or bleached
For curtains, including net curtain fabric
Other
Dyed
For curtains, including net curtain fabric
Other
Of yarns of different colours
For curtains, including net curtain fabric
Other
Printed
For curtains, including net curtain fabric
Other
Of artificial fibres
Unbleached or bleached
Dyed
Of yarns of different colours
Printed
Other

ARTICLES OF APPAREL AND CLOTHING ACCESSORIES, KNITTED OR CROCHETED
Men's or boys' overcoats, car coats, capes, cloaks, anoraks (including ski jackets), windcheaters, wind-jackets and similar articles, knitted or crocheted, other than those of heading]6103
Of cotton

Overcoats, car coats, capes, cloaks and similar articles
Anoraks (including ski jackets), windcheaters, wind-jackets and similar articles
Of man-made fibres
Overcoats, car coats, capes, cloaks and similar articles
Anoraks (including ski jackets), windcheaters, wind-jackets and similar articles
Of other textile materials
Overcoats, car coats, capes, cloaks and similar articles
Of wool or fine animal hair
Hand-made ponchos of fine animal hair
Other
Other
Anoraks (including ski jackets), windcheaters, wind-jackets and similar articles
Of wool or fine animal hair
Other

Women's or girls' overcoats, car coats, capes, cloaks, anoraks (including ski jackets), windcheaters, wind-jackets and similar articles, knitted or crocheted, other than those of heading]6104
Of wool or fine animal hair
Overcoats, car coats, capes, cloaks and similar articles
Hand-made ponchos of fine animal hair
Other
Anoraks (including ski jackets), windcheaters, wind-jackets and similar articles
Of cotton
Overcoats, car coats, capes, cloaks and similar articles
Anoraks (including ski jackets), windcheaters, wind-jackets and similar articles
Of man-made fibres
Overcoats, car coats, capes, cloaks and similar articles
Anoraks (including ski jackets), windcheaters, wind-jackets and similar articles
Of other textile materials
Overcoats, car coats, capes, cloaks and similar articles
Anoraks (including ski jackets), windcheaters, wind-jackets and similar articles

Men's or boys' suits, ensembles, jackets, blazers, trousers, bib and brace overalls, breeches and shorts (other than swimwear), knitted or crocheted
Suits

Of wool or fine animal hair
Of other textile materials
Ensembles
Of cotton
Of synthetic fibres
Of other textile materials
Jackets and blazers
Of wool or fine animal hair
Of cotton
Of synthetic fibres
Of other textile materials
Of artificial fibres
Other
Trousers, bib and brace overalls, breeches and shorts
Of wool or fine animal hair
Of cotton
Of synthetic fibres
Of other textile materials
Trousers and breeches
Other
Of artificial fibres
Other

Women's or girls' suits, ensembles, jackets, blazers, dresses, skirts, divided skirts, trousers, bib and brace overalls, breeches and shorts (other than swimwear), knitted or crocheted
Suits
Of synthetic fibres
Of other textile materials
Of cotton
Of other textile materials
Of artificial fibres
Of wool or fine animal hair
Other

Ensembles
Of cotton
Of synthetic fibres
Of other textile materials
Of wool or fine animal hair
Of other textile materials
Of artificial fibres
Other

Jackets and blazers
Of wool or fine animal hair
Of cotton
Of synthetic fibres
Of other textile materials
Of artificial fibres
Other

Dresses
Of wool or fine animal hair
Of cotton
Of synthetic fibres
Of artificial fibres
Of other textile materials

Skirts and divided skirts
Of wool or fine animal hair
Of cotton
Of synthetic fibres
Of other textile materials

Trousers, bib and brace overalls, breeches and shorts
Of wool or fine animal hair
Of cotton
Of synthetic fibres
Of other textile materials
Trousers and breeches
Other
Of artificial fibres
Other

Men's or boys' shirts, knitted or crocheted
Of cotton
Of man-made fibres
Of synthetic fibres
Of artificial fibres
Of other textile materials
Of wool or fine animal hair
Of other textile materials

Women's or girls' blouses, shirts and shirt-blouses, knitted or crocheted
Of cotton
Of man-made fibres
Of other textile materials
Of wool or fine animal hair
Of silk or silk waste
Of flax or of ramie
Of other textile materials

Men's or boys' underpants, briefs, nightshirts, pyjamas, bathrobes, dressing gowns and similar articles, knitted or crocheted
Underpants and briefs
Of cotton
Of man-made fibres
Of other textile materials
Nightshirts and pyjamas
Of cotton
Of man-made fibres
Of other textile materials

Other
Of cotton
Of other textile materials
Of wool or fine animal hair
Of man-made fibres
Other

Women's or girls' slips, petticoats, briefs, panties, nightdresses, pyjamas, négligés, bathrobes, dressing gowns and similar articles, knitted or crocheted
Slips and petticoats
Of man-made fibres
Of other textile materials

Briefs and panties
Of cotton
Of man-made fibres
Of other textile materials

Nightdresses and pyjamas
Of cotton
Of man-made fibres
Of other textile materials

Other
Of cotton
Of man-made fibres
Of other textile materials
Of wool or fine animal hair
Other

T-shirts, singlets and other vests, knitted or crocheted
Of cotton
T-shirts
Other

Of other textile materials
Of wool or fine animal hair or man-made fibres
Of other textile materials

Jerseys, pullovers, cardigans, waistcoats and similar articles, knitted or crocheted
Of wool or fine animal hair
Of wool
Jerseys and pullovers, containing at least 50[% by weight of wool and weighing 600[g or more per article
Other
Men's or boys'
Women's or girls'
Of Kashmir (cashmere) goats
Men's or boys'
Hand-made jerseys, pullovers (with or without sleeves)
Other
Women's or girls'

Hand-made jerseys, pullovers (with or without sleeves)
Other

Other
Men's or boys'
Hand-made jerseys, pullovers (with or without sleeves)
Other
Women's or girls'
Hand-made jerseys, pullovers (with or without sleeves)
Other

Of cotton
Lightweight fine knit roll, polo or turtleneck jumpers and pullovers
Other
Men's or boys'
Women's or girls'

Of man-made fibres
Lightweight fine knit roll, polo or turtleneck jumpers and pullovers
Other
Men's or boys'
Women's or girls'

Of other textile materials
Of flax or ramie
Of other textile materials
Womens' or girls' pullovers of silk or of silk waste
Other

Babies' garments and clothing accessories, knitted or crocheted
Of cotton
Gloves, mittens and mitts
Other
Of synthetic fibres
Gloves, mittens and mitts
Other
Of other textile materials
Of wool or fine animal hair
Gloves, mittens and mitts
Other
Of other textile materials
Of artificial fibres
Gloves, mittens and mitts
Other
Other

Tracksuits, ski suits and swimwear, knitted or crocheted
Tracksuits
Of cotton

Of synthetic fibres
Of other textile materials

Ski suits

Men's or boys' swimwear
Of synthetic fibres
Containing by weight 5% or more of rubber thread
Other
Of other textile materials
Containing by weight 5% or more of rubber thread
Other

Women's or girls' swimwear
Of synthetic fibres
Containing by weight 5% or more of rubber thread
Other
Of other textile materials
Containing by weight 5% or more of rubber thread
Other

Garments, made up of knitted or crocheted fabrics of heading 5903, 5906 or 5907
Of knitted or crocheted fabrics of heading 5906
Other

Other garments, knitted or crocheted
Of cotton
Of man-made fibres
Of other textile materials
Of wool or fine animal hair
Other

Pantyhose, tights, stockings, socks and other hosiery, including graduated compression hosiery (for example, stockings for varicose veins) and footwear without applied soles, knitted or crocheted
Graduated compression hosiery (for example, stockings for varicose veins)
Of synthetic fibres
Other
Other pantyhose and tights
Of synthetic fibres, measuring per single yarn less than 67 decitex
Of synthetic fibres, measuring per single yarn 67 decitex or more
Of other textile materials
Other women's full-length or knee-length hosiery, measuring per single yarn less than 67 decitex
Of synthetic fibres
Knee-length stockings
Other
Of other textile materials
Other

Of wool or fine animal hair
Of cotton
Of synthetic fibres
Knee-length stockings
Other
Women's stockings
Other
Of other textile materials

Gloves, mittens and mitts, knitted or crocheted
Impregnated, coated or covered with plastics or rubber
Gloves impregnated, coated or covered with rubber
Other
Other
Of wool or fine animal hair
Of cotton
Of synthetic fibres
Of other textile materials

Other made-up clothing accessories, knitted or crocheted; knitted or crocheted parts of garments or of clothing accessories
Shawls, scarves, mufflers, mantillas, veils and the like
Other accessories
Knitted or crocheted, elasticated or rubberised
Other
Parts

ARTICLES OF APPAREL AND CLOTHING ACCESSORIES, NOT KNITTED OR CROCHETED
Men's or boys' overcoats, car coats, capes, cloaks, anoraks (including ski jackets), windcheaters, wind-jackets and similar articles, other than those of heading 6203
Overcoats, raincoats, car coats, capes, cloaks and similar articles
Of wool or fine animal hair
Hand-made ponchos
Other
Of cotton
Of a weight, per garment, not exceeding 1 kg
Parkas
Other
Of a weight, per garment, exceeding 1 kg
Parkas
Other
Of man-made fibres
Of a weight, per garment, not exceeding 1 kg
Parkas

Other
Of a weight, per garment, exceeding 1 kg
Parkas
Other
Of other textile materials
Other
Of wool or fine animal hair
Of cotton
Hand-printed by the "batik" method
Other
Of man-made fibres
Of other textile materials
Hand-printed by the "batik" method
Other

Women's or girls' overcoats, car coats, capes, cloaks, anoraks (including ski jackets), windcheaters, wind-jackets and similar articles, other than those of heading 6204
Overcoats, raincoats, car coats, capes, cloaks and similar articles
Of wool or fine animal hair
Hand-made ponchos
Hand-made capes of wool
Other
Of cotton
Of a weight, per garment, not exceeding 1 kg
Parkas
Other
Of a weight, per garment, exceeding 1 kg
Parkas
Other
Of man-made fibres
Of a weight, per garment, not exceeding 1 kg
Parkas
Other
Of a weight, per garment, exceeding 1 kg
Parkas
Other
Of other textile materials

Other
Of wool or fine animal hair
Of cotton
Hand-printed by the "batik" method
Other
Of man-made fibres
Of other textile materials

Hand-printed by the "batik" method
Other

Men's or boys' suits, ensembles, jackets, blazers, trousers, bib and brace overalls, breeches and shorts (other than swimwear)

Suits

Of wool or fine animal hair
Of synthetic fibres
Of other textile materials
Of cotton
Of artificial fibres
Of other textile materials

Ensembles

Of cotton
Industrial and occupational
Other
Of synthetic fibres
Industrial and occupational
Other
Of other textile materials
Of artificial fibres
Industrial and occupational
Other
Of wool or fine animal hair
Of other textile materials

Jackets and blazers

Of wool or fine animal hair
Of cotton
Industrial and occupational
Other
Of synthetic fibres
Industrial and occupational
Other
Of other textile materials
Of artificial fibres
Industrial and occupational
Other
Of other textile materials

Trousers, bib and brace overalls, breeches and shorts

Of wool or fine animal hair
Trousers and breeches
Bib and brace overalls
Other
Of cotton
Trousers and breeches
Industrial and occupational
Other
Of denim
Of cut corduroy

Other
Bib and brace overalls
Industrial and occupational
Other
Other

Of synthetic fibres

Trousers and breeches
Industrial and occupational
Other
Bib and brace overalls
Industrial and occupational
Other
Other

Of other textile materials

Of artificial fibres
Trousers and breeches
Industrial and occupational
Other
Bib and brace overalls
Industrial and occupational
Other
Other
Of other textile materials

Women's or girls' suits, ensembles, jackets, blazers, dresses, skirts, divided skirts, trousers, bib and brace overalls, breeches and shorts (other than swimwear)

Suits

Of wool or fine animal hair
Of cotton
Hand-printed by the "batik" method
Other
Of synthetic fibres
Of other textile materials
Of artificial fibres
Of other textile materials

Ensembles

Of wool or fine animal hair
Of cotton
Industrial and occupational
Other
Hand-printed by the "batik" method
Other
Of synthetic fibres
Industrial and occupational
Other
Of other textile materials
Of artificial fibres

Industrial and occupational
Other
Of other textile materials
Hand-printed by the "batik" method
Other

Jackets and blazers

Of wool or fine animal hair
Of cotton
Industrial and occupational
Other
Hand-printed by the "batik" method
Other

Of synthetic fibres

Industrial and occupational
Other

Of other textile materials

Of artificial fibres
Industrial and occupational
Other
Of other textile materials
Hand-printed by the "batik" method
Other

Dresses

Of wool or fine animal hair
Of cotton
Hand-printed by the "batik" method
Other
Of synthetic fibres
Of artificial fibres
Hand-printed by the "batik" method
Other
Of other textile materials
Of silk or silk waste
Of other textile materials
Hand-printed by the "batik" method
Other

Skirts and divided skirts

Of wool or fine animal hair
Of wool
Hand-made
Other
Other
Of cotton
Hand-printed by the "batik" method
Other

Of synthetic fibres
Hand-printed by the "batik" method
Other

Of other textile materials
Of artificial fibres
Hand-printed by the "batik" method
Other

Of other textile materials
Hand-printed by the "batik" method
Other

Trousers, bib and brace overalls, breeches and shorts
Of wool or fine animal hair
Trousers and breeches
Other

Of cotton
Trousers and breeches
Industrial and occupational
Other
Of denim
Hand-printed by the "batik" method
Other
Of cut corduroy
Hand-printed by the "batik" method
Other
Other
Hand-printed by the "batik" method
Other

Bib and brace overalls
Industrial and occupational
Other
Hand-printed by the "batik" method
Other

Other
Hand-printed by the "batik" method
Other

Of synthetic fibres
Trousers and breeches
Industrial and occupational
Other
Hand-printed by the "batik" method
Other

Bib and brace overalls
Industrial and occupational

Other
Hand-printed by the "batik" method
Other

Other
Hand-printed by the "batik" method
Other

Of other textile materials
Of artificial fibres
Trousers and breeches
Industrial and occupational
Other
Hand-printed by the "batik" method
Other

Bib and brace overalls
Industrial and occupational
Other
Hand-printed by the "batik" method
Other

Other
Hand-printed by the "batik" method
Other

Of other textile materials
Hand-printed by the "batik" method
Other

Men's or boys' shirts
Of cotton
Hand-printed by the "batik" method
Other

Of man-made fibres

Of other textile materials
Of flax or ramie
Hand-printed by the "batik" method
Other

Of other textile materials
Of wool or fine animal hair
Other

Women's or girls' blouses, shirts and shirt-blouses
Of silk or silk waste
Of wool or fine animal hair

Of cotton
Hand-printed by the "batik" method
Other

Of man-made fibres

Of other textile materials
Of flax or ramie
Hand-printed by the "batik" method
Other

Of other textile materials

Men's or boys' singlets and other vests, underpants, briefs, nightshirts, pyjamas, bathrobes, dressing gowns and similar articles
Underpants and briefs
Of cotton
Of other textile materials

Nightshirts and pyjamas
Of cotton
Of man-made fibres
Of other textile materials

Other
Of cotton
Bathrobes, dressing gowns and similar articles of terry towelling and similar woven terry fabrics
Other
Hand-printed by the "batik" method
Other

Of other textile materials
Of man-made fibres

Of other textile materials
Hand-printed by the "batik" method
Other

Women's or girls' singlets and other vests, slips, petticoats, briefs, panties, nightdresses, pyjamas, négligés, bathrobes, dressing gowns and similar articles
Slips and petticoats
Of man-made fibres
Of other textile materials

Nightdresses and pyjamas
Of cotton
Of man-made fibres
Of other textile materials

Other
Of cotton
Négligés, bathrobes, dressing gowns and similar articles
Of terry towelling and similar woven terry fabrics
Other
Hand-printed by the "batik" method
Other

Other

Of man-made fibres
Of other textile materials
Hand-printed by the "batik" method
Other

Babies' garments and clothing accessories
Of cotton
Gloves, mittens and mitts
Stockings, socks and sockettes
Other
Of synthetic fibres
Gloves, mittens and mitts
Stockings, socks and sockettes
Other
Of other textile materials
Of wool or fine animal hair
Gloves, mittens and mitts
Stockings, socks and sockettes
Other
Of other textile materials
Gloves, mittens and mitts
Stockings, socks and sockettes
Other

Garments, made up of fabrics of heading 5602, 5603, 5903, 5906 or 5907
Of fabrics of heading 5602 or 5603
Of fabrics of heading 5602
Of fabrics of heading 5603
Single-use gowns, of a kind used by patients or surgeons during surgical procedures
Other
Other garments, of the type described in subheadings 6201 11 to 6201 19
Other garments, of the type described in subheadings 6202 11 to 6202 19
Other men's or boys' garments
Other women's or girls' garments

Tracksuits, ski suits and swimwear; other garments
Swimwear
Men's or boys'
Women's or girls'
Ski suits
Of wool or fine animal hair, of cotton or of man-made fibres
Other
Other garments, men's or boys'
Of cotton
Industrial and occupational clothing
Tracksuits with lining
With an outer shell of a single identical fabric

Other
Upper parts
Lower parts
Other
Of man-made fibres
Industrial and occupational clothing
Tracksuits with lining
With an outer shell of a single identical fabric
Other
Upper parts
Lower parts
Other
Of other textile materials
Of wool or fine animal hair
Other
Other garments, women's or girls'
Of cotton
Aprons, overalls, smock-overalls and other industrial and occupational clothing (whether or not also suitable for domestic use)
Tracksuits with lining
With an outer shell of a single identical fabric
Other
Upper parts
Lower parts
Other
Of man-made fibres
Aprons, overalls, smock-overalls and other industrial and occupational clothing (whether or not also suitable for domestic use)
Tracksuits with lining
With an outer shell of a single identical fabric
Other
Upper parts
Lower parts
Other
Of other textile materials
Brassières, girdles, corsets, braces, suspenders, garters and similar articles and parts thereof, whether or not knitted or crocheted
Brassières
In a set made up for retail sale containing a brassière and a pair of briefs
Other
Girdles and panty girdles
Corselettes
Other

Handkerchiefs
Of cotton
Hand-made
Other
Of other textile materials
Of silk or silk waste
Other
Shawls, scarves, mufflers, mantillas, veils and the like
Of silk or silk waste
Hand-made
Other
Of wool or fine animal hair
Hand-made
Other
Of synthetic fibres
Hand-made
Other
Of artificial fibres
Hand-made
Other
Of other textile materials
Of cotton
Hand-made
Other
Other
Hand-made
Other
Ties, bow ties and cravats
Of silk or silk waste
Hand-made
Other
Of man-made fibres
Hand-made
Other
Of other textile materials
Hand-made
Other
Gloves, mittens and mitts
Other made-up clothing accessories; parts of garments or of clothing accessories, other than those of heading 6212
Accessories
Hand-made
Other
Parts
OTHER MADE-UP TEXTILE ARTICLES; SETS; WORN CLOTHING AND WORN TEXTILE ARTICLES; RAGS
I. OTHER MADE-UP TEXTILE ARTICLES

Blankets and travelling rugs

Electric blankets
Blankets (other than electric blankets) and travelling rugs, of wool or of fine animal hair
Knitted or crocheted
Other
Hand-made
Other

Blankets (other than electric blankets) and travelling rugs, of cotton
Knitted or crocheted
Other
Hand-made
Other

Blankets (other than electric blankets) and travelling rugs, of synthetic fibres
Knitted or crocheted
Other
Nonwovens
Other
Hand-made
Other

Other blankets and travelling rugs
Knitted or crocheted
Other
Nonwovens
Other
Hand-made
Of artificial fibres
Other
Other
Of artificial fibres
Other

Bedlinen, table linen, toilet linen and kitchen linen

Bedlinen, knitted or crocheted
Other bedlinen, printed
Of cotton
Manufactured on handlooms
Hand-printed by the "batik" method
Other
Other
Hand-printed by the "batik" method
Other
Of man-made fibres
Nonwovens
Other
Mixed with cotton
Manufactured on handlooms

Other
Other
Of other textile materials
Of flax or ramie
Of other textile materials

Other bedlinen
Of cotton
Manufactured on handlooms
Other
Of man-made fibres
Nonwovens
Other
Mixed with cotton
Manufactured on handlooms
Other
Other
Of other textile materials
Of flax or ramie
Of other textile materials

Table linen, knitted or crocheted
Other table linen
Of cotton
Hand-printed by the "batik" method
Other
Of man-made fibres
Nonwovens
Other
Of other textile materials
Of flax
Other
Of ramie
Other

Toilet linen and kitchen linen, of terry towelling or similar terry fabrics, of cotton
Knitted or crocheted
Other

Other
Of cotton
Hand-printed by the "batik" method
Other
Of man-made fibres
Nonwovens
Other
Of other textile materials
Of flax
Other
Of ramie
Other

Knitted or crocheted
Of synthetic fibres
Of other textile materials

Curtains (including drapes) and interior blinds; curtain or bed valances

Knitted or crocheted
Of synthetic fibres
Of other textile materials
Other
Of cotton
Net curtains
Other
Hand-printed by the "batik" method
Other
Of synthetic fibres
Nonwovens
Other
Net curtains
Other

Of other textile materials
Nonwovens
Other
Of flax or ramie
Other
Net curtains
Curtains (including drapes) of wool
Hand-made
Other
Other

Other furnishing articles, excluding those of heading9404

Bedspreads
Knitted or crocheted
Other
Of cotton
Hand-printed by the "batik" method
Other
Of flax or ramie
Of other textile materials
Nonwovens
Other
Of wool or man-made fibres
Other

Other
Knitted or crocheted
Not knitted or crocheted, of cotton
Hand-printed by the "batik" method
Other
Not knitted or crocheted, of synthetic fibres

Nonwovens
Other

Not knitted or crocheted, of other textile materials
Of flax or of ramie
Other
Nonwovens
Other
Of wool or artificial fibres
Other

Sacks and bags, of a kind used for the packing of goods
Of jute or of other textile bast fibres of heading 5303
Used
Other

Of cotton
Knitted or crocheted
Other

Of man-made textile materials
Flexible intermediate bulk containers
Of polyethylene or polypropylene strip or the like
Knitted or crocheted
Other
Other
Nonwovens
Other
Knitted or crocheted
Other

Other, of polyethylene or polypropylene strip or the like
Knitted or crocheted
Other

Other
Nonwovens
Other
Knitted or crocheted
Other

Of other textile materials
Knitted or crocheted
Sacks and bags, of a kind used for the packing of goods, used, of flax or of sisal
Other
Other
used, of flax
Other

Tarpaulins, awnings and sunblinds; tents; sails for boats, sailboards or landcraft; camping goods

Tarpaulins, awnings and sunblinds
Of synthetic fibres
Of other textile materials

Tents
Of synthetic fibres
Of other textile materials

Sails

Pneumatic mattresses

Other
Of cotton
Hammocks, hand-made
Other
Of other textile materials

Other made-up articles, including dress patterns
Floorcloths, dishcloths, dusters and similar cleaning cloths
Knitted or crocheted
Nonwovens
Other
Hand-made
Other

Life jackets and lifebelts

Other
Knitted or crocheted
Other
Of felt
Other
Single-use drapes made up of fabrics of heading 5603, of a kind used during surgical procedures
Other
Nonwovens
Other
Hand-made
Other

II. SETS

Sets consisting of woven fabric and yarn, whether or not with accessories, for making up into rugs, tapestries, embroidered tablecloths or serviettes, or similar textile articles, put up in packings for retail sale
Of cotton
Of synthetic fibres (staple or waste)
Other

III. WORN CLOTHING AND WORN TEXTILE ARTICLES; RAGS
--

Worn clothing and other worn articles

Used or new rags, scrap twine, cordage, rope and cables and worn-out articles of twine, cordage, rope or cables, of textile materials
Sorted

Other

FOOTWEAR, GAITERS AND THE LIKE; PARTS OF SUCH ARTICLES
Waterproof footwear with outer soles and uppers of rubber or of plastics, the uppers of which are neither fixed to the sole nor assembled by stitching, riveting, nailing, screwing, plugging or similar processes
Footwear incorporating a protective metal toecap
Other footwear
Covering the ankle but not covering the knee
With uppers of rubber
With uppers of plastics
Other
Covering the knee
Other

Other footwear with outer soles and uppers of rubber or plastics
Sports footwear
Ski-boots, cross-country ski footwear and snowboard boots
Ski-boots and cross-country ski footwear
Snowboard boots
Other

Footwear with upper straps or thongs assembled to the sole by means of plugs
Other footwear
Covering the ankle
Incorporating a protective metal toecap
Other

Other
Incorporating a protective metal toecap
Other
With uppers of rubber
With uppers of plastics
Footwear with a vamp made of straps or which has one or several pieces cut out
With sole and heel combined having a height of more than 3 cm
Other
Slippers and other indoor footwear
Other, with insoles of a length
Of less than 24 cm
Of 24 cm or more
Footwear which cannot be identified as men's or women's footwear
Other
For men
For women

Footwear with outer soles of rubber, plastics, leather or composition leather and uppers of leather

Sports footwear

Ski-boots, cross-country ski footwear and snowboard boots

Other

Footwear with outer soles of leather, and uppers which consist of leather straps across the instep and around the big toe

Other footwear, incorporating a protective metal toecap

Other footwear with outer soles of leather

Covering the ankle

Made on a base or platform of wood, not having an inner sole

Hand-made

Other

Other

Covering the ankle but no part of the calf, with insoles of a length

Of less than 24|cm

Of 24|cm or more

For men

For women

Other, with insoles of a length

Of less than 24|cm

Of 24|cm or more

For men

For women

Other

Made on a base or platform of wood, not having an inner sole

Hand-made

Other

Other

Footwear with a vamp made of straps or which has one or several pieces cut out

With sole and heel combined having a height of more than 3|cm

Other, with insoles of a length

Of less than 24|cm

Of 24|cm or more

For men

For women

Slippers and other indoor footwear

Other, with insoles of a length

Of less than 24|cm

Of 24|cm or more

For men

For women

Other footwear

Covering the ankle

Made on a base or platform of wood, not having an inner sole

Hand-made

Other

Other

Covering the ankle but no part of the calf, with insoles of a length

Of less than 24|cm

Of 24|cm or more

Footwear which cannot be identified as men's or women's footwear

Other

For men

For women

Other, with insoles of a length

Of less than 24|cm

Of 24|cm or more

Footwear which cannot be identified as men's or women's footwear

Other

For men

For women

Other

Made on a base or platform of wood, not having an inner sole

Hand-made

Other

Other

Footwear with a vamp made of straps or which has one or several pieces cut out

With sole and heel combined having a height of more than 3|cm

Other, with insoles of a length

Of less than 24|cm

Of 24|cm or more

Footwear which cannot be identified as men's or women's footwear

Other

For men

For women

Slippers and other indoor footwear

Other, with insoles of a length

Of less than 24|cm

Of 24|cm or more

Footwear which cannot be identified as men's or women's footwear

Other

For men

For women

Footwear with outer soles of rubber, plastics, leather or composition leather and uppers of textile materials

Footwear with outer soles of rubber or plastics

Sports footwear; tennis shoes, basketball shoes, gym shoes, training shoes and the like

Other

Slippers and other indoor footwear

Other

Footwear with outer soles of leather or composition leather

Slippers and other indoor footwear

Other

Other footwear

With uppers of leather or composition leather

With uppers of textile materials

With outer soles of wood or cork

With outer soles of other materials

Slippers and other indoor footwear

Other

Other

With outer soles of rubber, plastics, leather or composition leather

With outer soles of other materials

Parts of footwear (including uppers whether or not attached to soles other than outer soles); removable insoles, heel cushions and similar articles; gaiters, leggings and similar articles, and parts thereof

Uppers and parts thereof, other than stiffeners

Of leather

Hand-made

Other

Of other materials

Hand-made

Other

Outer soles and heels, of rubber or plastics

Of rubber

Hand-made

Other

Of plastics

Hand-made

Other

Other

Assemblies of uppers affixed to inner soles or to other sole components, but without outer soles

Hand-made

Other

Removable insoles and other removable accessories

Hand-made

Other

Outer soles of leather or composition leather

Hand-made

Other

Other

Gaiters, leggings and similar articles and parts thereof

Other

Hand-made

Other

HEADGEAR AND PARTS THEREOF

Hat-forms, hat bodies and hoods of felt, neither blocked to shape nor with made brims; plateaux and manchons (including slit manchons), of felt

Hat-shapes, plaited or made by assembling strips of any material, neither blocked to shape, nor with made brims, nor lined, nor trimmed

Hats and other headgear, plaited or made by assembling strips of any material, whether or not lined or trimmed

Hats and other headgear, knitted or crocheted, or made up from lace, felt or other textile fabric, in the piece (but not in strips), whether or not lined or trimmed; hairnets of any material, whether or not lined or trimmed

Of fur felt or of felt of wool and fur, made from the hat bodies, hoods or plateaux of heading|6501|00|00

Other

Peaked caps

Other

Berets, in wool, hand-made

Other

Other headgear, whether or not lined or trimmed

Safety headgear

Of plastics

Of other materials

Other

Of rubber or of plastics

Of other materials

Of fur felt or of felt of wool and fur, made from the hat bodies, hoods or plateaux of heading|6501|00|00

Other

Headbands, linings, covers, hat foundations, hat frames, peaks and chinstraps, for headgear

UMBRELLAS, SUN UMBRELLAS, WALKING STICKS, SEAT-STICKS, WHIPS, RIDING-CROPS AND PARTS THEREOF

Umbrellas and sun umbrellas (including walking-stick umbrellas, garden umbrellas and similar umbrellas)

Garden or similar umbrellas

Other

Having a telescopic shaft

Other

With a cover of woven textile materials

Other

Walking sticks, seat-sticks, whips, riding-crops and the like

Hand-made

Other

Parts, trimmings and accessories of articles of heading|6601|or 6602

Umbrella frames, including frames mounted on shafts (sticks)

Other

Handles and knobs

Other

PREPARED FEATHERS AND DOWN AND ARTICLES MADE OF FEATHERS OR OF DOWN; ARTIFICIAL FLOWERS; ARTICLES OF HUMAN HAIR

Skins and other parts of birds with their feathers or down, feathers, parts of feathers, down and articles thereof (other than goods of heading|0505|and worked quills and scapes)

Artificial flowers, foliage and fruit and parts thereof; articles made of artificial flowers, foliage or fruit

Of plastics

Of other materials

Human hair, dressed, thinned, bleached or otherwise worked; wool or other animal hair or other textile materials, prepared for use in making wigs or the like

Wigs, false beards, eyebrows and eyelashes, switches and the like, of human or animal hair or of textile materials; articles of human hair not elsewhere specified or included

Of synthetic textile materials

Complete wigs

Other

Of human hair

Of other materials

ARTICLES OF STONE, PLASTER, CEMENT, ASBESTOS, MICA OR SIMILAR MATERIALS

Setts, curbstones and flagstones, of natural stone (except slate)

Worked monumental or building stone (except slate) and articles thereof, other than goods of heading|6801; mosaic cubes

and the like, of natural stone (including slate), whether or not on a backing; artificially coloured granules, chippings and powder, of natural stone (including slate)

Tiles, cubes and similar articles, whether or not rectangular (including square), the largest surface area of which is capable of being enclosed in a square the side of which is less than 7|cm; artificially coloured granules, chippings and powder

Other monumental or building stone and articles thereof, simply cut or sawn, with a flat or even surface

Marble, travertine and alabaster

Granite

Other stone

Other

Marble, travertine and alabaster

Hand-made, carved

Other

Other calcareous stone

Hand-made, carved

Other

Granite

Polished, decorated or otherwise worked, but not carved, of a net weight of 10|kg or more

Other

Hand-made, carved

Other

Other stone

Polished, decorated or otherwise worked, but not carved, of a net weight of 10|kg or more

Other

Hand-made, carved

Other

Worked slate and articles of slate or of agglomerated slate

Roofing and wall slates

Other

Millstones, grindstones, grinding wheels and the like, without frameworks, for grinding, sharpening, polishing, trueing or cutting, hand sharpening or polishing stones, and parts thereof, of natural stone, of agglomerated natural or artificial abrasives, or of ceramics, with or without parts of other materials

Millstones and grindstones for milling, grinding or pulping

Other millstones, grindstones, grinding wheels and the like

Of agglomerated synthetic or natural diamond

Discs -|of synthetic diamonds which are agglomerated with a metal alloy, ceramic alloy or plastic alloy, -|having a self-sharpening effect by constant release of the diamonds, -|suitable for abrasive cutting of wafers, -|whether or not containing a

hole in the centre, - whether or not on a support - with a weight of not more than 377 g per piece and - with an external diameter of not more than 206 mm
Other
Of other agglomerated abrasives or of ceramics
Of artificial abrasives, with binder
Of synthetic or artificial resin
Not reinforced
Reinforced
Of ceramics or silicates
Of other materials
Other
Of natural stone
Hand sharpening or polishing stones

Natural or artificial abrasive powder or grain, on a base of textile material, of paper, of paperboard or of other materials, whether or not cut to shape or sewn or otherwise made up
On a base of woven textile fabric only
On a base of paper or paperboard only
On a base of other materials

Slag-wool, rock-wool and similar mineral wools; exfoliated vermiculite, expanded clays, foamed slag and similar expanded mineral materials; mixtures and articles of heat-insulating, sound-insulating or sound-absorbing mineral materials, other than those of heading 6811 or 6812 or of Chapter 69
Slag-wool, rock-wool and similar mineral wools (including intermixtures thereof), in bulk, sheets or rolls
Exfoliated vermiculite, expanded clays, foamed slag and similar expanded mineral materials (including intermixtures thereof)
Expanded clays
Other
Other

Articles of asphalt or of similar material (for example, petroleum bitumen or coal tar pitch)
In rolls
Other

Panels, boards, tiles, blocks and similar articles of vegetable fibre, of straw or of shavings, chips, particles, sawdust or other waste of wood, agglomerated with cement, plaster or other mineral binders
--

Articles of plaster or of compositions based on plaster
Boards, sheets, panels, tiles and similar articles, not ornamented
Faced or reinforced with paper or paperboard only
Other
Other articles

Articles of cement, of concrete or of artificial stone, whether or not reinforced
Tiles, flagstones, bricks and similar articles
Building blocks and bricks
Of light concrete (with a basis of crushed pumice, granulated slag, etc.)
Other
Other
Other articles
Prefabricated structural components for building or civil engineering
Other

Articles of asbestos-cement, of cellulose fibre-cement or the like
Containing asbestos
Not containing asbestos
Corrugated sheets
Other sheets, panels, tiles and similar articles
Other articles

Fabricated asbestos fibres; mixtures with a basis of asbestos or with a basis of asbestos and magnesium carbonate; articles of such mixtures or of asbestos (for example, thread, woven fabric, clothing, headgear, footwear, gaskets), whether or not reinforced, other than goods of heading 6811 or 6813
Of crocidolite
Fabricated fibres; mixtures with a basis of asbestos or with a basis of asbestos and magnesium carbonate
For use in civil aircraft
Other
Other
For use in civil aircraft
Other

Other
Clothing, clothing accessories, footwear and headgear
Paper, millboard and felt
Compressed asbestos fibre jointing, in sheets or rolls
Other
Fabricated asbestos fibres; mixtures with a basis of asbestos or with a basis of asbestos and magnesium carbonate
For use in civil aircraft
Other
Other
For use in civil aircraft
Other

Friction material and articles thereof (for example, sheets, rolls, strips, segments, discs, washers, pads), not mounted, for brakes, for clutches or the like, with a basis
--

of asbestos, of other mineral substances or of cellulose, whether or not combined with textile or other materials
Containing asbestos
For use in civil aircraft
Other
Not containing asbestos
Brake linings and pads
For use in civil aircraft
Other
Other
For use in civil aircraft
Other
Friction material, of a thickness of less than 20 mm, not mounted, for use in the manufacture of friction components
Other

Worked mica and articles of mica, including agglomerated or reconstituted mica, whether or not on a support of paper, paperboard or other materials
Plates, sheets and strips of agglomerated or reconstituted mica, whether or not on a support
Agglomerated mica with a thickness of not more than 0,15 mm, on rolls, whether or not calcined, whether or not reinforced with aramid fibres
Other
Other

Articles of stone or of other mineral substances (including carbon fibres, articles of carbon fibres and articles of peat), not elsewhere specified or included
Non-electrical articles of graphite or other carbon
Carbon fibres and articles of carbon fibres
Other
Articles of peat
Other articles
Containing magnesite, dolomite or chromite
Other

CERAMIC PRODUCTS
I. GOODS OF SILICEOUS FOSSIL MEALS OR OF SIMILAR SILICEOUS EARTHS, AND REFRACTORY GOODS
Bricks, blocks, tiles and other ceramic goods of siliceous fossil meals (for example, kieselguhr, tripolite or diatomite) or of similar siliceous earths
Refractory bricks, blocks, tiles and similar refractory ceramic constructional goods, other than those of siliceous fossil meals or similar siliceous earths
Containing, by weight, singly or together, more than 50 % of the elements Mg, Ca or Cr, expressed as MgO, CaO or Cr@2O@3

Containing, by weight, more than 50 % of alumina (Al@2O@3), of silica (SiO@2) or of a mixture or compound of these products
Containing, by weight, 93 % or more of silica (SiO@2)
Other
Containing, by weight, more than 7 % but less than 45 % of alumina (Al@2O@3)
Other
Other
Refractory bricks with - an edge length of more than 300 mm and - a TiO@2 content of not more than 1% by weight and - a Al@2O@3 content of not more than 0.4% by weight and - a change in volume of less than 9% at 1700°C
Other
Other refractory ceramic goods (for example, retorts, crucibles, muffles, nozzles, plugs, supports, cupels, tubes, pipes, sheaths and rods), other than those of siliceous fossil meals or of similar siliceous earths
Containing, by weight, more than 50 % of graphite or other carbon or of a mixture of these products
Containing, by weight, more than 50 % of alumina (Al@2O@3) or of a mixture or compound of alumina and of silica (SiO@2)
Containing, by weight, less than 45 % of alumina (Al@2O@3)
Containing, by weight, 45 % or more of alumina (Al@2O@3)
Other
Containing, by weight, more than 25 % but not more than 50 % of graphite or other carbon or of a mixture of these products
Other
Silicon carbide reactor tubes and holders, of a kind used for insertion into diffusion and oxidation furnaces for production of semiconductor materials
Other
II. OTHER CERAMIC PRODUCTS
Ceramic building bricks, flooring blocks, support or filler tiles and the like
Building bricks
Other
Roofing tiles, chimney pots, cowls, chimney liners, architectural ornaments and other ceramic constructional goods
Roofing tiles
Other
Ceramic pipes, conduits, guttering and pipe fittings
Unglazed ceramic flags and paving, hearth or wall tiles; unglazed ceramic mosaic cubes and the like, whether or not on a backing

Tiles, cubes and similar articles, whether or not rectangular, the largest surface area of which is capable of being enclosed in a square the side of which is less than 7 cm
Other
Stoneware
Other
Glazed ceramic flags and paving, hearth or wall tiles; glazed ceramic mosaic cubes and the like, whether or not on a backing
Tiles, cubes and similar articles, whether or not rectangular, the largest surface area of which is capable of being enclosed in a square the side of which is less than 7 cm
Other
Of common pottery
Double tiles of the 'Spaltplatten' type
Other
Other
Double tiles of the 'Spaltplatten' type
Other
With a face of not more than 90 cm\$2
Other
Stoneware
Earthenware or fine pottery
Other
Ceramic wares for laboratory, chemical or other technical uses; ceramic troughs, tubs and similar receptacles of a kind used in agriculture; ceramic pots, jars and similar articles of a kind used for the conveyance or packing of goods
Ceramic wares for laboratory, chemical or other technical uses
Of porcelain or china
Articles having a hardness equivalent to 9 or more on the Mohs scale
Other
Ceramic ring with rectangular transversal section having an external diameter of 19 mm or more (+ 0,00 mm/- 0,10 mm) but not more than 29 mm (+ 0,00 mm/- 0,20 mm), an internal diameter of 10 mm or more (+ 0,00 mm/- 0,20 mm) but not more than 19 mm (+ 0,00 mm/-0,30 mm), a thickness variable from 2 mm (± 0,10 mm) to 3,70 mm (± 0,20 mm) and heat resistance 240 °C or more, containing by weight: - 90 % (± 1,5 %) of aluminium oxide - 7 % (± 1 %) of titanium oxide
Silicon nitride (Si3N4) rollers or balls
Ceramic proppants, containing aluminium oxide, silicon oxide and iron oxide
Supports for catalysts, consisting of porous cordierite or mullite ceramic pieces, of an overall volume of not more than 65 l, having, per cm\$2 of the cross-section, not less than one

continuous channel which may be open at both ends or stopped at one end
Ceramic articles made of continuous filaments of ceramic oxides, containing by weight: - 2 % or more of diboron trioxide, - 28 % or less of silicon dioxide and - 60 % or more of dialuminium trioxide
Supports for catalysts, consisting of porous ceramic pieces, of a blend of silicon carbide and silicon, with a hardness of less than 9 on the Mohs scale, with a total volume of not more than 65 litres, having, per cm\$2 of the surface of the cross section one or more closed channels at the tail end
Supports for catalysts or filters, consisting of porous ceramics made primarily from oxides of aluminium and titanium; with a total volume of not more than 65 litres and at least one duct (open on one or both ends) per cm\$2 of cross section
Ceramic heat sinks, containing by weight: - 66 % or more of silicon carbide, - 10 % or more of aluminium oxide for maintaining the operating temperature of transistors, diodes and integrated circuits in products of headings 8521 or 8528
Other
Other
Ceramic sinks, washbasins, washbasin pedestals, baths, bidets, water closet pans, flushing cisterns, urinals and similar sanitary fixtures
Of porcelain or china
Other
Tableware, kitchenware, other household articles and toilet articles, of porcelain or china
Tableware and kitchenware
Knives; condiment or spice mills and their ceramic grinding parts; peelers; knife sharpeners; cordierite ceramic pizza-stones of a kind used for baking pizza or bread
Other
Other
Ceramic tableware, kitchenware, other household articles and toilet articles, other than of porcelain or china
Tableware and kitchenware
Of common pottery
Hand-made
Tableware and kitchenware, excluding knives, condiment or spice mills and their ceramic grinding parts, peelers, knife sharpeners, cordierite ceramic pizza-stones of a kind used for baking pizza or bread
Other
Other
Tableware and kitchenware, excluding knives, condiment or

<div>spice mills and their ceramic grinding parts, peelers, knife sharpeners, cordierite ceramic pizza-stones of a kind used for baking pizza or bread</div> <div>Other</div>
<div>Stoneware</div> <div>Tableware and kitchenware, excluding knives, condiment or spice mills and their ceramic grinding parts, peelers, knife sharpeners, cordierite ceramic pizza-stones of a kind used for baking pizza or bread</div> <div>Other</div>
<div>Earthenware or fine pottery</div> <div>Tableware and kitchenware, excluding knives, condiment or spice mills and their ceramic grinding parts, peelers, knife sharpeners, cordierite ceramic pizza-stones of a kind used for baking pizza or bread</div> <div>Other</div>
<div>Other</div> <div>Tableware and kitchenware, excluding knives, condiment or spice mills and their ceramic grinding parts, peelers, knife sharpeners, cordierite ceramic pizza-stones of a kind used for baking pizza or bread</div> <div>Other</div>
<div>Other</div> <div>Of common pottery</div> <div>Hand-made</div> <div>Other</div> <div>Stoneware</div> <div>Earthenware or fine pottery</div> <div>Other</div>
<div>Statuettes and other ornamental ceramic articles</div> <div>Of porcelain or china</div> <div>hand-made</div> <div>Other</div> <div>Other</div> <div>Of common pottery</div> <div>hand-made</div> <div>Other</div> <div>Other</div> <div>Earthenware or fine pottery</div> <div>Hand-made</div> <div>Other</div> <div>Other</div> <div>Hand-made</div> <div>Other</div>
<div>Other ceramic articles</div> <div>Of porcelain or china</div>

<div>Other</div> <div>Of common pottery hand-made</div> <div>Other</div> <div>Ceramic articles made of continuous filaments of ceramic oxides, containing by weight: - 2 % or more of diboron trioxide, - 28 % or less of silicon dioxide and - 60 % or more of dialuminium trioxide</div> <div>Ceramic microspheres, transparent, obtained from silicon dioxide and zirconium dioxide, of a diameter of more than 125 µm</div> <div>Other</div>
<div>GLASS AND GLASSWARE</div> <div>Cullet and other waste and scrap of glass; glass in the mass</div> <div>Cullet and other waste and scrap of glass</div> <div>Glass in the mass</div> <div>Optical glass</div> <div>Other</div> <div>Glass in balls (other than microspheres of heading 7018), rods or tubes, unworked</div> <div>Balls</div> <div>Rods</div> <div>Of optical glass</div> <div>Other</div> <div>Tubes</div> <div>Of fused quartz or other fused silica</div> <div>Of other glass having a linear coefficient of expansion not exceeding 5 x! 10\$-\$6 per Kelvin within a temperature range of 0 °C to 300 °C</div> <div>Other</div> <div>Cast glass and rolled glass, in sheets or profiles, whether or not having an absorbent, reflecting or non-reflecting layer, but not otherwise worked</div> <div>Non-wired sheets</div> <div>Coloured throughout the mass (body tinted), opacified, flashed or having an absorbent, reflecting or non-reflecting layer</div> <div>Of optical glass</div> <div>Other</div> <div>Having a non-reflecting layer</div> <div>Other</div> <div>Other</div> <div>Of optical glass</div> <div>Other</div> <div>Wired sheets</div> <div>Profiles</div> <div>Drawn glass and blown glass, in sheets, whether or not having an absorbent, reflecting or non-reflecting layer, but not otherwise worked</div>

<div>Glass, coloured throughout the mass (body tinted), opacified, flashed or having an absorbent, reflecting or non-reflecting layer</div> <div>Optical glass</div> <div>Other</div> <div>Having a non-reflecting layer</div> <div>Other</div>
<div>Other glass</div> <div>Optical glass</div> <div>Other</div> <div>Alkali-aluminosilicate drawn flat glass sheet with: - a scratch proof coating of a thickness of 45 micrometre (+/- 5 micrometre), - a total thickness of 0,45 mm or more but not more than 1,1 mm, - a width of 300 mm or more but not more than 3210 mm, - a length of 300 mm or more but not more than 2 000 mm, - a visible light transmission of 90 % or more; - an optical distortion of 55° or more</div> <div>Other</div>
<div>Float glass and surface ground or polished glass, in sheets, whether or not having an absorbent, reflecting or non-reflecting layer, but not otherwise worked</div> <div>Non-wired glass, having an absorbent, reflecting or non-reflecting layer</div> <div>Having a non-reflecting layer</div> <div>Other, of a thickness</div> <div>Not exceeding 3,5 mm</div> <div>Exceeding 3,5 mm but not exceeding 4,5 mm</div> <div>Float glass: - of a thickness of 4,0 mm or more but not more than 4,2 mm, - with a light transmission of 91 % or more measured using a D-type light source, - coated on one surface with a fluorine doped tin dioxide reflective layer</div> <div>Other</div> <div>Exceeding 4,5 mm</div>
<div>Other non-wired glass</div> <div>Coloured throughout the mass (body tinted), opacified, flashed or merely surface ground</div> <div>Of a thickness not exceeding 3,5 mm</div> <div>Of a thickness exceeding 3,5 mm but not exceeding 4,5 mm</div> <div>Of a thickness exceeding 4,5 mm</div> <div>Other</div> <div>Of a thickness not exceeding 3,5 mm</div> <div>Of a thickness exceeding 3,5 mm but not exceeding 4,5 mm</div> <div>Of a thickness exceeding 4,5 mm</div> <div>Wired glass</div> <div>Glass of heading 7003, 7004 or 7005, bent, edge-worked, engraved, drilled, enamelled</div>

or otherwise worked, but not framed or fitted with other materials
Optical glass
Other
Glass wafer made of borosilicate float glass - with a total thickness variation of 1 µm or less, and - laser-engraved
Float glass: - with a thickness of 1,7 mm or more but not more than 1,9 mm, - with light transmission of 91 % or more, measured with a D-type light source, - coated on one side with fluorine-doped tin dioxide as a reflecting layer, - with worked edges
Other

Safety glass, consisting of toughened (tempered) or laminated glass
Toughened (tempered) safety glass
Of size and shape suitable for incorporation in vehicles, aircraft, spacecraft or vessels
Of size and shape suitable for incorporation in motor vehicles
Other
Other
Enamelled
Coloured throughout the mass (body tinted), opacified, flashed or having an absorbent or reflecting layer
Glass plate of a diagonal size of 81,28 cm (± 1,5 cm) or more, but not more than 185,42 cm (± 1,5 cm), consisting of tempered glass; provided either with a mesh film and a near-infrared absorbing film or a sputtered conductive layer, with optional additional anti-reflex layer on one or both sides, for use in the manufacture of products falling within heading 8528
Other
Other
Solar glass consisting of tempered soda-lime-flat-glass, with an iron content of less than 300 ppm, a solar transmittance of more than 88% (measured according to AM1,5 300-2500 nm), a resistance to heat up to 250° C (measured according to EN 12150), a resistance to thermal shocks of Δ 150 K (measured according to EN 12150) and having a mechanical strength of 90 N/mm 2 or more (measured according to EN 1288-3)
Uncoated
Single or double-side coated
Other
Laminated safety glass
Of size and shape suitable for incorporation in vehicles, aircraft, spacecraft or vessels
Of size and shape suitable for incorporation in motor vehicles
Other

Windshields, not framed, for use in civil aircraft
Other
Other
Glass plate of a diagonal size of 81,28 cm (± 1,5 cm) or more, but not more than 185,42 cm (± 1,5 cm), consisting of 2 sandwich plates laminated together; provided either with a mesh film and a near-infrared absorbing film or a sputtered conductive layer, with optional additional anti-reflex layer on one or both sides
Other

Multiple-walled insulating units of glass
Coloured throughout the mass (body tinted), opacified, flashed or having an absorbent or reflecting layer
Other
Consisting of two panels of glass sealed around the edges by an airtight joint and separated by a layer of air, other gases or a vacuum
Other

Glass mirrors, whether or not framed, including rear-view mirrors
Rear-view mirrors for vehicles
Electro-cromic auto-dimming glass for motor vehicle mirrors: - whether or not equipped with plastic backing plate, - whether or not equipped with a heating element, - whether or not equipped with Blind Spot Module (BSM) display
Layered glass with mechanical dimming ability by different angles of incident light comprising: - whether or not a layer of chrome, - a break-resistance adhesive tape or hot-melt adhesive, and - a release film on the front side and protective paper at the back side, of a kind used for interior rear-view mirrors of vehicles
Electrochromic self-dimming inside rear-view mirror, consisting of: - a mirror support - a plastic casing and - an integrated circuit for use in the manufacture of motor vehicles of Chapter 87
Other

Other
Unframed
Unframed glass mirrors with: - a length of 1516 (± 1 mm); - a width of 553 (± 1 mm); - a thickness of 3 (± 0.1 mm); - the back of the mirror covered with protective polyethylene (PE) film, with a thickness of 0,11 mm or more but not more than 0,13 mm; - a lead content of not more than 90 mg/kg and - a corrosion resistance of 72 hours or more according to ISO 9227 salt spray test
Other
Framed

Carboys, bottles, flasks, jars, pots, phials, ampoules and other containers, of glass, of a kind used for the conveyance or packing of goods; preserving jars of glass; stoppers, lids and other closures, of glass
Ampoules
Stoppers, lids and other closures
Other
Preserving jars (sterilising jars)
Other
Made from tubing of glass
Other, of a nominal capacity of 2,5 l or more
Less than 2,5 l
For beverages and foodstuffs
Bottles
Of colourless glass, of a nominal capacity of
1 l or more
More than 0,33 l but less than 1 l
0,15 l or more but not more than 0,33 l
Less than 0,15 l
Of coloured glass, of a nominal capacity of
1 l or more
More than 0,33 l but less than 1 l
0,15 l or more but not more than 0,33 l
Less than 0,15 l
Other, of a nominal capacity of
0,25 l or more
Less than 0,25 l
For pharmaceutical products, of a nominal capacity
Exceeding 0,055 l
Not exceeding 0,055 l
For other products
Of colourless glass
Of coloured glass

Glass envelopes (including bulbs and tubes), open, and glass parts thereof, without fittings, for electric lamps, cathode ray tubes or the like
For electric lighting
For cathode ray tubes
Other

Glassware of a kind used for table, kitchen, toilet, office, indoor decoration or similar purposes (other than that of heading 7010 or 7018)
Of glass ceramics
Stemware drinking glasses, other than of glass ceramics

Of lead crystal

Gathered by hand

Gathered mechanically

Other

Gathered by hand

Gathered mechanically

Other drinking glasses, other than of glass ceramics

Of lead crystal

Gathered by hand

Cut or otherwise decorated

Other

Gathered mechanically

Cut or otherwise decorated

Other

Other

Of toughened glass

Other

Gathered by hand

Cut or otherwise decorated

Other

Gathered mechanically

Cut or otherwise decorated

Other

Glassware of a kind used for table (other than drinking glasses) or kitchen purposes other than of glass ceramics

Of lead crystal

Gathered by hand

Gathered mechanically

Of glass having a linear coefficient of expansion not exceeding 5|x|10\$-\$6|per Kelvin within a temperature range of 0|°C to 300|°C

Other

Of toughened glass

Other

Gathered by hand

Gathered mechanically

Other glassware

Of lead crystal

Gathered by hand

Gathered mechanically

Other

Gathered by hand

Other

Signalling glassware and optical elements of glass (other than those of heading|7015), not optically worked

Optical elements of glass (other than those of heading|7015), not optically worked, other than signalling glassware

Other

Clock or watch glasses and similar glasses, glasses for non-corrective or corrective spectacles, curved, bent, hollowed or the like, not optically worked; hollow glass spheres and their segments, for the manufacture of such glasses

Glasses for corrective spectacles

Other

Paving blocks, slabs, bricks, squares, tiles and other articles of pressed or moulded glass, whether or not wired, of a kind used for building or construction purposes; glass cubes and other glass smallwares, whether or not on a backing, for mosaics or similar decorative purposes; leaded lights and the like; multicellular or foam glass in blocks, panels, plates, shells or similar forms

Glass cubes and other glass smallwares, whether or not on a backing, for mosaics or similar decorative purposes

Other

Leaded lights and the like

Blocks and bricks, of a kind used for building or construction purposes

Other

Laboratory, hygienic or pharmaceutical glassware, whether or not graduated or calibrated

Of fused quartz or other fused silica

Of other glass having a linear coefficient of expansion not exceeding 5|x|10\$-\$6|per Kelvin within a temperature range of 0|°C to 300|°C

Other

Glass beads, imitation pearls, imitation precious or semi-precious stones and similar glass smallwares, and articles thereof other than imitation jewellery; glass eyes other than prosthetic articles; statuettes and other ornaments of lamp-worked glass, other than imitation jewellery; glass microspheres not exceeding 1|mm in diameter

Glass beads, imitation pearls, imitation precious or semi-precious stones and similar glass smallwares

Glass beads

Cut and mechanically polished

Other

hand-made

Other

Imitation pearls

Imitation precious or semi-precious stones

Cut and mechanically polished

Other

Other

Glass microspheres not exceeding 1|mm in diameter

Other

Glass eyes; articles of glass smallware

Other

Glass fibres (including glass wool) and articles thereof (for example, yarn, woven fabrics)

Slivers, rovings, yarn and chopped strands

Chopped strands, of a length of not more than 50|mm

Rovings

Rovings which are impregnated and coated and with a loss on ignition of 3% or more (as determined by the ISO Standard 1887)

Rovings, measuring 2|600|tex or more but not more than 3|300|tex and of a loss on ignition of 4|% or more but not more than 8|% by weight (as determined by the ASTM D 2584-94|method)

Rovings, measuring 650|tex or more but not more than 2|500|tex, coated with a layer of polyurethane whether or not mixed with other materials

Rovings, measuring 392|tex or more but not more than 2|884|tex, coated with a layer of an acrylic copolymer

Rovings ranging from 1|980|to 2|033|tex, composed of continuous glass filaments of 9|µm (±0,5|µm)

Other

Other

Rovings, measuring 2|600|tex or more but not more than 3|300|tex and of a loss on ignition of 4|% or more but not more than 8|% by weight (as determined by the ASTM D 2584-94|method)

Rovings, measuring 650|tex or more but not more than 2|500|tex, coated with a layer of polyurethane whether or not mixed with other materials

Rovings, measuring 392|tex or more but not more than 2|884|tex, coated with a layer of an acrylic copolymer

Rovings ranging from 1|980|to 2|033|tex, composed of continuous glass filaments of 9|µm (±0,5|µm)

Other

Other

Of filaments

Yarn of 33|tex or a multiple thereof (±7,5|%), obtained from continuous spun-glass filaments of a nominal diameter of 3,5|µm or of 4,5|µm, in which filaments of a diameter of 3|µm or more but not more than 5,2|µm predominate, other than those treated so as to improve their adhesion to elastomers

S-glass yarn of 33 tex or a multiple of 33 tex (± 13%) made from continuous spun-glass filaments with fibres of a diameter of 9 µm (- 1 µm / + 1,5 µm)

Yarn of 10,3|tex or more but not more than 11,9|tex, obtained from

continuous spun-glass filaments, in which filaments of a diameter of 4.83 µm or more but not more than 5.83 µm predominate
Yarn of 5.1 tex or more but not more than 6.0 tex, obtained from continuous glass-spun filaments, in which filaments of a diameter of 4.83 µm or more but not more than 5.83 µm predominate
Yarn of E-glass of 22 tex (±1,6 tex), obtained from continuous spun-glass filaments of a nominal diameter of 7 µm, in which filaments of a diameter of 6,35 µm or more but not more than 7,61 µm predominate
Yarn of 11 tex or a multiple thereof (± 7,5 %), obtained from continuous spun-glass filaments, containing 93 percent by weight or more of silicon dioxide, of a nominal diameter of 6 µm or 9 µm, other than those treated
Glass cord impregnated with rubber or plastic, obtained from K- or U-glass filaments, made up of: - 9 % or more but not more than 16 % of magnesium oxide, - 19 % or more but not more than 25 % of aluminium oxide, - 0 % or more but not more than 2 % of boron oxide, - without calcium oxide, coated with a latex comprising at least a resorcinol-formaldehyde resin and chlorosulphonated polyethylene
High modulus glass cord (K) impregnated with rubber, obtained from twisted high modulus glass filament yarns, coated with a latex comprising a resorcinol-formaldehyde resin with or without vinylpyridine and/or hydrogenated acrylonitrile-butadiene rubber (HNBR)
Glass cord impregnated with rubber or plastic, obtained from twisted glass filament yarns, coated with a latex comprising at least a resorcinol-formaldehyde-vinylpyridine resin and an acrylonitrile-butadiene rubber (NBR)
Glass cord impregnated with rubber or plastic, obtained from twisted glass filament yarns, coated with a latex comprising at least a resorcinol-formaldehyde resin and chlorosulphonated polyethylene
Other
Of staple fibres

Thin sheets (voiles), webs, mats, mattresses, boards and similar non-woven products
Mats
Of low moisture absorption capacity, intended for certain types of aircraft
Other
Thin sheets (voiles)
Of low moisture absorption capacity, intended for certain types

of aircraft
Other
Other
Boards and similar non-woven products of low moisture absorption capacity, intended for certain types of aircraft
Non-woven product of non-textile glass fibre, for the manufacture of air filters or catalysts
Other

Woven fabrics of rovings
Woven fabrics of rovings, impregnated with epoxy resin, with a coefficient of thermal expansion between 30°C and 120°C (measured according to IPC-TM-650) of: - 10ppm per°C or more but not more than 12ppm per°C in the length and width, and - 20ppm per°C or more but not more than 30ppm per°C in the thickness, with a glass transition temperature of 152°C or more but not more than 153°C (measured according IPC-TM-650)
Open mesh fabrics of glass fibres, of a cell size of more than 1.8 mm both in length and in width and weighing more than 35 g/m², excluding fibreglass discs
Other
Prepreg sheets or rolls containing polyimide resin
Open mesh fabrics of glass fibres, of a cell size of more than 1,8 mm both in length and in width and weighing more than 35 g/m², excluding fibreglass discs
Other
Other
Open mesh fabrics of glass fibres, of a cell size of more than 1,8 mm both in length and in width and weighing more than 35 g/m², excluding fibreglass discs
Other

Other woven fabrics
Of a width not exceeding 30 cm
Open mesh fabrics of glass fibres, of a cell size of more than 1.8 mm both in length and in width and weighing more than 35 g/m², excluding fibreglass discs
Consigned from Malaysia
Consigned from Taiwan
Consigned from Thailand
Consigned from India
Consigned from Indonesia
Other
Other

Of a width exceeding 30 cm, plain weave, weighing less than 250 g/m\$2, of filaments measuring per single yarn not more than 136 tex
Glass web woven from glass fibre coated in plastic, of a weight of

120 g/m\$2 (± 10 g/m\$2) of a type used in rolling insect screens with fixed frames
Other
Other
Open mesh fabrics of glass fibres, of a cell size of more than 1.8 mm both in length and in width and weighting more than 35 g/m², excluding fibreglass discs
Consigned from Malaysia
Consigned from Taiwan
Consigned from Thailand
Consigned from India
Consigned from Indonesia
Other
Other
Other
Non-textile glass fibres in which fibres of a diameter of less than 4,6 µm predominate
Glass cord impregnated with rubber or plastic, obtained from twisted glass filament yarns, coated with a latex comprising at least a resorcinol-formaldehyde-vinylpyridine resin and an acrylonitrile-butadiene rubber (NBR)
High modulus glass cord (K) impregnated with rubber, obtained from twisted high modulus glass filament yarns, coated with a latex comprising a resorcinol-formaldehyde resin with or without vinylpyridine and/or hydrogenated acrylonitrile-butadiene rubber (HNBR)
Glass cord impregnated with rubber or plastic, obtained from twisted glass filament yarns, coated with a latex comprising at least a resorcinol-formaldehyde resin and chlorosulphonated polyethylene
Other

Other articles of glass
Quartz reactor tubes and holders designed for insertion into diffusion and oxidation furnaces for production of semiconductor materials
Glass inneres for vacuum flasks or for other vacuum vessels
Unfinished
Finished
Other
Of fused quartz or other fused silica
Television pedestal stands with or without bracket for fixation to and stabilization of television cabinet case/body
Other
Of glass having a linear coefficient of expansion not exceeding 5 !x! 10\$-\$6 per Kelvin within a temperature range of 0 °C to 300 °C
Other

NATURAL OR CULTURED PEARLS, PRECIOUS OR SEMI-PRECIOUS STONES, PRECIOUS METALS, METALS CLAD WITH PRECIOUS METAL, AND ARTICLES THEREOF; IMITATION JEWELLERY; COIN

I. NATURAL OR CULTURED PEARLS AND PRECIOUS OR SEMI-PRECIOUS STONES

Pearls, natural or cultured, whether or not worked or graded but not strung, mounted or set; pearls, natural or cultured, temporarily strung for convenience of transport

Natural pearls

Cultured pearls

Unworked

Worked

Diamonds, whether or not worked, but not mounted or set

Unsorted

Industrial

Unworked or simply sawn, cleaved or bruted

Other

Non-industrial

Unworked or simply sawn, cleaved or bruted

Other

Precious stones (other than diamonds) and semi-precious stones, whether or not worked or graded but not strung, mounted or set; ungraded precious stones (other than diamonds) and semi-precious stones, temporarily strung for convenience of transport

Unworked or simply sawn or roughly shaped

Otherwise worked

Rubies, sapphires and emeralds

Other

Synthetic or reconstructed precious or semi-precious stones, whether or not worked or graded but not strung, mounted or set; ungraded synthetic or reconstructed precious or semi-precious stones, temporarily strung for convenience of transport

Piezoelectric quartz

Other, unworked or simply sawn or roughly shaped

Other

Dust and powder of natural or synthetic precious or semi-precious stones

Of diamonds

Other

II. PRECIOUS METALS AND METALS CLAD WITH PRECIOUS METAL

Silver (including silver plated with gold or platinum), unwrought or in semi-manufactured forms, or in powder form

Powder

Other

Unwrought

Semi-manufactured

Base metals clad with silver, not further worked than semi-manufactured

Gold (including gold plated with platinum), unwrought or in semi-manufactured forms, or in powder form

Non-monetary

Powder

Other unwrought forms

Other semi-manufactured forms

Bars, rods, wire and sections; plates; sheets and strips of a thickness, excluding any backing, exceeding 0,15|mm

Other

Monetary

Base metals or silver, clad with gold, not further worked than semi-manufactured

Platinum, unwrought or in semi-manufactured forms, or in powder form

Platinum

Unwrought or in powder form

Other

Bars, rods, wire and sections; plates; sheets and strips of a thickness, excluding any backing, exceeding 0,15|mm

Other

Palladium

Unwrought or in powder form

Other

Rhodium

Unwrought or in powder form

Other

Iridium, osmium and ruthenium

Unwrought or in powder form

Other

Base metals, silver or gold, clad with platinum, not further worked than semi-manufactured

Waste and scrap of precious metal or of metal clad with precious metal; other waste and scrap containing precious metal or precious-metal compounds, of a kind used principally for the recovery of precious metal

Ash containing precious metal or precious-metal compounds

Other

Of gold, including metal clad with gold but excluding sweepings containing other precious metals

Of platinum, including metal clad with platinum but excluding sweepings containing other precious metals

Other

III. JEWELLERY, GOLDSMITHS' AND SILVERSMITHS' WARES AND OTHER ARTICLES

Articles of jewellery and parts thereof, of precious metal or of metal clad with precious metal

Of precious metal whether or not plated or clad with precious metal

Of silver, whether or not plated or clad with other precious metal

Of other precious metal, whether or not plated or clad with precious metal

Of base metal clad with precious metal

Articles of goldsmiths' or silversmiths' wares and parts thereof, of precious metal or of metal clad with precious metal

Of precious metal whether or not plated or clad with precious metal

Of silver, whether or not plated or clad with other precious metal

Of other precious metal, whether or not plated or clad with precious metal

Of base metal clad with precious metal

Other articles of precious metal or of metal clad with precious metal

Catalysts in the form of wire cloth or grill, of platinum

Other

Articles of natural or cultured pearls, precious or semi-precious stones (natural, synthetic or reconstructed)

Of natural or cultured pearls

Of precious or semi-precious stones (natural, synthetic or reconstructed)

Necklaces, bracelets and other articles made wholly of natural precious or semi-precious stones, simply strung without fasteners or other accessories

Other

Imitation jewellery

Of base metal, whether or not plated with precious metal

Cuff links and studs

Other

Without parts of glass, hand-made

Other

Other

Coin

Coin (other than gold coin), not being legal tender

Other

IRON AND STEEL

I. PRIMARY MATERIALS; PRODUCTS IN GRANULAR OR POWDER FORM

Pig iron and spiegeleisen in pigs, blocks or other primary forms

Non-alloy pig iron containing by weight 0,5|% or less of phosphorus

Containing by weight not less than 0,4|% of manganese

Containing by weight 1|% or less of silicon

<div> <div> <div>Pig iron ingots with a length of not more than 350 mm, a width of not more than 150 mm, a height of not more than 150 mm</div> <div>Other</div> </div> <div>Containing by weight more than 1 % of silicon</div> </div>	<div> <div> <div>carbon</div> <div> <div>With a chromium content by weight of 30% and more</div> <div> <div>Containing by weight not more than 0,1 % of carbon and more than 30 % but not more than 90 % of chromium (super-refined ferrochromium)</div> <div>Other</div> </div> </div> <div>Other</div> </div> <div>Containing by weight more than 0,5 % but not more than 4 % of carbon</div> <div> <div>Containing 1,5% or more but not more than 4% by weight of carbon and not more than 70% of chromium</div> <div>Other</div> </div> </div>	<div> <div>Other</div> </div> <div>Waste and scrap of tinned iron or steel</div> <div> <div>Scrap</div> <div>Other</div> </div> <div>Other waste and scrap</div> <div> <div> <div>Turnings, shavings, chips, milling waste, sawdust, filings, trimmings and stampings, whether or not in bundles</div> <div> <div>Turnings, shavings, chips, milling waste, sawdust and filings</div> <div>Scrap</div> <div>Other</div> </div> </div> <div> <div>Trimmings and stampings</div> <div> <div>In bundles</div> <div>Scrap</div> <div>Other</div> </div> </div> <div> <div>Other</div> <div>Scrap</div> <div>Other</div> </div> </div> <div>Other</div> <div> <div>Fragmentised (shredded)</div> <div>Scrap</div> <div>Other</div> </div> <div> <div>Other</div> <div> <div>In bundles</div> <div>Scrap</div> <div>Other</div> </div> </div> <div> <div>Other</div> <div>Scrap</div> <div>Other</div> </div>
---	--	---

Remelting scrap ingots

Other
Of a thickness not exceeding 130 mm
Of a thickness exceeding 130 mm
Forged

Other, of rectangular (other than square) cross-section
Rolled or obtained by continuous casting
Forged

Other
Of circular or polygonal cross-section
Rolled or obtained by continuous casting
Forged

Other
Blanks for angles, shapes and sections, rolled or obtained by continuous casting
Other

Containing by weight 0,25 % or more of carbon
Of rectangular (including square) cross-section, the width measuring less than twice the thickness
Rolled or obtained by continuous casting
Of free-cutting steel
Other, containing by weight
0,25 % or more but less than 0,6 % of carbon
0,6 % or more of carbon
Forged

Other, of rectangular (other than square) cross-section
Rolled or obtained by continuous casting
Forged

Of circular or polygonal cross-section
Rolled or obtained by continuous casting
Forged

Other
Blanks for angles, shapes and sections, rolled or obtained by continuous casting
Other

Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated
In coils, not further worked than hot-rolled, with patterns in relief
Other, in coils, not further worked than hot-rolled, pickled
Of a thickness of 4,75 mm or more

Of a thickness of 3 mm or more but less than 4,75 mm
Of a thickness of less than 3 mm

Other, in coils, not further worked than hot-rolled
Of a thickness exceeding 10 mm
Of a thickness of 4,75 mm or more but not exceeding 10 mm
Intended for re-rolling
Other
Of a thickness of 3 mm or more but less than 4,75 mm
Intended for re-rolling
Other
Of a thickness of less than 3 mm
Intended for re-rolling
Other

Not in coils, not further worked than hot-rolled, with patterns in relief
Of a thickness of 2 mm or more
Of a thickness of less than 2 mm

Other, not in coils, not further worked than hot-rolled
Of a thickness exceeding 10 mm
Of a thickness exceeding 15 mm
Of non-alloy steel, excluding silicon-electrical steel, tool steel and high-speed steel
Other
Of a thickness exceeding 10 mm but not exceeding 15 mm, of a width of
2 050 mm or more
Of non-alloy steel, excluding silicon-electrical steel, tool steel and high-speed steel
Other
Less than 2 050 mm
Of non-alloy steel, excluding silicon-electrical steel, tool steel and high-speed steel
Other

Of a thickness of 4,75 mm or more but not exceeding 10 mm
Rolled on four faces or in a closed box pass, of a width not exceeding 1 250 mm
Other, of a width of
2 050 mm or more
Of non-alloy steel, excluding silicon-electrical steel, tool steel and high-speed steel
Other
Less than 2 050 mm

Of a thickness of 3 mm or more but less than 4,75 mm
Rolled on four faces or in a closed box pass, of a width not exceeding

1 250 mm and of a thickness of 4 mm or more
Other
Of a thickness of less than 3 mm

Other
Perforated
Of non-alloy steel, excluding silicon-electrical steel, tool steel and high-speed steel, of a thickness exceeding 10 mm or of a thickness of 4,75 mm or more but not exceeding 10 mm and of a width of 2 050 mm or more
Other

Other
Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
Of non-alloy steel, excluding silicon-electrical steel, tool steel and high-speed steel, of a thickness exceeding 10 mm or of a thickness of 4,75 mm or more but not exceeding 10 mm and of a width of 2 050 mm or more
Other

Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated
In coils, not further worked than cold-rolled (cold-reduced)
Of a thickness of 3 mm or more
'Electrical'
Other
Of a thickness exceeding 1 mm but less than 3 mm
'Electrical'
Other
Of a thickness of 0,5 mm or more but not exceeding 1 mm
'Electrical'
Other
Of a thickness of less than 0,5 mm
'Electrical'
Other
Of a thickness of 0,35 mm or more but less than 0,5 mm
Of a thickness of less than 0,35 mm
Annealed (known as 'black plates')
Other

Not in coils, not further worked than cold-rolled (cold-reduced)
Of a thickness of 3 mm or more
'Electrical'
Other

Of a thickness exceeding 1 mm but less than 3 mm
'Electrical'
Other

Of a thickness of 0,5 mm or more but not exceeding 1 mm
'Electrical'
Other

Of a thickness of less than 0,5 mm
'Electrical'
Other

Other
Perforated
Other
Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
Other

Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated
Plated or coated with tin
Of a thickness of 0,5 mm or more
Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
Other
Of a thickness of less than 0,5 mm
Tinplate
Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
Other
Other
Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
Other

Plated or coated with lead, including terne-plate
Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
Other

Electrolytically plated or coated with zinc
Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
Other

Otherwise plated or coated with zinc
Corrugated
Other

Plated or coated with chromium oxides or with chromium and chromium oxides
--

Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
Other

Plated or coated with aluminium
Plated or coated with aluminium-zinc alloys
Other

Painted, varnished or coated with plastics
Tinplate, varnished; products, plated or coated with chromium oxides or with chromium and chromium oxides, varnished
Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
Other

Other
Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
Of non-alloy steel, painted, varnished or coated with plastics on at least one side, excluding products with a final coating of zinc-dust (a zinc-rich paint, containing by weight 70 % or more of zinc) and excluding products with a substrate with a metallic coating of chromium or tin
Other

Other
Of non-alloy steel, painted, varnished or coated with plastics on at least one side, excluding products with a final coating of zinc-dust (a zinc-rich paint, containing by weight 70 % or more of zinc) and excluding products with a substrate with a metallic coating of chromium or tin
Other

Other
Clad
Not further worked than surface-treated, including cladding, or simply cut into shapes other than rectangular (including square)
Other

Tinned and printed
Not further worked than surface-treated, including cladding, or simply cut into shapes other than rectangular (including square)
Other

Other
Silvered, gilded, platinum-plated or enamelled
Other
Not further worked than surface-treated, including cladding, or

Simply cut into shapes other than rectangular (including square)
Other

Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated
Not further worked than hot-rolled
Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief
Other, of a thickness of 4,75 mm or more
Of a width exceeding 500 mm
Of a width not exceeding 500 mm
Other
Of a width exceeding 500 mm
Of a width not exceeding 500 mm

Not further worked than cold-rolled (cold-reduced)
Containing by weight less than 0,25 % of carbon
'Electrical'
Of a width exceeding 500 mm
Of a width not exceeding 500 mm
Other
Of a thickness of 0,35 mm or more
Of a width exceeding 500 mm
Of a width not exceeding 500 mm
In coils intended for the manufacture of tinplate
Other

Of a thickness of less than 0,35 mm
Of a width exceeding 500 mm
In coils, annealed (known as 'black plates')
Other

Of a width not exceeding 500 mm
In coils intended for the manufacture of tinplate
Annealed (known as 'black plates')
Other
Other
In coils, annealed (known as 'black plates')
Other

Other
Of a width exceeding 500 mm
'Electrical'
Other
Of a width not exceeding 500 mm

<table><tr><td>'Electrical'</td></tr><tr><td>Other</td></tr></table>	'Electrical'	Other	
'Electrical'			
Other			
Other			
Perforated			
Other			
<table><tr><td>Of a width exceeding 500 mm</td></tr><tr><td>Not further worked than surface-treated</td></tr><tr><td>Other</td></tr></table>	Of a width exceeding 500 mm	Not further worked than surface-treated	Other
Of a width exceeding 500 mm			
Not further worked than surface-treated			
Other			
Of a width not exceeding 500 mm			

Flat-rolled products of iron or non-alloy steel, of a width of less than 600|mm, clad, plated or coated

Plated or coated with tin			
Tinplate, not further worked than surface-treated			
Other			
<table><tr><td>Of a width exceeding 500 mm</td></tr><tr><td>Not further worked than surface-treated</td></tr><tr><td>Other</td></tr></table>	Of a width exceeding 500 mm	Not further worked than surface-treated	Other
Of a width exceeding 500 mm			
Not further worked than surface-treated			
Other			
Of a width not exceeding 500 mm			

Electrolytically plated or coated with zinc
Of a width exceeding 500 mm
Not further worked than surface-treated
Other
Of a width not exceeding 500 mm

Otherwise plated or coated with zinc			
Painted, varnished or coated with plastics			
Tinplate, not further worked than varnished; products, plated or coated with chromium oxides or with chromium and chromium oxides, varnished			
Tinplate, not further worked than varnished			
Other			
<table><tr><td>Of a width exceeding 500 mm</td></tr><tr><td>Not further worked than surface-treated</td></tr><tr><td>Other</td></tr></table>	Of a width exceeding 500 mm	Not further worked than surface-treated	Other
Of a width exceeding 500 mm			
Not further worked than surface-treated			
Other			
Of a width not exceeding 500 mm			

Other	
Of a width exceeding 500 mm	
Not further worked than surface-treated	
<table><tr><td>Of non-alloy steel, painted, varnished or coated with plastics on at least one side, excluding products with a final coating of zinc-dust (a zinc-rich paint, containing by weight 70 % or more of zinc) and excluding products with a substrate with a metallic coating of chromium or tin</td></tr></table>	Of non-alloy steel, painted, varnished or coated with plastics on at least one side, excluding products with a final coating of zinc-dust (a zinc-rich paint, containing by weight 70 % or more of zinc) and excluding products with a substrate with a metallic coating of chromium or tin
Of non-alloy steel, painted, varnished or coated with plastics on at least one side, excluding products with a final coating of zinc-dust (a zinc-rich paint, containing by weight 70 % or more of zinc) and excluding products with a substrate with a metallic coating of chromium or tin	

Other
Other
Of non-alloy steel, painted, varnished or coated with plastics on at least one side, excluding so-called 'sandwich panels' of a kind used for building applications and consisting of two outer metal sheets with a stabilising core of insulation material sandwiched between them, and excluding those products with a final coating of zinc-dust (a zinc-rich paint, containing by weight 70% or more of zinc) and excluding products with a substrate with a metallic coating of chromium or tin
Other

Of a width not exceeding 500 mm
Of non-alloy steel, painted, varnished or coated with plastics on at least one side, excluding so-called 'sandwich panels' of a kind used for building applications and consisting of two outer metal sheets with a stabilising core of insulation material sandwiched between them, and excluding those products with a final coating of zinc-dust (a zinc-rich paint, containing by weight 70% or more of zinc)
Other

Otherwise plated or coated
Plated or coated with chromium oxides or with chromium and chromium oxides
Of a width exceeding 500 mm
Not further worked than surface-treated
Other
Of a width not exceeding 500 mm
Plated or coated with chromium or nickel
Of a width exceeding 500 mm
Not further worked than surface-treated
Other
Of a width not exceeding 500 mm

Plated or coated with copper
Of a width exceeding 500 mm
Not further worked than surface-treated
Other
Of a width not exceeding 500 mm

Plated or coated with aluminium
Plated or coated with aluminium-zinc alloys
Other

Other
Of a width exceeding 500 mm

Silvered, gilded, platinum-plated or enamelled
Other
Not further worked than surface-treated
Other
Of a width not exceeding 500 mm

Clad
Of a width exceeding 500 mm
Not further worked than surface-treated
Other
Of a width not exceeding 500 mm
Not further worked than surface-treated
Hot-rolled, not further worked than clad
Other
Other

Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel
Containing indentations, ribs, grooves or other deformations produced during the rolling process
Other, of free-cutting steel
Other
Of circular cross-section measuring less than 14 mm in diameter
Of a type used for concrete reinforcement
Of a type used for tyre cord
Other
Containing by weight 0,06 % or less of carbon
Containing by weight more than 0,06 % but less than 0,25 % of carbon
Containing by weight 0,25 % or more but not more than 0,75 % of carbon
Containing by weight more than 0,75 % of carbon
Other
Containing by weight less than 0,25 % of carbon
Containing by weight 0,25 % or more of carbon

Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling

Forged
Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling
High fatigue performance concrete reinforcing bars and rods
Other

Other, of free-cutting steel	I sections	
Other	Of a height of 80 mm or more but not exceeding 220 mm	Containing by weight 0,25 % or more but less than 0,6 % of carbon
Of rectangular (other than square) cross-section	With parallel flange faces	Containing by weight 0,6 % or more of carbon
Containing by weight less than 0,25 % of carbon	Other	Of non-alloy steel, with a maximum cross-sectional dimension exceeding 3 mm
Containing by weight 0,25 % or more of carbon	Of a height exceeding 220 mm	Other
Other	With parallel flange faces	
Containing by weight less than 0,25 % of carbon	Other	
Of a type used for concrete reinforcement	H sections	Plated or coated with zinc
Other, of circular cross-section measuring in diameter	Of a height of 80 mm or more but not exceeding 180 mm	Containing by weight less than 0,25 % of carbon
80 mm or more	Of a height exceeding 180 mm	With a maximum cross-sectional dimension of less than 0,8 mm
Less than 80 mm		With a maximum cross-sectional dimension of 0,8 mm or more
Other		Containing by weight 0,25 % or more but less than 0,6 % of carbon
Containing by weight 0,25 % or more of carbon	L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more	Containing by weight 0,6 % or more of carbon
Of a circular cross-section measuring in diameter	L sections	Of non-alloy steel, with a maximum cross-sectional dimension exceeding 3 mm
80 mm or more	T sections	Other
Less than 80 mm	Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded	
Other	With a cross-section which is capable of being enclosed in a square the side of which is 80 mm	Plated or coated with other base metals
	Other	Containing by weight less than 0,25 % of carbon
	Bulb flats	Copper-coated
	Other	Other
		Containing by weight 0,25 % or more but less than 0,6 % of carbon
Other bars and rods of iron or non-alloy steel	Angles, shapes and sections, not further worked than cold-formed or cold-finished	Containing by weight 0,6 % or more of carbon
Of free-cutting steel, not further worked than cold-formed or cold-finished	Obtained from flat-rolled products	Other
Other, not further worked than cold-formed or cold-finished	C, L, U, Z, omega or open-ended sections	Containing by weight less than 0,25 % of carbon
Containing by weight less than 0,25 % of carbon	Other	Containing by weight 0,25 % or more but less than 0,6 % of carbon
Of rectangular (other than square) cross-section	Other	Containing by weight 0,6 % or more of carbon
Other		
Containing by weight 0,25 % or more of carbon	Other	
Other	Cold-formed or cold-finished from flat-rolled products	
Hot-rolled, hot-drawn or extruded, not further worked than clad	Profiled (ribbed) sheets	III. STAINLESS STEEL
Other	Other	Stainless steel in ingots or other primary forms; semi-finished products of stainless steel
	Other	Ingots and other primary forms
	Hot-rolled, hot-drawn or extruded, not further worked than clad	Other
	Other	Of rectangular (other than square) cross-section
Angles, shapes and sections of iron or non-alloy steel		Containing by weight 2,5 % or more of nickel
U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm		Containing by weight less than 2,5 % of nickel
L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm		Other
L sections		Of square cross-section
T sections		Rolled or obtained by continous casting
		Forged
U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more		Other
U sections		Rolled or obtained by continuous casting
Of a height of 80 mm or more but not exceeding 220 mm		
Of a height exceeding 220 mm		
	Wire of iron or non-alloy steel	
	Not plated or coated, whether or not polished	
	Containing by weight less than 0,25 % of carbon	
	With a maximum cross-sectional dimension of less than 0,8 mm	
	With a maximum cross-sectional dimension of 0,8 mm or more	
	Containing indentations, ribs, grooves or other deformations produced during the rolling process	
	Other	

<div>Forged</div>
Flat-rolled products of stainless steel, of a width of 600 mm or more
Not further worked than hot-rolled, in coils
<div>Of a thickness exceeding 10 mm</div>
<div>Of a thickness of 4,75 mm or more but not exceeding 10 mm</div> <div>Containing by weight 2,5 % or more of nickel</div> <div>Containing by weight less than 2,5 % of nickel</div>
<div>Of a thickness of 3 mm or more but less than 4,75 mm</div> <div>Containing by weight 2,5 % or more of nickel</div> <div>Containing by weight less than 2,5 % of nickel</div>
<div>Of a thickness of less than 3 mm</div> <div>Containing by weight 2,5 % or more of nickel</div> <div>Containing by weight less than 2,5 % of nickel</div>
Not further worked than hot-rolled, not in coils
<div>Of a thickness exceeding 10 mm</div> <div>Containing by weight 2,5 % or more of nickel</div> <div>Containing by weight less than 2,5 % of nickel</div>
<div>Of a thickness of 4,75 mm or more but not exceeding 10 mm</div> <div>Containing by weight 2,5 % or more of nickel</div> <div>Containing by weight less than 2,5 % of nickel</div>
<div>Of a thickness of 3 mm or more but less than 4,75 mm</div>
<div>Of a thickness of less than 3 mm</div>
Not further worked than cold-rolled (cold-reduced)
<div>Of a thickness of 4,75 mm or more</div>
<div>Of a thickness of 3 mm or more but less than 4,75 mm</div> <div>Containing by weight 2,5 % or more of nickel</div> <div>Containing by weight less than 2,5 % of nickel</div>
<div>Of a thickness exceeding 1 mm but less than 3 mm</div> <div>Containing by weight 2,5 % or more of nickel</div> <div>Containing by weight less than 2,5 % of nickel</div>
<div>Of a thickness of 0,5 mm or more but not exceeding 1 mm</div> <div>Containing by weight 2,5 % or more of nickel</div> <div>Containing by weight less than 2,5 % of nickel</div>

<div>Of a thickness of less than 0,5 mm</div> <div>Containing by weight 2,5 % or more of nickel</div> <div>Containing by weight less than 2,5 % of nickel</div>
Other
<div>Perforated</div>
<div>Other</div>
Flat-rolled products of stainless steel, of a width of less than 600 mm
Not further worked than hot-rolled
<div>Of a thickness of 4,75 mm or more</div> <div>Of a thickness of less than 4,75 mm</div>
Not further worked than cold-rolled (cold-reduced)
<div>Of a thickness of 3 mm or more, containing by weight</div> <div>2,5 % or more of nickel</div> <div>Less than 2,5 % of nickel</div>
<div>Of a thickness exceeding 0,35 mm but of less than 3 mm, containing by weight</div> <div>2,5 % or more of nickel</div> <div>Less than 2,5 % of nickel</div>
<div>Of a thickness not exceeding 0,35 mm, containing by weight</div> <div>2,5 % or more of nickel</div> <div>Less than 2,5 % of nickel</div>
Other
<div>Perforated</div>
<div>Other</div>
Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel
<div>Containing by weight 2,5 % or more of nickel</div> <div>Containing by weight less than 2,5 % of nickel</div>
Other bars and rods of stainless steel; angles, shapes and sections of stainless steel
Bars and rods, not further worked than hot-rolled, hot-drawn or extruded
<div>Of circular cross-section</div> <div>Of a diameter of 80 mm or more, containing by weight</div> <div>2,5 % or more of nickel</div> <div>Less than 2,5 % of nickel</div>
<div>Of a diameter of less than 80 mm, containing by weight</div> <div>2,5 % or more of nickel</div> <div>Less than 2,5 % of nickel</div>
Other
<div>Containing by weight 2,5 % or more of nickel</div> <div>Containing by weight less than 2,5 % of nickel</div>

Bars and rods, not further worked than cold-formed or cold-finished
Of circular cross-section
<div>Of a diameter of 80 mm or more, containing by weight</div> <div>2,5 % or more of nickel</div> <div>Less than 2,5 % of nickel</div>
<div>Of a diameter of 25 mm or more, but less than 80 mm, containing by weight</div> <div>2,5 % or more of nickel</div> <div>Less than 2,5 % of nickel</div>
<div>Of a diameter of less than 25 mm, containing by weight</div> <div>2,5 % or more of nickel</div> <div>Less than 2,5 % of nickel</div>
Other, containing by weight
<div>2,5 % or more of nickel</div> <div>Less than 2,5 % of nickel</div>
Other bars and rods
<div>Forged, containing by weight</div> <div>2,5 % or more of nickel</div> <div>Less than 2,5 % of nickel</div>
Other
<div>Hot-rolled, hot-drawn or extruded, not further worked than clad</div> <div>Other</div>
Angles, shapes and sections
<div>Not further worked than hot-rolled, hot-drawn or extruded</div> <div>Not further worked than cold-formed or cold-finished</div>
Other
<div>Hot-rolled, hot-drawn or extruded, not further worked than clad</div> <div>Other</div>
Wire of stainless steel
<div>Containing by weight 2,5 % or more of nickel</div> <div>Containing by weight 28 % or more but not more than 31 % of nickel and 20 % or more but not more than 22 % of chromium</div> <div>Other</div>
<div>Containing by weight less than 2,5 % of nickel</div> <div>Containing by weight 13 % or more but not more than 25 % of chromium and 3,5 % or more but not more than 6 % of aluminium</div> <div>Other</div>
IV. OTHER ALLOY STEEL; HOLLOW DRILL BARS AND RODS, OF ALLOY OR NON-ALLOY STEEL
Other alloy steel in ingots or other primary forms; semi-finished products of other alloy steel

Ingots and other primary forms

Of tool steel

Other

Other

Of tool steel

Of rectangular (including square) cross-section

Other

Hot-rolled or obtained by continuous casting

Other

Other

Of rectangular (including square) cross-section

Hot-rolled or obtained by continuous casting

The width measuring less than twice the thickness

Of high-speed steel

Containing by weight not more than 0,7|% of carbon, 0,5|% or more but not more than 1,2|% of manganese and 0,6|% or more but not more than 2,3|% of silicon; containing by weight 0,0008|% or more of boron with any other element less than the minimum content referred to in note|1(f) to this chapter

Other

Other

Forged

Other

Hot-rolled or obtained by continuous casting

Containing by weight not less than 0,9|% but not more than 1,15|% of carbon, not less than 0,5|% but not more than 2|% of chromium and, if present, not more than 0,5|% of molybdenum

Other

Forged

Flat-rolled products of other alloy steel, of a width of 600|mm or more

Of silicon-electrical steel

Grain-oriented

Of a thickness exceeding 0,16|mm

With a maximum core loss not higher than 0.9 W/kg

With a maximum core loss higher than 0.9 W/kg but not higher than 1,05 W/kg

With a maximum core loss higher than 1,05 W/kg

Other

Other

Hot-rolled

Products clad, plated or coated, not in coils, without patterns in relief, of a thickness exceeding 10|mm and products clad, plated or coated, not in coils, without patterns in relief, of a thickness of 4,75|mm or more but not exceeding 10 mm and of a width of 2|050|mm or more

Other

Cold-rolled

Other, not further worked than hot-rolled, in coils

Of tool steel

Of high-speed steel

Not further worked than rolled; not further worked than surface-treated, including cladding or simply cut into shapes other than rectangular (including square)

Other

Other

Other, not further worked than hot-rolled, not in coils

Of tool steel

Of a thickness of 4,75|mm or more

Of a thickness less than 4,75 mm

Of high-speed steel

Not further worked than rolled; not further worked than surface-treated, including cladding or simply cut into shapes other than rectangular (including square)

Other

Other

Of a thickness exceeding 10|mm

Of a thickness of 4,75|mm or more but not exceeding 10|mm

Of a width of 2|050|mm or more

Other

Of a thickness of less than 4,75|mm

Other, not further worked than cold-rolled (cold-reduced)

Of high-speed steel

Not further worked than rolled; not further worked than surface-treated, including cladding or simply cut into shapes other than rectangular (including square)

Other

Other

Other

Electrolytically plated or coated with zinc

Not further worked than surface-treated, including cladding or simply cut into shapes other than rectangular (including square)

Other

Otherwise plated or coated with zinc

Other

Not further worked than surface-treated, including cladding or simply cut into shapes other than rectangular (including square)

Painted, varnished or coated with plastics on at least one side, excluding products with a final coating of zinc-dust (a zinc-rich paint, containing by weight 70% or more of zinc) and excluding products with a substrate with a metallic coating of chromium or tin

Other

Other, of a thickness exceeding 10|mm or of a thickness of 4,75|mm or more but not exceeding 10|mm and of a width of 2|050|mm or more

Other

Painted, varnished or coated with plastics on at least one side, excluding so-called "sandwich panels" of a kind used for building applications and consisting of two outer metal sheets with a stabilising core of insulation material sandwiched between them, excluding those products with a final coating of zinc-dust (a zinc-rich paint, containing by weight 70% or more of zinc) and excluding products with a substrate with a metallic coating of chromium or tin

Other

Flat-rolled products of other alloy steel, of a width of less than 600|mm

Of silicon-electrical steel

Grain-oriented

Of a width exceeding 500 mm

Of a thickness exceeding 0,16|mm

With a maximum core loss not higher than 0.9 W/kg

With a maximum core loss higher than 0.9 W/kg but not higher than 1,05 W/kg

With a maximum core loss higher than 1,05 W/kg

Other

Of a width not exceeding 500 mm

Of a thickness exceeding 0,16|mm

With a maximum core loss not higher than 0.9 W/kg

With a maximum core loss higher than 0.9 W/kg but not higher than 1,05 W/kg

With a maximum core loss higher than 1,05 W/kg

Other

Other

Not further worked than hot-rolled

Products clad, plated or coated

Other
Other
Of a width exceeding 500 mm
Of a width not exceeding 500 mm
Of high-speed steel
Not further worked than hot-rolled; of a width not exceeding 500 mm, hot-rolled, not further worked than clad; of a width exceeding 500 mm, not further worked than cold-rolled (cold-reduced) or not further worked than surface-treated, including cladding
Other
Other
Not further worked than hot-rolled
Of tool steel
Other
Of a thickness of 4,75 mm or more
Of a thickness of less than 4,75 mm
Not further worked than cold-rolled (cold-reduced)
Of a width exceeding 500 mm
Of a width not exceeding 500 mm
Other
Electrolytically plated or coated with zinc
Otherwise plated or coated with zinc
Other
Of a width not exceeding 500 mm, hot-rolled, not further worked than clad; of a width exceeding 500 mm, not further worked than surface-treated, including cladding
Painted, varnished or coated with plastics on at least one side, excluding products with a final coating of zinc-dust (a zinc-rich paint, containing by weight 70% or more of zinc) and excluding products with a substrate with a metallic coating of chromium or tin
Other
Other
Painted, varnished or coated with plastics on at least one side, excluding so-called "sandwich panels" of a kind used for building applications and consisting of two outer metal sheets with a stabilising core of insulation material sandwiched between them, excluding those products with a final coating of zinc-dust (a zinc-rich paint, containing by weight 70% or more of zinc) and excluding products with a substrate with a metallic coating of chromium or tin
Other

Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel
Of high-speed steel
Of silico-manganese steel
Other
Containing by weight 0,0008 % or more of boron with any other element less than the minimum content referred to in note 1(f) to this chapter
Containing by weight 0,9 % or more but not more than 1,15 % of carbon, 0,5 % or more but not more than 2 % of chromium and, if present, not more than 0,5 % of molybdenum
Other

Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel
Bars and rods, of high-speed steel
Not further worked than hot-rolled, hot-drawn or extruded; hot-rolled, hot-drawn or extruded, not further worked than clad
Forged
Other

Bars and rods, of silico-manganese steel
Of rectangular (other than square) cross-section, hot-rolled on four faces
Not further worked than hot-rolled, hot-drawn or extruded
Other
Hot-rolled, hot-drawn or extruded, not further worked than clad
Other

Other
Not further worked than hot-rolled, hot-drawn or extruded; hot-rolled, hot-drawn or extruded, not further worked than clad
Other

Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded
Of tool steel
High fatigue performance concrete reinforcing bars and rods, containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling
Other

Containing by weight 0,9 % or more but not more than 1,15 % of carbon, 0,5 % or more but not more than 2 % of chromium and, if present, not more than 0,5 % of molybdenum
Of circular cross-section of a diameter of 80 mm or more
High fatigue performance concrete reinforcing bars and rods, containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling
Other

Other
High fatigue performance concrete reinforcing bars and rods, containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling
Other

Other
Of circular cross-section, of a diameter of
80 mm or more
High fatigue performance concrete reinforcing bars and rods, containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling
Other

Less than 80 mm
High fatigue performance concrete reinforcing bars and rods, containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling
Other

Of rectangular (other than square) cross-section, hot-rolled on four faces
High fatigue performance concrete reinforcing bars and rods, containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling
Other

Other
High fatigue performance concrete reinforcing bars and rods, containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling
Other

Other bars and rods, not further worked than forged
Of tool steel
Other

Other bars and rods, not further worked than cold-formed or cold-finished
Of tool steel
Containing by weight 0,9 % or more but not more than 1,15 % of carbon, 0,5 % or more but not more than 2 % of chromium and, if present, not more than 0,5 % of molybdenum
Other
Of circular cross-section, of a diameter of
80 mm or more

<table><tr><td>Less than 80 mm</td></tr><tr><td>Other</td></tr></table>	Less than 80 mm	Other		
Less than 80 mm				
Other				
Other bars and rods				
<table><tr><td>Of tool steel</td></tr><tr><td>Hot-rolled, hot-drawn or extruded, not further worked than clad</td></tr><tr><td>Other</td></tr></table>	Of tool steel	Hot-rolled, hot-drawn or extruded, not further worked than clad	Other	
Of tool steel				
Hot-rolled, hot-drawn or extruded, not further worked than clad				
Other				
<table><tr><td>Other</td></tr><tr><td>Hot-rolled, hot-drawn or extruded, not further worked than clad</td></tr><tr><td>Other</td></tr></table>	Other	Hot-rolled, hot-drawn or extruded, not further worked than clad	Other	
Other				
Hot-rolled, hot-drawn or extruded, not further worked than clad				
Other				
Angles, shapes and sections				
Not further worked than hot-rolled, hot-drawn or extruded				
<table><tr><td>Other</td></tr><tr><td>Hot-rolled, hot-drawn or extruded, not further worked than clad</td></tr><tr><td>Other</td></tr></table>	Other	Hot-rolled, hot-drawn or extruded, not further worked than clad	Other	
Other				
Hot-rolled, hot-drawn or extruded, not further worked than clad				
Other				
Hollow drill bars and rods				
Wire of other alloy steel				
Of silico-manganese steel				
<table><tr><td>Other</td></tr><tr><td>Of high-speed steel</td></tr><tr><td>Containing by weight 0,9 % or more but not more than 1,15 % of carbon, 0,5 % or more but not more than 2 % of chromium and, if present, not more than 0,5 % of molybdenum</td></tr><tr><td>Other</td></tr></table>	Other	Of high-speed steel	Containing by weight 0,9 % or more but not more than 1,15 % of carbon, 0,5 % or more but not more than 2 % of chromium and, if present, not more than 0,5 % of molybdenum	Other
Other				
Of high-speed steel				
Containing by weight 0,9 % or more but not more than 1,15 % of carbon, 0,5 % or more but not more than 2 % of chromium and, if present, not more than 0,5 % of molybdenum				
Other				

ARTICLES OF IRON OR STEEL								
Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel								
Sheet piling								
Angles, shapes and sections								
Railway or tramway track construction material of iron or steel, the following: rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers (cross-ties), fish-plates, chairs, chair wedges, sole plates (base plates), rail clips, bedplates, ties and other material specialised for jointing or fixing rails								
Rails								
Current-conducting, with parts of non-ferrous metal								
<table><tr><td>Other</td></tr><tr><td>New</td></tr><tr><td>Vignole rails</td></tr><tr><td>Of a weight per metre of 36 kg or more</td></tr><tr><td>Of a weight per metre of less than 36 kg</td></tr><tr><td>Grooved rails</td></tr><tr><td>Other</td></tr><tr><td>Used</td></tr></table>	Other	New	Vignole rails	Of a weight per metre of 36 kg or more	Of a weight per metre of less than 36 kg	Grooved rails	Other	Used
Other								
New								
Vignole rails								
Of a weight per metre of 36 kg or more								
Of a weight per metre of less than 36 kg								
Grooved rails								
Other								
Used								

Switch blades, crossing frogs, point rods and other crossing pieces
Fish-plates and sole plates
Other
Tubes, pipes and hollow profiles, of cast iron
Tubes and pipes of a kind used in pressure systems
Of ductile cast iron (also known as spheroidal graphite cast iron), with the exclusion of tubes and pipes of ductile cast iron without internal and external coating ('bare pipes')
Tubes and pipes of ductile cast iron without internal and external coating ('bare pipes')
Other
Other
Tubes and pipes of ductile cast iron (also known as spheroidal graphite cast iron), with the exclusion of tubes and pipes of ductile cast iron without internal and external coating ('bare pipes')
Tubes and pipes of ductile cast iron without internal and external coating ('bare pipes')
Other
Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel
Line pipe of a kind used for oil or gas pipelines
Of stainless steel
Of circular cross-section, of an external diameter not exceeding 406,4 mm and with a Carbon Equivalent Value (CEV) not exceeding 0,86 according to the International Institute of Welding (IIW) formula and chemical analysis
Other
Other
Of an external diameter not exceeding 168,3 mm
Of circular cross-section and with a Carbon Equivalent Value (CEV) not exceeding 0,86 according to the International Institute of Welding (IIW) formula and chemical analysis
Other
Of an external diameter exceeding 168,3 mm but not exceeding 406,4 mm
Of circular cross-section and with a Carbon Equivalent Value (CEV) not exceeding 0,86 according to the International Institute of Welding (IIW) formula and chemical analysis
Other
Of an external diameter exceeding 406,4 mm
Of circular cross-section and with a Carbon Equivalent Value (CEV) not exceeding 0,86 according to the International Institute of Welding (IIW) formula and chemical analysis
Other
Casing, tubing and drill pipe, of a kind used in drilling for oil or gas

Drill pipe of stainless steel
Of circular cross-section, of an external diameter not exceeding 406,4 mm and with a Carbon Equivalent Value (CEV) not exceeding 0,86 according to the International Institute of Welding (IIW) formula and chemical analysis
Other
Other drill pipe
Of circular cross-section, of an external diameter not exceeding 406,4 mm and with a Carbon Equivalent Value (CEV) not exceeding 0,86 according to the International Institute of Welding (IIW) formula and chemical analysis
Other
Other, of stainless steel
Of circular cross-section, of an external diameter not exceeding 406,4 mm and with a Carbon Equivalent Value (CEV) not exceeding 0,86 according to the International Institute of Welding (IIW) formula and chemical analysis
Other
Other
Of an external diameter not exceeding 168,3 mm
Of circular cross-section and with a Carbon Equivalent Value (CEV) not exceeding 0,86 according to the International Institute of Welding (IIW) formula and chemical analysis
Other
Of an external diameter exceeding 168,3 mm but not exceeding 406,4 mm
Of circular cross-section and with a Carbon Equivalent Value (CEV) not exceeding 0,86 according to the International Institute of Welding (IIW) formula and chemical analysis
Other
Of an external diameter exceeding 406,4 mm
Casings
Other
Other, of circular cross-section, of iron or non-alloy steel
Cold-drawn or cold-rolled (cold-reduced)
Precision tubes
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft
Other
Of an external diameter not exceeding 406,4 mm and with a Carbon Equivalent Value (CEV) not exceeding 0,86 according to the International Institute of Welding (IIW) formula and chemical analysis
Other

Other
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft
Other
Of an external diameter not exceeding 406,4 mm and with a Carbon Equivalent Value (CEV) not exceeding 0,86 according to the International Institute of Welding (IIW) formula and chemical analysis
Other

Other
Unworked, straight and of uniform wall thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall thicknesses
Of an external diameter not exceeding 406,4 mm and with a Carbon Equivalent Value (CEV) not exceeding 0,86 according to the International Institute of Welding (IIW) formula and chemical analysis
Other

Other
Threaded or threadable tubes (gas pipe)
Plated or coated with zinc
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft
Other
Of an external diameter not exceeding 406,4 mm and with a Carbon Equivalent Value (CEV) not exceeding 0,86 according to the International Institute of Welding (IIW) formula and chemical analysis
Other

Other
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft
Other
Of an external diameter not exceeding 406,4 mm and with a Carbon Equivalent Value (CEV) not exceeding 0,86 according to the International Institute of Welding (IIW) formula and chemical analysis
Other

Other, of an external diameter
Not exceeding 168,3 mm
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft

With a Carbon Equivalent Value (CEV) not exceeding 0,86 according to the International Institute of Welding (IIW) formula and chemical analysis
Other
Exceeding 168,3 mm but not exceeding 406,4 mm
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft
With a Carbon Equivalent Value (CEV) not exceeding 0,86 according to the International Institute of Welding (IIW) formula and chemical analysis
Other
Exceeding 406,4 mm
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft
Other

Other, of circular cross-section, of stainless steel
Cold-drawn or cold-rolled (cold-reduced)
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft
Other

Other
Unworked, straight and of uniform wall thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall thicknesses
Other
Of an external diameter not exceeding 168,3 mm
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft
Other
Of an external diameter exceeding 168,3 mm but not exceeding 406,4 mm
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft
Other
Of an external diameter exceeding 406,4 mm
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft
Other

Other, of circular cross-section, of other alloy steel
--

Cold-drawn or cold-rolled (cold-reduced)
Straight and of uniform wall thickness, of alloy steel containing by weight not less than 0,9 % but not more than 1,15 % of carbon, not less than 0,5 % but not more than 2 % of chromium and, if present, not more than 0,5 % of molybdenum, of a length
Not exceeding 0,5 m
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft
Other
Exceeding 0,5 m
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft
Other

Other
Precision tubes
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft
Other
Of an external diameter not exceeding 406,4 mm and with a Carbon Equivalent Value (CEV) not exceeding 0,86 according to the International Institute of Welding (IIW) formula and chemical analysis
Other

Other
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft
Other
Of an external diameter not exceeding 406,4 mm and with a Carbon Equivalent Value (CEV) not exceeding 0,86 according to the International Institute of Welding (IIW) formula and chemical analysis
Other

Other
Unworked, straight and of uniform wall thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall-thicknesses
Of an external diameter not exceeding 406,4 mm and with a Carbon Equivalent Value (CEV) not exceeding 0,86 according to the International Institute of Welding (IIW) formula and chemical analysis
Other

Other, straight and of uniform wall thickness, of alloy steel containing by weight not less than 0,9 % but not more than 1,15 % of carbon, not less than 0,5 % but not more than
--

2 % of chromium and, if present, not more than 0,5 % of molybdenum, of a length
Not exceeding 0,5 m
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft
Other
Exceeding 0,5 m
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft
Other
Other
Of an external diameter not exceeding 168,3 mm
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft
Other
With a Carbon Equivalent Value (CEV) not exceeding 0,86 according to the International Institute of Welding (IIW) formula and chemical analysis
Other
Of an external diameter exceeding 168,3 mm but not exceeding 406,4 mm
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft
With a Carbon Equivalent Value (CEV) not exceeding 0,86 according to the International Institute of Welding (IIW) formula and chemical analysis
Other
Of an external diameter exceeding 406,4 mm
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft
Other
Other
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft
Other
Tubes and pipes, of stainless steel
Other
Other tubes and pipes (for example, welded, riveted or similarly closed), having circular cross-sections, the external diameter of which exceeds 406,4 mm, of iron or steel
Line pipe of a kind used for oil or gas pipelines
Longitudinally submerged arc welded
Other, longitudinally welded
Other

Casing of a kind used in drilling for oil or gas
Other, welded
Longitudinally welded
Other
Other
Other tubes, pipes and hollow profiles (for example, open seam or welded, riveted or similarly closed), of iron or steel
Line pipe of a kind used for oil or gas pipelines
Welded, of stainless steel
Longitudinally welded
Spirally welded
Other
Longitudinally welded
Spirally welded
Casing and tubing of a kind used in drilling for oil or gas
Welded, of stainless steel
Other
Other, welded, of circular cross-section, of iron or non-alloy steel
Precision tubes, with a wall thickness
Not exceeding 2 mm
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft
Other
Exceeding 2 mm
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft
Other
Other
Threaded or threadable tubes (gas pipe)
Plated or coated with zinc
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft
Tubes and pipes of an external diameter not exceeding 168,3 mm
Other
Other
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft
Tubes and pipes of an external diameter not exceeding 168,3 mm
Other
Other, of an external diameter
Not exceeding 168,3 mm
Plated or coated with zinc
With attached fittings, suitable for conducting

gases or liquids, for use in civil aircraft
Tubes and pipes, ready for fitting, usable as hydraulic conduits for fuel-oil or lubricants in certain types of aircraft
Other
Tubes and pipes
Other
Other
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft
Tubes and pipes, ready for fitting, usable as hydraulic conduits for fuel-oil or lubricants in certain types of aircraft
Other
Tubes and pipes
Other
Exceeding 168,3 mm but not exceeding 406,4 mm
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft
Other
Other, welded, of circular cross-section, of stainless steel
Cold-drawn or cold-rolled (cold-reduced)
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft
Other
Other
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft
Other
Other, welded, of circular cross-section, of other alloy steel
Precision tubes
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft
Other
Other
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft
Other
Other, welded, of non-circular cross-section
Of square or rectangular cross-section
Of stainless steel
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft

<div><div>Other</div><div>Other</div><div>With a wall thickness not exceeding 2 mm<div>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</div><div>Other</div></div><div>With a wall thickness exceeding 2 mm<div>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</div><div>Other</div></div><div>Of other non-circular cross-section<div>Of stainless steel<div>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</div><div>Other</div></div><div>Other<div>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</div><div>Other</div></div></div><div>Other</div></div>	<div><div>For use in certain types of aircraft</div><div>Other</div></div> <div><div>Other</div><div>For use in certain types of aircraft</div><div>Other</div></div> <div><div>Other</div><div>Threaded<div>For use in certain types of aircraft</div><div>Other</div></div><div>Other<div>For use in certain types of aircraft</div><div>Other</div></div></div> <div><div>Other</div><div>Flanges<div>For use in certain types of aircraft</div><div>Other</div></div><div>Threaded elbows, bends and sleeves<div>Sleeves<div>For use in certain types of aircraft</div><div>Other</div></div><div>Elbows and bends<div>For use in certain types of aircraft</div><div>Other</div></div></div><div><div>Butt welding fittings<div>With greatest external diameter not exceeding 609,6 mm<div>Elbows and bends<div>For use in certain types of aircraft</div><div>Consigned from Taiwan, Indonesia, Sri Lanka or the Philippines</div><div>Other</div></div><div>Other<div>Consigned from Taiwan</div><div>Consigned from Indonesia</div><div>Consigned from Sri Lanka</div><div>Consigned from the Philippines</div><div>Other</div></div></div><div>Other<div>For use in certain types of aircraft</div><div>Consigned from Taiwan, Indonesia, Sri Lanka or the Philippines</div><div>Other</div></div><div>Other<div>Consigned from Taiwan</div><div>Consigned from Indonesia</div><div>Consigned from Sri Lanka</div><div>Consigned from the Philippines</div></div></div></div></div>	<div><div>Other</div></div> <div><div>With greatest external diameter exceeding 609,6 mm<div>Elbows and bends<div>For use in certain types of aircraft</div><div>Other</div></div><div>Other<div>For use in certain types of aircraft</div><div>Other</div></div></div><div><div>Other</div><div>Threaded<div>For use in certain types of aircraft</div><div>Other</div></div><div>Other<div>For use in certain types of aircraft</div><div>With greatest external diameter not exceeding 609,6 mm<div>Consigned from Taiwan, Indonesia, Sri Lanka or the Philippines</div><div>Other</div></div><div>Other</div></div><div><div>Other</div><div>With greatest external diameter not exceeding 609,6 mm<div>Consigned from Taiwan</div><div>Consigned from Indonesia</div><div>Consigned from Sri Lanka</div><div>Consigned from the Philippines</div><div>Other</div></div><div>Other</div></div><div><div>Structures (excluding prefabricated buildings of heading 9406) and parts of structures (for example, bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns), of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel</div><div>Bridges and bridge-sections</div><div>Towers and lattice masts</div><div>Doors, windows and their frames and thresholds for doors</div><div>Equipment for scaffolding, shuttering, propping or pit-propping</div><div><div>Other</div><div>Solely or principally of sheet<div>Panels comprising two walls of profiled (ribbed) sheet with an insulating core</div><div>Other</div></div></div></div></div></div>
--	--	---

<div>Other</div>
Reservoirs, tanks, vats and similar containers for any material (other than compressed or liquefied gas), of iron or steel, of a capacity exceeding 300l, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment
<div>For gases (other than compressed or liquefied gas)</div>
<div>For liquids</div> <div><div>Lined or heat-insulated</div><div>Other, of a capacity<div>Exceeding 100000l</div><div>Not exceeding 100000l</div></div></div>
<div>For solids</div>
Tanks, casks, drums, cans, boxes and similar containers, for any material (other than compressed or liquefied gas), of iron or steel, of a capacity not exceeding 300l, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment
<div>Of a capacity of 50l or more</div>
<div>Of a capacity of less than 50l</div> <div><div>Cans which are to be closed by soldering or crimping</div><div><div>Cans of a kind used for preserving food</div><div>Cans of a kind used for preserving drink</div><div>Other, with a wall thickness of<div>Less than 0,5mm</div><div>0,5mm or more</div></div></div></div>
<div>Other</div> <div><div>With a wall thickness of less than 0,5mm</div><div>With a wall thickness of 0,5mm or more</div></div>
Containers for compressed or liquefied gas, of iron or steel
<div>Seamless</div> <div><div>For a pressure of 165bar or more, of a capacity of<div>Less than 20l<div>Containers intended for pressurisation, of iron or steel, in certain types of aircraft</div><div>Other</div></div></div><div>20l or more but not more than 50l<div>Containers intended for pressurisation, of iron or steel, in certain types of aircraft</div><div>Other</div></div><div>More than 50l<div>Containers intended for pressurisation, of iron or steel, in certain types of aircraft</div><div>Other</div></div></div>

<div>Other</div> <div>Containers intended for pressurisation, of iron or steel, in certain types of aircraft</div> <div>Other</div>
<div>Other, of a capacity of<div>Less than 1000l</div><div>1000l or more</div></div>
Stranded wire, ropes, cables, plaited bands, slings and the like, of iron or steel, not electrically insulated
<div>Stranded wire, ropes and cables</div> <div><div>Of stainless steel</div><div><div>With fittings attached, or made up into articles, for use in civil aircraft</div><div>Other</div></div></div>
<div>Other, with a maximum cross-sectional dimension</div> <div><div>Not exceeding 3mm</div><div><div>Plated or coated with copper-zinc alloys (brass)</div><div><div>With fittings attached, or made up into articles, for use in civil aircraft</div><div>Other</div></div></div><div>Other<div><div>With fittings attached, or made up into articles, for use in civil aircraft</div><div>Other</div></div></div></div>
<div>Exceeding 3mm</div> <div><div>Stranded wire</div><div><div>Not coated</div><div><div>With fittings attached, or made up into articles, for use in civil aircraft</div><div><div>With not more than 18 wires, of non-alloy steel, containing by weight 0,6% or more of carbon</div><div>Other</div></div></div><div>Other<div><div>With not more than 18 wires, of non-alloy steel, containing by weight 0,6% or more of carbon</div><div>Other</div></div></div></div><div><div>Coated</div><div><div>Plated or coated with zinc</div><div><div>With fittings attached, or made up into articles, for use in civil aircraft</div><div><div>With not more than 18 wires, of non-alloy steel, containing by weight 0,6% or more of carbon, excluding galvanised (but not with any further coating material) seven wire strands in which the diameter of the central wire is identical or less than 3% greater</div></div></div></div></div></div>

<div>than the diameter of any of the 6 other wires</div>
<div>Other</div>
<div>Other</div> <div><div>With not more than 18 wires, of non-alloy steel, containing by weight 0,6% or more of carbon, excluding galvanised (but not with any further coating material) seven wire strands in which the diameter of the central wire is identical or less than 3% greater than the diameter of any of the 6 other wires</div><div>Other</div></div>
<div>Other</div> <div><div>With fittings attached, or made up into articles, for use in civil aircraft</div><div><div>With not more than 18 wires, of non-alloy steel, containing by weight 0,6% or more of carbon</div><div>Other</div></div></div>
<div>Other</div> <div><div>With not more than 18 wires, of non-alloy steel, containing by weight 0,6% or more of carbon</div><div>Other</div></div>
Ropes and cables (including locked coil ropes)
<div>Not coated or only plated or coated with zinc, with a maximum cross-sectional dimension</div> <div><div>Exceeding 3mm but not exceeding 12mm</div><div><div>With fittings attached, or made up into articles, for use in civil aircraft</div><div><div>Of steel</div><div><div>Consigned from Moldova or Morocco</div><div>Consigned from the Republic of Korea</div><div>Other</div></div><div>Other</div></div></div></div> <div><div>Other</div><div><div>Of steel</div><div><div>Consigned from Moldova</div><div>Consigned from Morocco</div><div>Consigned from the Republic of Korea</div><div>Other</div></div><div>Other</div></div></div>
<div>Exceeding 12mm but not exceeding 24mm</div>

With fittings attached, or made up into articles, for use in civil aircraft

Of steel

Consigned from
Moldova or Morocco

Consigned from the
Republic of Korea

Other

Other

Other

Of steel

Consigned from
Moldova

Consigned from
Morocco

Consigned from the
Republic of Korea

Other

Other

Exceeding 24|mm but not exceeding 48|mm

With fittings attached, or made up into articles, for use in civil aircraft

Of steel

Consigned from
Moldova or Morocco

Consigned from the
Republic of Korea

Other

Other

Other

Of steel

Consigned from
Moldova

Consigned from
Morocco

Consigned from the
Republic of Korea

Other

Other

Exceeding 48|mm

With fittings attached, or made up into articles, for use in civil aircraft

Of steel

Consigned from
Moldova or Morocco

Consigned from the
Republic of Korea

Other

Other

Of steel

Consigned from
Moldova

Consigned from
Morocco

Consigned from the
Republic of Korea

Other

Other

Other

With fittings attached, or made up into articles, for use in civil aircraft

Of steel

Consigned from
Moldova or Morocco

Consigned from the
Republic of Korea

Other

Other

Other

Of steel

Consigned from
Moldova

Consigned from
Morocco

Consigned from the
Republic of Korea

Other

Other

Other

With fittings attached, or made up into articles for use in civil aircraft

Other

Barbed wire of iron or steel; twisted hoop or single flat wire, barbed or not, and loosely twisted double wire, of a kind used for fencing, of iron or steel

Cloth (including endless bands), grill, netting and fencing, of iron or steel wire; expanded metal of iron or steel

Woven cloth

Endless bands for machinery, of stainless steel

Other woven cloth, of stainless steel

Other

Grill, netting and fencing, welded at the intersection, of wire with a maximum cross-sectional dimension of 3|mm or more and having a mesh size of 100|cm\$2|or more

Of ribbed wire

Other

Other grill, netting and fencing, welded at the intersection

Plated or coated with zinc

Other

Other cloth, grill, netting and fencing

Plated or coated with zinc

Coated with plastics

Other

Expanded metal

Chain and parts thereof, of iron or steel

Articulated link chain and parts thereof

Roller chain

Of a kind used for cycles and motorcycles

Other

Other chain

Parts

Skid chain

Other chain

Stud-link

Other, welded link

Other

Other parts

Anchors, grapnels and parts thereof, of iron or steel

Nails, tacks, drawing pins, corrugated nails, staples (other than those of heading|8305) and similar articles, of iron or steel, whether or not with heads of other material, but excluding such articles with heads of copper

Cold-pressed from wire

Nails in strips or coils

Other

Other

Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers (including spring washers) and similar articles, of iron or steel

Threaded articles

Coach screws

Other wood screws

Of stainless steel

For use in certain types of aircraft

Consigned from the
Philippines

Other

Other

Consigned from the
Philippines

Other

Other

For use in certain types of aircraft

Other

Screw hooks and screw rings

For use in certain types of aircraft

Other

Self-tapping screws

Of stainless steel

<table><tr><td>transmission belts, for internal combustion engines</td></tr><tr><td>Other</td></tr></table>	transmission belts, for internal combustion engines	Other
transmission belts, for internal combustion engines		
Other		
Discs springs		
<table><tr><td>For use in certain types of aircraft</td></tr><tr><td>Other</td></tr></table>	For use in certain types of aircraft	Other
For use in certain types of aircraft		
Other		
Other		
<table><tr><td>For use in certain types of aircraft</td></tr><tr><td>Other</td></tr></table>	For use in certain types of aircraft	Other
For use in certain types of aircraft		
Other		

Stoves, ranges, grates, cookers (including those with subsidiary boilers for central heating), barbecues, braziers, gas rings, plate warmers and similar non-electric domestic appliances, and parts thereof, of iron or steel				
Cooking appliances and plate warmers				
<table><tr><td>For gas fuel or for both gas and other fuels</td></tr><tr><td><table><tr><td>With oven, including separate ovens</td></tr><tr><td>Other</td></tr></table></td></tr></table>	For gas fuel or for both gas and other fuels	<table><tr><td>With oven, including separate ovens</td></tr><tr><td>Other</td></tr></table>	With oven, including separate ovens	Other
For gas fuel or for both gas and other fuels				
<table><tr><td>With oven, including separate ovens</td></tr><tr><td>Other</td></tr></table>	With oven, including separate ovens	Other		
With oven, including separate ovens				
Other				
For liquid fuel				
Other, including appliances for solid fuel				
Other appliances				
<table><tr><td>For gas fuel or for both gas and other fuels</td></tr><tr><td>For liquid fuel</td></tr><tr><td>Other, including appliances for solid fuel</td></tr></table>	For gas fuel or for both gas and other fuels	For liquid fuel	Other, including appliances for solid fuel	
For gas fuel or for both gas and other fuels				
For liquid fuel				
Other, including appliances for solid fuel				
Parts				

Radiators for central heating, not electrically heated, and parts thereof, of iron or steel; air heaters and hot-air distributors (including distributors which can also distribute fresh or conditioned air), not electrically heated, incorporating a motor-driven fan or blower, and parts thereof, of iron or steel		
Radiators and parts thereof		
<table><tr><td>Of cast iron</td></tr><tr><td>Other</td></tr></table>	Of cast iron	Other
Of cast iron		
Other		
Other		
<table><tr><td>Air heaters and not-air distributors (excluding parts thereof), for use in civil aircraft</td></tr><tr><td>Other</td></tr></table>	Air heaters and not-air distributors (excluding parts thereof), for use in civil aircraft	Other
Air heaters and not-air distributors (excluding parts thereof), for use in civil aircraft		
Other		

Table, kitchen or other household articles and parts thereof, of iron or steel; iron or steel wool; pot scourers and scouring or polishing pads, gloves and the like, of iron or steel			
Iron or steel wool; pot scourers and scouring or polishing pads, gloves and the like			
Other			
<table><tr><td>Of cast iron, not enamelled</td></tr><tr><td>Of cast iron, enamelled</td></tr><tr><td>Of stainless steel</td></tr></table>	Of cast iron, not enamelled	Of cast iron, enamelled	Of stainless steel
Of cast iron, not enamelled			
Of cast iron, enamelled			
Of stainless steel			

Ironing boards, including sleeve boards, whether or not free standing, and legs, tops and iron rests thereof
Other
Of iron (other than cast iron) or steel, enamelled
Other
Ironing boards, including sleeve boards, whether or not free standing, and legs, tops and iron rests thereof
Other

Sanitary ware and parts thereof, of iron or steel		
Sinks and washbasins, of stainless steel		
<table><tr><td>For use in civil aircraft</td></tr><tr><td>Other</td></tr></table>	For use in civil aircraft	Other
For use in civil aircraft		
Other		
Baths		
<table><tr><td>Of cast iron, whether or not enamelled</td></tr><tr><td>Other</td></tr></table>	Of cast iron, whether or not enamelled	Other
Of cast iron, whether or not enamelled		
Other		
Other, including parts		
<table><tr><td>Sanitary ware (excluding parts thereof), for use in civil aircraft</td></tr><tr><td>Other</td></tr></table>	Sanitary ware (excluding parts thereof), for use in civil aircraft	Other
Sanitary ware (excluding parts thereof), for use in civil aircraft		
Other		

Other cast articles of iron or steel				
Of non-malleable cast iron				
Other				
Grinding balls and similar articles for mills				
Other				
Of malleable cast iron				
<table><tr><td>Anchor head of hot dipped galvanized ductile cast iron of the kind used in the production of earth anchors</td></tr><tr><td>Other</td></tr></table>	Anchor head of hot dipped galvanized ductile cast iron of the kind used in the production of earth anchors	Other		
Anchor head of hot dipped galvanized ductile cast iron of the kind used in the production of earth anchors				
Other				
Other				
<table><tr><td>Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft</td></tr><tr><td>Devices for cargo stowage and clamping freight, for use in certain types of aircraft</td></tr><tr><td>Balls used in freight loading systems in certain types of aircraft</td></tr><tr><td>Other</td></tr></table>	Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft	Devices for cargo stowage and clamping freight, for use in certain types of aircraft	Balls used in freight loading systems in certain types of aircraft	Other
Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft				
Devices for cargo stowage and clamping freight, for use in certain types of aircraft				
Balls used in freight loading systems in certain types of aircraft				
Other				

Other articles of iron or steel		
Forged or stamped, but not further worked		
Grinding balls and similar articles for mills		
Other		
<table><tr><td>Open-die forged</td></tr><tr><td>Other</td></tr></table>	Open-die forged	Other
Open-die forged		
Other		

Articles of iron or steel wire
For use in civil aircraft
Metal fleece, consisting of a mass of stainless steel wires of diameters of 0,001 mm or more but not more than 0,070 mm, compacted by sintering and rolling
Other

Other				
Ladders and steps				
Pallets and similar platforms for handling goods				
Reels for cables, piping and the like				
Non-mechanical ventilators, guttering, hooks and like articles used in the building industry				
Other articles of iron or steel				
Open-die forged				
<table><tr><td>Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft</td></tr><tr><td>Devices for cargo stowage and clamping freight, for use in certain types of aircraft</td></tr><tr><td>Balls used in freight loading systems in certain types of aircraft</td></tr><tr><td>Other</td></tr></table>	Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft	Devices for cargo stowage and clamping freight, for use in certain types of aircraft	Balls used in freight loading systems in certain types of aircraft	Other
Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft				
Devices for cargo stowage and clamping freight, for use in certain types of aircraft				
Balls used in freight loading systems in certain types of aircraft				
Other				

Closed-die forged				
<table><tr><td>Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft</td></tr><tr><td>Devices for cargo stowage and clamping freight, for use in certain types of aircraft</td></tr><tr><td>Balls used in freight loading systems in certain types of aircraft</td></tr><tr><td>Other</td></tr></table>	Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft	Devices for cargo stowage and clamping freight, for use in certain types of aircraft	Balls used in freight loading systems in certain types of aircraft	Other
Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft				
Devices for cargo stowage and clamping freight, for use in certain types of aircraft				
Balls used in freight loading systems in certain types of aircraft				
Other				

Sintered				
<table><tr><td>Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft</td></tr><tr><td>Devices for cargo stowage and clamping freight, for use in certain types of aircraft</td></tr><tr><td>Ball bearings used in freight loading systems in certain types of aircraft</td></tr><tr><td>Other</td></tr></table>	Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft	Devices for cargo stowage and clamping freight, for use in certain types of aircraft	Ball bearings used in freight loading systems in certain types of aircraft	Other
Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft				
Devices for cargo stowage and clamping freight, for use in certain types of aircraft				
Ball bearings used in freight loading systems in certain types of aircraft				
Other				

Other				
<table><tr><td>Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft</td></tr><tr><td>Devices for cargo stowage and clamping freight, for use in certain types of aircraft</td></tr><tr><td>Ball bearings used in freight loading systems in certain types of aircraft</td></tr><tr><td>Iron and steel weights - whether or not with parts of other material</td></tr></table>	Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft	Devices for cargo stowage and clamping freight, for use in certain types of aircraft	Ball bearings used in freight loading systems in certain types of aircraft	Iron and steel weights - whether or not with parts of other material
Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft				
Devices for cargo stowage and clamping freight, for use in certain types of aircraft				
Ball bearings used in freight loading systems in certain types of aircraft				
Iron and steel weights - whether or not with parts of other material				

Other

Unrefined copper; copper anodes for electrolytic refining

Other

Other copper alloys (other than master alloys of heading|7405)

Other

Powders of lamellar structure; flakes

Profiles

Other

Other

Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver)

Other

Other

Other

Other

Of other copper alloys

Other

Of copper alloys

Plates: -|consisting of at least one layer of fibreglass fabric impregnated with epoxide resin, - |covered on one or both sides with copper foilwith a thickness of not

Other

Of copper alloys

Other

Other

Other

Of copper alloys

Other

Nails, tacks, drawing pins, staples (other than those of heading 8305) and similar articles, of copper or of iron or steel with heads of copper; screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers

(including spring washers) and similar articles, of copper
Nails and tacks, drawing pins, staples and similar articles
Other articles, not threaded
Washers (including spring washers)
Other
Other threaded articles
Screws; bolts and nuts
Other
Table, kitchen or other household articles and parts thereof, of copper; pot scourers and scouring or polishing pads, gloves and the like, of copper; sanitary ware and parts thereof, of copper
Table, kitchen or other household articles and parts thereof; pot scourers and scouring or polishing pads, gloves and the like
Cooking or heating apparatus of a kind used for domestic purposes, non-electric, and parts thereof
Other
Hand-made
Other
Sanitary ware and parts thereof
Hand-made
Other
Other articles of copper
Chain and parts thereof
Hand-made
Other
Other
Cast, moulded, stamped or forged, but not further worked
Hand-made
Other
Other
Cloth (including endless bands), grill and netting, of wire of which no cross-sectional dimension exceeds 6 mm; expanded metal
Springs
Other
Hand-made
Other
Disc (target) with deposition material, consisting of molybdenum silicide: - containing 1mg/kg or less of sodium and - mounted on a copper or aluminium support
Other

NICKEL AND ARTICLES THEREOF
Nickel mattes, nickel oxide sinters and other intermediate products of nickel metallurgy
Nickel mattes

Nickel oxide sinters and other intermediate products of nickel metallurgy
Unwrought nickel
Nickel, not alloyed
Nickel alloys
Nickel waste and scrap
Of nickel, not alloyed
Of nickel alloys
Nickel powders and flakes
Nickel bars, rods, profiles and wire
Bars, rods and profiles
Of nickel, not alloyed
Of nickel alloys
Wire
Of nickel, not alloyed
Of nickel alloys
Nickel plates, sheets, strip and foil
Of nickel, not alloyed
Of nickel alloys
Nickel tubes, pipes and tube or pipe fittings (for example, couplings, elbows, sleeves)
Tubes and pipes
Of nickel, not alloyed
Of nickel alloys
Tube or pipe fittings
Other articles of nickel
Cloth, grill and netting, of nickel wire
Other

ALUMINIUM AND ARTICLES THEREOF
Unwrought aluminium
Aluminium, not alloyed
Aluminium alloys
Slabs and billets
Slabs and billets of aluminium alloy containing lithium
Other
Other
Aluminium waste and scrap
Waste
Turnings, shavings, chips, milling waste, sawdust and filings; waste of coloured, coated or bonded sheets and foil, of a thickness (excluding any backing) not exceeding 0,2 mm
Other (including factory rejects)
Scrap
Aluminium powders and flakes
Powders of non-lamellar structure
Powders of lamellar structure; flakes
Aluminium bars, rods and profiles
Of aluminium, not alloyed

Aluminium powders and flakes
Powders of non-lamellar structure
Powders of lamellar structure; flakes
Aluminium bars, rods and profiles
Of aluminium, not alloyed

Bars and rods
Profiles
Bearing a specific manufacture number, for use in certain types of aircraft
Conical shapes for reinforcing lateral rudders, for use in certain types of aircraft
Other

Of aluminium alloys
Hollow profiles
Profiles made of aluminium alloy conforming to EN standard AW-6063 T5 - anodized - whether or not lacquered - with a wall thickness of 0,5 mm (± 1,2 %) or more but not more than 0,8 mm (± 1,2 %) for use in the manufacture of goods of heading 8302
Other

Other
Bars and rods
Sheets and bars of aluminium-lithium alloys
Aluminium alloy rods with a diameter of 200 mm or more, but not exceeding 300 mm
Aluminium alloy rods with a diameter of 300,1 mm or more, but not more than 533,4 mm
Bars and rods of aluminium alloys containing by weight : - 0,25 % or more but not more than 7 % of zinc, and - 1 % or more but not more than 3 % of magnesium, and - 1 % or more but not more than 5 % of copper, and - not more than 1 % of manganese consistent with the material specifications AMS QQ-A-225, of a kind used in aerospace industry (inter alia conforming NADCAP and AS9100) and obtained by rolling mill process
Other

Profiles
Bearing a specific manufacture number, for use in certain types of aircraft
Conical shapes for reinforcing lateral rudders, for use in certain types of aircraft
Profiles made of aluminium alloy conforming to EN standard AW-6063 T5 - anodized - whether or not lacquered - with a wall thickness of 0,5 mm (± 1,2 %) or more but not more than 0,8 mm (± 1,2 %) for use in the manufacture of goods of heading 8302
Other

Aluminium wire
Of aluminium, not alloyed
Of which the maximum cross-sectional dimension exceeds 7 mm
Other

<div> <div> Not alloyed aluminium wire, of a diameter of 2 mm or more but not more than 6 mm, covered with a layer of copper of a thickness of 0,032 mm or more but not more than 0,117 mm </div> <div> Other </div> </div>	<div> <div> Other </div> <div> Not less than 3 mm but less than 6 mm <div> Plates bearing a specific manufacture number, for use in certain types of aircraft </div> </div> <div> Other </div> </div> <div> Not less than 6 mm <div> Plates bearing a specific manufacture number, for use in certain types of aircraft </div> <div> Sheets and bars of aluminium-lithium alloys </div> <div> Other </div> </div>
---	---

<table><tr><td>than 3.0, - with each aluminium layer separated by a resin layer, - on a carrier film of PET, and - on rolls of up to 50 000 metres in length</td></tr><tr><td>Other</td></tr></table>	than 3.0, - with each aluminium layer separated by a resin layer, - on a carrier film of PET, and - on rolls of up to 50 000 metres in length	Other																														
than 3.0, - with each aluminium layer separated by a resin layer, - on a carrier film of PET, and - on rolls of up to 50 000 metres in length																																
Other																																
Aluminium tubes and pipes																																
<table><tr><td>Of aluminium, not alloyed</td></tr><tr><td><table><tr><td>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</td></tr><tr><td>Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Of aluminium alloys</td></tr><tr><td><table><tr><td>Welded</td></tr><tr><td><table><tr><td>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</td></tr><tr><td>Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Not further worked than extruded</td></tr><tr><td><table><tr><td>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</td></tr><tr><td>Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft</td></tr><tr><td>Seamless aluminium alloyed extruded tubes with: - an outer diameter of 60 mm or more but not more than 420 mm, and - a wall thickness of 10 mm or more but not more than 80 mm</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)</td></tr><tr><td><table><tr><td>For use in certain types of aircraft</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Aluminium structures (excluding prefabricated buildings of heading 9406) and parts of structures (for example, bridges and bridge-sections, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, balustrades, pillars and columns); aluminium plates, rods, profiles, tubes and the like, prepared for use in structures</td></tr><tr><td><table><tr><td>Doors, windows and their frames and thresholds for doors</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr></table>	Of aluminium, not alloyed	<table><tr><td>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</td></tr><tr><td>Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft</td></tr><tr><td>Other</td></tr></table>	With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft	Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft	Other	Of aluminium alloys	<table><tr><td>Welded</td></tr><tr><td><table><tr><td>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</td></tr><tr><td>Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Not further worked than extruded</td></tr><tr><td><table><tr><td>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</td></tr><tr><td>Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft</td></tr><tr><td>Seamless aluminium alloyed extruded tubes with: - an outer diameter of 60 mm or more but not more than 420 mm, and - a wall thickness of 10 mm or more but not more than 80 mm</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)</td></tr><tr><td><table><tr><td>For use in certain types of aircraft</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Aluminium structures (excluding prefabricated buildings of heading 9406) and parts of structures (for example, bridges and bridge-sections, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, balustrades, pillars and columns); aluminium plates, rods, profiles, tubes and the like, prepared for use in structures</td></tr><tr><td><table><tr><td>Doors, windows and their frames and thresholds for doors</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Welded	<table><tr><td>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</td></tr><tr><td>Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft</td></tr><tr><td>Other</td></tr></table>	With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft	Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft	Other	Other	<table><tr><td>Not further worked than extruded</td></tr><tr><td><table><tr><td>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</td></tr><tr><td>Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft</td></tr><tr><td>Seamless aluminium alloyed extruded tubes with: - an outer diameter of 60 mm or more but not more than 420 mm, and - a wall thickness of 10 mm or more but not more than 80 mm</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Not further worked than extruded	<table><tr><td>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</td></tr><tr><td>Other</td></tr></table>	With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft	Other	Other	<table><tr><td>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</td></tr><tr><td>Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft</td></tr><tr><td>Seamless aluminium alloyed extruded tubes with: - an outer diameter of 60 mm or more but not more than 420 mm, and - a wall thickness of 10 mm or more but not more than 80 mm</td></tr><tr><td>Other</td></tr></table>	With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft	Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft	Seamless aluminium alloyed extruded tubes with: - an outer diameter of 60 mm or more but not more than 420 mm, and - a wall thickness of 10 mm or more but not more than 80 mm	Other	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	<table><tr><td>For use in certain types of aircraft</td></tr><tr><td>Other</td></tr></table>	For use in certain types of aircraft	Other	Aluminium structures (excluding prefabricated buildings of heading 9406) and parts of structures (for example, bridges and bridge-sections, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, balustrades, pillars and columns); aluminium plates, rods, profiles, tubes and the like, prepared for use in structures	<table><tr><td>Doors, windows and their frames and thresholds for doors</td></tr><tr><td>Other</td></tr></table>	Doors, windows and their frames and thresholds for doors	Other
Of aluminium, not alloyed																																
<table><tr><td>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</td></tr><tr><td>Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft</td></tr><tr><td>Other</td></tr></table>	With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft	Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft	Other																													
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft																																
Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft																																
Other																																
Of aluminium alloys																																
<table><tr><td>Welded</td></tr><tr><td><table><tr><td>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</td></tr><tr><td>Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Not further worked than extruded</td></tr><tr><td><table><tr><td>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</td></tr><tr><td>Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft</td></tr><tr><td>Seamless aluminium alloyed extruded tubes with: - an outer diameter of 60 mm or more but not more than 420 mm, and - a wall thickness of 10 mm or more but not more than 80 mm</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)</td></tr><tr><td><table><tr><td>For use in certain types of aircraft</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Aluminium structures (excluding prefabricated buildings of heading 9406) and parts of structures (for example, bridges and bridge-sections, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, balustrades, pillars and columns); aluminium plates, rods, profiles, tubes and the like, prepared for use in structures</td></tr><tr><td><table><tr><td>Doors, windows and their frames and thresholds for doors</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Welded	<table><tr><td>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</td></tr><tr><td>Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft</td></tr><tr><td>Other</td></tr></table>	With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft	Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft	Other	Other	<table><tr><td>Not further worked than extruded</td></tr><tr><td><table><tr><td>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</td></tr><tr><td>Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft</td></tr><tr><td>Seamless aluminium alloyed extruded tubes with: - an outer diameter of 60 mm or more but not more than 420 mm, and - a wall thickness of 10 mm or more but not more than 80 mm</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Not further worked than extruded	<table><tr><td>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</td></tr><tr><td>Other</td></tr></table>	With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft	Other	Other	<table><tr><td>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</td></tr><tr><td>Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft</td></tr><tr><td>Seamless aluminium alloyed extruded tubes with: - an outer diameter of 60 mm or more but not more than 420 mm, and - a wall thickness of 10 mm or more but not more than 80 mm</td></tr><tr><td>Other</td></tr></table>	With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft	Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft	Seamless aluminium alloyed extruded tubes with: - an outer diameter of 60 mm or more but not more than 420 mm, and - a wall thickness of 10 mm or more but not more than 80 mm	Other	Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)	<table><tr><td>For use in certain types of aircraft</td></tr><tr><td>Other</td></tr></table>	For use in certain types of aircraft	Other	Aluminium structures (excluding prefabricated buildings of heading 9406) and parts of structures (for example, bridges and bridge-sections, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, balustrades, pillars and columns); aluminium plates, rods, profiles, tubes and the like, prepared for use in structures	<table><tr><td>Doors, windows and their frames and thresholds for doors</td></tr><tr><td>Other</td></tr></table>	Doors, windows and their frames and thresholds for doors	Other							
Welded																																
<table><tr><td>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</td></tr><tr><td>Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft</td></tr><tr><td>Other</td></tr></table>	With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft	Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft	Other																													
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft																																
Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft																																
Other																																
Other																																
<table><tr><td>Not further worked than extruded</td></tr><tr><td><table><tr><td>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</td></tr><tr><td>Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft</td></tr><tr><td>Seamless aluminium alloyed extruded tubes with: - an outer diameter of 60 mm or more but not more than 420 mm, and - a wall thickness of 10 mm or more but not more than 80 mm</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Not further worked than extruded	<table><tr><td>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</td></tr><tr><td>Other</td></tr></table>	With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft	Other	Other	<table><tr><td>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</td></tr><tr><td>Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft</td></tr><tr><td>Seamless aluminium alloyed extruded tubes with: - an outer diameter of 60 mm or more but not more than 420 mm, and - a wall thickness of 10 mm or more but not more than 80 mm</td></tr><tr><td>Other</td></tr></table>	With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft	Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft	Seamless aluminium alloyed extruded tubes with: - an outer diameter of 60 mm or more but not more than 420 mm, and - a wall thickness of 10 mm or more but not more than 80 mm	Other																						
Not further worked than extruded																																
<table><tr><td>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</td></tr><tr><td>Other</td></tr></table>	With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft	Other																														
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft																																
Other																																
Other																																
<table><tr><td>With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</td></tr><tr><td>Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft</td></tr><tr><td>Seamless aluminium alloyed extruded tubes with: - an outer diameter of 60 mm or more but not more than 420 mm, and - a wall thickness of 10 mm or more but not more than 80 mm</td></tr><tr><td>Other</td></tr></table>	With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft	Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft	Seamless aluminium alloyed extruded tubes with: - an outer diameter of 60 mm or more but not more than 420 mm, and - a wall thickness of 10 mm or more but not more than 80 mm	Other																												
With attached fittings, suitable for conducting gases or liquids, for use in civil aircraft																																
Tubes and pipes, ready for fitting, usable as hydraulic conduits or as conduits for fuel-oil or lubricants for use in certain types of aircraft																																
Seamless aluminium alloyed extruded tubes with: - an outer diameter of 60 mm or more but not more than 420 mm, and - a wall thickness of 10 mm or more but not more than 80 mm																																
Other																																
Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)																																
<table><tr><td>For use in certain types of aircraft</td></tr><tr><td>Other</td></tr></table>	For use in certain types of aircraft	Other																														
For use in certain types of aircraft																																
Other																																
Aluminium structures (excluding prefabricated buildings of heading 9406) and parts of structures (for example, bridges and bridge-sections, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, balustrades, pillars and columns); aluminium plates, rods, profiles, tubes and the like, prepared for use in structures																																
<table><tr><td>Doors, windows and their frames and thresholds for doors</td></tr><tr><td>Other</td></tr></table>	Doors, windows and their frames and thresholds for doors	Other																														
Doors, windows and their frames and thresholds for doors																																
Other																																

<table><tr><td>Bridges and bridge-sections, towers and lattice masts</td></tr><tr><td>Other</td></tr></table>	Bridges and bridge-sections, towers and lattice masts	Other										
Bridges and bridge-sections, towers and lattice masts												
Other												
Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment												
Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment												
<table><tr><td>Collapsible tubular containers</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Containers of a kind used for aerosols</td></tr><tr><td>Manufactured from foil of a thickness not exceeding 0,2 mm</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Collapsible tubular containers	Other	<table><tr><td>Containers of a kind used for aerosols</td></tr><tr><td>Manufactured from foil of a thickness not exceeding 0,2 mm</td></tr><tr><td>Other</td></tr></table>	Containers of a kind used for aerosols	Manufactured from foil of a thickness not exceeding 0,2 mm	Other						
Collapsible tubular containers												
Other												
<table><tr><td>Containers of a kind used for aerosols</td></tr><tr><td>Manufactured from foil of a thickness not exceeding 0,2 mm</td></tr><tr><td>Other</td></tr></table>	Containers of a kind used for aerosols	Manufactured from foil of a thickness not exceeding 0,2 mm	Other									
Containers of a kind used for aerosols												
Manufactured from foil of a thickness not exceeding 0,2 mm												
Other												
Aluminium containers for compressed or liquefied gas												
<table><tr><td>Bottles for inflating escape chutes, intended for use in certain types of aircraft</td></tr><tr><td>Aluminium container, seamless, for compressed natural gas or compressed hydrogen, wholly embedded in an overwrap of epoxy-carbon fibres composite, of a storage capacity of 172 l (± 10 %) and an unfilled weight of not more than 64 kg</td></tr><tr><td>Other</td></tr></table>	Bottles for inflating escape chutes, intended for use in certain types of aircraft	Aluminium container, seamless, for compressed natural gas or compressed hydrogen, wholly embedded in an overwrap of epoxy-carbon fibres composite, of a storage capacity of 172 l (± 10 %) and an unfilled weight of not more than 64 kg	Other									
Bottles for inflating escape chutes, intended for use in certain types of aircraft												
Aluminium container, seamless, for compressed natural gas or compressed hydrogen, wholly embedded in an overwrap of epoxy-carbon fibres composite, of a storage capacity of 172 l (± 10 %) and an unfilled weight of not more than 64 kg												
Other												
Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated												
<table><tr><td>With steel core</td></tr><tr><td>Other</td></tr></table>	With steel core	Other										
With steel core												
Other												
Table, kitchen or other household articles and parts thereof, of aluminium; pot scourers and scouring or polishing pads, gloves and the like, of aluminium; sanitary ware and parts thereof, of aluminium												
<table><tr><td>Table, kitchen or other household articles and parts thereof; pot scourers and scouring or polishing pads, gloves and the like</td></tr><tr><td><table><tr><td>Cast</td></tr><tr><td><table><tr><td>Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Manufactured from foil of a thickness not exceeding 0,2 mm</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Sanitary ware and parts thereof</td></tr></table></td></tr></table>	Table, kitchen or other household articles and parts thereof; pot scourers and scouring or polishing pads, gloves and the like	<table><tr><td>Cast</td></tr><tr><td><table><tr><td>Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Manufactured from foil of a thickness not exceeding 0,2 mm</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Sanitary ware and parts thereof</td></tr></table>	Cast	<table><tr><td>Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks</td></tr><tr><td>Other</td></tr></table>	Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks	Other	Manufactured from foil of a thickness not exceeding 0,2 mm	Other	<table><tr><td>Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks</td></tr><tr><td>Other</td></tr></table>	Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks	Other	Sanitary ware and parts thereof
Table, kitchen or other household articles and parts thereof; pot scourers and scouring or polishing pads, gloves and the like												
<table><tr><td>Cast</td></tr><tr><td><table><tr><td>Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Manufactured from foil of a thickness not exceeding 0,2 mm</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Sanitary ware and parts thereof</td></tr></table>	Cast	<table><tr><td>Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks</td></tr><tr><td>Other</td></tr></table>	Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks	Other	Manufactured from foil of a thickness not exceeding 0,2 mm	Other	<table><tr><td>Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks</td></tr><tr><td>Other</td></tr></table>	Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks	Other	Sanitary ware and parts thereof		
Cast												
<table><tr><td>Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks</td></tr><tr><td>Other</td></tr></table>	Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks	Other										
Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks												
Other												
Manufactured from foil of a thickness not exceeding 0,2 mm												
Other												
<table><tr><td>Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks</td></tr><tr><td>Other</td></tr></table>	Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks	Other										
Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks												
Other												
Sanitary ware and parts thereof												

Other articles of aluminium																							
Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles																							
<table><tr><td>Self-locking bolts and nuts (of the type "Hi-lok")</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>For use in certain types of aircraft</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Self-locking bolts and nuts (of the type "Hi-lok")	Other	<table><tr><td>For use in certain types of aircraft</td></tr><tr><td>Other</td></tr></table>	For use in certain types of aircraft	Other																		
Self-locking bolts and nuts (of the type "Hi-lok")																							
Other																							
<table><tr><td>For use in certain types of aircraft</td></tr><tr><td>Other</td></tr></table>	For use in certain types of aircraft	Other																					
For use in certain types of aircraft																							
Other																							
Other																							
<table><tr><td>Cloth, grill, netting and fencing, of aluminium wire</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Cast</td></tr><tr><td><table><tr><td>Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft</td></tr><tr><td>"Quick change" apparatus for transforming passenger transport aeroplanes into goods transport aeroplanes and vice versa, for use in certain types of aircraft</td></tr><tr><td>Aluminium engine bracket, with dimensions of: - height of more than 10 mm but not more than 200 mm - width of more than 10 mm but not more than 200 mm - length of more than 10 mm but not more than 200 mm equipped with at least two fixing holes, made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics: - internal porosity not more than 1 mm; - outer porosity not more than 2 mm; - Rockwell hardness HRB 10 or more of a kind used in the production of suspensions systems for engines in motor vehicles</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Hand-made</td></tr><tr><td><table><tr><td>Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft</td></tr><tr><td>Honeycomb aluminium blocks of the type used in the manufacture of aircraft parts</td></tr><tr><td>"Quick change" apparatus for transforming passenger transport aeroplanes into goods transport aeroplanes</td></tr></table></td></tr></table></td></tr></table>	Cloth, grill, netting and fencing, of aluminium wire	Other	<table><tr><td>Cast</td></tr><tr><td><table><tr><td>Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft</td></tr><tr><td>"Quick change" apparatus for transforming passenger transport aeroplanes into goods transport aeroplanes and vice versa, for use in certain types of aircraft</td></tr><tr><td>Aluminium engine bracket, with dimensions of: - height of more than 10 mm but not more than 200 mm - width of more than 10 mm but not more than 200 mm - length of more than 10 mm but not more than 200 mm equipped with at least two fixing holes, made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics: - internal porosity not more than 1 mm; - outer porosity not more than 2 mm; - Rockwell hardness HRB 10 or more of a kind used in the production of suspensions systems for engines in motor vehicles</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Cast	<table><tr><td>Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft</td></tr><tr><td>"Quick change" apparatus for transforming passenger transport aeroplanes into goods transport aeroplanes and vice versa, for use in certain types of aircraft</td></tr><tr><td>Aluminium engine bracket, with dimensions of: - height of more than 10 mm but not more than 200 mm - width of more than 10 mm but not more than 200 mm - length of more than 10 mm but not more than 200 mm equipped with at least two fixing holes, made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics: - internal porosity not more than 1 mm; - outer porosity not more than 2 mm; - Rockwell hardness HRB 10 or more of a kind used in the production of suspensions systems for engines in motor vehicles</td></tr></table>	Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft	"Quick change" apparatus for transforming passenger transport aeroplanes into goods transport aeroplanes and vice versa, for use in certain types of aircraft	Aluminium engine bracket, with dimensions of: - height of more than 10 mm but not more than 200 mm - width of more than 10 mm but not more than 200 mm - length of more than 10 mm but not more than 200 mm equipped with at least two fixing holes, made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics: - internal porosity not more than 1 mm; - outer porosity not more than 2 mm; - Rockwell hardness HRB 10 or more of a kind used in the production of suspensions systems for engines in motor vehicles	Other	<table><tr><td>Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks</td></tr><tr><td>Other</td></tr></table>	Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks	Other	Other	<table><tr><td>Hand-made</td></tr><tr><td><table><tr><td>Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft</td></tr><tr><td>Honeycomb aluminium blocks of the type used in the manufacture of aircraft parts</td></tr><tr><td>"Quick change" apparatus for transforming passenger transport aeroplanes into goods transport aeroplanes</td></tr></table></td></tr></table>	Hand-made	<table><tr><td>Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks</td></tr><tr><td>Other</td></tr></table>	Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks	Other	Other	<table><tr><td>Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft</td></tr><tr><td>Honeycomb aluminium blocks of the type used in the manufacture of aircraft parts</td></tr><tr><td>"Quick change" apparatus for transforming passenger transport aeroplanes into goods transport aeroplanes</td></tr></table>	Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft	Honeycomb aluminium blocks of the type used in the manufacture of aircraft parts	"Quick change" apparatus for transforming passenger transport aeroplanes into goods transport aeroplanes
Cloth, grill, netting and fencing, of aluminium wire																							
Other																							
<table><tr><td>Cast</td></tr><tr><td><table><tr><td>Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft</td></tr><tr><td>"Quick change" apparatus for transforming passenger transport aeroplanes into goods transport aeroplanes and vice versa, for use in certain types of aircraft</td></tr><tr><td>Aluminium engine bracket, with dimensions of: - height of more than 10 mm but not more than 200 mm - width of more than 10 mm but not more than 200 mm - length of more than 10 mm but not more than 200 mm equipped with at least two fixing holes, made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics: - internal porosity not more than 1 mm; - outer porosity not more than 2 mm; - Rockwell hardness HRB 10 or more of a kind used in the production of suspensions systems for engines in motor vehicles</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Cast	<table><tr><td>Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft</td></tr><tr><td>"Quick change" apparatus for transforming passenger transport aeroplanes into goods transport aeroplanes and vice versa, for use in certain types of aircraft</td></tr><tr><td>Aluminium engine bracket, with dimensions of: - height of more than 10 mm but not more than 200 mm - width of more than 10 mm but not more than 200 mm - length of more than 10 mm but not more than 200 mm equipped with at least two fixing holes, made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics: - internal porosity not more than 1 mm; - outer porosity not more than 2 mm; - Rockwell hardness HRB 10 or more of a kind used in the production of suspensions systems for engines in motor vehicles</td></tr></table>	Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft	"Quick change" apparatus for transforming passenger transport aeroplanes into goods transport aeroplanes and vice versa, for use in certain types of aircraft	Aluminium engine bracket, with dimensions of: - height of more than 10 mm but not more than 200 mm - width of more than 10 mm but not more than 200 mm - length of more than 10 mm but not more than 200 mm equipped with at least two fixing holes, made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics: - internal porosity not more than 1 mm; - outer porosity not more than 2 mm; - Rockwell hardness HRB 10 or more of a kind used in the production of suspensions systems for engines in motor vehicles	Other	<table><tr><td>Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks</td></tr><tr><td>Other</td></tr></table>	Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks	Other														
Cast																							
<table><tr><td>Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft</td></tr><tr><td>"Quick change" apparatus for transforming passenger transport aeroplanes into goods transport aeroplanes and vice versa, for use in certain types of aircraft</td></tr><tr><td>Aluminium engine bracket, with dimensions of: - height of more than 10 mm but not more than 200 mm - width of more than 10 mm but not more than 200 mm - length of more than 10 mm but not more than 200 mm equipped with at least two fixing holes, made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics: - internal porosity not more than 1 mm; - outer porosity not more than 2 mm; - Rockwell hardness HRB 10 or more of a kind used in the production of suspensions systems for engines in motor vehicles</td></tr></table>	Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft	"Quick change" apparatus for transforming passenger transport aeroplanes into goods transport aeroplanes and vice versa, for use in certain types of aircraft	Aluminium engine bracket, with dimensions of: - height of more than 10 mm but not more than 200 mm - width of more than 10 mm but not more than 200 mm - length of more than 10 mm but not more than 200 mm equipped with at least two fixing holes, made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics: - internal porosity not more than 1 mm; - outer porosity not more than 2 mm; - Rockwell hardness HRB 10 or more of a kind used in the production of suspensions systems for engines in motor vehicles																				
Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft																							
"Quick change" apparatus for transforming passenger transport aeroplanes into goods transport aeroplanes and vice versa, for use in certain types of aircraft																							
Aluminium engine bracket, with dimensions of: - height of more than 10 mm but not more than 200 mm - width of more than 10 mm but not more than 200 mm - length of more than 10 mm but not more than 200 mm equipped with at least two fixing holes, made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics: - internal porosity not more than 1 mm; - outer porosity not more than 2 mm; - Rockwell hardness HRB 10 or more of a kind used in the production of suspensions systems for engines in motor vehicles																							
Other																							
<table><tr><td>Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks</td></tr><tr><td>Other</td></tr></table>	Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks	Other																					
Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks																							
Other																							
Other																							
<table><tr><td>Hand-made</td></tr><tr><td><table><tr><td>Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft</td></tr><tr><td>Honeycomb aluminium blocks of the type used in the manufacture of aircraft parts</td></tr><tr><td>"Quick change" apparatus for transforming passenger transport aeroplanes into goods transport aeroplanes</td></tr></table></td></tr></table>	Hand-made	<table><tr><td>Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks</td></tr><tr><td>Other</td></tr></table>	Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks	Other	Other	<table><tr><td>Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft</td></tr><tr><td>Honeycomb aluminium blocks of the type used in the manufacture of aircraft parts</td></tr><tr><td>"Quick change" apparatus for transforming passenger transport aeroplanes into goods transport aeroplanes</td></tr></table>	Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft	Honeycomb aluminium blocks of the type used in the manufacture of aircraft parts	"Quick change" apparatus for transforming passenger transport aeroplanes into goods transport aeroplanes														
Hand-made																							
<table><tr><td>Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks</td></tr><tr><td>Other</td></tr></table>	Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks	Other																					
Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks																							
Other																							
Other																							
<table><tr><td>Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft</td></tr><tr><td>Honeycomb aluminium blocks of the type used in the manufacture of aircraft parts</td></tr><tr><td>"Quick change" apparatus for transforming passenger transport aeroplanes into goods transport aeroplanes</td></tr></table>	Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft	Honeycomb aluminium blocks of the type used in the manufacture of aircraft parts	"Quick change" apparatus for transforming passenger transport aeroplanes into goods transport aeroplanes																				
Collars, flanges and other devices for fixing, jointing, clamping or spacing, for use in certain types of aircraft																							
Honeycomb aluminium blocks of the type used in the manufacture of aircraft parts																							
"Quick change" apparatus for transforming passenger transport aeroplanes into goods transport aeroplanes																							

and vice versa, for use in certain types of aircraft		
Metallised film: - consisting of eight or more layers of aluminium (CAS RN 7429-90-5) of a purity of 99,8 % or more, - with an optical density of each aluminium layer of not more than 3.0, - with each aluminium layer separated by a resin layer, - on a carrier film of PET, and - on rolls of up to 50 000 metres in length		
Plates and sheets of variable thickness of widths of 1 200 mm or more, for use in certain types of aircraft		
Disc (target) with deposition material, consisting of molybdenum silicide: - containing 1mg/kg or less of sodium and - mounted on a copper or aluminium support		
Connecting components for use in the production of helicopter tail rotor shafts		
Parts in the shape of a rectangular frame: - of painted aluminium, - with a length of 1 011 mm or more but not more than 1 500 mm, - with a width of 622 mm or more but not more than 900 mm, - with a thickness of 0,6 mm (± 0,1 mm), of a kind used in the manufacture of TV sets		
Television pedestal stands with or without bracket for fixation to and stabilization of television cabinet case/body		
Other <table> <tr> <td>Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks</td></tr> <tr> <td>Other</td></tr> </table>	Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks	Other
Aluminium radiators and elements or sections of which such radiator is composed, whether or not such elements are assembled in blocks		
Other		

LEAD AND ARTICLES THEREOF

Unwrought lead						
Refined lead						
Other <table> <tr> <td>Containing by weight antimony as the principal other element <table> <tr> <td>For refining, containing 0,02 % or more by weight of silver (bullion lead)</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> <tr> <td>Other <table> <tr> <td>For refining, containing 0,02 % or more by weight of silver (bullion lead)</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> </table>	Containing by weight antimony as the principal other element <table> <tr> <td>For refining, containing 0,02 % or more by weight of silver (bullion lead)</td></tr> <tr> <td>Other</td></tr> </table>	For refining, containing 0,02 % or more by weight of silver (bullion lead)	Other	Other <table> <tr> <td>For refining, containing 0,02 % or more by weight of silver (bullion lead)</td></tr> <tr> <td>Other</td></tr> </table>	For refining, containing 0,02 % or more by weight of silver (bullion lead)	Other
Containing by weight antimony as the principal other element <table> <tr> <td>For refining, containing 0,02 % or more by weight of silver (bullion lead)</td></tr> <tr> <td>Other</td></tr> </table>	For refining, containing 0,02 % or more by weight of silver (bullion lead)	Other				
For refining, containing 0,02 % or more by weight of silver (bullion lead)						
Other						
Other <table> <tr> <td>For refining, containing 0,02 % or more by weight of silver (bullion lead)</td></tr> <tr> <td>Other</td></tr> </table>	For refining, containing 0,02 % or more by weight of silver (bullion lead)	Other				
For refining, containing 0,02 % or more by weight of silver (bullion lead)						
Other						
Lead waste and scrap						
Lead plates, sheets, strip and foil; lead powders and flakes <table> <tr> <td>Plates, sheets, strip and foil</td></tr> </table>	Plates, sheets, strip and foil					
Plates, sheets, strip and foil						

Sheets, strip and foil of a thickness (excluding any backing) not exceeding 0,2 mm		
Other		
Powders and flakes		
Other articles of lead <table> <tr> <td>Containers with an anti-radiation lead covering, for the transport or storage of radioactive materials</td></tr> <tr> <td>Other</td></tr> </table>	Containers with an anti-radiation lead covering, for the transport or storage of radioactive materials	Other
Containers with an anti-radiation lead covering, for the transport or storage of radioactive materials		
Other		

ZINC AND ARTICLES THEREOF

Unwrought zinc					
Zinc, not alloyed <table> <tr> <td>Containing by weight 99,99 % or more of zinc</td></tr> <tr> <td>Containing by weight less than 99,99 % of zinc <table> <tr> <td>Containing by weight 99,95 % or more but less than 99,99 % of zinc</td></tr> <tr> <td>Containing by weight 98,5 % or more but less than 99,95 % of zinc</td></tr> <tr> <td>Containing by weight 97,5 % or more but less than 98,5 % of zinc</td></tr> </table> </td></tr> </table>	Containing by weight 99,99 % or more of zinc	Containing by weight less than 99,99 % of zinc <table> <tr> <td>Containing by weight 99,95 % or more but less than 99,99 % of zinc</td></tr> <tr> <td>Containing by weight 98,5 % or more but less than 99,95 % of zinc</td></tr> <tr> <td>Containing by weight 97,5 % or more but less than 98,5 % of zinc</td></tr> </table>	Containing by weight 99,95 % or more but less than 99,99 % of zinc	Containing by weight 98,5 % or more but less than 99,95 % of zinc	Containing by weight 97,5 % or more but less than 98,5 % of zinc
Containing by weight 99,99 % or more of zinc					
Containing by weight less than 99,99 % of zinc <table> <tr> <td>Containing by weight 99,95 % or more but less than 99,99 % of zinc</td></tr> <tr> <td>Containing by weight 98,5 % or more but less than 99,95 % of zinc</td></tr> <tr> <td>Containing by weight 97,5 % or more but less than 98,5 % of zinc</td></tr> </table>	Containing by weight 99,95 % or more but less than 99,99 % of zinc	Containing by weight 98,5 % or more but less than 99,95 % of zinc	Containing by weight 97,5 % or more but less than 98,5 % of zinc		
Containing by weight 99,95 % or more but less than 99,99 % of zinc					
Containing by weight 98,5 % or more but less than 99,95 % of zinc					
Containing by weight 97,5 % or more but less than 98,5 % of zinc					
Zinc alloys					
Zinc waste and scrap					
Zinc dust, powders and flakes <table> <tr> <td>Zinc dust</td></tr> <tr> <td>Other</td></tr> </table>	Zinc dust	Other			
Zinc dust					
Other					
Zinc bars, rods, profiles and wire					
Zinc plates, sheets, strip and foil					
Other articles of zinc					

TIN AND ARTICLES THEREOF

Unwrought tin		
Tin, not alloyed		
Tin alloys		
Tin waste and scrap		
Tin bars, rods, profiles and wire		
Other articles of tin <table> <tr> <td>Plates, sheets and strip, of a thickness exceeding 0,2 mm</td></tr> <tr> <td>Other</td></tr> </table>	Plates, sheets and strip, of a thickness exceeding 0,2 mm	Other
Plates, sheets and strip, of a thickness exceeding 0,2 mm		
Other		

OTHER BASE METALS; CERMETS; ARTICLES THEREOF

Tungsten (wolfram) and articles thereof, including waste and scrap			
Powders			
Other <table> <tr> <td>Unwrought tungsten, including bars and rods obtained simply by sintering</td></tr> <tr> <td>Wire <table> <tr> <td>Tungsten wire containing by weight 99 % or more of tungsten with: - a maximum cross-sectional dimension of not more than 50 µm - a resistance of 40 Ohm or more but not more than 300 Ohm at length of 1 metre of a kind used in the</td></tr> </table> </td></tr> </table>	Unwrought tungsten, including bars and rods obtained simply by sintering	Wire <table> <tr> <td>Tungsten wire containing by weight 99 % or more of tungsten with: - a maximum cross-sectional dimension of not more than 50 µm - a resistance of 40 Ohm or more but not more than 300 Ohm at length of 1 metre of a kind used in the</td></tr> </table>	Tungsten wire containing by weight 99 % or more of tungsten with: - a maximum cross-sectional dimension of not more than 50 µm - a resistance of 40 Ohm or more but not more than 300 Ohm at length of 1 metre of a kind used in the
Unwrought tungsten, including bars and rods obtained simply by sintering			
Wire <table> <tr> <td>Tungsten wire containing by weight 99 % or more of tungsten with: - a maximum cross-sectional dimension of not more than 50 µm - a resistance of 40 Ohm or more but not more than 300 Ohm at length of 1 metre of a kind used in the</td></tr> </table>	Tungsten wire containing by weight 99 % or more of tungsten with: - a maximum cross-sectional dimension of not more than 50 µm - a resistance of 40 Ohm or more but not more than 300 Ohm at length of 1 metre of a kind used in the		
Tungsten wire containing by weight 99 % or more of tungsten with: - a maximum cross-sectional dimension of not more than 50 µm - a resistance of 40 Ohm or more but not more than 300 Ohm at length of 1 metre of a kind used in the			

production of heated car front windows				
Other				
Waste and scrap				
Other <table> <tr> <td>Bars and rods, other than those obtained simply by sintering, profiles, plates, sheets, strip and foil <table> <tr> <td>Tungsten bars and rods for welding electrodes, containing 94 % or more by weight of tungsten, whether or not cut to length</td></tr> </table> </td></tr> <tr> <td>Other</td></tr> <tr> <td>Other</td></tr> </table>	Bars and rods, other than those obtained simply by sintering, profiles, plates, sheets, strip and foil <table> <tr> <td>Tungsten bars and rods for welding electrodes, containing 94 % or more by weight of tungsten, whether or not cut to length</td></tr> </table>	Tungsten bars and rods for welding electrodes, containing 94 % or more by weight of tungsten, whether or not cut to length	Other	Other
Bars and rods, other than those obtained simply by sintering, profiles, plates, sheets, strip and foil <table> <tr> <td>Tungsten bars and rods for welding electrodes, containing 94 % or more by weight of tungsten, whether or not cut to length</td></tr> </table>	Tungsten bars and rods for welding electrodes, containing 94 % or more by weight of tungsten, whether or not cut to length			
Tungsten bars and rods for welding electrodes, containing 94 % or more by weight of tungsten, whether or not cut to length				
Other				
Other				

Molybdenum and articles thereof, including waste and scrap

Powders <table> <tr> <td>Molybdenum powder with - a purity by weight of 99 % or more and - a particle size of 1,0 µm or more, but not more than 5,0 µm</td></tr> <tr> <td>Other</td></tr> </table>	Molybdenum powder with - a purity by weight of 99 % or more and - a particle size of 1,0 µm or more, but not more than 5,0 µm	Other										
Molybdenum powder with - a purity by weight of 99 % or more and - a particle size of 1,0 µm or more, but not more than 5,0 µm												
Other												
Other <table> <tr> <td>Unwrought molybdenum, including bars and rods obtained simply by sintering</td></tr> <tr> <td>Bars and rods, other than those obtained simply by sintering, profiles, plates, sheets, strip and foil</td></tr> <tr> <td>Wire <table> <tr> <td>Molybdenum wire, containing by weight at least 99,95 % of molybdenum, of which the maximum cross-sectional dimension exceeds 1,35 mm but does not exceed 4,0 mm <table> <tr> <td>Consigned from Malaysia</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> <tr> <td>Molybdenum wire, containing by weight at least 99,95 % of molybdenum, of which the maximum cross-sectional dimension exceeds 4,0 mm but does not exceed 11,0 mm</td></tr> <tr> <td>Molybdenum wire, containing by weight 97 % or more but less than 99,95 % of molybdenum, of which the maximum cross-sectional dimension exceeds 1,35 mm but does not exceed 4,0 mm</td></tr> <tr> <td>Molybdenum wire, containing by weight 97 % or more but less than 99,95 % of molybdenum, of which the maximum cross-sectional dimension exceeds 4,0 mm but does not exceed 11,0 mm <table> <tr> <td>Other</td></tr> </table> </td></tr> </table> </td></tr> <tr> <td>Waste and scrap</td></tr> <tr> <td>Other</td></tr> </table>	Unwrought molybdenum, including bars and rods obtained simply by sintering	Bars and rods, other than those obtained simply by sintering, profiles, plates, sheets, strip and foil	Wire <table> <tr> <td>Molybdenum wire, containing by weight at least 99,95 % of molybdenum, of which the maximum cross-sectional dimension exceeds 1,35 mm but does not exceed 4,0 mm <table> <tr> <td>Consigned from Malaysia</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> <tr> <td>Molybdenum wire, containing by weight at least 99,95 % of molybdenum, of which the maximum cross-sectional dimension exceeds 4,0 mm but does not exceed 11,0 mm</td></tr> <tr> <td>Molybdenum wire, containing by weight 97 % or more but less than 99,95 % of molybdenum, of which the maximum cross-sectional dimension exceeds 1,35 mm but does not exceed 4,0 mm</td></tr> <tr> <td>Molybdenum wire, containing by weight 97 % or more but less than 99,95 % of molybdenum, of which the maximum cross-sectional dimension exceeds 4,0 mm but does not exceed 11,0 mm <table> <tr> <td>Other</td></tr> </table> </td></tr> </table>	Molybdenum wire, containing by weight at least 99,95 % of molybdenum, of which the maximum cross-sectional dimension exceeds 1,35 mm but does not exceed 4,0 mm <table> <tr> <td>Consigned from Malaysia</td></tr> <tr> <td>Other</td></tr> </table>	Consigned from Malaysia	Other	Molybdenum wire, containing by weight at least 99,95 % of molybdenum, of which the maximum cross-sectional dimension exceeds 4,0 mm but does not exceed 11,0 mm	Molybdenum wire, containing by weight 97 % or more but less than 99,95 % of molybdenum, of which the maximum cross-sectional dimension exceeds 1,35 mm but does not exceed 4,0 mm	Molybdenum wire, containing by weight 97 % or more but less than 99,95 % of molybdenum, of which the maximum cross-sectional dimension exceeds 4,0 mm but does not exceed 11,0 mm <table> <tr> <td>Other</td></tr> </table>	Other	Waste and scrap	Other
Unwrought molybdenum, including bars and rods obtained simply by sintering												
Bars and rods, other than those obtained simply by sintering, profiles, plates, sheets, strip and foil												
Wire <table> <tr> <td>Molybdenum wire, containing by weight at least 99,95 % of molybdenum, of which the maximum cross-sectional dimension exceeds 1,35 mm but does not exceed 4,0 mm <table> <tr> <td>Consigned from Malaysia</td></tr> <tr> <td>Other</td></tr> </table> </td></tr> <tr> <td>Molybdenum wire, containing by weight at least 99,95 % of molybdenum, of which the maximum cross-sectional dimension exceeds 4,0 mm but does not exceed 11,0 mm</td></tr> <tr> <td>Molybdenum wire, containing by weight 97 % or more but less than 99,95 % of molybdenum, of which the maximum cross-sectional dimension exceeds 1,35 mm but does not exceed 4,0 mm</td></tr> <tr> <td>Molybdenum wire, containing by weight 97 % or more but less than 99,95 % of molybdenum, of which the maximum cross-sectional dimension exceeds 4,0 mm but does not exceed 11,0 mm <table> <tr> <td>Other</td></tr> </table> </td></tr> </table>	Molybdenum wire, containing by weight at least 99,95 % of molybdenum, of which the maximum cross-sectional dimension exceeds 1,35 mm but does not exceed 4,0 mm <table> <tr> <td>Consigned from Malaysia</td></tr> <tr> <td>Other</td></tr> </table>	Consigned from Malaysia	Other	Molybdenum wire, containing by weight at least 99,95 % of molybdenum, of which the maximum cross-sectional dimension exceeds 4,0 mm but does not exceed 11,0 mm	Molybdenum wire, containing by weight 97 % or more but less than 99,95 % of molybdenum, of which the maximum cross-sectional dimension exceeds 1,35 mm but does not exceed 4,0 mm	Molybdenum wire, containing by weight 97 % or more but less than 99,95 % of molybdenum, of which the maximum cross-sectional dimension exceeds 4,0 mm but does not exceed 11,0 mm <table> <tr> <td>Other</td></tr> </table>	Other					
Molybdenum wire, containing by weight at least 99,95 % of molybdenum, of which the maximum cross-sectional dimension exceeds 1,35 mm but does not exceed 4,0 mm <table> <tr> <td>Consigned from Malaysia</td></tr> <tr> <td>Other</td></tr> </table>	Consigned from Malaysia	Other										
Consigned from Malaysia												
Other												
Molybdenum wire, containing by weight at least 99,95 % of molybdenum, of which the maximum cross-sectional dimension exceeds 4,0 mm but does not exceed 11,0 mm												
Molybdenum wire, containing by weight 97 % or more but less than 99,95 % of molybdenum, of which the maximum cross-sectional dimension exceeds 1,35 mm but does not exceed 4,0 mm												
Molybdenum wire, containing by weight 97 % or more but less than 99,95 % of molybdenum, of which the maximum cross-sectional dimension exceeds 4,0 mm but does not exceed 11,0 mm <table> <tr> <td>Other</td></tr> </table>	Other											
Other												
Waste and scrap												
Other												

Tantalum and articles thereof, including waste and scrap

Unwrought tantalum, including bars and rods obtained simply by sintering; powders

Waste and scrap	Other		0,49 mm or more but not more than 3,1 mm, of a width of 1 000 mm or more but not more than 1 254 mm, for the manufacture of goods of subheading 8714 10 00
Other <div>Bars and rods, other than those obtained simply by sintering, profiles, wire, plates, sheets, strip and foil</div> <div>Other <div>Tantalum sputtering target with: - a Copper-Chromium alloy backing plate, - a diameter of 312 mm, and - a thickness of 6,3 mm</div> <div>Other</div> </div>			Alloy of titanium, copper, tin, silicon, and niobium containing by weight: - 0,8 % or more but not more than 1,2 % of copper, - 0,9 % or more but not more than 1,15 % of tin, - 0,25 % or more but not more than 0,45 % of silicon and - 0,2 % or more but not more than 0,35 % of niobium, in sheets, plates, strips or foil
Magnesium and articles thereof, including waste and scrap <div>Unwrought magnesium <div>Containing at least 99,8 % by weight of magnesium</div> <div>Other</div> </div>	Titanium and articles thereof, including waste and scrap <div>Unwrought titanium; powders <div>Titanium sponge</div> <div>Titanium powder of which 90 % by weight or more passes through a sieve with an aperture of 0,224 mm</div> <div>Titanium alloy ingot, - with a height of 17,8 cm or more, a length of 180 cm or more and a width of 48,3cm or more, - a weight of 680 kg or more, containing alloy elements by weight of:: - 3 % or more but not more than 6 % of aluminium - 2,5 % or more but not more than 5 % of tin - 2,5 % or more but not more than 4,5 % of zirconium - 0,2 % or more but not more than 1 % of niobium - 0,1 % or more but not more than 1 % of molybdenum 0,1 % or more but not more than 0,5 % of silicon</div> </div> <div>Titanium alloy ingot, - with a height of 17,8 cm or more, a length of 180 cm or more and a width of 48,3 cm or more, - a weight of 680 kg or more, containing alloy elements by weight of: - 3 % or more but not more than 7 % of aluminium - 1 % or more but not more than 5 % of tin - 3 % or more but not more than 5 % of zinc - 4 % or more but not more than 8 % of molybdenum</div> <div>Titanium alloy ingot, - with a diameter of 63,5 cm or more and a length of 450 cm or more, - a weight of 6350 kg or more, containing alloy elements by weight of: - 5,5 % or more but not more than 6,7 % of aluminium, - 3,7 % of more but not more than 4,9 % of vanadium</div> <div>Other</div>		Alloy of titanium and silicon, containing by weight 0.15% or more but not more than 0.60% of silicon, in sheets or rolls, for use in the manufacture of: - exhaust systems for internal combustion engines or - tubes and pipes of subheading 8108 90 60
Waste and scrap			Plates, sheets, strips and foils of an alloy of titanium, copper and niobium, containing by weight 0,8 % or more but not more than 1,2 % of copper and 0,4 % or more but not more than 0,6 % of niobium
Raspings, turnings and granules, graded according to size; powders <div>Magnesium powder with a particle size of 0,2 mm or more but not more than 0,8 mm <div>Of purity by weight of 98% or more, but not more than 99,5%</div> <div>of purity by weight of more than 99,5 %</div> <div>Other</div> </div> <div>Other</div>			Plates, sheets, strips and foils of an alloy of titanium, aluminium, silicon and niobium, containing by weight: - 0,4 % or more but not more than 0,6 % of aluminium, - 0,35 % or more but not more than 0,55 % of silicon and - 0,1 % or more but not more than 0,3 % of niobium
Other <div>Ground and polished magnesium sheets, of dimensions not more than 1500 mm x! 2000 mm, coated on one side with an epoxy resin insensitive to light</div> <div>Other</div>			Strip of an alloy of titanium, containing by weight - 15 % (± 1 %) of vanadium - 3 % (± 0,5 %) of chromium - 3 % (± 0,5 %) of tin and - 3 % (± 0,5 %) of aluminium
Cobalt mattes and other intermediate products of cobalt metallurgy; cobalt and articles thereof, including waste and scrap <div>Cobalt mattes and other intermediate products of cobalt metallurgy; unwrought cobalt; powders</div> <div>Waste and scrap</div> <div>Other <div>Bars or wires made of cobalt alloy containing, by weight : - 35 % (± 2 %) cobalt, - 25 % (± 1 %) nickel, - 19 % (± 1 %) chromium and - 7 % (± 2 %) iron conforming to the material specifications AMS 5842, of a kind used in the aerospace industry</div> <div>Other</div> </div>	Waste and scrap <div>Waste and scrap of titanium and titanium alloys, except those containing by weight 1 % or more but not more than 2 % of aluminium</div> <div>Other</div>		Plates, sheets, strips and foil of titanium alloy, containing by weight: - 0,3 % or more but not more than 0,7 % of aluminium and - 0,25 % or more but not more than 0,6 % of silicon
	Other <div>Bars, rods, profiles and wire <div>Titanium alloy rods complying with standard EN 2002-1, EN 4267 or DIN 65040</div> <div>Bars, rods and wire of alloy of titanium and aluminium, containing by weight 1 % or more but not more than 2 % of aluminium, for use in the manufacture of silencers and exhaust pipes of subheadings 8708 92 or 8714 10 00 90</div> <div>Wire of an titanium alloy containing by weight - 22 % (±3 %) of vanadium and - 4 % (±0,5 %) of aluminium</div> <div>Titanium-aluminium-vanadium alloy (TiAl6V4) wire, complying with AMS standards 4928, 4965 and 4967</div> <div>Other</div> </div>		Plates, sheets, strips and foil of non-alloyed titanium - of a width of more than 750 mm - of a thickness of not more than 3 mm
	Plates, sheets, strip and foil <div>Alloy of titanium and aluminium, containing by weight 1 % or more but not more than 2 % of aluminium, in sheets or rolls, of a thickness of</div>		Strip or foil of non-alloyed titanium: - containing more than 0,07 % by weight of oxygen (O@2), - of a thickness of 0,4 mm or more but not more than 2,5 mm - conforming to the Vickers hardness HV1 standard of not more than 170 of a kind used in the manufacture of welded tubes for nuclear power plant condensers
			Other
			Tubes and pipes <div>Tubes and pipes, with attached fittings, suitable for conducting gases or liquids, for use in civil aircraft</div> <div>Thin-walled tubes ready for use in ventilation and air-conditioning systems, for use in certain types of aircraft</div> <div>Other</div>
			Other <div>Self-locking bolts and nuts (of the type "Hi-lok")</div>

<div>Parts of spectacle frames and mountings, including bolts of the kind used for spectacle frames and mountings, of an alloy of titanium</div> <div> <div>Other</div> <div> <div>Bolts, nuts, screws, rivets and similar articles complying with US standards, for use in certain types of aircraft</div> <div>Other</div> </div> </div>
<div>Zirconium and articles thereof, including waste and scrap</div> <div> <div>Unwrought zirconium; powders</div> <div> <div>Non-alloy zirconium sponges or ingots, containing by weight more than 0,01% of hafnium for use in the manufacture of tubes, bars or ingots enlarged by remelting for the chemical industry</div> <div>Other</div> </div> </div> <div>Waste and scrap</div> <div>Other</div>
<div>Antimony and articles thereof, including waste and scrap</div> <div> <div>Unwrought antimony; powders</div> <div> <div>Antimony in the form of ingots</div> <div>Other</div> </div> </div> <div>Waste and scrap</div> <div>Other</div>
<div>Manganese and articles thereof, including waste and scrap</div> <div> <div>Unwrought manganese; waste and scrap; powders</div> <div> <div>Unwrought manganese; powders</div> <div>Waste and scrap</div> </div> </div> <div>Other</div>
<div>Beryllium, chromium, germanium, vanadium, gallium, hafnium, indium, niobium (columbium), rhenium and thallium, and articles of these metals, including waste and scrap</div> <div> <div>Beryllium</div> <div> <div>Unwrought; powders</div> <div>Waste and scrap</div> <div>Other</div> </div> </div> <div>Chromium</div> <div> <div>Unwrought; powders</div> <div> <div>Alloys containing more than 10% by weight of nickel</div> <div>Other</div> </div> </div> <div>Waste and scrap</div> <div>Other</div> <div>Thallium</div> <div> <div>Unwrought; powders</div> <div>Waste and scrap</div> <div>Other</div> </div> <div>Other</div>

<div>Unwrought; waste and scrap; powders</div> <div> <div>Hafnium (celtium)</div> </div> <div> <div>Niobium (columbium); rhenium; gallium; indium; vanadium; germanium</div> <div> <div>Waste and scrap</div> <div>Other</div> <div> <div>Niobium (columbium); rhenium</div> <div>Indium</div> <div>Gallium</div> <div>Vanadium</div> <div>Germanium</div> </div> </div> </div> <div>Other</div> <div> <div>Hafnium (celtium); germanium</div> <div> <div>Hafnium (celtium)</div> <div>Germanium</div> </div> </div> <div> <div>Niobium (columbium); rhenium</div> <div> <div>Alloy of niobium (columbium) and titanium, in the form of bars and rods</div> <div>Other</div> </div> </div> <div>Gallium; indium; vanadium</div>
<div>Cermets and articles thereof, including waste and scrap</div> <div> <div>Unwrought</div> <div> <div>Cermet blocks containing by weight 60% or more of aluminium and 5% or more of boron carbide</div> <div>Other</div> </div> </div> <div>Waste and scrap</div> <div>Other</div> <div> <div>Carrier plate of aluminium silicon carbide (AlSiC-9) for electronic circuits</div> <div> <div>Cuboid spacer made of aluminium silicon carbide (AlSiC) composite used for packaging in IGBT-modules</div> <div>Other</div> </div> </div>
<div>TOOLS, IMPLEMENTS, CUTLERY, SPOONS AND FORKS, OF BASE METAL; PARTS THEREOF OF BASE METAL</div> <div> <div>Hand tools, the following: spades, shovels, mattocks, picks, hoes, forks and rakes; axes, billhooks and similar hewing tools; secateurs and pruners of any kind; scythes, sickles, hay knives, hedge shears, timber wedges and other tools of a kind used in agriculture, horticulture or forestry</div> <div> <div>Spades and shovels</div> <div>Mattocks, picks, hoes and rakes</div> <div>Axes, billhooks and similar hewing tools</div> <div>Secateurs and similar one-handed pruners and shears (including poultry shears)</div> <div>Hedge shears, two-handed pruning shears and similar two-handed shears</div> <div>Other hand tools of a kind used in agriculture, horticulture or forestry</div> </div> </div>

<div>Handsaws; blades for saws of all kinds (including slitting, slotting or toothless saw blades)</div> <div> <div>Handsaws</div> </div> <div> <div>Bandsaw blades</div> </div> <div> <div>Circular saw blades (including slitting or slotting saw blades)</div> <div> <div>With working part of steel</div> <div>Other, including parts</div> </div> </div> <div>Chainsaw blades</div> <div> <div>Other saw blades</div> <div> <div>Straight saw blades, for working metal</div> <div>Other</div> <div> <div>For working metal</div> <div>For working other materials</div> </div> </div> </div> <tr> <td> <div>Files, rasps, pliers (including cutting pliers), pincers, tweezers, metal-cutting shears, pipe-cutters, bolt croppers, perforating punches and similar hand tools</div> <div> <div>Files, rasps and similar tools</div> </div> <div> <div>Pliers (including cutting pliers), pincers, tweezers and similar tools</div> </div> <div> <div>Metal-cutting shears and similar tools</div> </div> <div> <div>Pipe-cutters, bolt croppers, perforating punches and similar tools</div> </div> </td></tr> <tr> <td> <div>Hand-operated spanners and wrenches (including torque meter wrenches but not including tap wrenches); interchangeable spanner sockets, with or without handles</div> <div> <div>Hand-operated spanners and wrenches</div> <div> <div>Non-adjustable</div> <div>Adjustable</div> </div> </div> <div> <div>Interchangeable spanner sockets, with or without handles</div> </div> </td></tr> <tr> <td> <div>Hand tools (including glaziers' diamonds), not elsewhere specified or included; blowlamps; vices, clamps and the like, other than accessories for and parts of machine tools; anvils; portable forges; hand- or pedal-operated grinding wheels with frameworks</div> <div> <div>Drilling, threading or tapping tools</div> </div> <div> <div>Hammers and sledge hammers</div> </div> <div> <div>Planes, chisels, gouges and similar cutting tools for working wood</div> </div> <div> <div>Screwdrivers</div> </div> <div> <div>Other hand tools (including glaziers' diamonds)</div> <div> <div>Household tools</div> <div>Other</div> <div> <div>Tools for masons, moulders, cement workers, plasterers and painters</div> <div>Other</div> </div> </div> <div>Blowlamps</div> <div> <div>Vices, clamps and the like</div> </div> <div> <div>Other, including sets of articles of two or more subheadings of this heading</div> <div> <div>Anvils; portable forges; hand- or pedal-operated grinding wheels with</div> </div> </div> </div></td></tr>	<div>Files, rasps, pliers (including cutting pliers), pincers, tweezers, metal-cutting shears, pipe-cutters, bolt croppers, perforating punches and similar hand tools</div> <div> <div>Files, rasps and similar tools</div> </div> <div> <div>Pliers (including cutting pliers), pincers, tweezers and similar tools</div> </div> <div> <div>Metal-cutting shears and similar tools</div> </div> <div> <div>Pipe-cutters, bolt croppers, perforating punches and similar tools</div> </div>	<div>Hand-operated spanners and wrenches (including torque meter wrenches but not including tap wrenches); interchangeable spanner sockets, with or without handles</div> <div> <div>Hand-operated spanners and wrenches</div> <div> <div>Non-adjustable</div> <div>Adjustable</div> </div> </div> <div> <div>Interchangeable spanner sockets, with or without handles</div> </div>	<div>Hand tools (including glaziers' diamonds), not elsewhere specified or included; blowlamps; vices, clamps and the like, other than accessories for and parts of machine tools; anvils; portable forges; hand- or pedal-operated grinding wheels with frameworks</div> <div> <div>Drilling, threading or tapping tools</div> </div> <div> <div>Hammers and sledge hammers</div> </div> <div> <div>Planes, chisels, gouges and similar cutting tools for working wood</div> </div> <div> <div>Screwdrivers</div> </div> <div> <div>Other hand tools (including glaziers' diamonds)</div> <div> <div>Household tools</div> <div>Other</div> <div> <div>Tools for masons, moulders, cement workers, plasterers and painters</div> <div>Other</div> </div> </div> <div>Blowlamps</div> <div> <div>Vices, clamps and the like</div> </div> <div> <div>Other, including sets of articles of two or more subheadings of this heading</div> <div> <div>Anvils; portable forges; hand- or pedal-operated grinding wheels with</div> </div> </div> </div>
<div>Files, rasps, pliers (including cutting pliers), pincers, tweezers, metal-cutting shears, pipe-cutters, bolt croppers, perforating punches and similar hand tools</div> <div> <div>Files, rasps and similar tools</div> </div> <div> <div>Pliers (including cutting pliers), pincers, tweezers and similar tools</div> </div> <div> <div>Metal-cutting shears and similar tools</div> </div> <div> <div>Pipe-cutters, bolt croppers, perforating punches and similar tools</div> </div>			
<div>Hand-operated spanners and wrenches (including torque meter wrenches but not including tap wrenches); interchangeable spanner sockets, with or without handles</div> <div> <div>Hand-operated spanners and wrenches</div> <div> <div>Non-adjustable</div> <div>Adjustable</div> </div> </div> <div> <div>Interchangeable spanner sockets, with or without handles</div> </div>			
<div>Hand tools (including glaziers' diamonds), not elsewhere specified or included; blowlamps; vices, clamps and the like, other than accessories for and parts of machine tools; anvils; portable forges; hand- or pedal-operated grinding wheels with frameworks</div> <div> <div>Drilling, threading or tapping tools</div> </div> <div> <div>Hammers and sledge hammers</div> </div> <div> <div>Planes, chisels, gouges and similar cutting tools for working wood</div> </div> <div> <div>Screwdrivers</div> </div> <div> <div>Other hand tools (including glaziers' diamonds)</div> <div> <div>Household tools</div> <div>Other</div> <div> <div>Tools for masons, moulders, cement workers, plasterers and painters</div> <div>Other</div> </div> </div> <div>Blowlamps</div> <div> <div>Vices, clamps and the like</div> </div> <div> <div>Other, including sets of articles of two or more subheadings of this heading</div> <div> <div>Anvils; portable forges; hand- or pedal-operated grinding wheels with</div> </div> </div> </div>			

<div>frameworks</div> <div>Sets of articles of two or more subheadings of this heading</div>	<div>With working part of diamond or agglomerated diamond</div> <div>With working part of other materials <div>Tools for boring <div>For working metal</div> <div>Other</div> </div> <div>Tools for broaching <div>For working metal</div> <div>Other</div> </div> </div>	<div>Knives with cutting blades, serrated or not (including pruning knives), other than knives of heading]8208, and blades therefor</div> <div>Sets of assorted articles</div> <div>Other <div>Table knives having fixed blades</div> <div>Other knives having fixed blades</div> <div>Knives having other than fixed blades</div> <div>Blades</div> <div>Handles of base metal</div> </div>
<div>Tools of two or more of headings]8202[to 8205, put up in sets for retail sale</div>	<div>Tools for milling <div>For working metal, with working part <div>Of cermets</div> <div>Of other materials <div>Shank type</div> <div>Other</div> </div> </div> <div>Other</div> </div>	<div>Razors and razor blades (including razor blade blanks in strips)</div> <div>Razors <div>Safety razors with non-replaceable blades</div> <div>Other</div> </div> <div>Safety razor blades, including razor blade blanks in strips</div> <div>Other parts</div>
<div>Interchangeable tools for hand tools, whether or not power-operated, or for machine tools (for example, for pressing, stamping, punching, tapping, threading, drilling, boring, broaching, milling, turning or screw driving), including dies for drawing or extruding metal, and rock-drilling or earth-boring tools</div> <div>Rock-drilling or earth-boring tools <div>With working part of cermets</div> <div>Other, including parts <div>With working part of diamond or agglomerated diamond <div>Inserts for drilling tools with working parts of agglomerated diamonds</div> </div> <div>Other</div> </div> <div>Other</div> </div>	<div>Tools for turning <div>For working metal, with working part <div>Of cermets</div> <div>Of other materials</div> </div> <div>Other</div> </div>	<div>Scissors, tailors' shears and similar shears, and blades therefor</div>
<div>Dies for drawing or extruding metal <div>With working part of diamond or agglomerated diamond</div> <div>With working part of other materials</div> </div>	<div>Other interchangeable tools <div>With working part of diamond or agglomerated diamond</div> <div>With working part of other materials <div>Screwdriver bits</div> <div>Gear-cutting tools</div> <div>Other, with working part <div>Of cermets <div>For working metal</div> <div>Other</div> </div> <div>Of other materials <div>For working metal</div> <div>Other</div> </div> </div> </div> </div>	<div>Other articles of cutlery (for example, hair clippers, butchers' or kitchen cleavers, choppers and mincing knives, paperknives); manicure or pedicure sets and instruments (including nail files)</div> <div>Paperknives, letter openers, erasing knives, pencil sharpeners and blades therefor</div> <div>Manicure or pedicure sets and instruments (including nail files)</div> <div>Other</div>
<div>Tools for pressing, stamping or punching <div>For working metal <div>Set of transfer and/or tandem press tools for cold-forming, pressing, drawing, cutting, punching, bending, calibrating, bordering and throating of metal sheets, for use in the manufacture of frame parts of motor vehicles</div> <div>Other</div> </div> <div>Other</div> </div>	<div>Knives and cutting blades, for machines or for mechanical appliances <div>For metalworking</div> <div>For woodworking</div> <div>For kitchen appliances or for machines used by the food industry</div> <div>For agricultural, horticultural or forestry machines</div> <div>Other</div> </div>	<div>Spoons, forks, ladles, skimmers, cake-servers, fish-knives, butter-knives, sugar tongs and similar kitchen or tableware</div> <div>Sets of assorted articles containing at least one article plated with precious metal <div>Containing only articles plated with precious metal</div> <div>Other <div>Of stainless steel</div> <div>Other</div> </div> </div>
<div>Tools for tapping or threading <div>For working metal <div>Tools for tapping</div> <div>Tools for threading</div> </div> <div>Other</div> </div>	<div>Plates, sticks, tips and the like for tools, unmounted, of cermets <div>Indexable inserts</div> <div>Other</div> </div>	<div>Other sets of assorted articles <div>Of stainless steel</div> <div>Other</div> </div>
<div>Tools for drilling, other than for rock-drilling <div>With working part of diamond or agglomerated diamond</div> <div>With working part of other materials <div>Masonry drills</div> <div>Other <div>For working metal, with working part <div>Of cermets</div> <div>Of high speed steel</div> <div>Of other materials</div> </div> <div>Other</div> </div> </div> </div>	<div>Hand-operated mechanical appliances, weighing 10 kg or less, used in the preparation, conditioning or serving of food or drink</div>	<div>Other <div>Plated with precious metal</div> <div>Other <div>Of stainless steel</div> <div>Other</div> </div> </div>
<div>Tools for boring or broaching</div>		<div>MISCELLANEOUS ARTICLES OF BASE METAL</div> <div>Padlocks and locks (key, combination or electrically operated), of base metal; clasps and frames with clasps, incorporating locks, of base metal; keys for any of the foregoing articles, of base metal</div>

Padlocks
Locks of a kind used for motor vehicles
Locks of a kind used for furniture
Other locks
Locks of a kind used for doors of buildings
Cylinder
Other
Other locks
Clasps and frames with clasps, incorporating locks
Parts
Keypads of silicone or plastic, - whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, - whether or not printed or surface treated, - whether or not with electrical conducting elements - whether or not with keypads foil glued on the keyboard - whether or not with protective foil - single or multilayer
Other
Keys presented separately

Base-metal mountings, fittings and similar articles suitable for furniture, doors, staircases, windows, blinds, coachwork, saddlery, trunks, chests, caskets or the like; base-metal hat-racks, hat-pegs, brackets and similar fixtures; castors with mountings of base metal; automatic door closers of base metal

Hinges
For use in civil aircraft
Other

Castors
For use in civil aircraft
Castors, with - an external diameter of 21 mm or more but not more than 23 mm, - a width with screw of 19 mm or more but not more than 23 mm, - a U-shaped plastic outer ring, - an assembly screw fitted to the internal diameter and used as an inner ring
Other

Other mountings, fittings and similar articles suitable for motor vehicles

Other mountings, fittings and similar articles
Suitable for buildings
For doors
For windows and French windows
Other

Other, suitable for furniture
For use in civil aircraft
Other

Other
For use in civil aircraft
Other
Aluminium telescopic handle for use in the manufacture of luggage

Other

Hat-racks, hat-pegs, brackets and similar fixtures
Automatic door closers
For use in civil aircraft
Other

Armoured or reinforced safes, strongboxes and doors and safe deposit lockers for strong-rooms, cash or deed boxes and the like, of base metal

Armoured or reinforced safes, strongboxes and doors and safe deposit lockers for strongrooms
Cash or deed boxes and the like

Filing cabinets, card-index cabinets, paper trays, paper rests, pen trays, office-stamp stands and similar office or desk equipment, of base metal, other than office furniture of heading|9403

Fittings for loose-leaf binders or files, letter clips, letter corners, paper clips, indexing tags and similar office articles, of base metal; staples in strips (for example, for offices, upholstery, packaging), of base metal

Fittings for loose-leaf binders or files
Ring binder mechanisms (other than those with 17 or 23 rings) consisting of two rectangular steel sheets or wires with at least four half rings made of steel wire fixed on it and which are kept together by a steel cover; they can be opened either by pulling the half rings or with a small steel-made trigger mechanism fixed to the ring binder mechanism
Consigned from Vietnam
Consigned from Lao People's Democratic Republic
Other

Ring binder mechanisms consisting of two rectangular steel sheets or wires with 17 or 23 rings made of steel wire fixed on it and which are kept together by a steel cover; they can be opened either by pulling the half rings or with a small steel-made trigger mechanism fixed to the ring binder mechanism
Consigned from Vietnam
Consigned from Lao People's Democratic Republic
Other

Other ring binder mechanisms
Ring binder mechanisms (other than those with 17 or 23 rings) consisting of two steel sheets or wires with at least four half rings made of steel wire fixed on it and which are kept together by a steel cover; they can be opened either by pulling the half rings or with a small steel-made trigger mechanism fixed to the ring binder mechanism

Ring binder mechanisms consisting of two steel sheets or wires with 17 or 23 rings made of steel wire fixed on it and which are kept together by a steel cover; they can be opened either by pulling the half rings or with a small steel-made trigger
--

mechanism fixed to the ring binder mechanism
Ring binder mechanisms consisting of more than two steel sheets or wires with at least four half rings made of steel wire fixed on it and which are kept together by a steel cover; they can be opened either by pulling the half rings or with a small steel-made trigger mechanism fixed to the ring binder mechanism
Other

Lever arch mechanisms for archiving sheets and other documents in binders and files consisting of arched sturdy metal elements (normally two) on a back plate and having at least one opening trigger that permits inserting and filing of sheets and other documents
Other

Staples in strips
Other, including parts

Bells, gongs and the like, non-electric, of base metal; statuettes and other ornaments, of base metal; photograph, picture or similar frames, of base metal; mirrors of base metal

Bells, gongs and the like
Statuettes and other ornaments
Plated with precious metal
Other
Photograph, picture or similar frames; mirrors

Flexible tubing of base metal, with or without fittings
Of iron or steel
With fittings attached, for use in civil aircraft
Other
Of other base metal
With fittings attached, for use in civil aircraft
Other

Clasps, frames with clasps, buckles, buckle-clasps, hooks, eyes, eyelets and the like, of base metal, of a kind used for clothing, footwear, awnings, handbags, travel goods or other made-up articles, tubular or bifurcated rivets, of base metal; beads and spangles of base metal

Hooks, eyes and eyelets
Tubular or bifurcated rivets
For use in certain types of aircraft
Other
Other, including parts
Beads and spangles, hand-made
Other

Stoppers, caps and lids (including crown corks, screw caps and pouring stoppers), capsules for bottles, threaded bungs, bung covers, seals and other packing accessories, of base metal

Crown corks
Other
Capsules of lead; capsules of aluminium of a diameter exceeding 21 mm
Other
Aluminium can ends: - with a diameter of 99,00 mm or more but not more than 136,5 mm (±1mm), - whether or not with a "ring-pull" aperture
Other
Sign-plates, nameplates, address-plates and similar plates, numbers, letters and other symbols, of base metal, excluding those of heading 9405
Wire, rods, tubes, plates, electrodes and similar products, of base metal or of metal carbides, coated or cored with flux material, of a kind used for soldering, brazing, welding or deposition of metal or of metal carbides; wire and rods, of agglomerated base metal powder, used for metal spraying
Coated electrodes of base metal, for electric arc-welding
Cored wire of base metal, for electric arc-welding
Coated rods and cored wire, of base metal, for soldering, brazing or welding by flame
Other

NUCLEAR REACTORS, BOILERS, MACHINERY AND MECHANICAL APPLIANCES; PARTS THEREOF
Nuclear reactors; fuel elements (cartridges), non-irradiated, for nuclear reactors; machinery and apparatus for isotopic separation
Nuclear reactors
Machinery and apparatus for isotopic separation, and parts thereof
Fuel elements (cartridges), non-irradiated
Non-irradiated hexagonal fuel modules (elements) for use in nuclear reactors
Other
Parts of nuclear reactors
Stainless steel absorber control rods, filled with neutron absorbing chemical elements
Other

Steam or other vapour generating boilers (other than central heating hot water boilers capable also of producing low pressure steam); superheated water boilers
Steam or other vapour generating boilers
Watertube boilers with a steam production exceeding 45 tonnes per hour
Watertube boilers with a steam production not exceeding 45 tonnes per hour
Other vapour generating boilers, including hybrid boilers

Firetube boilers
Other
Superheated water boilers
Parts
Central heating boilers other than those of heading 8402
Boilers
Of cast iron
Other
Parts
Of cast iron
Other

Auxiliary plant for use with boilers of heading 8402 or 8403 (for example, economisers, superheaters, soot removers, gas recoverers); condensers for steam or other vapour power units
Auxiliary plant for use with boilers of heading 8402 or 8403
Condensers for steam or other vapour power units
Parts

Producer gas or water gas generators, with or without their purifiers; acetylene gas generators and similar water process gas generators, with or without their purifiers
Producer gas or water gas generators, with or without their purifiers; acetylene gas generators and similar water process gas generators, with or without their purifiers
Parts
Metal casing for automobile safety belt pre-tension gas generators
Other

Steam turbines and other vapour turbines
Turbines for marine propulsion
Other turbines
Of an output exceeding 40 MW
Of an output not exceeding 40 MW
Parts
Stator blades, rotors and their blades
Other

Spark-ignition reciprocating or rotary internal combustion piston engines
Aircraft engines
For use in civil aircraft
Intended to be fitted in aircraft imported duty free or built within the Community
Other

Marine propulsion engines
Outboard motors
Of a cylinder capacity not exceeding 325 cm\$3
Of a cylinder capacity exceeding 325 cm\$3

Of a power not exceeding 30 kW
Of a power exceeding 30 kW
Other
Reciprocating piston engines of a kind used for the propulsion of vehicles of Chapter 87
Of a cylinder capacity not exceeding 50 cm\$3
Of a cylinder capacity exceeding 50 cm\$3 but not exceeding 250 cm\$3
Of a cylinder capacity exceeding 50 cm\$3 but not exceeding 125 cm\$3
Of a cylinder capacity exceeding 125 cm\$3 but not exceeding 250 cm\$3
Of a cylinder capacity exceeding 250 cm\$3 but not exceeding 1 000 cm\$3
Of a cylinder capacity exceeding 250 cm\$3 but not exceeding 500 cm\$3
Spark-ignition reciprocating or rotary internal combustion piston engines, having a cylinder capacity of not less than 300 cm\$3 and a power of not less than 6 kW but not exceeding 20,0 kW, for the manufacture of: - self-propelled lawn mowers, with a seat of subheading 8433 11 51, and hand-operated lawn mowers of heading 8433 11 90, - tractors of subheading 8701 90 11, whose main function is that of a lawn mower, - four stroke mowers with motor of a cylinder capacity of not less than 300 cc of subheading 8433 20 10 or - snowploughs and snow blowers of subheading 8430 20
Other
Of a cylinder capacity exceeding 500 cm\$3 but not exceeding 1000 cm\$3
Spark-ignition reciprocating or rotary internal combustion piston engines, having a cylinder capacity of not less than 300 cm\$3 and a power of not less than 6 kW but not exceeding 20,0 kW, for the manufacture of: - self-propelled lawn mowers, with a seat of subheading 8433 11 51, and hand-operated lawn mowers of heading 8433 11 90, - tractors of subheading 8701 90 11, whose main function is that of a lawn mower, - four stroke mowers with motor of a cylinder capacity of not less than 300 cc of subheading 8433 20 10 or - snowploughs and snow blowers of subheading 8430 20
Other
Of a cylinder capacity exceeding 1 000 cm\$3
For the industrial assembly of: pedestrian-controlled tractors of subheading 8701 10; motor vehicles of heading 8703; motor vehicles of heading 8704 with an engine of a cylinder capacity of less than

2 800 cm\$3; motor vehicles of heading 8705
Other
Used
New, of a cylinder capacity
Not exceeding 1 500 cm\$3
Exceeding 1 500 cm\$3

Other engines
Of a cylinder capacity not exceeding 250 cm\$3
Four-stroke petrol engines of a cylinder capacity of not more than 250cm³ for use in the manufacture of lawnmowers of sub-heading 8433 11, mowers with motor of subheading 8433 20 10, rotovators of sub-heading 8432 29 50, garden shredders of subheading 8436 80 90 or scarifiers of subheading 8432 29 10
Other

Of a cylinder capacity exceeding 250 cm\$3
For the industrial assembly of: pedestrian-controlled tractors of subheading 8701 10; motor vehicles of heading 8703; motor vehicles of heading 8704 with an engine of a cylinder capacity of less than 2 800 cm\$3; motor vehicles of heading 8705
Other
Of a power not exceeding 10 kW
Spark-ignition reciprocating or rotary internal combustion piston engines, having a cylinder capacity of not less than 300 cm³ and a power of not less than 6 kW but not exceeding 20,0 kW, for the manufacture of: •self-propelled lawn mowers, with a seat of subheading 8433 11 51, and hand-operated lawn mowers of heading 8433 11 90, •tractors of subheading 8701 90 11, whose main function is that of a lawn mower, •four stroke mowers with motor of a cylinder capacity of not less than 300 cc of subheading 8433 20 10 or •snowploughs and snow blowers of subheading 8430 20
Other

Of a power exceeding 10 kW
Spark-ignition reciprocating or rotary internal combustion piston engines, having a cylinder capacity of not less than 300 cm³ and a power of not less than 6 kW but not exceeding 20,0 kW, for the manufacture of: •self-propelled lawn mowers, with a seat of subheading 8433 11 51, and hand-operated lawn mowers of heading 8433 11 90, •tractors of subheading 8701 90 11, whose main function is that of a lawn mower, •four stroke mowers with motor of a cylinder capacity of not less than 300 cc of subheading 8433 20 10 or

•snowploughs and snow blowers of subheading 8430 20
Compact Liquid Petroleum Gas (LPG) Engine System, with: - 6 cylinders, - an output of 75 kW or more, but not more than 80 kW, - inlet and exhaust valves modified to operate continuously in heavy duty applications, for use in the manufacture of vehicles of heading 8427
Other

Compression-ignition internal combustion piston engines (diesel or semi-diesel engines)
Marine propulsion engines
Used
For seagoing vessels of headings 8901 to 8906, tugs of subheading 8904 00 10 and warships of subheading 8906 10 00
Other
New, of a power
Not exceeding 50 kW
For seagoing vessels of headings 8901 to 8906, tugs of subheading 8904 00 10 and warships of subheading 8906 10 00
Other
Exceeding 50 kW but not exceeding 100 kW
For seagoing vessels of headings 8901 to 8906, tugs of subheading 8904 00 10 and warships of subheading 8906 10 00
Other
Exceeding 100 kW but not exceeding 200 kW
For seagoing vessels of headings 8901 to 8906, tugs of subheading 8904 00 10 and warships of subheading 8906 10 00
Other
Exceeding 200 kW but not exceeding 300 kW
For seagoing vessels of headings 8901 to 8906, tugs of subheading 8904 00 10 and warships of subheading 8906 10 00
Other
Exceeding 300 kW but not exceeding 500 kW
For seagoing vessels of headings 8901 to 8906, tugs of subheading 8904 00 10 and warships of subheading 8906 10 00
Other
Exceeding 500 kW but not exceeding 1 000 kW

For seagoing vessels of headings 8901 to 8906, tugs of subheading 8904 00 10 and warships of subheading 8906 10 00
Other
Exceeding 1 000 kW but not exceeding 5 000 kW
For seagoing vessels of headings 8901 to 8906, tugs of subheading 8904 00 10 and warships of subheading 8906 10 00
Other
Exceeding 5 000 kW
For seagoing vessels of headings 8901 to 8906, tugs of subheading 8904 00 10 and warships of subheading 8906 10 00
Other

Engines of a kind used for the propulsion of vehicles of Chapter 87
For the industrial assembly of: pedestrian-controlled tractors of subheading 8701 10; motor vehicles of heading 8703; motor vehicles of heading 8704 with an engine of a cylinder capacity of less than 2 500 cm\$3; motor vehicles of heading 8705
Other
For wheeled agricultural or forestry tractors, of a power
Not exceeding 50 kW
Exceeding 50 kW but not exceeding 100 kW
Exceeding 100 kW
For other vehicles of Chapter 87, of a power
Not exceeding 50 kW
Exceeding 50 kW but not exceeding 100 kW
Exceeding 100 kW but not exceeding 200 kW
Exceeding 200 kW

Other engines
For rail traction
Other
Used
For use in civil aircraft
Other
New, of a power
Not exceeding 15 kW
For use in civil aircraft
Diesel engines of a power of not more than 15 kW, with 2 or 3 cylinders, for use in the manufacture of vehicle mounted temperature control systems
Other

Exceeding 15|kW but not exceeding 30|kW

For use in civil aircraft

Diesel engines of a power of not more than 30|kW, with 4|cylinders, for use in the manufacture of vehicle mounted temperature control systems

4|Cylinder, 4|cycle, liquid cooled, compression-ignition engine having: -|a capacity of not more than 3|850|cm\$3, and -|a rated output of 15|kW or more but not more than 85|kW, for use in the manufacture of vehicles of heading 8427

Other

Exceeding 30|kW but not exceeding 50|kW

For use in civil aircraft

4|Cylinder, 4|cycle, liquid cooled, compression-ignition engine having: -|a capacity of not more than 3|850|cm\$3, and -|a rated output of 15|kW or more but not more than 85|kW, for use in the manufacture of vehicles of heading 8427

Other

Exceeding 50|kW but not exceeding 100|kW

For use in civil aircraft

Other

4|Cylinder, 4|cycle, liquid cooled, compression-ignition engine having: -|a capacity of not more than 3|850|cm\$3, and -|a rated output of 15|kW or more but not more than 85|kW, for use in the manufacture of vehicles of heading 8427

Other

Exceeding 100|kW but not exceeding 200|kW

For use in civil aircraft

Other

Exceeding 200|kW but not exceeding 300|kW

For use in civil aircraft

Other

Exceeding 300|kW but not exceeding 500|kW

For use in civil aircraft

Other

Exceeding 500|kW but not exceeding 1|000|kW

For use in civil aircraft

Other

Exceeding 1|000|kW but not exceeding 5|000|kW

For use in civil aircraft

Other

Exceeding 5|000|kW

For use in civil aircraft

Other

Parts suitable for use solely or principally with the engines of heading|8407|or 8408

For aircraft engines

For engines for use in civil aircraft

Intended to be fitted in aircraft imported duty free or built within the Community

Other

Other

Suitable for use solely or principally with spark-ignition internal combustion piston engines

Exhaust manifold complying with standard DIN EN 13835, whether or not with turbine housing, with four inlet ports, for use in the manufacture of exhaust manifold that is turned, milled, drilled and/or processed by other means

Other

Other

Injectors with solenoid valve for optimised atomisation in the engine combustion chamber

Exhaust manifold complying with standard DIN EN 13835, whether or not with turbine housing, with four inlet ports, for use in the manufacture of exhaust manifold that is turned, milled, drilled and/or processed by other means

Spiral-shaped gas turbine turbocharger component: -|with a heat-resistance of not more than 1|050|°C, -|with a turbine wheel hole diameter of 30|mm or more, but not more than 110|mm, -|whether or not with an engine exhaust manifold

Other

Hydraulic turbines, water wheels, and regulators therefor

Hydraulic turbines and water wheels

Of a power not exceeding 1|000|kW

Of a power exceeding 1|000|kW but not exceeding 10|000|kW

Of a power exceeding 10|000|kW

Parts, including regulators

Turbojets, turbopropellers and other gas turbines

Turbojets

Of a thrust not exceeding 25|kN

For use in civil aircraft

Intended to be fitted in aircraft imported duty free or built within the Community

Other

Of a thrust exceeding 25|kN

Of a thrust exceeding 25|kN but not exceeding 44|kN

For use in civil aircraft

Intended to be fitted in aircraft imported duty free or built within the Community

Other

Of a thrust exceeding 44|kN but not exceeding 132|kN

For use in civil aircraft

Intended to be fitted in aircraft imported duty free or built within the Community

Other

Of a thrust exceeding 132|kN

For use in civil aircraft

Intended to be fitted in aircraft imported duty free or built within the Community

Other

Turbopropellers

Of a power not exceeding 1|100|kW

For use in civil aircraft

Intended to be fitted in aircraft imported duty free or built within the Community

Other

Of a power exceeding 1|100|kW

Of a power exceeding 1|100|kW but not exceeding 3|730|kW

For use in civil aircraft

Intended to be fitted in aircraft imported duty free or built within the Community

Other

Of a power exceeding 3|730|kW

For use in civil aircraft

Intended to be fitted in aircraft imported duty free or built within the Community

Other

Other gas turbines

Of a power not exceeding 5|000|kW

For use in civil aircraft

Other

Of a power exceeding 5|000|kW

Of a power exceeding 5|000|kW but not exceeding 20|000|kW

For use in civil aircraft

Other

Of a power exceeding 20|000|kW but not exceeding 50|000|kW

For use in civil aircraft

Other

Of a power exceeding 50|000|kW

For use in civil aircraft

Other

Parts
Of turbojets or turbopropellers
For use in civil aircraft
Intended to be fitted in aircraft imported duty free or built within the Community
Other
Other
Of gas turbines, for use in civil aircraft
Other
Wheel-shaped gas turbine component with blades, of a kind used in turbochargers: - of a precision-cast nickel based alloy complying with standard DIN G-NiCr13Al6MoNb or DIN G-NiCr13Al16MoNb or DIN NiCo10W10Cr9AlTi or AMS AISI:686, - with a heat-resistance of not more than 1 100 °C; - with a diameter of 30 mm or more, but not more than 100 mm; - with a height of 20 mm or more, but not more than 70 mm
Spiral-shaped gas turbine turbocharger component: - with a heat-resistance of not more than 1 050 °C, - with a turbine wheel hole diameter of 30 mm or more, but not more than 110 mm, - whether or not with an engine exhaust manifold
Actuator for a single-stage turbocharger: - whether or not with conducting horns and connecting sleeves, having an operating distance of 20 mm or more but not more than 40 mm, - with a length of not more than 350 mm, - with a diameter of not more than 75 mm, - with a height of not more than 110 mm
Other

Other engines and motors
Reaction engines other than turbojets
For use in civil aircraft
Intended to be fitted in aircraft imported duty free or built within the Community
Other
Hydraulic power engines and motors
Linear acting (cylinders)
Hydraulic systems
For use in civil aircraft
Other
Other
For use in civil aircraft
Other
Other
Hydraulic systems
For use in civil aircraft
Other
Other

Hydraulic fluid power motors
For use in civil aircraft
Other
Other
For use in civil aircraft
Other

Pneumatic power engines and motors
Linear acting (cylinders)
For use in civil aircraft
Other
Other
For use in civil aircraft
Other

Other
Steam or other vapour power engines
Other
For use in civil aircraft
Other

Parts
Of reaction engines other than turbojets
For use in civil aircraft
Intended to be fitted in aircraft imported duty free or built within the Community
Other
Of hydraulic power engines and motors
For use in civil aircraft
Other
Other
For use in civil aircraft
Other

Pumps for liquids, whether or not fitted with a measuring device; liquid elevators
Pumps fitted or designed to be fitted with a measuring device
Pumps for dispensing fuel or lubricants, of the type used in filling stations or in garages
Other
For use in civil aircraft
Other
Handpumps, other than those of subheading 8413 11 or 8413 19
For use in civil aircraft
Other

Fuel, lubricating or cooling medium pumps for internal combustion piston engines
Injection pumps
For use in civil aircraft
Other

Other
For use in civil aircraft
Other

Concrete pumps

Other reciprocating positive displacement pumps
Hydraulic units
For use in civil aircraft
Other

Dosing and proportioning pumps
For use in civil aircraft
Other

Other
Piston pumps
Hydraulic fluid power
For use in civil aircraft
Other
Other
For use in civil aircraft
Other
Other
For use in civil aircraft
Other

Other rotary positive displacement pumps
Hydraulic units
For use in civil aircraft
Other

Other
Gear pumps
Hydraulic fluid power
For use in civil aircraft
Other
Other
For use in civil aircraft
Other

Vane pumps
Hydraulic fluid power
For use in civil aircraft
Other
Other
For use in civil aircraft
Other

Screw pumps
For use in civil aircraft
Other

Other
For use in civil aircraft
Other

Other centrifugal pumps
Submersible pumps
Single-stage
Multi-stage
Glandless impeller pumps for heating systems and warm water supply
Other, with a discharge outlet diameter
Not exceeding 15 mm
For use in civil aircraft
Other
Single phase centrifugal pump: - discharging at least 400 cm\$3 fluid per minute - with a noise level limited to 6 dBA, - with the inside diameter of the suction opening and discharge outlet of not more than 15 mm, and - working at ambient temperatures down to -10°C
Other
Exceeding 15 mm
Channel impeller pumps and side channel pumps
For use in civil aircraft
Other
Radial flow pumps
Single-stage
With single entry impeller
Monobloc
For use in civil aircraft
Other
Other
For use in civil aircraft
Other
With more than one entry impeller
For use in civil aircraft
Other
Multi-stage
For use in civil aircraft
Other
Other centrifugal pumps
Single-stage
For use in civil aircraft
Other
Multi-stage
For use in civil aircraft
Other
Other pumps; liquid elevators
Pumps
For use in civil aircraft

Other
Liquid elevators
Parts
Of pumps
For use in civil aircraft
Fuel pump cover: - consisting of aluminum alloys, - with a diameter of 38 mm or 50 mm, - with two concentric, annular grooves formed on its surface, - anodized, of a kind used in motor vehicles with petrol engines
Keypads of silicone or plastic, - whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, - whether or not printed or surface treated, - whether or not with electrical conducting elements - whether or not with keypads foil glued on the keyboard - whether or not with protective foil - single or multilayer
Other
Of liquid elevators
Air or vacuum pumps, air or other gas compressors and fans; ventilating or recycling hoods incorporating a fan, whether or not fitted with filters
Vacuum pumps
For use in semiconductor production
Other
Rotary piston pumps, sliding vane rotary pumps, molecular drag pumps and Roots pumps
For use in civil aircraft
Of a kind used solely or principally for the manufacture of semiconductors or of flat panel displays
Other
Other
Diffusion pumps, cryopumps and adsorption pumps
For use in civil aircraft
Of a kind used solely or principally for the manufacture of semiconductors or of flat panel displays
Other
Other
For use in civil aircraft
Of a kind used solely or principally for the manufacture of semiconductors or of flat panel displays
Other
Hand- or foot-operated air pumps
Handpumps for cycles
Other
For use in civil aircraft
Other

Compressors of a kind used in refrigerating equipment
Of a power not exceeding 0,4 kW
For use in civil aircraft
Other
Of a power exceeding 0,4 kW
Hermetic or semi-hermetic
For use in civil aircraft
Other
Hermetic or semi-hermetic variable-speed electric scroll compressors, with a nominal power rating of 0,5 kW or more but not more than 10 kW, with a displacement volume of not more than 35 cm\$3, of the type used in refrigeration equipment
Hermetic rotary compressors for Hydro-Fluoro-Carbon (HFC) refrigerants: - driven by 'on-off' single phase alternate current' (AC) or 'brushless direct current' (BLDC) variable speed motors - with a nominal power rating of not more than 1,5 kW of a kind used in the production of household heat pump laundry tumble dryers
Other
Other
For use in civil aircraft
Vehicle air conditioning system part, consisting of an open shaft reciprocating compressor of a power of more than 0,4 kW but not more than 10 kW
Other
Air compressors mounted on a wheeled chassis for towing
Giving a flow per minute not exceeding 2 m\$3
Giving a flow per minute exceeding 2 m\$3
Fans
Table, floor, wall, window, ceiling or roof fans, with a self-contained electric motor of an output not exceeding 125 W
For use in civil aircraft
Other
Other
Axial fans
For use in civil aircraft
Other
Axial fan: - with an electric motor, - of an output of not more than 125 W for use in the manufacture of computers
Axial fan with an electric motor, of an output of not more than 2 W, for use in the manufacture of products of heading 8521 or 8528
Fans of a kind used solely or principally for cooling microprocessors,

<table><tr><td>telecommunication apparatus, automatic data processing machines or units of automatic data processing machines</td></tr><tr><td>Other</td></tr></table>	telecommunication apparatus, automatic data processing machines or units of automatic data processing machines	Other
telecommunication apparatus, automatic data processing machines or units of automatic data processing machines		
Other		
Centrifugal fans		
<table><tr><td>For use in civil aircraft</td></tr></table>	For use in civil aircraft	
For use in civil aircraft		
Fans of a kind used solely or principally for cooling microprocessors, telecommunication apparatus, automatic data processing machines or units of automatic data processing machines		
Other		
Other		
<table><tr><td>For use in civil aircraft</td></tr></table>	For use in civil aircraft	
For use in civil aircraft		
Other		
<table><tr><td>Cross-flow fan, with; - a height of 575 mm (± 1,0 mm) or more, but not more than 850 mm (± 1,0 mm), - a diameter of 95mm (± 0,6 mm) or 102 mm (± 0,6 mm), - an anti-static, anti-bacterial and heat-resistant, 30 % glass fibre reinforced plastic raw material that has a minimum temperature resistance of 70°C (±5°C),for use in the manufacture of indoor units of split-type air conditioning machines</td></tr></table>	Cross-flow fan, with; - a height of 575 mm (± 1,0 mm) or more, but not more than 850 mm (± 1,0 mm), - a diameter of 95mm (± 0,6 mm) or 102 mm (± 0,6 mm), - an anti-static, anti-bacterial and heat-resistant, 30 % glass fibre reinforced plastic raw material that has a minimum temperature resistance of 70°C (±5°C),for use in the manufacture of indoor units of split-type air conditioning machines	
Cross-flow fan, with; - a height of 575 mm (± 1,0 mm) or more, but not more than 850 mm (± 1,0 mm), - a diameter of 95mm (± 0,6 mm) or 102 mm (± 0,6 mm), - an anti-static, anti-bacterial and heat-resistant, 30 % glass fibre reinforced plastic raw material that has a minimum temperature resistance of 70°C (±5°C),for use in the manufacture of indoor units of split-type air conditioning machines		
Fans of a kind used solely or principally for cooling microprocessors, telecommunication apparatus, automatic data processing machines or units of automatic data processing machines		
Other		

Hoods having a maximum horizontal side not exceeding 120 cm

Other	
Turbo-compressors	
Single-stage	
<table><tr><td>For use in civil aircraft</td></tr></table>	For use in civil aircraft
For use in civil aircraft	
Other	
Multi-stage	
<table><tr><td>For use in civil aircraft</td></tr></table>	For use in civil aircraft
For use in civil aircraft	
Other	

Reciprocating displacement compressors, having a gauge pressure capacity of	
Not exceeding 15 bar, giving a flow per hour	
Not exceeding 60 m\$3	
<table><tr><td>For use in civil aircraft</td></tr></table>	For use in civil aircraft
For use in civil aircraft	
Other	
Exceeding 60 m\$3	
<table><tr><td>For use in civil aircraft</td></tr></table>	For use in civil aircraft
For use in civil aircraft	
Other	

Exceeding 15 bar, giving a flow per hour
--

Not exceeding 120 m\$3	
<table><tr><td>For use in civil aircraft</td></tr></table>	For use in civil aircraft
For use in civil aircraft	
Other	
Exceeding 120 m\$3	
<table><tr><td>For use in civil aircraft</td></tr></table>	For use in civil aircraft
For use in civil aircraft	
Other	

Rotary displacement compressors	
Single-shaft	
<table><tr><td>For use in civil aircraft</td></tr></table>	For use in civil aircraft
For use in civil aircraft	
Other	
Hermetic rotary compressors for Hydro-Fluoro-Carbon (HFC) refrigerants: - driven by 'on-off' single phase alternate current' (AC) or 'brushless direct current' (BLDC) variable speed motors - with a nominal power rating of not more than 1,5 kW of a kind used in the production of household heat pump laundry tumble dryers	
Other	

Multi-shaft	
Screw compressors	
<table><tr><td>For use in civil aircraft</td></tr></table>	For use in civil aircraft
For use in civil aircraft	
Other	
Other	
<table><tr><td>For use in civil aircraft</td></tr></table>	For use in civil aircraft
For use in civil aircraft	
Other	

Other	
<table><tr><td>For use in civil aircraft</td></tr></table>	For use in civil aircraft
For use in civil aircraft	
Other	

Parts	
<table><tr><td>For use in civil aircraft</td></tr></table>	For use in civil aircraft
For use in civil aircraft	
Aluminium pistons, for incorporation into compressors of air conditioning machines of motor vehicles	
Pressure-regulating system, for incorporation into compressors of air conditioning machines of motor vehicles	
Drive part, for compressors of air conditioning machines of motor vehicles	
Cross-flow fan, with; - a height of 575 mm (± 1,0 mm) or more, but not more than 850 mm (± 1,0 mm), - a diameter of 95mm (± 0,6 mm) or 102 mm (± 0,6 mm), - an anti-static, anti-bacterial and heat-resistant, 30 % glass fibre reinforced plastic raw material that has a minimum temperature resistance of 70°C (±5°C),for use in the manufacture of indoor units of split-type air conditioning machines	
Other	

Air-conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated
--

Window or wall types, self-contained or 'split-system'
Self-contained
Split-system

Of a kind used for persons, in motor vehicles

Other	
Incorporating a refrigerating unit and a valve for reversal of the cooling/heat cycle (reversible heat pumps)	
<table><tr><td>For use in civil aircraft</td></tr></table>	For use in civil aircraft
For use in civil aircraft	
Other	

Other, incorporating a refrigerating unit	
<table><tr><td>For use in civil aircraft</td></tr></table>	For use in civil aircraft
For use in civil aircraft	
Other	

Not incorporating a refrigerating unit	
<table><tr><td>For use in civil aircraft</td></tr></table>	For use in civil aircraft
For use in civil aircraft	
Other	

Parts
Of air conditioning machines of subheading Nos 8415 81, 8415 82 or 8415 83, for use in civil aircraft
Evaporator made of aluminium for use in the manufacture of air conditioning machines for automobiles
Aluminium arc-welded removable receiver dryer with a connection block, containing polyamide and ceramic elements, with: - a length of 166 mm (+/- 1 mm), - a diameter of 70 mm (+/- 1 mm), - an internal capacity of 280 cm\$3 or more, - a water absorption rate of 17 g or more, and - an internal purity expressed by permissible amount of impurities of not more than 0,9 mg/dm\$2 of a kind used in car air-conditioning systems
Flame-soldered aluminium block with extruded, bent connector lines, of a kind used in car air-conditioning systems
Aluminium arc-welded removable receiver dryer with polyamide and ceramic elements with: - a length of 291 mm (+/- 1 mm), - a diameter of 32 mm (+/- 1 mm), - a spangle length of not more than 0,2 mm and a thickness of not more than 0,06 mm, - a solid particle diameter of not more than 0,06 mm of a kind used in car air-conditioning systems
Other

Furnace burners for liquid fuel, for pulverised solid fuel or for gas; mechanical stokers, including their mechanical grates, mechanical ash dischargers and similar appliances

Furnace burners for liquid fuel
Incorporating an automatic control device
Other

Other furnace burners, including combination burners
Only for gas, monobloc, incorporating a ventilator and a control device

Other
Combination burners
Other

Mechanical stokers, including their mechanical grates, mechanical ash dischargers and similar appliances
Parts

Industrial or laboratory furnaces and ovens, including incinerators, non-electric
Furnaces and ovens for the roasting, melting or other heat treatment of ores, pyrites or of metals
Bakery ovens, including biscuit ovens
Tunnel ovens
Other
Other
Ovens and furnaces for firing ceramic products
Ovens and furnaces for firing cement, glass or chemical products
Other
Parts

Refrigerators, freezers and other refrigerating or freezing equipment, electric or other; heat pumps other than air-conditioning machines of heading 8415
Combined refrigerator-freezers, fitted with separate external doors
Of a capacity exceeding 340 litres
For use in civil aircraft
Other
Other
For use in civil aircraft
Other

Refrigerators, household type
Compression-type
Of a capacity exceeding 340 litres
Other
Table model
Building-in type
Other, of a capacity
Not exceeding 250 litres
Exceeding 250 litres but not exceeding 340 litres
Other

Freezers of the chest type, not exceeding 800 litres capacity
Of a capacity not exceeding 400 litres
For use in civil aircraft
Other
Of a capacity exceeding 400 litres but not exceeding 800 litres
For use in civil aircraft
Other

Freezers of the upright type, not exceeding 900 litres capacity
Of a capacity not exceeding 250 litres
For use in civil aircraft
Other
Of a capacity exceeding 250 litres but not exceeding 900 litres
For use in civil aircraft
Other

Other furniture (chests, cabinets, display counters, showcases and the like) for storage and display, incorporating refrigerating or freezing equipment
Refrigerated showcases and counters (incorporating a refrigerating unit or evaporator)
For frozen food storage
Other
Other refrigerating furniture

Other refrigerating or freezing equipment; heat pumps
Heat pumps other than air conditioning machines of heading 8415
For use in civil aircraft
Other
Other
For use in civil aircraft
Other

Parts
Furniture designed to receive refrigerating or freezing equipment
Other
Evaporators and condensers, excluding those for refrigerators of the household type
For use in certain types of aircraft
Other
Evaporator composed of aluminium fins and a copper coil of the kind used in refrigeration equipment
Condenser composed of two concentric copper tubes of the kind used in refrigeration equipment
Other
Other
Of refrigerating equipment adapted to the air-conditioning system, for use in certain types of aircraft
Other

Machinery, plant or laboratory equipment, whether or not electrically heated (excluding furnaces, ovens and other equipment of heading 8514), for the treatment of materials by a process involving a change of temperature such as heating, cooking, roasting, distilling, rectifying, sterilising, pasteurising,
--

steaming, drying, evaporating, vaporising, condensing or cooling, other than machinery or plant of a kind used for domestic purposes; instantaneous or storage water heaters, non-electric
Instantaneous or storage water heaters, non-electric
Instantaneous gas water heaters
Other

Medical, surgical or laboratory sterilisers
Dryers
For agricultural products
For wood, paper pulp, paper or paperboard
Other

Distilling or rectifying plant
Heat-exchange units
For use in civil aircraft
Heat exchange units made of fluoropolymers and with inlet and outlet tube bores with inside diameters measuring 3 cm or less
Other

Machinery for liquefying air or other gases
Other machinery, plant and equipment
For making hot drinks or for cooking or heating food
Percolators and other appliances for making coffee and other hot drinks
For use in civil aircraft
Other
Other
For use in civil aircraft
Other

Other
Cooling towers and similar plant for direct cooling (without a separating wall) by means of recirculated water
Vacuum-vapour plant for the deposition of metal
Other

Parts
Of sterilisers of subheading 8419 20 00
Other
Of heat exchange units, for use in civil aircraft
Keypads of silicone or plastic, - whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, - whether or not printed or surface treated, - whether or not with electrical conducting elements - whether or not with keypads foil glued on the keyboard - whether or not with protective foil - single or multilayer
Other

Calendering or other rolling machines, other than for metals or glass, and
--

cylinders therefor

Calendering or other rolling machines

Of a kind used in the textile industry

Of a kind used in the paper industry

Other

Roll laminators of a kind used solely or principally for the manufacture of printed circuit substrates or printed circuits

Other

Parts

Cylinders

Of cast iron

Other

Other

Centrifuges, including centrifugal dryers; filtering or purifying machinery and apparatus, for liquids or gases

Centrifuges, including centrifugal dryers

Cream separators

Clothes dryers

Other

Centrifuges of a kind used in laboratories

Other

For use in civil aircraft

Other

Filtering or purifying machinery and apparatus for liquids

For filtering or purifying water

For use in civil aircraft

Water pre-treatment system comprising one or more of the following elements, whether or not incorporating modules for sterilization and sanitization of these elements: -|ultrafiltration system -|carbon filtration system -|water softener system for use in a biopharmaceutical laboratory

Other

For filtering or purifying beverages other than water

Oil or petrol filters for internal combustion engines

For use in civil aircraft

Other

Other

For use in civil aircraft

Equipment for use in the manufacture of biopharmaceutical products comprising any of the following whether or not with associated vessels or tanks: -|Ultrafiltration-diafiltration unit; -|Automated control, testing and monitoring equipment for Clean in Process (CIP) and Sterilise in Place (SIP) activities; -|Process vessels and tanks

Made of fluoropolymers and with filter or purifier membrane thickness

not exceeding 140 microns

Other

Filtering or purifying machinery and apparatus for gases

Intake air filters for internal combustion engines

For use in civil aircraft

Other

Other

Machinery and apparatus for filtering or purifying air

For use in civil aircraft

With stainless steel housing, and with inlet and outlet tube bores with inside diameters not exceeding 1,3 cm

Other

Machinery and apparatus for filtering or purifying other gases

By a catalytic process

For use in civil aircraft

With stainless steel housing, and with inlet and outlet tube bores with inside diameters not exceeding 1,3 cm

Other

Other

For use in civil aircraft

With stainless steel housing, and with inlet and outlet tube bores with inside diameters not exceeding 1,3 cm

Other

Parts

Of centrifuges, including centrifugal dryers

Other

Of filtering or purification machinery and apparatus for liquids or gases, for use in certain types of aircrafts

Other

Parts of equipment, for the purification of water by reverse osmosis, consisting of a bundle of hollow fibres of artificial plastic material with permeable walls, embedded in a block of artificial plastic material at one end and passing through a block of artificial plastic material at the other end, whether or not housed in a cylinder

Parts of equipment for the purification of water by reverse osmosis, consisting essentially of plastic-based membranes, supported internally by woven or non-woven textile materials which are wound round a perforated tube, and enclosed in a cylindrical plastic casing of a wall-thickness of not more than 4|mm, whether or not housed in a cylinder of a wall-thickness of 5|mm or more

Components of separators for the separation or purification of gases from gas mixtures, consisting of a bundle of permeable hollow fibres enclosed within a container, whether or not perforated, of an overall length of 300|mm or more but not more than 3|700|mm and a diameter of not more than 500|mm

Of liquid filtering or purifying machinery and apparatus made of fluoropolymers and with filter or purifier membrane thickness not exceeding 140 microns

Of filtering or purifying machinery and apparatus for gases, with stainless steel housing, and with inlet and outlet tube bores with inside diameters not exceeding 1,3 cm

Other

Dishwashing machines; machinery for cleaning or drying bottles or other containers; machinery for filling, closing, sealing or labelling bottles, cans, boxes, bags or other containers; machinery for capsuling bottles, jars, tubes and similar containers; other packing or wrapping machinery (including heat-shrink wrapping machinery); machinery for aerating beverages

Dishwashing machines

Of the household type

Other

Machinery for cleaning or drying bottles or other containers

Machinery for filling, closing, sealing or labelling bottles, cans, boxes, bags or other containers; machinery for capsuling bottles, jars, tubes and similar containers; machinery for aerating beverages

Machines and apparatus, other than injection moulding machines, for the manufacture of ink-jet printer cartridges

Other

Other packing or wrapping machinery (including heat-shrink wrapping machinery)

Parts

Of dishwashing machines

Other

Weighing machinery (excluding balances of a sensitivity of 5|cg or better), including weight-operated counting or checking machines; weighing machine weights of all kinds

Personal weighing machines, including baby scales; household scales

Household scales

Other

Scales for continuous weighing of goods on conveyors

Using electronic means for gauging weights

Other

Constant weight scales and scales for discharging a predetermined weight of material into a bag or container, including hopper scales

Using electronic means for gauging weight

Other

Other weighing machinery

Having a maximum weighing capacity not exceeding 30|kg

Check weighers and automatic control machines operating by reference to a pre-determined weight

Using electronic means for gauging weight

Other

Machinery for weighing and labelling pre-packaged goods

Using electronic means for gauging weight

Other

Shop scales

Using electronic means for gauging weight

Other

Other

Using electronic means for gauging weight

Other

Having a maximum weighing capacity exceeding 30|kg but not exceeding 5|000|kg

Check weighers and automatic control machines operating by reference to a pre-determined weight

Using electronic means for gauging weight, excluding machines for weighing motor vehicles

Other

Other

Using electronic means for gauging weight, excluding machines for weighing motor vehicles

Other

Other

Using electronic means for gauging weight

Other

Weighing machine weights of all kinds; parts of weighing machinery

Parts of weighing machinery using electronic means for gauging weight, excluding parts of machines for weighing motor vehicles

Other

Mechanical appliances (whether or not hand-operated) for projecting, dispersing or spraying liquids or powders; fire

extinguishers, whether or not charged; spray guns and similar appliances; steam or sandblasting machines and similar jet projecting machines

Fire extinguishers, whether or not charged

For use in civil aircraft

Other

Spray guns and similar appliances

Steam or sandblasting machines and similar jet projecting machines

Water cleaning appliances, with built-in motor

With heating device

Other

Other machines

Compressed air operated

Other

Other appliances

Agricultural or horticultural

Watering appliances

Other

Portable appliances

Other

Sprayers and powder distributors designed to be mounted on or drawn by tractors

Other

Other

Mechanical appliances for projecting, dispersing, or spraying of a kind used solely or principally for the manufacture of printed circuits or printed circuit assemblies

Other

Parts

Of fire extinguishers, for use in certain types of aircraft

Containers of poly(ethylene terephthalate), with a content of 50|ml or more but not more than 600|ml, equipped with a nozzle, of a kind used as a part of mechanical appliances for spraying liquids

Parts of mechanical appliances for projecting, dispersing, or spraying of a kind used solely or principally for the manufacture of printed circuits or printed circuit assemblies

Other

Pulley tackle and hoists other than skip hoists; winches and capstans; jacks

Pulley tackle and hoists other than skip hoists or hoists of a kind used for raising vehicles

Powered by electric motor

For use in civil aircraft

Other

Other

For use in civil aircraft

Other

Winches; capstans

Powered by electric motor

For use in civil aircraft

Other

Other

For use in civil aircraft

Other

Jacks; hoists of a kind used for raising vehicles

Built-in jacking systems of a type used in garages

Other jacks and hoists, hydraulic

For use in civil aircraft

Other

Other

For use in civil aircraft

Other

Ships' derricks; cranes, including cable cranes; mobile lifting frames, straddle carriers and works trucks fitted with a crane

Overhead travelling cranes, transporter cranes, gantry cranes, bridge cranes, mobile lifting frames and straddle carriers

Overhead travelling cranes on fixed support

Mobile lifting frames on tyres and straddle carriers

Other

Tower cranes

Portal or pedestal jib cranes

Other machinery, self-propelled

On tyres

Other

Other machinery

Designed for mounting on road vehicles

Hydraulic cranes designed for the loading and unloading of the vehicle

Other

Other

For use in civil aircraft

Other

Fork-lift trucks; other works trucks fitted with lifting or handling equipment

Self-propelled trucks powered by an electric motor

With a lifting height of 1|m or more

Other

Other self-propelled trucks

With a lifting height of 1|m or more

<table><tr><td>Rough terrain fork-lift and other stacking trucks</td></tr><tr><td>Other</td></tr></table>	Rough terrain fork-lift and other stacking trucks	Other
Rough terrain fork-lift and other stacking trucks		
Other		
Other		

Other trucks				
<table><tr><td>Hand pallet trucks</td></tr><tr><td><table><tr><td>Consigned from Thailand</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Hand pallet trucks	<table><tr><td>Consigned from Thailand</td></tr><tr><td>Other</td></tr></table>	Consigned from Thailand	Other
Hand pallet trucks				
<table><tr><td>Consigned from Thailand</td></tr><tr><td>Other</td></tr></table>	Consigned from Thailand	Other		
Consigned from Thailand				
Other				
<table><tr><td>Hand pallet trucks with a so-called “weight indication system” consisting of a weighing mechanism not integrated in the chassis</td></tr><tr><td>Other</td></tr></table>	Hand pallet trucks with a so-called “weight indication system” consisting of a weighing mechanism not integrated in the chassis	Other		
Hand pallet trucks with a so-called “weight indication system” consisting of a weighing mechanism not integrated in the chassis				
Other				

Other lifting, handling, loading or unloading machinery (for example, lifts, escalators, conveyors, teleferics)

Lifts and skip hoists				
<table><tr><td>Electrically operated</td></tr><tr><td><table><tr><td>For use in civil aircraft</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Electrically operated	<table><tr><td>For use in civil aircraft</td></tr><tr><td>Other</td></tr></table>	For use in civil aircraft	Other
Electrically operated				
<table><tr><td>For use in civil aircraft</td></tr><tr><td>Other</td></tr></table>	For use in civil aircraft	Other		
For use in civil aircraft				
Other				
Other				
<table><tr><td>For use in civil aircraft</td></tr><tr><td>Other</td></tr></table>	For use in civil aircraft	Other		
For use in civil aircraft				
Other				

Pneumatic elevators and conveyors					
<table><tr><td>For bulk materials</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>For use in civil aircraft</td></tr><tr><td>Other</td></tr></table></td></tr></table>	For bulk materials	Other	<table><tr><td>For use in civil aircraft</td></tr><tr><td>Other</td></tr></table>	For use in civil aircraft	Other
For bulk materials					
Other					
<table><tr><td>For use in civil aircraft</td></tr><tr><td>Other</td></tr></table>	For use in civil aircraft	Other			
For use in civil aircraft					
Other					

Other continuous-action elevators and conveyors, for goods or materials						
<table><tr><td>Specially designed for underground use</td></tr><tr><td>Other, bucket type</td></tr><tr><td>Other, belt type</td></tr><tr><td><table><tr><td>For use in civil aircraft</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Specially designed for underground use	Other, bucket type	Other, belt type	<table><tr><td>For use in civil aircraft</td></tr><tr><td>Other</td></tr></table>	For use in civil aircraft	Other
Specially designed for underground use						
Other, bucket type						
Other, belt type						
<table><tr><td>For use in civil aircraft</td></tr><tr><td>Other</td></tr></table>	For use in civil aircraft	Other				
For use in civil aircraft						
Other						
Other						
<table><tr><td>Roller conveyors</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>For use in civil aircraft</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Roller conveyors	Other	<table><tr><td>For use in civil aircraft</td></tr><tr><td>Other</td></tr></table>	For use in civil aircraft	Other	
Roller conveyors						
Other						
<table><tr><td>For use in civil aircraft</td></tr><tr><td>Other</td></tr></table>	For use in civil aircraft	Other				
For use in civil aircraft						
Other						

Escalators and moving walkways

Teleferics, chairlifts, ski-draglines; traction mechanisms for funiculars

Other machinery				
<table><tr><td>Loaders specially designed for use in agriculture</td></tr><tr><td><table><tr><td>Designed for attachment to agricultural tractors</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Loaders specially designed for use in agriculture	<table><tr><td>Designed for attachment to agricultural tractors</td></tr><tr><td>Other</td></tr></table>	Designed for attachment to agricultural tractors	Other
Loaders specially designed for use in agriculture				
<table><tr><td>Designed for attachment to agricultural tractors</td></tr><tr><td>Other</td></tr></table>	Designed for attachment to agricultural tractors	Other		
Designed for attachment to agricultural tractors				
Other				
Other				
<table><tr><td>For use in civil aircraft</td></tr><tr><td>Other</td></tr></table>	For use in civil aircraft	Other		
For use in civil aircraft				
Other				

Self-propelled bulldozers, angledozers, graders, levellers, scrapers, mechanical shovels, excavators, shovel loaders, tamping machines and roadrollers				
Bulldozers and angledozers				
<table><tr><td>Track laying</td></tr><tr><td>Other</td></tr></table>	Track laying	Other		
Track laying				
Other				
Graders and levellers				
Scrapers				
Tamping machines and roadrollers				
<table><tr><td>Roadrollers</td></tr><tr><td><table><tr><td>Vibratory</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Roadrollers	<table><tr><td>Vibratory</td></tr><tr><td>Other</td></tr></table>	Vibratory	Other
Roadrollers				
<table><tr><td>Vibratory</td></tr><tr><td>Other</td></tr></table>	Vibratory	Other		
Vibratory				
Other				
Tamping machines				

Mechanical shovels, excavators and shovel loaders					
Front-end shovel loaders					
<table><tr><td>Loaders specially designed for underground use</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Crawler shovel loaders</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Loaders specially designed for underground use	Other	<table><tr><td>Crawler shovel loaders</td></tr><tr><td>Other</td></tr></table>	Crawler shovel loaders	Other
Loaders specially designed for underground use					
Other					
<table><tr><td>Crawler shovel loaders</td></tr><tr><td>Other</td></tr></table>	Crawler shovel loaders	Other			
Crawler shovel loaders					
Other					
Machinery with a 360° revolving superstructure					
<table><tr><td>Track-laying excavators</td></tr><tr><td>Other</td></tr></table>	Track-laying excavators	Other			
Track-laying excavators					
Other					
Other					

Other moving, grading, levelling, scraping, excavating, tamping, compacting, extracting or boring machinery, for earth, minerals or ores; piledrivers and pile extractors; snowploughs and snowblowers		
Piledrivers and pile extractors		
Snowploughs and snowblowers		
Coal or rock cutters and tunnelling machinery		
<table><tr><td>Self-propelled</td></tr><tr><td>Other</td></tr></table>	Self-propelled	Other
Self-propelled		
Other		
Other boring or sinking machinery		
<table><tr><td>Self-propelled</td></tr><tr><td>Other</td></tr></table>	Self-propelled	Other
Self-propelled		
Other		
Other machinery, self-propelled		
Other machinery, not self-propelled		
<table><tr><td>Tamping or compacting machinery</td></tr><tr><td>Other</td></tr></table>	Tamping or compacting machinery	Other
Tamping or compacting machinery		
Other		

Parts suitable for use solely or principally with the machinery of headings 8425 to 8430				
Of machinery of heading 8425				
Of machinery of heading 8427				
<table><tr><td>Chassis and hydraulics for hand pallet trucks</td></tr><tr><td><table><tr><td>Consigned from Thailand</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Chassis and hydraulics for hand pallet trucks	<table><tr><td>Consigned from Thailand</td></tr><tr><td>Other</td></tr></table>	Consigned from Thailand	Other
Chassis and hydraulics for hand pallet trucks				
<table><tr><td>Consigned from Thailand</td></tr><tr><td>Other</td></tr></table>	Consigned from Thailand	Other		
Consigned from Thailand				
Other				

Drive axle assembly containing differential, reduction gears, crown wheel, drive shafts, wheel hubs, brakes and mast mounting arms for use in the manufacture of vehicles in heading 8427
Aluminium core, plastic tank radiator, with integral steel support structure and an open core square wave design of 9 fins per 2,54 cm of core length for use in the manufacture of vehicles of heading 8427
Chassis and hydraulics, with a so-called ‘weight indication system’ consisting of a weighing mechanism not integrated in the chassis
Other

Of machinery of heading 8428
Of lifts, skip hoists or escalators
Other

Of machinery of heading 8426, 8429 or 8430		
Buckets, shovels, grabs and grips		
Bulldozer or angledozer blades		
Parts for boring or sinking machinery of subheading 8430 41 or 8430 49		
Other		
<table><tr><td>Of cast iron or cast steel</td></tr><tr><td>Other</td></tr></table>	Of cast iron or cast steel	Other
Of cast iron or cast steel		
Other		

Agricultural, horticultural or forestry machinery for soil preparation or cultivation; lawn or sports-ground rollers

Ploughs				
Harrows, scarifiers, cultivators, weeders and hoes				
Disc harrows				
Other				
<table><tr><td>Scarifiers and cultivators</td></tr><tr><td>Harrows</td></tr><tr><td>Rotovators</td></tr><tr><td>Other</td></tr></table>	Scarifiers and cultivators	Harrows	Rotovators	Other
Scarifiers and cultivators				
Harrows				
Rotovators				
Other				

Seeders, planters and transplanters		
Seeders		
<table><tr><td>Central driven precision spacing seeders</td></tr><tr><td>Other</td></tr></table>	Central driven precision spacing seeders	Other
Central driven precision spacing seeders		
Other		
Planters and transplanters		

Manure spreaders and fertiliser distributors		
<table><tr><td>Mineral or chemical fertiliser distribution</td></tr><tr><td>Other</td></tr></table>	Mineral or chemical fertiliser distribution	Other
Mineral or chemical fertiliser distribution		
Other		

Other machinery
Parts

Harvesting or threshing machinery, including straw or fodder balers; grass or hay mowers; machines for cleaning, sorting or grading eggs, fruit or other agricultural produce, other than machinery of heading|8437

Mowers for lawns, parks or sports grounds
Powered, with the cutting device rotating in a horizontal plane
Electric
Other
Self-propelled
With a seat
Other
Other
Other
With motor
Electric
Other
Self-propelled
With a seat
Other
Other
Without motor
Other mowers, including cutter bars for tractor mounting
With motor
Other
Designed to be carried on or hauled by a tractor
Other
Other haymaking machinery
Straw or fodder balers, including pick-up balers
Other harvesting machinery; threshing machinery
Combine harvester-threshers
Other threshing machinery
Root or tuber harvesting machines
Potato diggers and potato harvesters
Beet-topping machines and beet harvesters
Other
Other
Forage harvesters
Self-propelled
Other
Other
Machines for cleaning, sorting or grading eggs, fruit or other agricultural produce
Parts
Milking machines and dairy machinery
Milking machines
Dairy machinery
Parts

Presses, crushers and similar machinery used in the manufacture of wine, cider, fruit juices or similar beverages
Machinery
Parts
Other agricultural, horticultural, forestry, poultry-keeping or bee-keeping machinery, including germination plant fitted with mechanical or thermal equipment; poultry incubators and brooders
Machinery for preparing animal feedingstuffs
Poultry-keeping machinery; poultry incubators and brooders
Poultry incubators and brooders
Other
Other machinery
Forestry machinery
Other
Parts
Of poultry-keeping machinery or poultry incubators and brooders
Other
Part containing: - a single-phase AC motor, - an epicyclic gearing, - a cutter blade and whether or not containing: - a capacitor, - a part fitted with a threaded bolt for use in the manufacture of garden shredders
Other
Machines for cleaning, sorting or grading seed, grain or dried leguminous vegetables; machinery used in the milling industry or for the working of cereals or dried leguminous vegetables, other than farm-type machinery
Machines for cleaning, sorting or grading seed, grain or dried leguminous vegetables
Other machinery
Parts
Machinery, not specified or included elsewhere in this chapter, for the industrial preparation or manufacture of food or drink, other than machinery for the extraction or preparation of animal or fixed vegetable fats or oils
Bakery machinery and machinery for the manufacture of macaroni, spaghetti or similar products
Bakery machinery
Machinery for the manufacture of macaroni, spaghetti or similar products
Machinery for the manufacture of confectionery, cocoa or chocolate
Machinery for sugar manufacture
Brewery machinery
Machinery for the preparation of meat or poultry
Machinery for the preparation of fruits, nuts or vegetables
Other machinery

For the preparation of tea or coffee
Other
For the preparation or manufacture of drink
Other
Parts
Keypads of silicone or plastic, - whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, - whether or not printed or surface treated, - whether or not with electrical conducting elements - whether or not with keypads foil glued on the keyboard - whether or not with protective foil - single or multilayer
Other
Machinery for making pulp of fibrous cellulosic material or for making or finishing paper or paperboard
Machinery for making pulp of fibrous cellulosic material
Machinery for making paper or paperboard
Machinery for finishing paper or paperboard
Parts
Of machinery for making pulp of fibrous cellulosic material
Other
Suction-roll shells, produced by centrifugal casting, not drilled, in the form of alloy-steel tubes, of a length of 3 000 mm or more and an external diameter of 550 mm or more
Other
Bookbinding machinery, including book-sewing machines
Machinery
Folding machines
Collating machines and gathering machines
Sewing, wire stitching and stapling machines
Unsewn (perfect) binding machines
Other
Parts
Other machinery for making up paper pulp, paper or paperboard, including cutting machines of all kinds
Cutting machines
Combined reel slitting and re-reeling machines
Other slitting and cross-cutting machines
Guillotines
Other
Machines for making bags, sacks or envelopes
Machines for making cartons, boxes, cases, tubes, drums or similar containers, other than by moulding

Machines for moulding articles in paper pulp, paper or paperboard		
Other machinery		
Parts <table> <tr><td>Of cutting machines</td></tr> <tr><td>Other</td></tr> </table>	Of cutting machines	Other
Of cutting machines		
Other		

Machinery, apparatus and equipment (other than the machine tools of headings8456[to 8465) for preparing or making plates, cylinders or other printing components; plates, cylinders and other printing components; plates, cylinders and lithographic stones, prepared for printing purposes (for example, planed, grained or polished)

Machinery, apparatus and equipment <table> <tr><td>Phototypesetting and composing machines</td></tr> <tr><td>Other <table> <tr><td>For typefounding and typesetting (for example, linotypes, monotypes, intertypes), with or without founding devices</td></tr> <tr><td>Other</td></tr> </table> </td></tr> </table>	Phototypesetting and composing machines	Other <table> <tr><td>For typefounding and typesetting (for example, linotypes, monotypes, intertypes), with or without founding devices</td></tr> <tr><td>Other</td></tr> </table>	For typefounding and typesetting (for example, linotypes, monotypes, intertypes), with or without founding devices	Other
Phototypesetting and composing machines				
Other <table> <tr><td>For typefounding and typesetting (for example, linotypes, monotypes, intertypes), with or without founding devices</td></tr> <tr><td>Other</td></tr> </table>	For typefounding and typesetting (for example, linotypes, monotypes, intertypes), with or without founding devices	Other		
For typefounding and typesetting (for example, linotypes, monotypes, intertypes), with or without founding devices				
Other				
Parts of the foregoing machinery, apparatus or equipment				
Plates, cylinders and other printing components; plates, cylinders and lithographic stones, prepared for printing purposes (for example, planed, grained or polished) <table> <tr><td>With printing image</td></tr> <tr><td>Other</td></tr> </table>	With printing image	Other		
With printing image				
Other				

Printing machinery used for printing by means of plates, cylinders and other printing components of heading8442; other printers, copying machines and facsimile machines, whether or not combined; parts and accessories thereof

Printing machinery used for printing by means of plates, cylinders and other printing components of heading8442 <table> <tr><td>Offset printing machinery, reel fed</td></tr> <tr><td>Offset printing machinery, sheet fed, office type (using sheets with one side not exceeding 22 cm and the other side not exceeding 36 cm in the unfolded state)</td></tr> <tr><td>Other offset printing machinery <table> <tr><td>Sheet fed <table> <tr><td>Used</td></tr> <tr><td>New, taking sheets of a size <table> <tr><td>Not exceeding 52 x! 74 cm</td></tr> <tr><td>Exceeding 52 x! 74 cm but not exceeding 74 x! 107 cm</td></tr> <tr><td>Exceeding 74 x! 107 cm</td></tr> </table> </td></tr> <tr><td>Other</td></tr> </table> </td></tr> </table> </td></tr> <tr><td>Letterpress printing machinery, reel fed, excluding flexographic printing</td></tr> <tr><td>Letterpress printing machinery, other than reel fed, excluding flexographic printing</td></tr> <tr><td>Flexographic printing machinery</td></tr> </table>	Offset printing machinery, reel fed	Offset printing machinery, sheet fed, office type (using sheets with one side not exceeding 22 cm and the other side not exceeding 36 cm in the unfolded state)	Other offset printing machinery <table> <tr><td>Sheet fed <table> <tr><td>Used</td></tr> <tr><td>New, taking sheets of a size <table> <tr><td>Not exceeding 52 x! 74 cm</td></tr> <tr><td>Exceeding 52 x! 74 cm but not exceeding 74 x! 107 cm</td></tr> <tr><td>Exceeding 74 x! 107 cm</td></tr> </table> </td></tr> <tr><td>Other</td></tr> </table> </td></tr> </table>	Sheet fed <table> <tr><td>Used</td></tr> <tr><td>New, taking sheets of a size <table> <tr><td>Not exceeding 52 x! 74 cm</td></tr> <tr><td>Exceeding 52 x! 74 cm but not exceeding 74 x! 107 cm</td></tr> <tr><td>Exceeding 74 x! 107 cm</td></tr> </table> </td></tr> <tr><td>Other</td></tr> </table>	Used	New, taking sheets of a size <table> <tr><td>Not exceeding 52 x! 74 cm</td></tr> <tr><td>Exceeding 52 x! 74 cm but not exceeding 74 x! 107 cm</td></tr> <tr><td>Exceeding 74 x! 107 cm</td></tr> </table>	Not exceeding 52 x! 74 cm	Exceeding 52 x! 74 cm but not exceeding 74 x! 107 cm	Exceeding 74 x! 107 cm	Other	Letterpress printing machinery, reel fed, excluding flexographic printing	Letterpress printing machinery, other than reel fed, excluding flexographic printing	Flexographic printing machinery
Offset printing machinery, reel fed													
Offset printing machinery, sheet fed, office type (using sheets with one side not exceeding 22 cm and the other side not exceeding 36 cm in the unfolded state)													
Other offset printing machinery <table> <tr><td>Sheet fed <table> <tr><td>Used</td></tr> <tr><td>New, taking sheets of a size <table> <tr><td>Not exceeding 52 x! 74 cm</td></tr> <tr><td>Exceeding 52 x! 74 cm but not exceeding 74 x! 107 cm</td></tr> <tr><td>Exceeding 74 x! 107 cm</td></tr> </table> </td></tr> <tr><td>Other</td></tr> </table> </td></tr> </table>	Sheet fed <table> <tr><td>Used</td></tr> <tr><td>New, taking sheets of a size <table> <tr><td>Not exceeding 52 x! 74 cm</td></tr> <tr><td>Exceeding 52 x! 74 cm but not exceeding 74 x! 107 cm</td></tr> <tr><td>Exceeding 74 x! 107 cm</td></tr> </table> </td></tr> <tr><td>Other</td></tr> </table>	Used	New, taking sheets of a size <table> <tr><td>Not exceeding 52 x! 74 cm</td></tr> <tr><td>Exceeding 52 x! 74 cm but not exceeding 74 x! 107 cm</td></tr> <tr><td>Exceeding 74 x! 107 cm</td></tr> </table>	Not exceeding 52 x! 74 cm	Exceeding 52 x! 74 cm but not exceeding 74 x! 107 cm	Exceeding 74 x! 107 cm	Other						
Sheet fed <table> <tr><td>Used</td></tr> <tr><td>New, taking sheets of a size <table> <tr><td>Not exceeding 52 x! 74 cm</td></tr> <tr><td>Exceeding 52 x! 74 cm but not exceeding 74 x! 107 cm</td></tr> <tr><td>Exceeding 74 x! 107 cm</td></tr> </table> </td></tr> <tr><td>Other</td></tr> </table>	Used	New, taking sheets of a size <table> <tr><td>Not exceeding 52 x! 74 cm</td></tr> <tr><td>Exceeding 52 x! 74 cm but not exceeding 74 x! 107 cm</td></tr> <tr><td>Exceeding 74 x! 107 cm</td></tr> </table>	Not exceeding 52 x! 74 cm	Exceeding 52 x! 74 cm but not exceeding 74 x! 107 cm	Exceeding 74 x! 107 cm	Other							
Used													
New, taking sheets of a size <table> <tr><td>Not exceeding 52 x! 74 cm</td></tr> <tr><td>Exceeding 52 x! 74 cm but not exceeding 74 x! 107 cm</td></tr> <tr><td>Exceeding 74 x! 107 cm</td></tr> </table>	Not exceeding 52 x! 74 cm	Exceeding 52 x! 74 cm but not exceeding 74 x! 107 cm	Exceeding 74 x! 107 cm										
Not exceeding 52 x! 74 cm													
Exceeding 52 x! 74 cm but not exceeding 74 x! 107 cm													
Exceeding 74 x! 107 cm													
Other													
Letterpress printing machinery, reel fed, excluding flexographic printing													
Letterpress printing machinery, other than reel fed, excluding flexographic printing													
Flexographic printing machinery													

Gravure printing machinery			
Other <table> <tr><td>For printing textile materials</td></tr> <tr><td>For use in the production of semiconductors</td></tr> <tr><td>Other</td></tr> </table>	For printing textile materials	For use in the production of semiconductors	Other
For printing textile materials			
For use in the production of semiconductors			
Other			

Other printers, copying machines and facsimile machines, whether or not combined

Machines which perform two or more of the functions of printing, copying or facsimile transmission, capable of connecting to an automatic data-processing machine or to a network <table> <tr><td>Machines having digital copying as principal function, where the copying is performed by scanning the original and printing the copies by means of an electrostatic print engine</td></tr> <tr><td>Other</td></tr> </table>	Machines having digital copying as principal function, where the copying is performed by scanning the original and printing the copies by means of an electrostatic print engine	Other						
Machines having digital copying as principal function, where the copying is performed by scanning the original and printing the copies by means of an electrostatic print engine								
Other								
Other, capable of connecting to an automatic data-processing machine or to a network <table> <tr><td>Printers <table> <tr><td>For use in civil aircraft</td></tr> <tr><td>Other</td></tr> </table> </td></tr> <tr><td>Facsimile machines</td></tr> <tr><td>Other <table> <tr><td>Machines performing a copying function by scanning the original and printing the copies by means of an electrostatic print engine</td></tr> <tr><td>Other machines performing a copying function incorporating an optical system</td></tr> <tr><td>Other</td></tr> </table> </td></tr> </table>	Printers <table> <tr><td>For use in civil aircraft</td></tr> <tr><td>Other</td></tr> </table>	For use in civil aircraft	Other	Facsimile machines	Other <table> <tr><td>Machines performing a copying function by scanning the original and printing the copies by means of an electrostatic print engine</td></tr> <tr><td>Other machines performing a copying function incorporating an optical system</td></tr> <tr><td>Other</td></tr> </table>	Machines performing a copying function by scanning the original and printing the copies by means of an electrostatic print engine	Other machines performing a copying function incorporating an optical system	Other
Printers <table> <tr><td>For use in civil aircraft</td></tr> <tr><td>Other</td></tr> </table>	For use in civil aircraft	Other						
For use in civil aircraft								
Other								
Facsimile machines								
Other <table> <tr><td>Machines performing a copying function by scanning the original and printing the copies by means of an electrostatic print engine</td></tr> <tr><td>Other machines performing a copying function incorporating an optical system</td></tr> <tr><td>Other</td></tr> </table>	Machines performing a copying function by scanning the original and printing the copies by means of an electrostatic print engine	Other machines performing a copying function incorporating an optical system	Other					
Machines performing a copying function by scanning the original and printing the copies by means of an electrostatic print engine								
Other machines performing a copying function incorporating an optical system								
Other								

Other <table> <tr><td>Machines performing a copying function by scanning the original and printing the copies by means of an electrostatic print engine</td></tr> <tr><td>Other copying machines <table> <tr><td>Incorporating an optical system</td></tr> <tr><td>Other</td></tr> </table> </td></tr> <tr><td>Other</td></tr> </table>	Machines performing a copying function by scanning the original and printing the copies by means of an electrostatic print engine	Other copying machines <table> <tr><td>Incorporating an optical system</td></tr> <tr><td>Other</td></tr> </table>	Incorporating an optical system	Other	Other			
Machines performing a copying function by scanning the original and printing the copies by means of an electrostatic print engine								
Other copying machines <table> <tr><td>Incorporating an optical system</td></tr> <tr><td>Other</td></tr> </table>	Incorporating an optical system	Other						
Incorporating an optical system								
Other								
Other								
Parts and accessories <table> <tr><td>Parts and accessories of printing machinery used for printing by means of plates, cylinders and other printing components of heading8442 <table> <tr><td>Of apparatus of subheading8443 19 40</td></tr> <tr><td>Other <table> <tr><td>Of cast iron or cast steel</td></tr> <tr><td>Other</td></tr> </table> </td></tr> </table> </td></tr> <tr><td>Other <table> <tr><td>Electronic assemblies</td></tr> <tr><td>Other</td></tr> </table> </td></tr> </table>	Parts and accessories of printing machinery used for printing by means of plates, cylinders and other printing components of heading8442 <table> <tr><td>Of apparatus of subheading8443 19 40</td></tr> <tr><td>Other <table> <tr><td>Of cast iron or cast steel</td></tr> <tr><td>Other</td></tr> </table> </td></tr> </table>	Of apparatus of subheading8443 19 40	Other <table> <tr><td>Of cast iron or cast steel</td></tr> <tr><td>Other</td></tr> </table>	Of cast iron or cast steel	Other	Other <table> <tr><td>Electronic assemblies</td></tr> <tr><td>Other</td></tr> </table>	Electronic assemblies	Other
Parts and accessories of printing machinery used for printing by means of plates, cylinders and other printing components of heading8442 <table> <tr><td>Of apparatus of subheading8443 19 40</td></tr> <tr><td>Other <table> <tr><td>Of cast iron or cast steel</td></tr> <tr><td>Other</td></tr> </table> </td></tr> </table>	Of apparatus of subheading8443 19 40	Other <table> <tr><td>Of cast iron or cast steel</td></tr> <tr><td>Other</td></tr> </table>	Of cast iron or cast steel	Other				
Of apparatus of subheading8443 19 40								
Other <table> <tr><td>Of cast iron or cast steel</td></tr> <tr><td>Other</td></tr> </table>	Of cast iron or cast steel	Other						
Of cast iron or cast steel								
Other								
Other <table> <tr><td>Electronic assemblies</td></tr> <tr><td>Other</td></tr> </table>	Electronic assemblies	Other						
Electronic assemblies								
Other								

Machines for extruding, drawing, texturing or cutting man-made textile materials

Machines for extruding
Other

Machines for preparing textile fibres; spinning, doubling or twisting machines and other machinery for producing textile yarns; textile reeling or winding (including weft-winding) machines and machines for preparing textile yarns for use on the machines of heading8446[or 8447

Machines for preparing textile fibres <table> <tr><td>Carding machines</td></tr> <tr><td>Combing machines</td></tr> <tr><td>Drawing or roving machines</td></tr> <tr><td>Other</td></tr> </table>	Carding machines	Combing machines	Drawing or roving machines	Other
Carding machines				
Combing machines				
Drawing or roving machines				
Other				
Textile spinning machines				
Textile doubling or twisting machines				
Textile winding (including weft-winding) or reeling machines				
Other				

Weaving machines (looms) <table> <tr><td>For weaving fabrics of a width not exceeding 30 cm</td></tr> <tr><td>For weaving fabrics of a width exceeding 30 cm, shuttle type <table> <tr><td>Power looms</td></tr> <tr><td>Other</td></tr> </table> </td></tr> <tr><td>For weaving fabrics of a width exceeding 30 cm, shuttleless type</td></tr> </table>	For weaving fabrics of a width not exceeding 30 cm	For weaving fabrics of a width exceeding 30 cm, shuttle type <table> <tr><td>Power looms</td></tr> <tr><td>Other</td></tr> </table>	Power looms	Other	For weaving fabrics of a width exceeding 30 cm, shuttleless type
For weaving fabrics of a width not exceeding 30 cm					
For weaving fabrics of a width exceeding 30 cm, shuttle type <table> <tr><td>Power looms</td></tr> <tr><td>Other</td></tr> </table>	Power looms	Other			
Power looms					
Other					
For weaving fabrics of a width exceeding 30 cm, shuttleless type					

Knitting machines, stitch-bonding machines and machines for making gimped yarn, tulle, lace, embroidery, trimmings, braid or net and machines for tufting

Circular knitting machines <table> <tr><td>With cylinder diameter not exceeding 165 mm</td></tr> <tr><td>With cylinder diameter exceeding 165 mm</td></tr> </table>	With cylinder diameter not exceeding 165 mm	With cylinder diameter exceeding 165 mm
With cylinder diameter not exceeding 165 mm		
With cylinder diameter exceeding 165 mm		
Flat knitting machines; stitch-bonding machines <table> <tr><td>Warp knitting machines (including Raschel type); stitch-bonding machines</td></tr> <tr><td>Other</td></tr> </table>	Warp knitting machines (including Raschel type); stitch-bonding machines	Other
Warp knitting machines (including Raschel type); stitch-bonding machines		
Other		
Other		

Auxiliary machinery for use with machines of heading8444, 8445, 8446[or 8447](for example, dobbies, jacquards, automatic stop motions, shuttle changing mechanisms); parts and accessories suitable for use solely or principally with the machines of this heading or of heading8444, 8445, 8446[or 8447](for example, spindles and spindle flyers, card clothing, combs, extruding nipples, shuttles, healds and heald-frames, hosiery needles)

Auxiliary machinery for machines of heading8444, 8445, 8446[or 8447 <table> <tr><td>Dobbies and jacquards; card-reducing, copying, punching or assembling machines for use therewith</td></tr> </table>	Dobbies and jacquards; card-reducing, copying, punching or assembling machines for use therewith
Dobbies and jacquards; card-reducing, copying, punching or assembling machines for use therewith	

Other
Parts and accessories of machines of heading 8444 or of their auxiliary machinery
Parts and accessories of machines of heading 8445 or of their auxiliary machinery
Card clothing
Of machines for preparing textile fibres, other than card clothing
Spindles, spindle flyers, spinning rings and ring travellers
Other

Parts and accessories of weaving machines (looms) or of their auxiliary machinery
Reeds for looms, healds and heald-frames
Other

Parts and accessories of machines of heading 8447 or of their auxiliary machinery
Sinkers, needles and other articles used in forming stitches
Sinkers
Other
Other

Machinery for the manufacture or finishing of felt or nonwovens in the piece or in shapes, including machinery for making felt hats; blocks for making hats

Household or laundry-type washing machines, including machines which both wash and dry
Machines, each of a dry linen capacity not exceeding 10 kg
Fully-automatic machines
Each of a dry linen capacity not exceeding 6 kg
Front-loading machines
Top-loading machines
Each of a dry linen capacity exceeding 6 kg but not exceeding 10 kg
Other machines, with built-in centrifugal drier
Other
Machines, each of a dry linen capacity exceeding 10 kg
Parts

Machinery (other than machines of heading 8450) for washing, cleaning, wringing, drying, ironing, pressing (including fusing presses), bleaching, dyeing, dressing, finishing, coating or impregnating textile yarns, fabrics or made-up textile articles and machines for applying the paste to the base fabric or other support used in the manufacture of floor coverings such as linoleum; machines for reeling, unreeling, folding, cutting or pinking textile fabrics
Dry-cleaning machines

Drying machines
Each of a dry linen capacity not exceeding 10 kg
Other
Ironing machines and presses (including fusing presses)
Washing, bleaching or dyeing machines
Machines for reeling, unreeling, folding, cutting or pinking textile fabrics
Other machinery
Machines used in the manufacture of linoleum or other floor coverings for applying the paste to the base fabric or other support
Machines for dressing or finishing
Other
Parts

Sewing machines, other than book-sewing machines of heading 8440; furniture, bases and covers specially designed for sewing machines; sewing machine needles
Sewing machines of the household type
Sewing machines (lock-stitch only), with heads of a weight not exceeding 16 kg without motor or 17 kg including the motor; sewing machine heads (lock-stitch only), of a weight not exceeding 16 kg without motor or 17 kg including the motor
Sewing machines having a value (not including frames, tables or furniture) of more than € 65 each
Other
Other sewing machines and other sewing machine heads
Other sewing machines
Automatic units
Other
Sewing machine needles
Furniture, bases and covers for sewing machines and parts thereof; other parts of sewing machines

Machinery for preparing, tanning or working hides, skins or leather or for making or repairing footwear or other articles of hides, skins or leather, other than sewing machines
Machinery for preparing, tanning or working hides, skins or leather
Machinery for making or repairing footwear
Other machinery
Parts

Converters, ladles, ingot moulds and casting machines, of a kind used in metallurgy or in metal foundries
Converters
Ingot moulds and ladles
Casting machines
For casting under pressure
Other

Parts
Metal-rolling mills and rolls therefor
Tube mills
Other rolling mills
Hot or combination hot and cold
Cold
Rolls for rolling mills
Of cast iron
Of open-die forged steel
Hot-rolling work-rolls; hot-rolling and cold-rolling back-up rolls
Cold-rolling work-rolls
Other
Other parts

Machine tools for working any material by removal of material, by laser or other light or photon beam, ultrasonic, electrodischarge, electrochemical, electron beam, ionic-beam or plasma arc processes; water-jet cutting machines
Operated by laser or other light or photon beam processes
Machine tools operated by laser or other light or photon beam processes of a kind used solely or principally for the manufacture of printed circuits, printed circuit assemblies, parts of heading 8517, or parts of automatic data processing machines
Other
Operated by ultrasonic processes
Operated by electrodischarge processes
Numerically controlled
Wire-cut
Other
Other
Other
Water-jet cutting machines
Other

Machining centres, unit construction machines (single station) and multi-station transfer machines, for working metal
Machining centres
Horizontal
Other
Unit construction machines (single station)
Multi-station transfer machines
Numerically controlled
Other

Lathes (including turning centres) for removing metal
Horizontal lathes
Numerically controlled
Turning centres
Automatic lathes

Single spindle
Multi-spindle
Other
Other

Other lathes
Numerically controlled
Turning centres
Other
Other

Machine tools (including way-type unit head machines) for drilling, boring, milling, threading or tapping by removing metal, other than lathes (including turning centres) of heading|8458

Way-type unit head machines
Other drilling machines
Numerically controlled
Other

Other boring-milling machines
Numerically controlled
Other

Other boring machines
Numerically controlled
Other

Milling machines, knee-type
Numerically controlled
Other

Other milling machines
Numerically controlled
Tool milling machines
Other
Other
Tool milling machines
Other

Other threading or tapping machines

Machine tools for deburring, sharpening, grinding, honing, lapping, polishing or otherwise finishing metal or cermets by means of grinding stones, abrasives or polishing products, other than gear cutting, gear grinding or gear finishing machines of heading|8461

Flat-surface grinding machines, in which the positioning in any one axis can be set up to an accuracy of at least 0,01 mm
Numerically controlled
Other

Other grinding machines, in which the positioning in any one axis can be set up to an accuracy of at least 0,01 mm
Numerically controlled
For cylindrical surfaces
Internal cylindrical grinding machines
Centreless grinding machines

Other
Other
Other
For cylindrical surfaces
Other

Sharpening (tool or cutter grinding) machines
Numerically controlled
Other

Honing or lapping machines
Numerically controlled
Other

Other
Fitted with a micrometric adjusting system, in which the positioning in any one axis can be set up to an accuracy of at least 0,01 mm
Other

Machine tools for planing, shaping, slotting, broaching, gear cutting, gear grinding or gear finishing, sawing, cutting-off and other machine tools working by removing metal or cermets, not elsewhere specified or included

Shaping or slotting machines

Broaching machines
Numerically controlled
Other

Gear-cutting, gear-grinding or gear-finishing machines
Gear-cutting machines (including abrasive gear-cutting machines)
For cutting cylindrical gears
Numerically controlled
Other
For cutting other gears
Numerically controlled
Other

Gear-finishing machines
Fitted with a micrometric adjusting system, in which the positioning in any one axis can be set up to an accuracy of at least 0,01 mm
Numerically controlled
Other
Other

Sawing or cutting-off machines
Sawing machines
Circular saws
Other
Cutting-off machines
Other

Machine tools (including presses) for working metal by forging, hammering or

die-stamping; machine tools (including presses) for working metal by bending, folding, straightening, flattening, shearing, punching or notching; presses for working metal or metal carbides, not specified above

Forging or die-stamping machines (including presses) and hammers
Numerically controlled
Other

Bending, folding, straightening or flattening machines (including presses)
Numerically controlled
For working flat products
Other
Other
For working flat products
Other
Hydraulic
Other

Shearing machines (including presses), other than combined punching and shearing machines
Numerically controlled
Other
For working flat products
Other
Hydraulic
Other

Punching or notching machines (including presses), including combined punching and shearing machines
Numerically controlled
For working flat products
Other
Other
For working flat products
Other

Other
Hydraulic presses
Numerically controlled
Other
Other
Numerically controlled
Other

Other machine tools for working metal or cermets, without removing material
Drawbenches for bars, tubes, profiles, wire or the like
Drawbenches for wire
Other
Thread-rolling machines
Machines for working wire
Other

Machine tools for working stone, ceramics, concrete, asbestos-cement or like mineral materials or for cold working glass

Sawing machines

Grinding or polishing machines

For working glass

Optical glass

Other

Other

Other

Machine tools (including machines for nailing, stapling, glueing or otherwise assembling) for working wood, cork, bone, hard rubber, hard plastics or similar hard materials

Machines which can carry out different types of machining operations without tool change between such operations

With manual transfer of workpiece between each operation

With automatic transfer of workpiece between each operation

Other

Sawing machines

Bandsaws

Circular saws

Other

Planing, milling or moulding (by cutting) machines

Grinding, sanding or polishing machines

Bending or assembling machines

Drilling or morticing machines

Splitting, slicing or paring machines

Other

Parts and accessories suitable for use solely or principally with the machines of headings|8456|to 8465, including work or tool holders, self-opening dieheads, dividing heads and other special attachments for machine tools; tool holders for any type of tool for working in the hand

Tool holders and self-opening dieheads

Tool holders

Arbors, collets and sleeves

Other

For lathes

Other

Self-opening dieheads

Work holders

Jigs and fixtures for specific applications; sets of standard jig and fixture components

Other

For lathes

Other

Dividing heads and other special attachments for machine tools

Other

For machines of heading|8464

Of cast iron or cast steel

Other

For machines of heading|8465

Of cast iron or cast steel

Other

For machines of headings|8456|to 8461

For machines of subheading|8456|90|20

Other

Parts and accessories of machine tools operated by laser or other light or photon beam processes of a kind used solely or principally for the manufacture of printed circuits, printed circuit assemblies, parts of heading 8517, or parts of automatic data processing machines; Parts and accessories of machines of subheadings 8456 20, 8456 30, 8457 10, 8458 91, 8459 21 00, 8459 61 or 8461 50 of a kind used solely or principally for the manufacture of printed circuits, printed circuit assemblies, parts of heading 8517, or parts of automatic data processing machines

Other

For machines of heading|8462|or 8463

Tools for working in the hand, pneumatic, hydraulic or with self-contained electric or non-electric motor

Pneumatic

Rotary type (including combined rotary-percussion)

Metalworking

Other

Other

With self-contained electric motor

Drills of all kinds

Capable of operation without an external source of power

Other

Electropneumatic

Other

Saws

Chainsaws

Circular saws

Other

Other

Capable of operation without an external source of power

Other

Grinders and sanders

Angle grinders

Belt sanders

Other

Planers

Hedge trimmers and lawn edge cutters

Other

Other tools

Chainsaws

Other

Parts

Of chainsaws

Of pneumatic tools

Other

Mechanical switches for connecting electrical circuits, with: -|a voltage of 14,4|V or more but not more than 42|V, -|an amperage of 10|A or more but not more than 42|A, for use in the manufacture of machines falling within heading 8467

Other

Machinery and apparatus for soldering, brazing or welding, whether or not capable of cutting, other than those of heading|8515; gas-operated surface tempering machines and appliances

Hand-held blow pipes

Other gas-operated machinery and apparatus

Other machinery and apparatus

Parts

Keypads of silicone or plastic, - |whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, -|whether or not printed or surface treated, -|whether or not with electrical conducting elements - |whether or not with keypads foil glued on the keyboard -|whether or not with protective foil -|single or multilayer

Other

Typewriters other than printers of heading|8443; word-processing machines

Word-processing machines

Other

Electric

Other

Calculating machines and pocket-size data-recording, reproducing and displaying machines with calculating functions; accounting machines, postage-franking machines, ticket-issuing machines and similar machines, incorporating a calculating device; cash registers

Electronic calculators capable of operation without an external source of electric power and pocket-size data-recording, reproducing and displaying machines with calculating functions

Other electronic calculating machines

Incorporating a printing device

Other
Other calculating machines
Cash registers
Other

Automatic data-processing machines and units thereof; magnetic or optical readers, machines for transcribing data onto data media in coded form and machines for processing such data, not elsewhere specified or included

Portable automatic data-processing machines, weighing not more than 10|kg, consisting of at least a central processing unit, a keyboard and a display

Other automatic data-processing machines
Comprising in the same housing at least a central processing unit and an input and output unit, whether or not combined
For use in civil aircraft
Other
Other, presented in the form of systems
For use in civil aircraft
Other

Processing units other than those of subheading 8471 41 or 8471 49, whether or not containing in the same housing one or two of the following types of unit: storage units, input units, output units
For use in civil aircraft
Other

Input or output units, whether or not containing storage units in the same housing
Keyboards
For use in civil aircraft
Other
Other
For use in civil aircraft
Other

Storage units
Central storage units
For use in civil aircraft
Other
Other
Disk storage units
Optical, including magneto-optical
For use in civil aircraft
Other
Other
Hard disk drives
For use in civil aircraft
Other
Other

For use in civil aircraft
Other
Magnetic tape storage units
For use in civil aircraft
Other
Other
For use in civil aircraft
Other
Other units of automatic data-processing machines
Other

Other office machines (for example, hectograph or stencil duplicating machines, addressing machines, automatic banknote dispensers, coin-sorting machines, coin-counting or -wrapping machines, pencil-sharpening machines, perforating or stapling machines)
Duplicating machines
Machines for sorting or folding mail or for inserting mail in envelopes or bands, machines for opening, closing or sealing mail and machines for affixing or cancelling postage stamps
Other
Coin-sorting, coin-counting or coin-wrapping machines
Automatic teller machines
Other

Parts and accessories (other than covers, carrying cases and the like) suitable for use solely or principally with machines of headings 8469 to 8472
Parts and accessories of the machines of heading 8469
Electronic assemblies
Of machines of subheading 8469 00 10
Other
Other

Parts and accessories of the machines of heading 8470
Of the electronic calculating machines of subheading 8470 10, 8470 21 or 8470 29
Electronic assemblies
Other
Other
Electronic assemblies
Other

Parts and accessories of the machines of heading 8471
Electronic assemblies
Other

Parts and accessories of the machines of heading 8472
Electronic assemblies

Of machines of subheading 8472 90 30
Other
Other
Parts and accessories equally suitable for use with machines of two or more of the headings 8469 to 8472
Electronic assemblies
Other

Machinery for sorting, screening, separating, washing, crushing, grinding, mixing or kneading earth, stone, ores or other mineral substances, in solid (including powder or paste) form; machinery for agglomerating, shaping or moulding solid mineral fuels, ceramic paste, unhardened cements, plastering materials or other mineral products in powder or paste form; machines for forming foundry moulds of sand
Sorting, screening, separating or washing machines
Crushing or grinding machines
Mixing or kneading machines
Concrete or mortar mixers
Machines for mixing mineral substances with bitumen
Other
Other machinery
Machinery for agglomerating, shaping or moulding ceramic paste
Other
Parts
Of cast iron or cast steel
Other

Machines for assembling electric or electronic lamps, tubes or valves or flashbulbs, in glass envelopes; machines for manufacturing or hot working glass or glassware
Machines for assembling electric or electronic lamps, tubes or valves or flashbulbs, in glass envelopes
Machines for manufacturing or hot working glass or glassware
Machines for making optical fibres and preforms thereof
Other
Glass Filament Melter with heater basket/bushing assembly: - electrically heated, - with opening - with a multiplicity of tips (holes) of platinum/rhodium alloy - used to melt glass batches and condition molten glass - for drawing into continuous fibres
Other
Parts
Parts of machines of subheading 8475 21 00
Other

Automatic goods-vending machines (for example, postage stamp, cigarette, food or beverage machines), including money-changing machines

Automatic beverage-vending machines

Incorporating heating or refrigerating devices

Other

Other machines

Incorporating heating or refrigerating devices

Other

Money-changing machines

Other

Parts

Keypads of silicone or plastic, -|whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, -|whether or not printed or surface treated, -|whether or not with electrical conducting elements -|whether or not with keypads foil glued on the keyboard -|whether or not with protective foil -|single or multilayer

Parts of money-changing machines

Other

Machinery for working rubber or plastics or for the manufacture of products from these materials, not specified or included elsewhere in this chapter

Injection-moulding machines

Extruders

Blow-moulding machines

Vacuum-moulding machines and other thermoforming machines

Other machinery for moulding or otherwise forming

For moulding or retreading pneumatic tyres or for moulding or otherwise forming inner tubes

Other

Presses

Other

Other machinery

Machines for the manufacture of foam products

Machines for processing reactive resins

Other

Other

Size reduction equipment

Mixers, kneaders and agitators

Cutting, splitting and peeling machines

Other

Machines for casting or for surface modification of plastic membranes of heading|3921

Other

Parts

Of cast iron or cast steel

Other

Machinery for preparing or making up tobacco, not specified or included elsewhere in this chapter

Machinery

Parts

Machines and mechanical appliances having individual functions, not specified or included elsewhere in this chapter

Machinery for public works, building or the like

Machinery for the extraction or preparation of animal or fixed vegetable fats or oils

Presses for the manufacture of particle board or fibre building board of wood or other ligneous materials and other machinery for treating wood or cork

Presses

Other

Rope- or cable-making machines

Industrial robots, not elsewhere specified or included

Evaporative air coolers

Passenger boarding bridges

Of a kind used in airports

Other

Other machines and mechanical appliances

For treating metal, including electric wire coil-winders

Mixing, kneading, crushing, grinding, screening, sifting, homogenising, emulsifying or stirring machines

Equipment for use in the manufacture of biopharmaceutical products comprising any of the following whether or not with associated vessels or tanks: -|Ultrafiltration-diafiltration unit; -|Automated control, testing and monitoring equipment for Clean in Process (CIP) and Sterilise in Place (SIP) activities; -|Process vessels and tanks

Other

Other

Mobile hydraulic-powered mine roof supports

Central greasing systems

Other

The following goods, for use in civil aircraft :!1!Hydropneumatic batteries;!1!Mechanical actuators for thrust reversers;!1!Toilet units specially designed;!1!Air humidifiers and dehumidifiers;!1!Servo-mechanisms, non-electric;!1!Non-electric starter motors;!1!Pneumatic starters for turbo-jets, turbo-jets, turbo-propellers and other gas turbines;!1!Windscreen wipers, non-electric;!1!Propeller regulators, non-electric!1!

Bioreactor for biopharmaceutical cell culture -|having interior surfaces of type 316L austenitic stainless steel -|with a process capacity of 50|litres, 500|litres, 3,000|litres, 5,000|litres, 10,000|litres or 15,000|litres -|whether or not combined with a "clean-in-process" system and/or a dedicated paired media hold vessel

Automated electronic component placement machines of a kind used solely or principally for the manufacture of printed circuit assemblies

Machines and apparatus, other than injection moulding machines, for the manufacture of ink-jet printer cartridges

Machinery, being components of a production line for the manufacture of lithium ion batteries for passenger electric motor vehicles, for the construction of such a production line

Machine to accurately align and attach lenses into a camera assembly in five axis alignment capability and fix them in position with a|two part cure epoxy

Equipment for use in the manufacture of biopharmaceutical products comprising any of the following whether or not with associated vessels or tanks: -|Ultrafiltration-diafiltration unit; -|Automated control, testing and monitoring equipment for Clean in Process (CIP) and Sterilise in Place (SIP) activities; -|Process vessels and tanks

Machinery for the production of a sub assembled component (anode conductor and the negative closing cap) for the manufacture of AA and/or AAA alkaline batteries

High Pressure Hard Materials Compression Press ("Link Press"): -|with a 16|000|tonne pressure rating, -|with a 1|100mm diameter Bolster (\pm 1mm), -|with a 1|400mm main cylinder (\pm 1mm), -|with a Fixed and floating link frame, multiple pump high pressure hydraulic accumulator and pressure system, -|with a double arm manipulator arrangement and connections for piping and electrical systems, -|with a total weight 310|tonnes (\pm 10|tonnes), and -|creating 30|000|atmospheres at 1|500|degrees centigrade using Low Frequency Alternating Current (16|000|amps)

Other

Parts

Of cast iron or cast steel

For use in civil aircraft

Other

Other

For use in civil aircraft

Other
Machinery, being components of a production line for the manufacture of lithium ion batteries for passenger electric motor vehicles, for the construction of such a production line
Keypads of silicone or plastic, - whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, - whether or not printed or surface treated, - whether or not with electrical conducting elements - whether or not with keypads foil glued on the keyboard - whether or not with protective foil - single or multilayer
Injectors with solenoid valve for optimised atomisation in the engine combustion chamber
Parts of automated electronic component placement machines of a kind used solely or principally for the manufacture of printed circuit assemblies
Other

Moulding boxes for metal foundry; mould bases; moulding patterns; moulds for metal (other than ingot moulds), metal carbides, glass, mineral materials, rubber or plastics
Moulding boxes for metal foundry
Mould bases
Moulding patterns
Of wood
Other
Moulds for metal or metal carbides
Injection or compression types
Other
Moulds for glass
Moulds for mineral materials
Moulds for rubber or plastics
Injection or compression types
Other

Taps, cocks, valves and similar appliances for pipes, boiler shells, tanks, vats or the like, including pressure-reducing valves and thermostatically controlled valves
Pressure-reducing valves
Combined with filters or lubricators
For use in certain types of aircraft
Other
Other
Of cast iron or steel
For use in certain types of aircraft
Other
Other
For use in certain types of aircraft
Other

Valves for oleohydraulic or pneumatic transmissions
Valves for the control of oleohydraulic power transmission
for use in certain types of aircraft
Other
Valves for the control of pneumatic power transmission
for use in certain types of aircraft
Other
Check (non-return) valves
Of cast iron or steel
for use in certain types of aircraft
Other
Steel check (non-return) valves with: - an opening pressure of not more than 800 kPa - an external diameter not more than 37 mm
Other
Other
for use in certain types of aircraft
Other

Safety or relief valves
Of cast iron or steel
for use in certain types of aircraft
Other
Other
for use in certain types of aircraft
Other

Other appliances
Taps, cocks and valves for sinks, washbasins, bidets, water cisterns, baths and similar fixtures
Mixing valves
For use in certain types of aircraft
Other
Other
For use in certain types of aircraft
Other

Central heating radiator valves
Thermostatic valves
Other

Valves for pneumatic tyres and inner tubes
For use in certain types of aircraft
Other

Other
Process control valves
Temperature regulators
Other
Air control valve, consisting of a stepping motor and a valve

pintle, for the regulation of idle air flow in fuel injection engines
Other

Other
Gate valves
Of cast iron
Of steel
for use in certain types of aircraft
Other
Other
for use in certain types of aircraft
Other
Four-way reversing valve for refrigerants, consisting of: - a solenoid pilot valve - a brass valve body including valve slider and copper connections with a working pressure up to 4,5 MPa
Other

Globe valves
Of cast iron
Of steel
For use in certain types of aircraft
Other
Other
For use in certain types of aircraft
Solenoid valve device that can withstand a pressure of 875 bar
Other

Ball and plug valves
for use in certain types of aircraft
Other

Butterfly valves
for use in certain types of aircraft
Other

Diaphragm valves
for use in certain types of aircraft
Other

Other
for use in certain types of aircraft
Service valve, consisting a combination of a two way valve on the liquid line and a three way valve on the gas line with: - a minimum enclosing pressure of 30 kgf/cm\$2, - a minimum withstanding pressure of 45 kgf/cm\$2, for use in the

manufacture of outdoor air conditioning units
Four way valve, consisting of: - - a core plunger, - a sealing plunger, - a 220 V-240 V AC 50/60 Hz solenoid coil, - a working pressure up to 4.3 Mpa, - a housing for directing the flow of the refrigerant, for use in the manufacture of outdoor air conditioning units
Other

Parts
For use in certain types of aircraft
Keypads of silicone or plastic, - - whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, - whether or not printed or surface treated, - whether or not with electrical conducting elements - - whether or not with keypads foil glued on the keyboard - whether or not with protective foil - single or multilayer
Other

Ball or roller bearings
Ball bearings
With greatest external diameter not exceeding 30 mm
Ball and cylindrical bearings: - with an outside diameter of 28 mm or more but not more than 140 mm, - - with an operational thermal stress of more than 150°C at a working pressure of not more than 14 MPa, for the manufacture of machinery for the protection and control of nuclear reactors in nuclear power plants
Ball bearings: - with an internal diameter of 3 mm or more, - with an external diameter of not more than 100 mm, - with a width of not more than 40 mm, - whether or not equipped with a duster, for use in the manufacture of belt drive steering systems of motor, electric power steering systems or steering gears
Other
Other
Ball and cylindrical bearings: - with an outside diameter of 28 mm or more but not more than 140 mm, - - with an operational thermal stress of more than 150°C at a working pressure of not more than 14 MPa, for the manufacture of machinery for the protection and control of nuclear reactors in nuclear power plants
Ball bearings: - with an internal diameter of 3 mm or more, - with an external diameter of not more than 100 mm, - with a width of not more than 40 mm, - whether or not equipped with a duster, for use in the manufacture of belt drive steering systems of motor, electric power steering systems or steering gears
Other

Tapered roller bearings, including cone and tapered roller assemblies
Spherical roller bearings
Needle roller bearings
Other cylindrical roller bearings
Ball and cylindrical bearings: - with an outside diameter of 28 mm or more but not more than 140 mm, - with an operational thermal stress of more than 150°C at a working pressure of not more than 14 MPa, for the manufacture of machinery for the protection and control of nuclear reactors in nuclear power plants
Other
Other, including combined ball/roller bearings
Connecting components for use in the production of helicopter tail rotor shafts
Other
Parts
Balls, needles and rollers
Tapered rollers
Other
Other

Transmission shafts (including cam shafts and crank shafts) and cranks; bearing housings and plain shaft bearings; gears and gearing; ball or roller screws; gear boxes and other speed changers, including torque converters; flywheels and pulleys, including pulley blocks; clutches and shaft couplings (including universal joints)
Transmission shafts (including cam shafts and crank shafts) and cranks
Cranks and crank shafts
Of cast iron or cast steel
For use in civil aircraft
Other
Of open-die forged steel
For use in civil aircraft
Other
Other
For use in civil aircraft
Other
Articulated shafts
For use in civil aircraft
Other
Other
For use in civil aircraft
Other
Bearing housings, incorporating ball or roller bearings
Bearing housings, not incorporating ball or roller bearings; plain shaft bearings
Bearing housings
For ball or roller bearings

For use in civil aircraft
Other
Other
For use in civil aircraft
Other
Cylindrical bearing housing: - - of precision-cast grey cast iron complying with standard DIN EN 1561, - with oil chambers, - - without bearings, - with a diameter of 50 mm or more, but not more than 250 mm, - with a height of 40 mm or more, but not more than 150 mm, - - whether or not with water chambers and connectors
Other
Plain shaft bearings
For use in civil aircraft
Wave slide bearing for axial applications, of FeP01 steel (according to EN 10130-1991) with a sliding layer of porous sinter bronze and poly(tetrafluoroethylene), suitable for installation into motor bike suspension units
Other
Gears and gearing, other than toothed wheels, chain sprockets and other transmission elements presented separately; ball or roller screws; gear boxes and other speed changers, including torque converters
Gears and gearing (other than friction gears)
Spur and helical
For use in civil aircraft
Other
Bevel and bevel/spur
For use in civil aircraft
Other
Worm gear
For use in civil aircraft
Other
Other
For use in civil aircraft
Other
Gear set of cycloid gear type with: - a rated torque of 50 Nm or more but not more than 7 000 Nm, - standard ratios of 1:50 or more but not more than 1:270, - lost motion of not more than one arc minute, - an efficiency of more than 80 %, of a kind used in robot arms
Epicyclic gearing, of a kind used in driving hand-held power tools with: - a rated torque of 25 Nm or more, but not more than 70 Nm, - - standard gear ratios of 1:12.7 or more, but not more than 1:64.3
Other

Ball or roller screws
For use in civil aircraft
Other

Gear boxes and other speed changers
Gear boxes
For use in civil aircraft
Gear box, having a differential with wheel axle, for use in the manufacture of self-propelled lawnmowers with a seat of subheading 8433 11 51
Other

Other
For use in civil aircraft
Hydrostatic speed changer, having a hydro pump and a differential with wheel axle, for use in the manufacture of self-propelled lawnmowers with a seat of subheading 8433 11 51
Other

Other
For use in civil aircraft
Other
Transmission gearbox, with: - not more than 3 gears, - an automatic deceleration system and - a power reversal system, for use in the manufacture of goods of heading 8427
Other

Flywheels and pulleys, including pulley blocks
Of cast iron or cast steel
For use in civil aircraft
Other

Other
For use in civil aircraft
Other

Clutches and shaft couplings (including universal joints)
Of cast iron or cast steel
For use in civil aircraft
Other

Other
For use in civil aircraft
Other

Toothed wheels, chain sprockets and other transmission elements presented separately; parts
Parts of bearing housings
For use in civil aircraft
Other

Other
Of cast iron or cast steel
For use in civil aircraft

Other

Other
For use in civil aircraft
Other

Gaskets and similar joints of metal sheeting combined with other material or of two or more layers of metal; sets or assortments of gaskets and similar joints, dissimilar in composition, put up in pouches, envelopes or similar packings; mechanical seals
Gaskets and similar joints of metal sheeting combined with other material or of two or more layers of metal
For use in civil aircraft
Other

Mechanical seals
Other
For use in civil aircraft
Other

Machines and apparatus of a kind used solely or principally for the manufacture of semiconductor boules or wafers, semiconductor devices, electronic integrated circuits or flat panel displays; machines and apparatus specified in note 9(C) to this chapter; parts and accessories
Machines and apparatus for the manufacture of boules or wafers
Machines and apparatus for the manufacture of semiconductor devices or of electronic integrated circuits
Machine-tools operated by ultrasonic processes
Other

Machines and apparatus for the manufacture of flat panel displays
Apparatus for chemical vapour deposition on liquid crystal devices (LCD) substrates
Apparatus for dry-etching patterns on liquid crystal devices (LCD) substrates
Apparatus for physical deposition by sputtering on liquid crystal devices (LCD) substrates
Other

Machines and apparatus specified in note 9(C) to this chapter
Parts and accessories
Tool holders and self-opening dieheads; workholders
Other
Parts of spinners for coating photographic emulsions on liquid crystal devices (LCD) substrates
Parts of deflash machines for cleaning the metal leads of semiconductor packages prior to the electroplating process
Parts of apparatus for physical deposition by sputtering on liquid crystal devices (LCD) substrates

Parts and accessories for apparatus for dry-etching patterns on liquid crystal devices (LCD) substrates
Parts and accessories for apparatus for chemical vapour deposition on liquid crystal devices (LCD) substrates
Parts and accessories for machine-tools operated by ultrasonic processes
Other

Machinery parts, not containing electrical connectors, insulators, coils, contacts or other electrical features, not specified or included elsewhere in this chapter
Ships' or boats' propellers and blades therefor
Of bronze
Other

Other
Of cast iron
For use in certain types of aircraft
Other

Of iron or steel
Of cast steel
For use in certain types of aircraft
Other

Of open-die forged or closed-die forged iron or steel
For use in certain types of aircraft
Other

Other
For use in certain types of aircraft
Other

Other
For use in certain types of aircraft
Other

ELECTRICAL MACHINERY AND EQUIPMENT AND PARTS THEREOF; SOUND RECORDERS AND REPRODUCERS, TELEVISION IMAGE AND SOUND RECORDERS AND REPRODUCERS, AND PARTS AND ACCESSORIES OF SUCH ARTICLES
Electric motors and generators (excluding generating sets)
Motors of an output not exceeding 37,5 W
Synchronous motors of an output not exceeding 18 W
For use in certain types of aircraft
Synchronous motor for a dishwasher with a water flow control mechanism with - a length without axle of 24 mm (+/- 0,3), - a diameter of 49,3 mm (+/- 0,3) - a rated voltage of 220 V AC or more but not more than 240 V AC, - a rated frequency of 50 Hz or more but not more than 60 Hz, - an input power of not more than 4 W, - a rotation speed of 4rpm or more but not more than 4,8rpm, -

Crystalline silicon photovoltaic modules or panels
Consigned from the People's Republic of China, unless the products are in transit in the sense of Article V GATT (http://www.wto.org/english/docs_e/legal)
Consigned from Malaysia
Consigned from Taiwan
Other
Other

Of an output exceeding 750|W but not exceeding 75|kW

For use in civil aircraft

Solar chargers that consist of less than six cells, are portable and supply electricity to devices or charge batteries; thin film photovoltaic products; crystalline silicon photovoltaic products that are permanently integrated into electrical goods, where the function of the electrical goods is other than power generation, and where these electrical goods consume the electricity generated by the integrated crystalline silicon photovoltaic cell(s); modules or panels with a output voltage not exceeding 50 V DC and a power output not exceeding 50 W solely for direct use as battery chargers in systems with the same voltage and power characteristics

Other

Crystalline silicon photovoltaic modules or panels

Consigned from the People's Republic of China, unless the products are in transit in the sense of Article V GATT (http://www.wto.org/english/docs_e/legal)

Consigned from Malaysia

Consigned from Taiwan

Other

Fuel cell module containing at least polymer electrolyte membrane fuel cells whether or not in a housing with an integrated cooling system, for use in the manufacture of motor vehicle propulsion systems

Traction motor, with: -|a torque output of 200|Nm or more but not more than 300|Nm -|a power output of 50|kW or more but not more than 100|kW -|a speed of not more than 12|500|rpm for use in the manufacture of electric vehicles

Automotive-ready, brushless and permanently excited direct current motor with: -|a specified speed of not more than 4|000|rpm, -|a minimum output of 400|W, but not more than 1,3|kW (at 12V), -|a flange diameter of 90|mm or more, but not more than 150|mm, -|a maximum length of 190|mm, measured from the beginning of the shaft to the outer ending, -|a housing length of not more than 150|mm, measured from the flange to the outer

ending, -|a two-piece (basic housing including electric components and flange with minimum 2|and maximum 6|bore holes) aluminium diecast housing with a sealing compound (groove with an O-ring and grease), -|a stator with single T-tooth design and single coil windings in 12/8|topology and -|surface magnets

Other

Of an output exceeding 75|kW but not exceeding 375|kW

Motors of an output not exceeding|150|kW and generators, for use in civil aircraft

Traction motor, with: -|a torque output of 200|Nm or more but not more than 300|Nm -|a power output of 50|kW or more but not more than 100|kW -|a speed of not more than 12|500|rpm for use in the manufacture of electric vehicles

Of an output exceding 150 kW, for use in certain types of aircraft

Electric drive for motor vehicles, with an output of not more than 315 kW, with: •an AC or DC motor whether or not with transmission, •power electronics

Solar chargers that consist of less than six cells, are portable and supply electricity to devices or charge batteries; thin film photovoltaic products; crystalline silicon photovoltaic products that are permanently integrated into electrical goods, where the function of the electrical goods is other than power generation, and where these electrical goods consume the electricity generated by the integrated crystalline silicon photovoltaic cell(s); modules or panels with a output voltage not exceeding 50 V DC and a power output not exceeding 50 W solely for direct use as battery chargers in systems with the same voltage and power characteristics

Fuel cell module containing at least polymer electrolyte membrane fuel cells whether or not in a housing with an integrated cooling system, for use in the manufacture of motor vehicle propulsion systems

Other

Crystalline silicon photovoltaic modules or panels

Consigned from the People's Republic of China, unless the products are in transit in the sense of Article V GATT (http://www.wto.org/english/docs_e/legal)

Consigned from Malaysia

Consigned from Taiwan

Other

Other

Of an output exceeding 375|kW

Generators for use in civil aircraft

Solar chargers that consist of less than six cells, are portable and

supply electricity to devices or charge batteries; thin film photovoltaic products; crystalline silicon photovoltaic products that are permanently integrated into electrical goods, where the function of the electrical goods is other than power generation, and where these electrical goods consume the electricity generated by the integrated crystalline silicon photovoltaic cell(s); modules or panels with a output voltage not exceeding 50 V DC and a power output not exceeding 50 W solely for direct use as battery chargers in systems with the same voltage and power characteristics

Other

Crystalline silicon photovoltaic modules or panels

Consigned from the People's Republic of China, unless the products are in transit in the sense of Article V GATT (http://www.wto.org/english/docs_e/legal)

Consigned from Malaysia

Consigned from Taiwan

Other

Other

Other AC motors, single-phase

Of an output not exceeding 750|W

Of an output exceeding|735|W, for use in civil aircraft

For use in certain types of aircraft

Assembly, consisting of - a single-phase electric AC commutator motor, with an output of 480 W or more, an input power of more than 900 W but not more than 1 600 W, an external diameter of more than 119,8 mm but not more than 135,2 mm and a rated speed of more than 30 000 rpm but not more than 50 000 rpm, and - an air-inducing ventilator, for use in the manufacture of vacuum cleaners

Electric AC commutator motor, single-phase, with an output of 250 W or more, an input power of 700 W or more but not more than 2 700 W, an external diameter of more than 120 mm (± 0,2 mm) but not more than 135 mm (± 0,2 mm), a rated speed of more than 30 000 rpm but not more than 50 000 rpm, equipped with air-inducing ventilator, for use in the manufacture of vacuum cleaners

Other

Of an output exceeding 750|W

Of an output not exceeding|150|kW, for use in civil aircraft

Of an output exceeding|150|kW, for use in certain types of aircraft

Electric AC commutator motor, single-phase, with an output of more than 750 W, an input power of 700 W or more but not more than 2 700 W, an external diameter of more than 120 mm (± 0,2 mm) but not more than 135 mm (± 0,2 mm), a rated speed of more than 30 000

rpm but not more than 50 000 rpm, equipped with air-inducting ventilator, for use in the manufacture of vacuum cleaners
Assembly, consisting of - a single-phase electric AC commutator motor, with an output of more than 750 W, but not more than 1 400 W, an input power of more than 900 W but not more than 1 600 W, an external diameter of more than 119,8 mm but not more than 135,2 mm and a rated speed of more than 30 000 rpm but not more than 50 000 rpm, and - an air-inducting ventilator, for use in the manufacture of vacuum cleaners
Electric drive for motor vehicles, with an output of not more than 315 kW, with: •an AC or DC motor whether or not with transmission, •power electronics
Other

Other AC motors, multi-phase

Of an output not exceeding 750 W
Of an output exceeding 735 W, for use in civil aircraft
Of an output of less than 750 W, for use in certain types of aircraft
AC synchronous servo motor with resolver and brake for a maximum speed of not more than 6 000 rpm, with: - an output of 340 W or more but not more than 7,4 kW, - a flange of dimensions of not more than 180 mm :x : 180 mm, and - a length from flange to extreme end of resolver of not more than 271 mm
Other

Of an output exceeding 750 W but not exceeding 75 kW
Of an output exceeding 750 W but not exceeding 7,5 kW
For use in civil aircraft
Other
AC synchronous servo motor with resolver and brake for a maximum speed of not more than 6 000 rpm, with: - an output of 340 W or more but not more than 7,4 kW, - a flange of dimensions of not more than 180 mm :x : 180 mm, and - a length from flange to extreme end of resolver of not more than 271 mm
Other
Of an output exceeding 7,5 kW but not exceeding 37 kW
For use in civil aircraft
Other
Of an output exceeding 37 kW but not exceeding 75 kW
For use in civil aircraft
Other

Of an output exceeding 75 kW
Traction motors

Electric drive for motor vehicles, with an output of not more than 315 kW, with: •an AC or DC motor whether or not with transmission, •power electronics
Other
Other, of an output
Exceeding 75 kW but not exceeding 375 kW
Of an output not exceeding 150 kW, for use in civil aircraft
Of an output exceeding 150 kW, for use in certain types of aircraft
Other
Exceeding 375 kW but not exceeding 750 kW
For use in certain types of aircraft
Other
Exceeding 750 kW
For use in certain types of aircrafts
Other

AC generators (alternators)

Of an output not exceeding 75 kVA
Of an output not exceeding 7,5 kVA
For use in civil aircraft
Solar chargers that consist of less than six cells, are portable and supply electricity to devices or charge batteries; thin film photovoltaic products; crystalline silicon photovoltaic products that are permanently integrated into electrical goods, where the function of the electrical goods is other than power generation, and where these electrical goods consume the electricity generated by the integrated crystalline silicon photovoltaic cell(s); modules or panels with a output voltage not exceeding 50 V DC and a power output not exceeding 50 W solely for direct use as battery chargers in systems with the same voltage and power characteristics
Fuel cell module , AC generator with an output of 7.5 kVA or less, consisting of: - a Hydrogen generator (desulphurizer, reformer and cleaner) - a PEM fuel cell stack and - an Inverter for use as a part in a heating appliance
Other
Crystalline silicon photovoltaic modules or panels
Consigned from the People's Republic of China, unless the products are in transit in the sense of Article V GATT (http://www.wto.org/english/docs_e/legat
Consigned from Malaysia
Consigned from Taiwan
Other

Other
Of an output exceeding 7,5 kVA but not exceeding 75 kVA
For use in civil aircraft
Solar chargers that consist of less than six cells, are portable and supply electricity to devices or charge batteries; thin film photovoltaic products; crystalline silicon photovoltaic products that are permanently integrated into electrical goods, where the function of the electrical goods is other than power generation, and where these electrical goods consume the electricity generated by the integrated crystalline silicon photovoltaic cell(s); modules or panels with a output voltage not exceeding 50 V DC and a power output not exceeding 50 W solely for direct use as battery chargers in systems with the same voltage and power characteristics
Other
Crystalline silicon photovoltaic modules or panels
Consigned from the People's Republic of China, unless the products are in transit in the sense of Article V GATT (http://www.wto.org/english/docs_e/legat
Consigned from Malaysia
Consigned from Taiwan
Other
Other

Of an output exceeding 75 kVA but not exceeding 375 kVA
For use in civil aircraft
Other
Fuel cell system - consisting of at least phosphoric acid fuel cells, - in a housing with integrated water management and gas treatment, - for permanent, stationary energy supply
Solar chargers that consist of less than six cells, are portable and supply electricity to devices or charge batteries; thin film photovoltaic products; crystalline silicon photovoltaic products that are permanently integrated into electrical goods, where the function of the electrical goods is other than power generation, and where these electrical goods consume the electricity generated by the integrated crystalline silicon photovoltaic cell(s); modules or panels with a output voltage not exceeding 50 V DC and a power output not exceeding 50 W solely for direct use as battery chargers in systems with the same voltage and power characteristics
Other
Crystalline silicon photovoltaic modules or panels

Consigned from the People's Republic of China, unless the products are in transit in the sense of Article V GATT (http://www.wto.org/english/docs_e/legal/)
Consigned from Malaysia
Consigned from Taiwan
Other
Other

Of an output exceeding 375 kVA but not exceeding 750 kVA
For use in civil aircraft
Solar chargers that consist of less than six cells, are portable and supply electricity to devices or charge batteries; thin film photovoltaic products; crystalline silicon photovoltaic products that are permanently integrated into electrical goods, where the function of the electrical goods is other than power generation, and where these electrical goods consume the electricity generated by the integrated crystalline silicon photovoltaic cell(s); modules or panels with a output voltage not exceeding 50 V DC and a power output not exceeding 50 W solely for direct use as battery chargers in systems with the same voltage and power characteristics

Other
Crystalline silicon photovoltaic modules or panels
Consigned from the People's Republic of China, unless the products are in transit in the sense of Article V GATT (http://www.wto.org/english/docs_e/legal/)
Consigned from Malaysia
Consigned from Taiwan
Other
Other

Of an output exceeding 750 kVA
Solar chargers that consist of less than six cells, are portable and supply electricity to devices or charge batteries; thin film photovoltaic products; crystalline silicon photovoltaic products that are permanently integrated into electrical goods, where the function of the electrical goods is other than power generation, and where these electrical goods consume the electricity generated by the integrated crystalline silicon photovoltaic cell(s); modules or panels with a output voltage not exceeding 50 V DC and a power output not exceeding 50 W solely for direct use as battery chargers in systems with the same voltage and power characteristics

Other
Crystalline silicon photovoltaic modules or panels
Consigned from the People's Republic of China, unless the products are in transit in the

sense of Article V GATT (http://www.wto.org/english/docs_e/legal/)
Consigned from Malaysia
Consigned from Taiwan
Other
Other

Electric generating sets and rotary converters
Generating sets with compression-ignition internal combustion piston engines (diesel or semi-diesel engines)
Of an output not exceeding 75 kVA
Of an output not exceeding 7,5 kVA
For use in civil aircraft
Other
Of an output exceeding 7,5 kVA but not exceeding 75 kVA
For use in civil aircraft
Other

Of an output exceeding 75 kVA but not exceeding 375 kVA
For use in civil aircraft
Other
Of an output exceeding 375 kVA
Of an output exceeding 375 kVA but not exceeding 750 kVA
For use in civil aircraft
Other
Of an output exceeding 750 kVA but not exceeding 2 000 kVA
For use in civil aircraft
Other
Of an output exceeding 2 000 kVA
For use in civil aircraft
Other

Generating sets with spark-ignition internal combustion piston engines
Of an output not exceeding 7,5 kVA
For use in civil aircraft
Other
Of an output exceeding 7,5 kVA but not exceeding 375 kVA
For use in civil aircraft
Other
Of an output exceeding 375 kVA but not exceeding 750 kVA
For use in civil aircraft
Other
Of an output exceeding 750 kVA
For use in civil aircraft
Other

Other generating sets

Wind-powered
For use in civil aircraft
Other
Other
Turbo-generators
For use in civil aircraft
Other
Other
For use in civil aircraft
Other
Electric rotary converters
For use in civil aircraft
Other

Parts suitable for use solely or principally with the machines of heading 8501 or 8502
Non-magnetic retaining rings
For use in certain types of aircraft
Other
Other
Of cast iron or cast steel
For use in certain types of aircraft
Other
Rotor, at the innerside provided with one or two magnetic rings whether or not incorporated in a steel ring
Other

Other
For use in certain types of aircraft
Other
Stamped collector of an electric motor, having an external diameter of not more than 16 mm
Rotor, at the innerside provided with one or two magnetic rings whether or not incorporated in a steel ring
Stator for brushless motor of electrical power steering with a roundness tolerance of 50 µm
Rotor for brushless motor of electrical power steering with a roundness tolerance of 50 µm
Transmitter resolver for brushless motors of electrical power steering
Fuel cell membrane, in rolls or sheets, with a width of not more than 150 cm, of a kind used for manufacture of fuel cells in heading 8501
Stator for brushless motor, with: - an internal diameter of 206,6 mm (± 0,5) - an external diameter of 265,0 mm (± 0,2) and - a width of 41,00 mm (± 0,3) of a kind used in the manufacture of washing machine, washer-dryer or dryer equipped with direct drive drums
Engine cover for electronic belt drive steering system of

galvanized steel with a thickness of not more than 2,5 mm (± 0,25 mm)
Keypads of silicone or plastic, - whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, - whether or not printed or surface treated, - whether or not with electrical conducting elements - whether or not with keypads foil glued on the keyboard - whether or not with protective foil - single or multilayer
Other

Electrical transformers, static converters (for example, rectifiers) and inductors
Ballasts for discharge lamps or tubes
Inductors, whether or not connected with a capacitor
For use in civil aircraft
Other
Other
For use in civil aircraft
Other

Liquid dielectric transformers
Having a power handling capacity not exceeding 650 kVA
Having a power handling capacity exceeding 650 kVA but not exceeding 10 000 kVA
Exceeding 650 kVA but not exceeding 1 600 kVA
Exceeding 1 600 kVA but not exceeding 10 000 kVA
Having a power handling capacity exceeding 10 000 kVA

Other transformers
Having a power handling capacity not exceeding 1 kVA
Measuring transformers
For voltage measurement
For use in civil aircraft
Other
Other
For use in civil aircraft
Other
Other
For use in civil aircraft
Transformer for use in the manufacture of inverters in LCD modules
Switching transformers, having a power handling capacity of not more than 1 kVA for use in the manufacture of static converters
Electrical transformers: - with a capacity of 1 kVA or less - without plugs or cables, for internal use in the manufacture of set top boxes and TVs

Other
Having a power handling capacity exceeding 1 kVA but not exceeding 16 kVA
For use in civil aircraft
Other
Having a power handling capacity exceeding 16 kVA but not exceeding 500 kVA
For use in civil aircraft
Other
Having a power handling capacity exceeding 500 kVA

Static converters
Of a kind used with telecommunication apparatus, automatic data-processing machines and units thereof
For use in civil aircraft
Other
Other
Accumulator chargers
For use in civil aircraft
Other
Other
Rectifiers
For use in civil aircraft
Electric rectifier, with a capacity of not more than 1 kVA, for use in the manufacture of appliances falling within subheading 8509 80 and heading 8510
Power supply boards for use in the manufacture of goods falling under heading 8521 and 8528
Printed circuit board equipped with a bridge rectifier circuit and other active and passive components - with two output connectors - with two input connectors which are available and useable in parallel - able to switch between bright and dimmed operation mode - with an input voltage of 40 V (+ 25 % -15 %) or 42 V (+ 25 % -15 %) in bright operation mode, with an input voltage of 30 V (± 4 V) in dimmed operation mode, or - with an input voltage of 230 V (+20 % -15 %) in bright operation mode, with an input voltage of 160 V (± 15 %) in dimmed operation mode, or - with an input voltage of 120 V (15 % -35 %) in bright operation mode, with an input voltage of 60 V (± 20 %) in dimmed operation mode - with an input current reaching 80 % of its nominal value within 20 ms - with an input frequency of 45 Hz or more, but not more than 65 Hz for 42 V and 230 V, and 45-70 Hz for 120 V versions - with an maximum inrush current overshoot of not more than 250 % of the input current - with a period of the

inrush current overshoot of not more than 100 ms - with an input current undershoot of not less than 50 % of the input current - with a period of the inrush current undershoot of not more than 20 ms - with a presettable output current - with an output current reaching 90 % of its nominal pre-set value within 50 ms - with an output current reaching zero within 30 ms after removal of the input voltage - with an defined failure status in case of no-load or too-high load (end-of-life function)
Other

Inverters
Having a power handling capacity not exceeding 7,5 kVA
For use in civil aircraft
Other
Having a power handling capacity exceeding 7,5 kVA
For use in civil aircraft
Other
DC to AC inverter for use in traction motor control for use in the manufacture of electric vehicles
Other

Other
For use in civil aircraft
Direct current to direct current converter
Static converter comprising a power switch with insulated-gate bipolar transistors (IGBTs), contained in a housing, for use in the manufacture of microwave ovens of subheading 8516 50 00
Semiconductor power modules comprising: - power transistors, - integrated circuits, - whether or not containing diodes and with or without thermistors, - an operating voltage of not more than 600 V, - not more than three electrical outputs each containing two power switches (whether MOSFET (Metal Oxide Semiconductor Field-Effect Transistor) or IGBT (Insulated Gate Bi-polar Transistors)) and internal drives, and - a rms (root mean square) current rating of not more than 15,7 A
Drive unit for industrial robot with: - one or six 3-phase motor outputs with maximum 3 x 32 A, - a main power input of 220 V AC or more, but not more than 480 V AC, or 280 V DC or more, but not more than 800 V DC - a logic power input of 24 V DC, - an EtherCat communication interface, - and a dimension of 150 x 140 x 120 mm or more, but not more than 335 x 430 x 179 mm

Transfer moulded semiconductor power module comprising: - power transistors, - integrated circuits, - whether or not containing diodes and with or without thermistors, - a circuit configuration, - either containing a direct drive stage with an operating voltage of more than 600 V, - or containing a direct drive stage with an operating voltage of not more than 600 V and a rms current of more than 15,7 A, - or including one or more power factor correction modules
Module for converting alternating current into direct current and direct current into direct current with - a rated power of not more than 100 W - an input voltage of 80 V or more, but not more than 305 V - an certified input frequency of 47 Hz or more, but not more than 440 Hz - one or more constant voltage output(s) - an operating temperature range of - 40 °C or more, but not more than + 85 °C, - pins for mounting to a printed circuit
Power converter containing: - a DC to DC converter - a charger of a capacity of not not more than 7 kw - switching functions for use in the manufacture of electric vehicles
Other

Other inductors
Of a kind used with telecommunication apparatus and for power supplies for automatic data-processing machines and units thereof
For use in civil aircraft
other
Other
For use in civil aircraft
Inductor with an inductance of not more than 62 mH
Coil choke with: - an inductance of 4,7 µH (± 20 %), - a DC resistance of not more than 0,1 Ohms, - an insulation resistance of 100 MOhms or more at 500 V (DC) for use in the manufacture of LCD and LED module power boards
Solenoid coil with - a power consumption of not more than 6 W, - an insulation resistance of more than 100 M ohms, and - an insert hole of 11,4 mm or more, but not more than 11,8 mm
other

Parts
Of transformers and inductors
Electronic assemblies of machines of subheading 8504 50 20
Other
Ferrite cores

Ferrite cores, other than for deflection yokes
Reactor cores for use in a High Voltage Direct Current thyristor converter
Other
Other
For use in certain types of aircraft
Other
Of static converters
Electronic assemblies of machines of subheading 8504 40 30
Other
For use in certain types of aircraft
Thyristor SGCT (Symmetric Gate-Commutated Thyristor) with integrated gate driver: - being a power electronic circuit mounted on the PCB, equipped with SGCT thyristor and electric and electronic components, - having an ability to block the voltage - 6 500 V - in both directions (conducting and the reverse direction) of a kind used in medium voltagestatic converters (rectifiers and inverters)
Other

Electromagnets; permanent magnets and articles intended to become permanent magnets after magnetisation; electromagnetic or permanent magnet chucks, clamps and similar holding devices; electromagnetic couplings, clutches and brakes; electromagnetic lifting heads
Permanent magnets and articles intended to become permanent magnets after magnetisation
Of metal
For use in certain types of aircraft
Other
Permanent magnet having a remanence of 455mT (±15mT)
Permanent magnets consisting of an alloy of neodymium, iron and boron, either in the shape of a rounded rectangle with - a length of not more than 90 mm, - a width of not more than 90 mm and - a height of not more than 55 mm, or in the shape of a disc with a diameter of not more than 90mm, whether or not containing a hole in the centre
Permanent magnets of an alloy of either neodymium, iron and boron, or samarium and cobalt coated having undergone inorganic passivation (inorganic coating) using zinc phosphate for the industrial manufacture of products in motor or sensory applications
A quarter sleeve, intended to become permanent magnet after magnetisation, - consisting of at least neodymium, praseodym, iron, boron, dysprosium,

aluminium and cobalt, - with a width of 9,2 mm (- 0,1) - with a length of 20 mm (+0,1) or 30 mm (+ 0,1) of a kind used on rotors for the manufacture of fuel pumps
Bars specifically shaped, intended to become permanent magnets after magnetization, containing neodymium, iron and boron, with dimensions: - a length of 15 mm or more but not more than 52 mm, - a width of 5 mm or more but not more than 42 mm, of a kind to be used in the manufacture of electric servomotors for industrial automation
Flat bars of an alloy of samarium and cobalt with - a length of 30,4 mm (± 0,05 mm); - a width of 12,5 mm (± 0,15 mm); - a thickness of 6,9 mm (± 0,05 mm), or composed of ferrites in the shape of a quarter sleeves with: - a length of 46 mm (± 0,75 mm); - a width of 29,7 mm (± 0,2 mm), intended to become permanent magnets after magnetisation, of a kind used in car starters and devices extending the drive range of electric cars
Rings, tubes, bushings or collars made from an alloy of neodymium, iron and boron, with - a diameter of not more than 45 mm, - a height of not more than 45 mm, of a kind used in the manufacture of permanent magnets after magnetisation
Disc consisting of an alloy of neodymium, iron and boron, covered with nickel or zinc, that after magnetisation is intended to become a permanent magnet - whether or not containing a hole in the centre, - with a diameter of not more than 90 mm, of a kind used in car loudspeakers
Articles in the form of a triangle, square or rectangle, intended to become permanent magnets after magnetisation, containing neodymium, iron and boron, with dimensions of: - a length of 9 mm or more but not more than 105 mm, - a width of 5 mm or more but not more than 105 mm, - a height of 2 mm or more but not more than 55 mm
Other

Other
Permanent magnets of agglomerated ferrite
For use in certain types of aircraft
Other
Other
For use in certain types of aircraft
Other
Articles of agglomerated ferrite in the shape of a disc with a diameter of not more than 120 mm, containing a hole in the centre intended to become permanent magnets after magnetisation with a remanence between 245 mT and 470 mT

Flat bars of an alloy of samarium and cobalt with - a length of 30,4 mm (± 0,05 mm); - a width of 12,5 mm (± 0,15 mm); - a thickness of 6,9 mm (± 0,05 mm), or composed of ferrites in the shape of a quarter sleeves with: - a length of 46 mm (± 0,75 mm); - a width of 29,7 mm (± 0,2 mm), intended to become permanent magnets after magnetisation, of a kind used in car starters and devices extending the drive range of electric cars
Other

Electromagnetic couplings, clutches and brakes
For use in certain types of aircraft
Electromagnetic clutch, for use in the manufacture of compressors of air conditioning machines of motor vehicles
Other

Other, including parts
Electromagnets; electromagnetic or permanent magnet chucks, clamps and similar holding devices
For use in certain types of aircraft
Other
Coil for an electromagnetic valve, with: - a plunger - a diameter of 12,9 mm (+/- 0,1), - a height without plunger of 20,5 mm (+/- 0,1), - an electric cable with connector, and in a cylindrical metal housing
Electromagnets of a kind used solely or principally for magnetic resonance imaging apparatus other than electromagnets of heading 9018
Solenoid with a plunger, operating at a nominal supply voltage of 24 V at a nominal DC of 0,08 A, for use in the manufacture of products falling within heading 8517
Other

Electromagnetic lifting heads
For use in certain types of aircraft
Other
Parts
For use in certain types of aircraft
Other

Primary cells and primary batteries
Manganese dioxide
Alkaline
Cylindrical cells
Other
Other
Cylindrical cells
Other

Mercuric oxide
Silver oxide
Lithium
Cylindrical cells
Lithium cylindrical primary cells with: - a diameter of 14,0 mm or more but not more than 26,0 mm; - a length of 25 mm or more but not more than 51 mm; - a voltage of 1,5 V or more, but not more than 3,6 V; - a capacity of 0,80 Ah or more, but not more than 5,00 Ah for use in the manufacture of telemetry and medical devices, electronic meters or remote controls
Other

Button cells
Other
Lithium iodine single cell battery the dimensions of which do not exceed 9 mm !x !23 mm !x !45 mm and a voltage of not more than 2,8 V
Unit consisting of not more than 2 lithium batteries embedded in a socket for integrated circuits (battery-buffered socket), with not more than 32 connections and incorporating a control circuit
Lithium-iodine or lithium-silver vanadium oxide single cell battery of dimensions of not more than 28 mm !x !45 mm !x !15 mm and a capacity of not less than 1,05 Ah
Other

Air-zinc
Other primary cells and primary batteries
Dry zinc-carbon batteries of a voltage of 5,5 V or more but not exceeding 6,5 V
Other
Parts
Cathode, in rolls, for air zinc button cell batteries (hearing aid batteries)
Other

Electric accumulators, including separators therefor, whether or not rectangular (including square)
Lead-acid, of a kind used for starting piston engines
Working with liquid electrolyte
For use in civil aircraft
Other
Lead-acid accumulators or -modules, of a kind used for starting piston engines with - a nominal capacity of not more 32 Ah, - a length of not more than 205 mm, - a width of not more than 130 mm and - a height of not more than 190 mm for use in the manufacture of articles of CN-code 8711
Lead acid starter battery, with: - a charge acceptance capacity of 200 % or more of the level of an equivalent conventional flooded battery during the first 5 seconds

of charge, - a liquid electrolyte, for use in the manufacture of passenger cars and light commercial vehicles employing high regenerative alternator controls or start/stop systems with high regenerative alternator controls
Other

Other
For use in civil aircraft
Other

Other lead-acid accumulators
Working with liquid electrolyte
For use in civil aircraft
Other
Other
For use in civil aircraft
Other

Nickel-cadmium
Hermetically sealed
For use in civil aircraft
Cylindrical nickel-cadmium accumulator or module, with a length of 65,3mm (±1,5mm) and a diameter of 14,5mm (±1mm), having a nominal capacity of 1000mAh or more, for use in the manufacture of rechargeable batteries
Other
Other
For use in civil aircraft
Other

Nickel-iron
For use in civil aircraft
Other

Nickel-metal hydride
For use in civil aircraft
Rectangular accumulator or module, with a length of not more than 69 mm, a width of not more than 36 mm and a thickness of not more than 12 mm, for use in the manufacture of rechargeable batteries
Cylindrical nickel-hydride accumulator or module, of a diameter of not more than 14,5mm, for the manufacture of rechargeable batteries
Other

Lithium-ion
For use in civil aircraft
Cylindrical lithium-ion-accumulators or modules with: - a nominal capacity of 8,8 Ah or more, but not more than 18 Ah, - a nominal voltage of 36 V or more, but not more than 48 V, - a power of 300 Wh or more, but not more than 648 Wh, for use in the manufacture of electric bicycles
Lithium-ion starter accumulator, consisting of four rechargeable

lithium-ion secondary cells, with: -|a rated voltage of 12|V, -|a length of 350|mm or more but not more than 355|mm, -|a width of 170|mm or more but not more than 180|mm, -|a height of 180|mm or more but not more than 195|mm, -|weighing 10|kg or more but not more than 15|kg -|a nominal charge of 60|Ah or more, but not more than 80|Ah

Rectangular accumulator or module, with a length of not more than 69|mm, a width of not more than 36|mm and a thickness of not more than 12|mm, for use in the manufacture of rechargeable batteries

Lithium-ion-accumulator or module with: -|a nominal capacity of 72|Ah or more, but not more than 100|Ah, -|a nominal voltage of 3,2|V -|a weight of 1,9|kg more, but not more than 3,4|kg for use in the manufacture of rechargeable hybrid electric vehicle batteries

Rectangular modules for incorporation in lithium-ion rechargeable batteries, with: -|a width of 352,5|mm (± 1|mm) or 367,1|mm| (±1mm) -|a depth of 300|mm (± 2|mm) or 272,6|mm|(± 1|mm) -|a height of 268,9|mm|(± 1,4|mm) or 229,5|mm (± 1mm) -|a weight of 45,9|kg or 46,3|kg -|a rating of 75|Ah and -|a nominal voltage|of 60|V

Lithium-ion cylindrical accumulator with: -|a nominal capacity of 10|Ah or more, but not more than 20|Ah; -|a nominal voltage of 12,8|V (± 0.05) or more, but not more than 15,2|V (± 0,05); -|a power of 128|Wh or more, but not more than 256|Wh, for|use in the manufacture of electric bicycle drives

Cylindrical lithium-ion accumulator or module, with a length of 63mm or more and a diameter of 17,2mm or more, having a nominal capacity of 1200|mAh or more, for use in the manufacture of rechargeable batteries

Lithium-ion accumulator, with: -|a length of 150|mm or more, but not more than 300|mm -|a width of 700|mm or more, but not more than 1|000|mm -|a height of 1|100|mm or more, but not more than 1|500|mm -|a weight of 75|kg or more, but not more than 160|kg -|a nominal capacity not less than 150|Ah and not more than 500|Ah

Lithium-ion accumulator, with: -|a length of 1|200|mm or more, but not more than 2|000|mm -|a width of 800|mm or more, but not more than 1|300|mm -|a height of 2|000|mm or more, but not more than 2|800|mm -|a weight of 1|800|kg or more, but not more than 3|000|kg -|a nominal capacity of 2|800|Ah or more but not more than 7|200|Ah

Lithium-ion accumulators, with -|a thickness of not more than 4,15|mm, -|a width of not more than 245,15|mm, -|a length of not more than 90,15|mm, -|a nominal capacity of 1|000|mAh or more but not more than 10|000|mAh, -|a weight of not more than 250|g for use in the manufacture of products falling within subheading 8471|30|00

Rechargeable Lithium-ion Polymer Battery with: -|a nominal capacity of 1|060|mAh, -|a nominal voltage of 7,4|V (average voltage at 0,2|C discharge), -|a charging voltage of 8,4|V (±0,05), -|a

length of 86,4|mm (±0,1), -|a width of 45|mm (±0,1), -|a height of 11|mm (±0,1), for use in the manufacture of cash registers

Lithium-ion accumulators, with -|a thickness of not more than 4,15|mm, -|a width of not more than 75,15|mm, -|a length of not more than 150,15|mm, -|a nominal capacity of 1|000|mAh or more but not more than 10|000|mAh, -|a weight of not more than 150|g, for use in the manufacture of products falling within subheading 8517|12|00

Modules for the assembly of batteries of ion lithium electric accumulators with: -|a length of|298|mm or more, but not more than 408|mm, -|a width of|33,5|mm or more, but not more than|209|mm, -|a height of|138|mm or more, but not more than|228|mm, -|a weight|of|3,6|kg or more, but not more than 17|kg, and -|a power of|458|Wh or more, but not more than 2|158|Wh

Batteries of lithium-ion electric accumulators or rechargeable module: -|a length of 1|203|mm or more, but not more than 1|297|mm, -|a width of 282|mm or more, but not more than 772|mm, -|a height of 792|mm or more, but not more than 839|mm, -|a weight of 253|kg or more, but not more than 293|kg, -|power of 22|kWh or 26|kWh, and -|constituted of 24|or 48|modules

Lithium-ion accumulator or module in cylindrical form, with: -|a base similar to an ellipse squeezed in the middle, -|a length of|49|mm or more (not including terminals), -|a width of 33,5|mm or more, -|a thickness of 9,9|mm or more, -|a rated capacity of 1,75|Ah or more, and -|a rated voltage of 3,7|V, for the manufacture of rechargeable batteries

Lithium-ion accumulator or module, cuboid in shape, with: -|some of the corners rounded off, -|a length of 76|mm or more (not including terminals), -|a width of 54,5|mm or more, -|a thickness of 5,2|mm or more, -|a rated capacity of 3|100|mAh or more, and -|a rated voltage of 3,7|V, for the manufacture of rechargeable batteries

Lithium-ion rechargeable batteries, with: •a length of 1213mm or more, but not more than 1575mm, •a width of 245mm or more but not more than 1200mm, •a height of 265mm or more, but not more than 755mm, •a weight of 265kg or more but not more than 294kg, •a nominal capacity of 66.6Ah, put up in packs of 48 modules

Cylindrical Lithium Ion Cell with -|3,5|VDC to 3,8|VDC, -|300|mAh to|900|mAh and -|a|diameter of 10,0|mm to 14,5|mm

Lithium-ion rechargeable batteries, with: -|a length of 700|mm or more, but not more than 2|820|mm -|a width of 935|mm or more, but not more than 1|660|mm -|a height of 85|mm or more, but not more than 700|mm -|a weight of 280|kg or more, but not more than 700|kg -|a power of not more than 130|kWh

Rectangular lithium-ion-accumulator, with -|a metal casing, -|a length of 173|mm (±|0,15|mm), -|a width of 21|mm (±|0,1|mm), -|a height of 91|mm (±|0,15|mm), -|a nominal voltage of

3,3|V and, -|a nominal capacity of 21|Ah|or more

Rectangular lithium-ion-accumulator or module, with -|a metal casing, -|a length of 171|mm (±|3|mm), -|a width of 45,5|mm (±|1|mm), -|a height of 115|mm (±|1|mm), -|a nominal voltage of 3,75|V and -|a nominal capacity of 50|Ah for use in the manufacture of rechargeable batteries for motor vehicles

Rectangular modules for incorporation in lithium-ion rechargeable batteries: -|of a length of 312|mm or more, but not more than 350|mm -|of a width of 79,8|mm or more, but not more than 225|mm -|of a height of 35|mm or more, but not more than 168|mm -|of a weight of 3,95|kg or more, but not more than 8,56|Kg -|with a rating of 66,6|Ah or more, but not more than 129|Ah

Other

Other accumulators

For use in civil aircraft

Rechargeable Lithium-ion Polymer Battery with: -|a nominal capacity of 1|060|mAh, -|a nominal voltage of 7,4|V (average voltage at 0,2|C discharge), -|a charging voltage of 8,4|V (±0,05), -|a length of 86,4|mm (±0,1), -|a width of 45|mm (±0,1), -|a height of 11|mm (±0,1), for use in the manufacture of cash registers

Other

Parts

Separators

For use in civil aircraft

Other
Sheet of polypropylene in the form of a roll: -|with a thickness of not more than 30|µm, -|of a width of not more than 210|mm, -|conforming to ASTM|D882,for use in the manufacture of separators for lithium-ion electric vehicle batteries

Other

Other

For use in civil aircraft

Other
Roll of polymer-metal laminate comprising: -|a layer of poly(ethylene terephthalate), -|a layer of aluminium, -|a layer of polypropylene, -|with a width of not more than 275|mm, -|a total thickness of not more than 165|µm, and -|conforming to ASTM|D1701-91|and ASTM|D882-95A for use in the manufacture of lithium-ion electric vehicle batteries

Roll of laminate foil of graphite and copper, with: -|a width of 610|mm or more but not more than 620|mm, and -|a diameter of 690|mm or more but not more than 710|mm,for use in the manufacture of lithium-ion electric vehicle batteries

Cut plate of nickel-plated copper foil, with: •a width of 70 mm (± 5

mm), •a thickness of 0,4 mm (± 0,2 mm), •a length of not more than 55 mm, for use in the manufacture of lithium-ion electric vehicle batteries
Sheet in the form of a roll consisting of a laminate of lithium and manganese bonded to aluminium, with: - a width of 595 mm or more but not more than 605 mm, and - a diameter of 690 mm or more but not more than 710 mm, for use in the manufacture of cathodes for lithium-ion electric vehicle batteries
Other

Vacuum cleaners
With self-contained electric motor
Of a power not exceeding 1 500 W and having a dust bag or other receptacle capacity not exceeding 20 l
Other
Other vacuum cleaners
Parts
Electronic circuit card without separate housing for actuating and controlling vacuum cleaner brushes powered by not more than 300 W
Electronic circuit cards that - are connected by wire or radio frequency to each other and the motor controller card, and - regulate the functioning (switching on or off and suction capacity) of vacuum cleaners according to a stored program, - whether or not fitted with indicators that display the functioning of the vacuum cleaner (suction capacity and/or dust bag full and/or filter full)
Other

Electromechanical domestic appliances, with self-contained electric motor, other than vacuum cleaners of heading 8508
Food grinders and mixers; fruit or vegetable juice extractors
Other appliances
Parts

Shavers, hair clippers and hair-removing appliances, with self-contained electric motor
Shavers
Hair clippers
Hair-removing appliances
Parts

Electrical ignition or starting equipment of a kind used for spark-ignition or compression-ignition internal combustion engines (for example, ignition magnetos, magneto-dynamos, ignition coils, sparking plugs and glow plugs, starter motors); generators (for example, dynamos, alternators) and cut-outs of a kind used in conjunction with such engines
Sparking plugs
For use in civil aircraft

Other
Ignition magnetos; magneto-dynamos; magnetic flywheels
For use in civil aircraft
Other
Distributors; ignition coils
For use in civil aircraft
Igniter integrated coil assembly with: - an igniter, - a coil on plug assembly with an integrated mounting bracket, - a housing, - a length of 90 mm or more but not more than 200 mm (+/- 5 mm), - an operating temperature of -40 °C or more but not more than 130 °C, - a voltage of 10,5 V or more, but not more than 16 V
Other
Starter motors and dual purpose starter-generators
For use in civil aircraft
Other
Other generators
For use in civil aircraft
Other
Other equipment
For use in civil aircraft
Other
Parts
For use in certain types of aircraft
Other

Electrical lighting or signalling equipment (excluding articles of heading 8539), windscreen wipers, defrosters and demisters, of a kind used for cycles or motor vehicles
Lighting or visual signalling equipment of a kind used on bicycles
Other lighting or visual signalling equipment
Information screen displaying at least time, date and status of safety features in a vehicle with an operating voltage of 12 V or more, but not more than 14,4 V, of a kind used in the manufacturing of goods of Chapter 87
Lighting module, containing at least: - two LEDs, - glass or plastic lenses, focusing/scattering the light emitted by the LEDs, - reflectors redirecting the light emitted by the LEDs, in an aluminium housing with a radiator, mounted at a bracket with an actuator
Fog lamp with a galvanised inner surface, containing: - a plastic holder with three or more brackets, - one or more 12 V bulbs, - a connector, - a plastic cover, - whether or not with a connection cable for use in the manufacture of goods of Chapter 87
Other

Sound signalling equipment
Burglar alarms of a kind used for motor vehicles
Other

Horn assembly operating on piezomechanical principle for generating a specific sound signal, with a voltage of 12 V, comprising: - coil, - magnet, - metal membrane, - connector, - holder of a kind used in the manufacture of goods of Chapter 87
Warning buzzer for parking sensor system in a plastic casing operating on the piezo-mechanic principle, containing: - a printed circuit board, - a connector, - whether or not a metal holder of a kind used in the manufacture of goods of chapter 87
Other

Windscreen wipers, defrosters and demisters
Car door mirror heating foil: - with two electrical contacts, - with an adhesive layer on both sides (on the side of the plastic holder of the mirror and on the side of the mirror glass), - with a protective paper film on both sides
Other

Parts
Of apparatus of subheading 8512 30 10
Other

Portable electric lamps designed to function by their own source of energy (for example, dry batteries, accumulators, magnetos), other than lighting equipment of heading 8512
Lamps
Parts

Industrial or laboratory electric furnaces and ovens (including those functioning by induction or dielectric loss); other industrial or laboratory equipment for the heat treatment of materials by induction or dielectric loss
Resistance heated furnaces and ovens
Bakery and biscuit ovens
Other
Glass Filament Melter with heater basket/bushing assembly: - electrically heated, - with opening - with a multiplicity of tips (holes) of platinum/rhodium alloy - used to melt glass batches and condition molten glass - for drawing into continuous fibres
Other

Furnaces and ovens functioning by induction or dielectric loss
Induction furnaces and ovens
Dielectric furnaces and ovens
Cavity assembly comprising at least: - a transformer with an input of not more than 240 V and an output of not more than 3 000 W - an AC or DC fan motor with an output of not more than 42 watts - a housing made of stainless steel - with or without a magnetron of a microwave output power of not more than 900 W for use in the manufacture of built-in products of

headings 8514 2080, 8516 5000 and 8516 6080
Other

Other furnaces and ovens
Of a kind used solely or principally for the manufacture of printed circuits or printed circuit assemblies
Other

Other equipment for the heat treatment of materials by induction or dielectric loss

Parts
Of other furnaces and ovens of a kind used solely or principally for the manufacture of printed circuits or printed circuit assemblies
Other

Electric (including electrically heated gas), laser or other light or photon beam, ultrasonic, electron beam, magnetic pulse or plasma arc soldering, brazing or welding machines and apparatus, whether or not capable of cutting; electric machines and apparatus for hot spraying of metals or cermets

Brazing or soldering machines and apparatus
Soldering irons and guns
Other
Wave soldering machines of a kind used solely or principally for the manufacture of printed circuit assemblies
Other

Machines and apparatus for resistance welding of metal
Fully or partly automatic
Other

Machines and apparatus for arc (including plasma arc) welding of metals
Fully or partly automatic
Other
For manual welding with coated electrodes, complete with welding or cutting devices, and consigned with
Transformers
Generators or rotary converters or static converters, rectifiers or rectifying apparatus
Other

Other machines and apparatus
For treating metals
Other

Parts
Tungsten welding electrodes, including tungsten bars and rods for welding electrodes, containing 94 % or more by weight of tungsten, other than those obtained simply by sintering, whether or not cut to length

Keyboards of silicone or plastic, - whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, - whether or not printed or surface treated, - whether or not with electrical conducting elements - whether or not with keypads foil glued on the keyboard - whether or not with protective foil - single or multilayer
Of wave soldering machines of a kind used solely or principally for the manufacture of printed circuit assemblies
Other

Electric instantaneous or storage water heaters and immersion heaters; electric space-heating apparatus and soil-heating apparatus; electrothermic hairdressing apparatus (for example, hairdryers, hair curlers, curling tong heaters) and hand dryers; electric smoothing irons; other electrothermic appliances of a kind used for domestic purposes; electric heating resistors, other than those of heading|8545

Electric instantaneous or storage water heaters and immersion heaters
Instantaneous water heaters
Other

Electric space-heating apparatus and electric soil-heating apparatus

Storage heating radiators
Other
Liquid-filled radiators
Convection heaters
Other
With built-in fan
Other

Electrothermic hairdressing or hand-drying apparatus

Hairdryers
Other hairdressing apparatus
Hand-drying apparatus

Electric smoothing irons

Microwave ovens
Cavity assembly comprising at least: - a transformer with an input of not more than 240 V and an output of not more than 3 000 W - an AC or DC fan motor with an output of not more than 42 watts - a housing made of stainless steel - with or without a magnetron of a microwave output power of not more than 900 W for use in the manufacture of built-in products of headings 8514 2080, 8516 5000 and 8516 6080
Other

Other ovens; cookers, cooking plates, boiling rings; grillers and roasters

Cookers (incorporating at least an oven and a hob)
Cooking plates, boiling rings and hobs
Grillers and roasters
Ovens for building in

Cavity assembly comprising at least: - a transformer with an input of not more than 240 V and an output of not more than 3 000 W - an AC or DC fan motor with an output of not more than 42 watts - a housing made of stainless steel - with or without a magnetron of a microwave output power of not more than 900 W for use in the manufacture of built-in products of headings 8514 2080, 8516 5000 and 8516 6080
Other

Other

Other electrothermic appliances

Coffee or tea makers

Toasters

Other
Deep fat fryers
Other
Ironing boards, including sleeve boards, whether or not free standing, with a steam soaking and/or heating top and/or blowing top
Other

Electric heating resistors

Assembled with an insulated former
Assembled only with a simple insulated former and electrical connections, used for anti-icing or de-icing, for use in civil aircraft
Car door mirror heating foil: - with two electrical contacts, - with an adhesive layer on both sides (on the side of the plastic holder of the mirror and on the side of the mirror glass), - with a protective paper film on both sides
Other

Other

Parts

For heating aircraft and wing surfaces, mounted on propeller aeroplanes, and for use in certain types of aircraft

Other
Legs, tops and iron rests of ironing boards, including of sleeve boards, whether or not free standing, with a steam soaking and/or heating top and/or blowing top
Ventilation sub-assembly of an electric deep-fat fryer: - fitted with a motor having a power rating of 8 W at 4 600 rpm, - governed by an electronic circuit, - operating at ambient temperatures above 110°C, - fitted with a thermoregulator
Inner pot - containing side and central openings, - of annealed aluminium, - with a ceramic coating, heat resistant to more than 200° C for use in the manufacture of an electric fryer
Door assembly incorporating a capacitive sealing element and wavelength choke for use in the manufacture of built-in products of

headings 8514 2080, 8516 5000 and 8516 6080
Other

Telephone sets, including telephones for cellular networks or for other wireless networks; other apparatus for the transmission or reception of voice, images or other data, including apparatus for communication in a wired or wireless network (such as a local or wide area network), other than transmission or reception apparatus of heading|8443, 8525, 8527|or 8528

Telephone sets, including telephones for cellular networks or for other wireless networks
Line telephone sets with cordless handsets
Telephones for cellular networks or for other wireless networks
Radio-telegraphic or radio-telephonic apparatus, for use in civil aircraft
Other
Other

Other apparatus for the transmission or reception of voice, images or other data, including apparatus for communication in a wired or wireless network (such as a local or wide area network)
Base stations
Radio-telegraphic or radio-telephonic apparatus, for use in civil aircraft
Other
Machines for the reception, conversion and transmission or regeneration of voice, images or other data, including switching and routing apparatus
Radio-telegraphic or radio-telephonic apparatus, for use in civil aircraft
Other

Other
Videophones
Entry-phone systems
Reception apparatus for radio-telephony or radio-telegraphy
Portable receivers for calling, alerting or paging
For radio-telephony or radio-telegraphy, for use in civil aircraft
Other
Other
For radio-telephony or radio-telegraphy, for use in civil aircraft
Other
Other
Radio-telegraphic or radio-telephonic apparatus, for use in civil aircraft
Other

Parts
Aerials and aerial reflectors of all kinds; parts suitable for use therewith
Aerials for radio-telegraphic or radio-telephonic apparatus
For use in civil aircraft
Other
Telescopic and whip-type aerials for portable apparatus or for apparatus for fitting in motor vehicles
For use in civil aircraft
Other
Other
For use in civil aircraft
Other
Other

Microphones and stands therefor; loudspeakers, whether or not mounted in their enclosures; headphones and earphones, whether or not combined with a microphone, and sets consisting of a microphone and one or more loudspeakers; audio-frequency electric amplifiers; electric sound amplifier sets
Microphones and stands therefor
Microphones having a frequency range of 300 Hz to 3,4 kHz, of a diameter not exceeding 10 mm and a height not exceeding 3 mm, of a kind used for telecommunications
For use in civil aircraft
Other
Other
For use in civil aircraft
Other

Loudspeakers, whether or not mounted in their enclosures
Single loudspeakers, mounted in their enclosures
For use in civil aircraft
Loudspeaker of - impedance 4 Ohm or more but not exceeding 16 Ohm, - nominal power of 2 W or more but not exceeding 20 W, - with or without plastic bracket, and - electricwired with a connector or wireless, mounted on a cabinet for use in the manufacture of TV sets and video monitors
Other
Multiple loudspeakers, mounted in the same enclosure
For use in civil aircraft
Other
Other
Loudspeakers having a frequency range of 300 Hz to 3,4 kHz, of a diameter not exceeding 50 mm, of a kind used for telecommunications
For use in civil aircraft
Other

Other
For use in civil aircraft
Other
Loudspeakers of: - an impedance of 3 Ohm or more, but not more than 16 Ohm, - a nominal power of 2 W or more, but not more than 20 W, - with or without plastic bracket, and - with or without electric cable fitted with connectors, of a kind used for TV sets and video monitors manufacture as well as home entertainment systems
Other

Headphones and earphones, whether or not combined with a microphone, and sets consisting of a microphone and one or more loudspeakers
Line telephone handsets
Other
For use in civil aircraft
Headphone and earphone for hearing aids, contained in a housing the exterior dimensions of which, excluding connecting points, do not exceed 5 mm x ! 6 mm x ! 8 mm
Other

Audio-frequency electric amplifiers
Telephonic and measurement amplifiers
Other
For use in civil aircraft
Other
Circuit board sub-assembly, comprising digital audio signal decoding, audio signal processing and amplification with dual and/or multi-channel functionality
Circuit board sub-assembly, comprising power supply, active equalizer and power amplifier circuits
Other

Electric sound amplifier sets
For use in civil aircraft
Other

Parts
For use in certain types of aircraft
Other
Magnet system consisting of : - a steel coreplate, in the form of a disk on one side provided with a cylinder - a neodymium magnet - an upper plate - a lower plate of a kind used in car loudspeakers
Loudspeaker cone, made from paper pulp or polypropylene, with accompanying dustcaps, of a kind used in car loudspeakers

Diaphragm for an electrodynamic speaker with - an outside diameter of 25 mm or more but not more than 250 mm, - a resonance frequency of 20 Hz or more but not more than 150 Hz, - a total height of 5 mm or more but not more than 50 mm, - an edge thickness of 0,1 mm or more but not more than 3 mm
Upper plate for a loudspeaker magnet system of integrally punched, stamped and plated steel, in the shape of a disk, whether or not containing a hole in the centre, of a kind used in car loudspeakers
Integrated car loudspeaker housing, consisting of: - a speaker frame and magnet system holder with a protective coating and - an embossed anti-dust cloth
Integrally cold-upsetted steel coreplate, in the form of a disk on one side provided with a cylinder, for use in the manufacture of loudspeakers
Other

Sound recording or sound reproducing apparatus
Apparatus operated by coins, banknotes, bank cards, tokens or by other means of payment
Coin- or disc-operated record-players
Other
With laser reading system
Other
Music reproducers and automatic announcers, for use in certain types of aircraft
Other

Turntables (record-decks)
Telephone answering machines

Other apparatus
Using magnetic, optical or semiconductor media
Sound reproducing apparatus (including cassette-players), not incorporating a sound recording device
Transcribing machines
Other sound reproducing apparatus
Pocket-size cassette-players
Other, cassette-type
With an analogue and digital reading system
Music reproducers and automatic announcers, for use in certain types of aircraft
Other
Other
Music reproducers and automatic announcers, for use in certain types of aircraft
Other

Other
With laser reading system
Of a kind used in motor vehicles, of a type using discs of a diameter not exceeding 6,5 cm
Other
Other
Music reproducers and automatic announcers, for use in certain types of aircraft
Other

Other apparatus
Dictating machines not capable of operating without an external source of power
Other magnetic tape recorders incorporating sound reproducing apparatus
Cassette-type
With built-in amplifier and one or more built-in loudspeakers
Capable of operating without an external source of power
Other
Pocket-size recorders
Other
Other
Using magnetic tapes on reels, allowing sound recording or reproduction either at a single speed of 19 cm per second or at several speeds if those comprise only 19 cm per second and lower speeds
Other
Other
For use in civil aircraft
Other

Other
Sound reproducing apparatus, not incorporating a sound recording device
Record-players, other than those of subheading 8519 20
Transcribing machines
Other
Music reproducers and automatic announcers, for use in certain types of aircraft
Other
Other
For use in civil aircraft
Other

Video recording or reproducing apparatus, whether or not incorporating a video tuner
Magnetic tape-type
Using tape of a width not exceeding 1,3 cm and allowing recording or reproduction at a tape speed not exceeding 50 mm per second
For use in civil aircraft
Other
Other
For use in civil aircraft
Other
Other
Video-reproducing apparatus, for certain types of aircraft
Digital video recorder: - without a hard disk drive, - with or without a DVD-RW drive, - with either motion detection or capability of motion detection through IP connectivity via LAN connector - with or without a USB serial port, for use in the manufacture of Closed-circuit television (CCTV) surveillance systems
Other

Parts and accessories suitable for use solely or principally with the apparatus of heading 8519 or 8521
Pick-up cartridges
Other
Styli; diamonds, sapphires and other precious or semi-precious stones (natural, synthetic or reconstructed) for styli, whether or not mounted
Other
Electronic assemblies
Of apparatus of subheading 8519 50 00
Other
Assemblies and sub-assemblies consisting of two or more parts or pieces fastened or joined together, for apparatus of subheadings 8519 81 95 and 8519 89 90, for use in civil aircraft
For cockpit voice-recorders for use in certain types of aircraft
Parts and accesories for music reproducers and automatic announcers, for use in certain types of aircraft
Electronic assembly for a laser read-head of a compact disc player, comprising: - a printed circuit, - a photo-detector, in the form of a monolithic integrated circuit, contained in a housing, - not more than 3 connectors, - not more than 1 transistor, - not more than 3 variable and 4 fixed resistors, - not more than 5 capacitors, the whole mounted on a support
Printed circuit board assembly comprising: - a radio tuner (capable of receiving and decoding radio signals and transmitting those signals within the assembly) without

signal processing capabilities, - a microprocessor capable of receiving remote control messages and controlling the tuner chipset, for use in the manufacture of home entertainment systems
Printed circuit board subassembly, comprising: - a radio tuner, capable of receiving and decoding radio signals and transmitting those signals within the assembly, with a signal decoder, - a radio frequency (RF) remote control receiver, - an infrared remote control signal transmitter, - a SCART signal generator - a TV state sensor for use in the manufacture of home entertainment systems
Assembly, comprising at least a flexible printed circuit, a laser driver integrated circuit and a signal converter integrated circuit
Other

Single cassette-deck assemblies with a total thickness not exceeding 53 mm, of a kind used in the manufacture of sound recording and reproducing apparatus
--

Other
Assemblies and sub-assemblies consisting of two or more parts or pieces fastened or joined together, for apparatus of subheadings 8519 81 95 and 8519 89 90, for use in civil aircraft
For cockpit voice-recorders for use in certain types of aircraft
Heat sinks and cooling fins of aluminium, for maintaining the operating temperature of transistors and/or integrated circuits in products of heading 8521
Parts and accessories for music reproducers and automatic announcers, for use in certain types of aircraft
Holder, fixing item or internal stiffener of metal, for use in the manufacture of televisions, monitors and video players
Assembly for optical discs, comprising at least an optical unit and DC motors, capable or not of double layer recording
Video tape recording/reproducing assembly comprising at least a motor and a printed circuit board containing integrated circuits with driver or control functions, whether or not incorporating a transformer, for use in the manufacture of products falling within heading 8521
Optical reading head for CD player, consisting of one laser diode, one photo detector integrated circuit and one beam splitter
Laser optical drive unit assembly (so called mecha units) for the recording and/or reproduction of

digital video and/or audio signals, comprising at least a laser optical reading and/or writing unit, one or more DC motors and not containing a printed circuit board or containing a printed circuit board not capable of signal processing for sounds and images, for use in the manufacture of products falling within headings 8519, 8521, 8526, 8527, 8528 or 8543

Laser optical pick up unit for the reproduction of optical signals from CD or DVD and the recording of optical signal on DVD, comprising at least - a laser diode, - a laser driver integrated circuit, - a photo detector integrated circuit, - a front monitor integrated circuit and an actuator, for use in the manufacture of products falling within heading 8521

Blu-ray optical pick-up unit, whether or not recordable, for use with Blu-ray, DVD and CD discs, comprising at least: - laser diodes operating at three different wavelengths, - a photo detector integrated circuit and - an actuator, for the manufacture of products falling within heading 8521
--

Blu-ray drive mechanism, whether or not recordable, for use with Blu-ray, DVD and CD discs, comprising at least: - an optical pick up unit with laser diodes operating at three different wavelengths, - a spindle motor, - a stepping motor
--

Video head drum, with video heads or with video and audio heads and an electric motor, for use in the manufacture of products falling within heading 8521

Light-Emitting Diode (LED) backlights modules, which are lighting sources that consist of one or more LEDs, and one or more connectors and are mounted on a printed circuit or other similar substrate, and other passive components, whether or not combined with optical components or protectiv diodes, and used as backlights illumination for liquid crystal displays (LCDs)

Hard disk drive, for incorporation in products of heading 8521
--

Tuner transforming high-frequency signals into mid-frequency signals, for use in the manufacture of products falling under heading 8521
Other

Discs, tapes, solid-state non-volatile storage devices, 'smart cards' and other media for the recording of sound or of other phenomena, whether or not recorded, including matrices and masters for the production of discs, but excluding products of Chapter 37

Magnetic media
Cards incorporating a magnetic stripe

Other
Magnetic tapes; magnetic discs
Unrecorded
Other
For reproducing phenomena other than sound or image
For reproducing representations of instructions, data, sound, and image recorded in a machine-readable binary form, and capable of being manipulated or providing interactivity to a user, by means of an automatic data-processing machine
Other
Other

Optical media
Unrecorded
Discs for laser reading systems of a recording capacity not exceeding 900 megabytes, other than erasable
Discs for laser reading systems of a recording capacity exceeding 900 megabytes but not exceeding 18 gigabytes, other than erasable
Other

Other
Discs for laser reading systems
For reproducing phenomena other than sound or image
For reproducing sound only
Of a diameter not exceeding 6,5 cm
Of a diameter exceeding 6,5 cm
Other
For reproducing representations of instructions, data, sound, and image recorded in a machine-readable binary form, and capable of being manipulated or providing interactivity to a user, by means of an automatic data-processing machine
Other
Digital versatile discs (DVD)
Other

Other
For reproducing phenomena other than sound or image
For reproducing representations of instructions, data, sound, and image recorded in a machine-readable binary form, and capable of being manipulated or providing interactivity to a user, by means of an automatic data-processing machine
Other

Semiconductor media
Solid-state non-volatile storage devices

Unrecorded
Other
For reproducing phenomena other than sound or image
For reproducing representations of instructions, data, sound, and image recorded in a machine-readable binary form, and capable of being manipulated or providing interactivity to a user, by means of an automatic data-processing machine
Other
SD memory card with non-upgradable set of uploaded maps for incorporation into car navigation units
Other
'Smart cards'
With two or more electronic integrated circuits
Engine pressure indicators, for use in certain types of aircraft
Other
Other
Other
Unrecorded
Other
For reproducing phenomena other than sound or image
For reproducing representations of instructions, data, sound, and image recorded in a machine-readable binary form, and capable of being manipulated or providing interactivity to a user, by means of an automatic data-processing machine
Other
Other
Other
Unrecorded
Other
For reproducing phenomena other than sound or image
For reproducing representations of instructions, data, sound, and image recorded in a machine-readable binary form, and capable of being manipulated or providing interactivity to a user, by means of an automatic data-processing machine
Other
Other
Transmission apparatus for radio-broadcasting or television, whether or not incorporating reception apparatus or sound recording or reproducing apparatus; television cameras, digital cameras and video camera recorders
Transmission apparatus
Transmission apparatus incorporating reception apparatus
Television cameras, digital cameras and video camera recorders

Television cameras
With three or more camera tubes
Other
Assembly for television cameras of dimensions of not more than 10 mm !x !15 mm !x !18 mm, comprising an image sensor, an objective and a color processor, having an image resolution of not more than 1024 !x !1280 pixels, whether or not fitted with cable and/or housing, for the manufacture of goods of subheading 8517 12 00
Camera: - of a weight of not more than 5,9 kg, - without a housing, - of dimensions of not more than 405 mm !x !315 mm, - with a single Charge-Couple-Device (CCD) or Complementary Metal Oxide Semiconductor (CMOS) sensor, - with effective pixels of not more than 5 megapixels, for use in closed circuit television (CCTV) surveillance systems or in appliances for eye-checks
Assembly for cameras used in computer notebooks of dimensions not exceeding 15 x 25 x 25 mm, comprising an image sensor, an objective and a color processor, having an image resolution not exceeding 1600 x 1200 pixel, whether or not fitted with cable and/or housing, whether or not mounted on a base and containing a LED chip
Camera module with a resolution of 1 280 * 720 P HD, with two microphones, for use in the manufacture of products of heading 8528
Remote camera head, whether or not contained in a housing - with dimensions (without cable socket) of not more than 27 x 30 x 38,5 mm (widthxheightxlength), - with three MOS imaging sensors with two or more effective megapixels per sensor and a prism block for distribution of the RGB spectrum colours to the three sensors, - with a C-Mount lens mount, - with a weight of not more than 70 g, - with an LVDS digital video output, - with a permanent EEPROM memory for local storage of calibration data for colour rendering and defective pixel compensation for use in the manufacture of miniaturised industrial camera systems
Camera module with a resolution of 1 920 x 1 080 P HD with two microphones for use in the manufacture of products falling within heading 8528
Image scanning cameras, using: - a "Dynamic"- or "Static overlay lines" system, - an output NTSC video signal, - a voltage of 6,5 V or more, - an illuminance of 0,5 lux or more
Cameras using MIPI electrical interface with: - an image sensor, - an objective (lens), - a colour processor, - a flexible printed circuit board or a printed circuit board, - whether or not capable of receiving audio signals, - a

module dimension of not more than 15mm x 15mm x 15mm , - a resolution of 2 mega pixel or more (1616*1232 pixels and higher), - whether or not wired, and - a housing for use in the manufacture of products falling within subheading 8517 12 00 or 8471 30 00
Long wavelength infrared camera (LWIR camera) (according to ISO/TS 16949), with: - a sensitivity in the wavelength area of 7,5 µm or more, but not more than 17 µm, - a resolution of up to 640 !x !512 pixels, - a weight of not more than 400 g, - measurements of not more than 70 mm !x !86 mm !x !82 mm, - whether or not in a housing - with automotive-qualified plug and - a deviation of the output signal over the entire work temperature range of not more than 20 %
Other
Digital cameras
Video camera recorders
Only able to record sound and images taken by the television camera
Camera: - of a weight of not more than 5,9 kg, - without a housing, - of dimensions of not more than 405 mm !x !315 mm, - with a single Charge-Couple-Device (CCD) or Complementary Metal Oxide Semiconductor (CMOS) sensor, - with effective pixels of not more than 5 megapixels, for use in closed circuit television (CCTV) surveillance systems or in appliances for eye-checks
Other
Other
Radar apparatus, radio navigational aid apparatus and radio remote control apparatus
Radar apparatus
For use in civil aircraft
Other
Other
Radio navigational aid apparatus
Radio navigational receivers
For use in civil aircraft
Assembly for GPS system having a position determination function, without display, and a weight of not more than 2 500 g
Integrated audio module (IAM) with a digital video output for connection to an LCD touch screen monitor, interfaced over the Media Oriented Systems Transport (MOST) network and transported over the MOST High protocol, with or without - a printed circuit board (PCB) containing a Global Positioning System (GPS) receiver, a gyroscope, and a Traffic Message Channel (TMC) tuner, - a hard disk drive supporting multiple maps, - a HD radio, - a voice recognition

system, - a CD and DVD drive, and including - Bluetooth, MP3 and USB input connectivity, - a voltage of 10 V or more but not more than 16 V, for the use in the manufacture of vehicles in Chapter 87
Other
Other
For use in civil aircraft
Other
Radio remote control apparatus
For use in civil aircraft
Other

Reception apparatus for radio-broadcasting, whether or not combined, in the same housing, with sound recording or reproducing apparatus or a clock
Radio-broadcast receivers capable of operating without an external source of power
Pocket-size radio cassette players
With an analogue and digital reading system
Other
Other apparatus combined with sound recording or reproducing apparatus
With laser reading system
Other
Of the cassette-type with an analogue and digital reading system
Other
Other

Radio-broadcast receivers not capable of operating without an external source of power, of a kind used in motor vehicles
Combined with sound recording or reproducing apparatus
Capable of receiving and decoding digital radio data system signals
With laser reading system
Other
Of the cassette-type with an analogue and digital reading system
Other
Other
With laser reading system
Other
Of the cassette-type with an analogue and digital reading system
Other
Other
Integrated audio module (IAM) with a digital video output for connection to an LCD touch screen monitor, interfaced over the Media Oriented

Systems Transport (MOST) network and transported over the MOST High protocol, with or without - a printed circuit board (PCB) containing a Global Positioning System (GPS) receiver, a gyroscope, and a Traffic Message Channel (TMC) tuner, - a hard disk drive supporting multiple maps, - a HD radio, - a voice recognition system, - a CD and DVD drive, and including - Bluetooth, MP3 and USB input connectivity, - a voltage of 10 V or more but not more than 16 V, for the use in the manufacture of vehicles in Chapter 87
Other

Other
Combined with sound recording or reproducing apparatus
Within the same housing one or more loudspeakers
Of the cassette-type with an analogue and digital reading system
Other
Other
With laser reading system
Other
Of the cassette-type with an analogue and digital reading system
Other
Assembly consisting of at least: - an audio frequency amplifier unit, comprising at least an audio frequency amplifier and a sound generator, - a transformer and - a radio broadcast receiver for use in the manufacture of consumer electronic products
Other

Not combined with sound recording or reproducing apparatus but combined with a clock
Alarm clock radios
Other

Other
Printed circuit board assembly comprising: - a radio tuner (capable of receiving and decoding radio signals and transmitting those signals within the assembly) without signal processing capabilities, - a microprocessor capable of receiving remote control messages and controlling the tuner chipset, for use in the manufacture of home entertainment systems
Printed circuit board subassembly, comprising: - a radio tuner, capable of receiving and decoding radio signals and transmitting those signals within the assembly, with a signal decoder, - a radio frequency (RF) remote control receiver, - an infrared remote control signal transmitter, - a SCART signal generator - a TV state sensor for

in the manufacture of home entertainment systems
Other

Monitors and projectors, not incorporating television reception apparatus; reception apparatus for television, whether or not incorporating radio-broadcast receivers or sound or video recording or reproducing apparatus
Cathode-ray tube monitors
Of a kind solely or principally used in an automatic data-processing system of heading 8471
For use in civil aircraft
Other
Other
Monochrome
Video monitor comprising: - a flat screen monochrome cathode-ray tube with a diagonal measurement of the screen of not more than 110 mm and equipped with a deflector yoke, and - a printed circuit on which are mounted a deflection unit, a video-amplifier and a transformer, the whole mounted or not on a chassis, for the manufacture of video entry-phones, video telephones or surveillance apparatus
Other
Colour

Other monitors
Of a kind solely or principally used in an automatic data-processing system of heading 8471
For use in civil aircraft
Other
Other
Flat panel displays able to display signals from automatic data-processing machines with an acceptable level of functionality
Monochrome
Colour
With a screen of the liquid crystal display (LCD) technology
Other

Other
Liquid crystal display colour video monitors, excluding those combined with other apparatus, having a DC input voltage of 7 V or more but not more than 30 V, with a diagonal measurement of the screen of 33,2 cm or less, - without a housing, with back cover and mounting frame, - or with a housing, used for permanent incorporation or permanent mounting, during industrial assembly, into goods of Chapters 84 to 90 and 94
Liquid crystal display colour video monitor assembly mounted

on a frame, -[excluding those combined with other apparatus, -[comprising touch screen facilities, a printed circuit board with drive circuitry and power supply, used for permanent incorporation or permanent mounting into entertainment systems for vehicles
Other

Projectors
Of a kind solely or principally used in an automatic data-processing system of heading[8471
For use in civil aircraft
Other

Other
Operating by means of flat panel display (for example, a liquid crystal device), capable of displaying digital information generated by an automatic data-processing machine
Other
Monochrome
Colour
Video projector consisting of three cathode-ray tubes each with a lens, for use in certain types of aircraft
Other

Reception apparatus for television, whether or not incorporating radio-broadcast receivers or sound or video recording or reproducing apparatus
Not designed to incorporate a video display or screen
Video tuners
Electronic assemblies for incorporation into automatic data-processing machines
Apparatus with a microprocessor-based device incorporating a modem for gaining access to the Internet, and having a function of interactive information exchange, capable of receiving television signals (so-called 'set-top boxes which have a communication function', including those incorporating a device performing a recording or reproducing function, provided that they retain the essential character of a set top box which has a communication function)
Other

Other
Apparatus with a microprocessor-based device incorporating a modem for gaining access to the Internet, and having a function of interactive information exchange, capable of receiving television signals (so-called 'set-top boxes which have a communication function', including those incorporating a device performing a recording or reproducing function, provided that they retain the essential

character of a set top box which has a communication function)
Other

Other, colour
Television projection equipment
Apparatus incorporating a video recorder or reproducer
Other
With integral tube
With a screen of the liquid crystal display (LCD) technology
With a screen of the plasma display panel (PDP) technology
Other

Other, monochrome

Parts suitable for use solely or principally with the apparatus of headings[8525]to 8528
Aerials and aerial reflectors of all kinds; parts suitable for use therewith
Aerials
Telescopic and whip-type aerials for portable apparatus or for apparatus for fitting in motor vehicles
Outside aerials for radio or television broadcast receivers
For reception via satellite
Other
Inside aerials for radio or television broadcast receivers, including built-in types
For use in civil aircraft
Other
Other
For use in civil aircraft
Other

Aerial filters and separators
For use in civil aircraft
Ceramic filter package comprising 2 ceramic filters and 1 ceramic resonator for a frequency of 10,7 MHz (±30 kHz), contained in a housing
Ceramic filter for a centre frequency of 450 kHz (±1,5 kHz) or 455 kHz (±1,5 kHz), with a bandwidth of not more than 30 kHz at 6 dB and not more than 70 kHz at 40 dB, contained in a housing
Filters, excluding surface acoustic wave filters, for a center frequency of 485 MHz or more but not more than 1 990 MHz with an insertion loss of not more than 3,5 dB, contained in a housing
Ceramic filters -[with an applicable frequency range of 10 kHz or more but no more than 100 MHz -[with a housing of ceramic plates provided with electrodes of a kind used in electrical-mechanical transducer or resonator in audio visual and communication equipment

Other

Other
For use in civil aircraft
Other

Other
Parts of apparatus of subheadings[8525 60 00, 8525 80 30, 8528 41 00, 8528 51 00 and 8528 61 00

Other
Cabinets and cases
Of wood
Of other materials

Electronic assemblies
Assemblies and sub-assemblies consisting of two or more parts or pieces fastened or joined together, for apparatus of heading[8526, for use in civil aircraft

Electronic assembly comprising at least -[a printed circuit -[processors for multi-media applications and video signal processing -[FPGA (Field Programmable Gate Array) -[Flash memory -[operating memory -[HDMI, VGA, USB and RJ-45 interfaces -[sockets and plugs for connecting a LCD-monitor, a LED lighting and a control panel

Of other transmitter-receivers excluding VHF radio communication transmitter-receivers complying with standard ARINC[566 A, and on-board intercommunication systems complying with standard ARINC[306 or 412!1!- of receivers excluding radio-broadcasting or television apparatus and receivers for selective calling equipment (SELCAL) complying with standard ARINC[531 or 596!1!- Other, excluding receivers for OMEGA radio navigation systems complying with standard ARINC[580 or 599

Printed circuit board assembly comprising: -[a radio tuner (capable of receiving and decoding radio signals and transmitting those signals within the assembly) without signal processing capabilities, -[a microprocessor capable of receiving remote control messages and controlling the tuner chipset, for use in the manufacture of home entertainment systems

Parts of TV-apparatus, having micro-processor and video-processor functions, comprising at least a micro-controller and a video-processor, mounted on a leadframe and contained in a plastic housing
--

Printed circuit board subassembly, comprising: -[a radio tuner, capable of receiving and decoding radio signals and transmitting those signals within the assembly,[with a signal decoder, -[a radio frequency [(RF) remote control receiver, -[an
--

infrared remote control signal transmitter, - a SCART signal generator - a TV state sensor for use in the manufacture of home entertainment systems	Assemblies and sub-assemblies consisting of two or more parts or pieces fastened or joined together, for apparatus of heading 8526, for use in civil aircraft	transistors and integrated circuits, for use in the manufacture of products falling within heading 8527 or 8528
Satellite radio receiver module transforming satellite high frequency signals to digital audio coded signal, for use in the manufacture of products falling within heading 8527	LCD modules, not combined with touch screen facilities, solely consisting of: - one or more TFT glass or plastic cells, - a die cast heat sink, - a backlight unit, - one printed circuit board with micro controller, and - LVDS (Low Voltage Differential Signalling) interface, for use in the manufacture of radios for motor vehicles	Plasma display module incorporating only address and display electrodes, with or without driver and/or control electronics for pixel address only and with or without a power supply
Tuner transforming high-frequency signals into mid-frequency signals, for use in the manufacture of products falling under heading 8528	Holder, fixing item or internal stiffener of metal, for use in the manufacture of televisions, monitors and video players	Integrated circuit package with TV reception functionality containing a channel decoder die, tuner die, power management die, GSM filters and discrete as well as embedded passive circuit elements for reception of digitally broadcasting videosignals of DVB-T and DVB-H formats
Printed circuit board for distributing supply voltage and control signals directly to a control circuit on a TFT glass panel of a LCD module	Optical unit for video projection, comprising a colour separation system, a positioning mechanism and lenses, for use in the manufacture of products falling within heading 8528	Area image sensors ("progressive scan" Interline CCD-Sensor or CMOS-Sensor) for digital video cameras in the form of analogue or digital, monolithic integrated circuit with pixels of not more than 12 µm x! 12 µm in monochromic version with microlenses applied to each individual pixel (microlens array) or in polychromic version with a colour filter, whether or not with a lenslet (micro lens) array with one lenslet mounted on each individual pixel
Unit driver consisting of an electronic integrated circuit and a flexible printed circuit, for use in the manufacture of LCD modules	LCD modules with: - a diagonal measurement of the screen of 14,5 cm or more but not more than 25,5 cm, - a LED backlight, - a printed circuit board with EPROM, microcontroller, timing controller, LIN bus driver module and other active and passive components, - an 8 pin plug for power supply and 4- pin LVDS interface, - whether or not in a housing, for permanent incorporation or permanent mounting into motor vehicles of chapter 87	AC socket with a noise filter, composed of: - AC socket (for power cord connection) of 230 V, - integrated noise filter composed of capacitors and inductors, - cable connector for connecting an AC socket with the PDP (Plasma display panel) power supply unit, whether or not equipped with a metal support, which joins the AC socket to the PDP TV set
Modules comprising at least semiconductor chips for: •the generation of driving signals for pixel addressing, or •driving addressing pixels	LCD module with: - a diagonal measurement of the screen of 14,5 cm or more but not more than 20,3 cm, - or without a touch screen, - an LED backlight, - a printed circuit board with EEPROM, microcontroller, LVDS receiver and other active and passive components, - a 12 pin plug for power supply and CAN and LVDS interfaces, - in a housing with monitor and other control functions, suitable for installation in motor vehicles of chapter 87	Colour LCD display panel for LCD monitors of heading 8528: •with a diagonal measurement of the screen of 14,48 cm or more but not more than 31,24 cm, •with backlight, micro-controller, •with a CAN (Controller area network)-controller with LVDS (Low-voltage differential signalling) interface and CAN/power supply socket or with an APIX (Automotive Pixel Link) controller with APIX interface, •in a housing with or without a heat sink at the back of the housing, •without a signal-processing module, for use in the manufacture of vehicles of chapter 87
Tuner transforming high-frequency signals into digital signal, for use in the manufacture of products falling under heading 8527	Fastening and covering ledges of aluminium alloy containing: - silicon and magnesium, - with a length of 300 mm or more but not more than 2 200 mm, specifically shaped for use in the manufacture of TV sets	OLED modules, consisting of one or more TFT glass or plastic cells, containing organic material, not combined with touch screen facilities and one or more printed circuit boards with control electronics for pixel addressing, of a kind used in the manufacture of TV sets and monitors
Assembly consisting of at least: - an audio frequency amplifier unit, comprising at least an audio frequency amplifier and a sound generator, - a transformer and - a radio broadcast receiver for use in the manufacture of consumer electronic products	Assembly comprising prisms, digital micromirror device (DMD) chips and electronic control circuits, for the manufacture of television projection equipments or video projectors	OLED display consisting of: - the organic layer with organic
Other	Digital micromirror device (DMD)-chips, for use in the manufacture of video projectors	
Other	Aluminium heat sinks and cooling fins, for maintaining the operating temperature of	
For television cameras of subheadings 8525 80 11 and 8525 80 19 and apparatus of headings 8527 and 8528		
Of other transmitter-receivers excluding VHF radio communication transmitter-receivers complying with standard ARINC 566 A, and on-board intercommunication systems complying with standard ARINC 306 or 412!1!- of receivers excluding radio-broadcasting or television apparatus and receivers for selective calling equipment (SELCAL) complying with standard ARINC 531 or 596!1!- Other, excluding receivers for OMEGA radio navigation systems complying with standard ARINC 580 or 599		
LCD modules, - solely consisting of one or more TFT glass or plastic cells, - not combined with touch screen facilities, - with one or more printed circuits boards with control electronics for pixel addressing only, - with or without backlight unit and - with or without inverters		

LEDs, -[two conductive layers on electron transfer and electron holes, -[layers of transistors (TFT) with| resolution of a 1920|x 1080 - [anode and cathode for power supply of organic diodes, - [RGB filter, -[glass or plastic protective layer, -[without the electronics for pixel addressing, for use in the manufacture of goods of headings 8528

Rectangular fastening and covering frame: -[of an aluminium alloy containing silicon and magnesium, -[with a length of 500|mm or more but not more than 2|200|mm, -[with a width of 300|mm or more but not more than 1|500|mm, of a kind used for the production of TV sets

Printed circuit board with LED diodes: - whether or not equipped with prisms/lens, and - whether or not fitted with connector(s) for the manufacture of backlight units for goods of heading|8528

Colour LCD module in a housing: -[with a diagonal screen measurement of 14.48|cm or more but not more than 26|cm, -[without touch screen, -[with a backlight and micro-controller, -[with a CAN (Controller Area Network) controller, an LVDS (Low-Voltage Differential Signalling) interface and a CAN/power connector, -[without a signal processing module, -[with control electronics for pixel addressing only, -[with a motorised mechanism for moving the display screen, for permanent installation in vehicles of Chapter 87

Light-Emitting Diode (LED) backlights modules, which are lighting sources that consist of one or more LEDs, and one or more connectors and are mounted on a printed circuit or other similar substrate, and other passive components, whether or not combined with optical components or protective diodes, and used as backlights illumination for liquid crystal displays (LCDs)

Other

Other
Assemblies and sub-assemblies consisting of two or more parts or pieces fastened or joined together, for apparatus of heading|8526, for use in civil aircraft

Of other transmitter-receivers excluding VHF radio communication transmitter-receivers complying with standard ARINC|566|A, and on-board intercommunication systems complying with standard ARINC|306 or 412!1!- of receivers excluding radio-broadcasting or television apparatus and receivers for selective calling equipment

(SELCAL) complying with standard ARINC|531 or 596!1!- Other, excluding receivers for OMEGA radio navigation systems complying with standard ARINC|580 or 599

Light-Emitting Diode (LED) backlights modules, which are lighting sources that consist of one or more LEDs, and one or more connectors and are mounted on a printed circuit or other similar substrate, and other passive components, whether or not combined with optical components or protective diodes, and used as backlights illumination for liquid crystal displays (LCDs)

Organic light emitting diode modules and organic light emitting diode panels for the apparatus of subheadings 8528 72 or 8528 73

Other

Electrical signalling, safety or traffic control equipment for railways, tramways, roads, inland waterways, parking facilities, port installations or airfields (other than those of heading|8608)

Equipment for railways or tramways
Other equipment
Parts

Electric sound or visual signalling apparatus (for example, bells, sirens, indicator panels, burglar or fire alarms), other than those of heading|8512|or 8530

Burglar or fire alarms and similar apparatus
Of a kind used for buildings
Other
For use in civil aircraft
Other

Indicator panels incorporating liquid crystal devices (LCD) or light emitting diodes (LED)

Incorporating light emitting diodes (LED)
For use in civil aircraft
Other

Incorporating liquid crystal devices (LCD)
Incorporating active matrix liquid crystal devices (LCD)
For use in civil aircraft
Other
Other
For use in civil aircraft
Other

Other apparatus
Flat panel display devices
For use in civil aircraft
Other

Other
For use in civil aircraft
Electro-acoustic transducer
Bells, buzzers, door chimes and similar
Other

Parts
Of apparatus of subheadings|8531|20|and 8531|80|20
Other
For use in certain type of aircraft
Keypads of silicone or plastic, - [whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, -[whether or not printed or surface treated, - [whether or not with electrical conducting elements -[whether or not with keypads foil glued on the keyboard -[whether or not with protective foil -[single or multilayer
Other

Electrical capacitors, fixed, variable or adjustable (pre-set)

Fixed capacitors designed for use in 50/60|Hz circuits and having a reactive power handling capacity of not less than 0,5|kvar (power capacitors)

Other fixed capacitors
Tantalum
Aluminium electrolytic
Ceramic dielectric, single layer
Ceramic dielectric, multilayer
Dielectric of paper or plastics
Other

Variable or adjustable (pre-set) capacitors
Parts

Electrical resistors (including rheostats and potentiometers), other than heating resistors

Fixed carbon resistors, composition or film types

Other fixed resistors
For a power handling capacity not exceeding 20|W
Other

Wirewound variable resistors, including rheostats and potentiometers
For a power handling capacity not exceeding 20|W
Other

Other variable resistors, including rheostats and potentiometers
For a power handling capacity not exceeding 20|W
Other

Parts

Printed circuits

Consisting only of conductor elements and contacts

Multilayer circuits

Other

With other passive elements

Electrical apparatus for switching or protecting electrical circuits, or for making connections to or in electrical circuits (for example, switches, fuses, lightning arresters, voltage limiters, surge suppressors, plugs and other connectors, junction boxes), for a voltage exceeding 1|000|V

Fuses

For use in certain types of aircraft

Other

Automatic circuit breakers

For a voltage of less than 72,5|kV

For use in certain types of aircraft

Other

Other

For use in certain types of aircraft

Other

Isolating switches and make-and-break switches

For a voltage of less than 72,5|kV

For use in certain types of aircraft

Other

Other

For use in certain types of aircraft

Other

Lightning arresters, voltage limiters and surge suppressors

For use in certain types of aircraft

Other

Other

For use in certain types of aircraft

Other

Printed circuit board in the form of plates consisting of isolating material with electrical connections and solder points, for use in the manufacture of back light units for LCD modules

Semiconductor module switch in a casing: -|consisting of an IGBT transistor chip and a diode chip on one or more lead frames, -|for a voltage of 1200|V

Other

Electrical apparatus for switching or protecting electrical circuits, or for making connections to or in electrical circuits (for example, switches, relays, fuses, surge suppressors, plugs, sockets, lamp holders and other connectors, junction boxes), for a voltage not exceeding 1|000|V; connectors for optical fibres, optical fibre bundles or cables

Fuses

For a current not exceeding 10|A

For use in certain types of aircraft

Other

For a current exceeding 10|A but not exceeding 63|A

For use in certain types of aircraft

Other

For a current exceeding 63|A

For use in certain types of aircraft

Other

Automatic circuit breakers

For a current not exceeding 63|A

For use in certain types of aircraft

Other

For a current exceeding 63|A

For use in certain types of aircraft

Other

Other apparatus for protecting electrical circuits

For a current not exceeding 16|A

For use in certain types of aircraft

Other

For a current exceeding 16|A but not exceeding 125|A

For use in certain types of aircraft

Other

Thermo-electric switch with a cut-off current of 50|A or more, comprising a snap action switch, for direct mounting on an electric motor coil, contained in a hermetically sealed housing

Other

For a current exceeding 125|A

For use in certain types of aircraft

Other

Relays

For a voltage not exceeding 60|V

For a current not exceeding 2|A

For use in certain types of aircraft

Other

For a current exceeding 2|A

For use in certain types of aircraft

Other

A power relay with: -|an electromechanical switching function, -|a load current of 3|amperes or more but not exceeding 16|amperes, -|a coil voltage of 5|volts or more but not exceeding 24|volts, -|a distance between the connector pins of the load circuit not more than 12,5|mm

Other

Other

For use in certain types of aircraft

Other

Relays with: -|a nominal voltage of 12|V DC -|an allowable voltage of not more than 16|V DC -|a coil resistance at 20|°C of 26, 7|Ohm (± 10|%) -|a pick-up voltage at 60|°C of not more than 8,5|V -|a drop-out voltage at 20|°C of 1|V or more -|a nominal operating power at 20|°C of 5,4|Watts -|a switching voltage of not more than 400|V DC -|a permanent current-carrying capacity of not more than 120|A for use in the manufacture of batteries for electric vehicles

Thermal relays contained in a hermetically sealed glass cartridge of not more than 35|mm in length excluding wires, with a maximum leakage rate of 10\$-\$6|cm\$3|He/sec at one bar in the temperature range 0|°C to 160|°C, to be incorporated into compressors for refrigerating equipment

Other

Other switches

Electronic AC switches consisting of optically coupled input and output circuits (insulated thyristor AC switches)

Electronic switches, including temperature protected electronic switches, consisting of a transistor and a logic chip (chip-on-chip technology)

Electromechanical snap-action switches for a current not exceeding 11|A

Other

For a voltage not exceeding 60|V

Push-button switches

For use in certain types of aircraft

Other

Switch of the printed circuit mount type, operating at a force of 4,9|N (±0,9|N), contained in a housing

Mechanical tact switch for connecting electronic circuits, operating at a voltage of not more than 60V and at a current strength of not more than 50mA, for use in the manufacture of products of headings 8521|or 8528

Mechanical switches for connecting electrical circuits, with: -|a voltage of 14,4|V or more but not more than 42|V, -|an amperage of 10|A or more but not more than 42|A, for use in the manufacture of machines falling within heading 8467

Other

Rotary switches

For use in certain types of aircraft
Other
Other
For use in certain types of aircraft
Other
Hall effect switch, comprising 1 magnet, 1 Hall effect sensor and 2 capacitors, contained in a housing with 3 connections
Devices, having adjustable controller and switching functions, comprising one ore more monolithic integrated circuits whether or not combined with semiconductor elements, mounted together on a leadframe and contained in a plastic housing
Other

Other
For use in certain types of aircraft
Other
Mechanical speed governer switches for connecting electrical circuits, with: - a voltage of 240 V or more but not more than 250 V, - an amperage of 4 A or more but not more than 6 A, for use in the manufacture of machines falling within heading 8467
Mechanical switches for connecting electrical circuits, with: - a voltage of 240 V or more but not more than 300 V, - an amperage of 3 A or more but not more than 15 A, for use in the manufacture of machines falling within heading 8467
Semiconductor module switch in a casing: - consisting of an IGBT transistor chip and a diode chip on one or more lead frames, - for a voltage of 600 V
Switch unit for coaxial cable, comprising 3 electromagnetic switches, with a switching time of not more than 50 ms and an actuating current of not more than 500 mA at a voltage of 12 V
Devices, having adjustable controller and switching functions, comprising one ore more monolithic integrated circuits whether or not combined with semiconductor elements, mounted together on a leadframe and contained in a plastic housing
Mechanical push-button switch for connecting electronic circuits, operating at a voltage of 220 V or more but not more than 250 V and at a current strength of not more than 5 A, for use in the manufacture of products of headings 8521 or 8528
Other

Lamp holders, plugs and sockets
Lamp holders
Edison lamp holders
For use in certain types of aircraft
Other
Other
For use in certain types of aircraft
Other
Other
For coaxial cables
For printed circuits
Other
For use in certain types of aircraft
Other
SCART type connectors, built into a plastic or metal housing, with 21 pins in 2 rows, for use in the manufacture of products falling within headings 8521 and 8528
Electrical sockets and plugs with a length of not more than 12,7 mm or a diameter of not more than 10,8 mm, for use in the production of hearing aids and speech processors
Pitch connector for use in the manufacture of LCD television reception apparatus
Modular socket or plug for local area networks, whether or not combined with other sockets, integrating at least: - a pulse transformer, including a wide-band ferrite core, - a common mode coil, - a resistor, - a capacitor, for use in the manufacture of products falling within headings 8521 or 8528
AC socket with a noise filter, composed of: - AC socket (for power cord connection) of 230 V, - integrated noise filter composed of capacitors and inductors, - cable connector for connecting an AC socket with the PDP (Plasma display panel) power supply unit, whether or not equipped with a metal support, which joins the AC socket to the PDP TV set
Universal serial bus (USB) socket or plug in a single or multiple form for connecting with other USB devices, for use in the manufacture of goods falling within headings 8521 or 8528
Socket or plug, built into a plastic or metal housing, with no more than 96 pins, for use in the manufacture of products falling within headings 8521 or 8528
High-Definition Multimedia Interface (HDMI) type socket or plug, built into a plastic or metal housing, with 19 pins or 20 pins in 2 rows, for use in the

manufacture of products falling within headings 8521 or 8528
D-Subminiature (D-sub) type socket or plug, built into a plastic or metal housing, with 15 pins in 3 rows, for use in the manufacture of products falling within headings 8521 or 8528
Secure Digital (SD), CompactFlash, "Smart Card" and "Common interface modules (cards)" female connectors and interfaces, of a kind used for soldering on printed circuit boards, for connecting electrical apparatus and circuits and switching or protecting electrical circuits with a voltage of not more than 1 000 V
Other

Connectors for optical fibres, optical fibre bundles or cables
Optical socket, plug or connector, for use in the manufacture of goods falling within headings 8521 or 8528
Other

Other apparatus
Prefabricated elements for electrical circuits
For use in certain types of aircraft
Other
Connections and contact elements for wire and cables
Wafer probers
Other
For use in certain types of aircraft
Other
Semiconductor chip housing in the form of a plastic frame containing a lead frame equipped with contact pads, for voltages of not more than 1 000 V
Rivet contacts - of copper - plated with silver nickel alloy AgNi10 or with silver containing by weight 11.2 % (± 1.0 %) of tin oxide and of indium oxide taken together - with a thickness of the plating of 0,3 mm (-0/+0,015 mm)
Battery clamp of a kind used for motor vehicles of heading 8702, 8703, 8704 or 8711
Metallic stamped frame with connections
Elastomeric connector, of rubber or silicone, consisting of one or more conductor elements
Keypads of silicone or plastic, - whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, - whether or not printed or surface treated, - whether or not with electrical conducting elements - whether or not with keypads foil glued on the keyboard - whether or not with protective foil - single or multilayer

Secure Digital (SD) type memory card slot, push-push or push-pull type, for use in the manufacture of goods falling within headings 8521 or 8528
Other

Boards, panels, consoles, desks, cabinets and other bases, equipped with two or more apparatus of heading|8535|or 8536, for electric control or the distribution of electricity, including those incorporating instruments or apparatus of Chapter|90, and numerical control apparatus, other than switching apparatus of heading|8517

For a voltage not exceeding 1 000 V
<div>Numerical control panels with built-in automatic data-processing machine</div> <div>For use in certain types of aircraft</div> <div>Other</div>
Other
<div>Programmable memory controllers</div> <div>For use in certain types of aircraft</div> <div>Other</div> <div>Data processing and evaluation vehicle dashboard control module, operating through the CAN - bus protocol, containing at least: <ul style="list-style-type: none"> •microprocessor relays, •a stepper motor, •Electrically Erasable Programmable Read-Only (EEPROM) memory, and •other passive components (such as connectors, diodes, voltage stabilizer, resistors, capacitors, transistors), with a voltage of 13,5 V </div> <div>Fuse control module in a plastic housing with mounting brackets comprising: <ul style="list-style-type: none"> - sockets with or without fuses, - connecting ports, - a printed circuit board with embedded microprocessor, micro switch and relay of a kind used in the manufacture of goods of chapter 87 </div> <div>Electronic control units, manufactured according to class 2 of IPC-A-610E standard, with at least: <ul style="list-style-type: none"> - an AC power input of 208 V or more but not more than 400 V, - a logic power input of 24 V DC, - an automatic circuit breaker, - a main power switch, - internal or external electrical connectors and cables, - in a housing with dimension of 281 mm x 180 mm x 75 mm or more, but not more than 630 mm x 420 mm x 230 mm, of a kind used for manufacturing recycling or sorting machines </div> <div>Other</div>
Other
<div>For use in certain types of aircraft</div> <div>Other</div> <div>Motor bridge ICs without programmable memory consisting of: <ul style="list-style-type: none"> - one or more integrated circuits, not interconnected, on separate </div>

lead frames, -|also with discrete Metal Oxide Field Effect Transistors (MOSFET) for controlling DC motors in cars -|mounted in a plastic housing

Electronic control unit without memory, for a voltage of 12|V, for information exchange systems in vehicles (for connection of audio, telephony, navigation, camera and wireless car service) containing:

- |2|rotary knobs -|27|or more pushbuttons -|LED lights -|2|integrated circuits for receiving and sending of control signals via the LIN-bus

Electronic control unit for monitoring car vehicle tyre pressure comprising plastic box with printed circuit board inside and with or without metal holder, of:

- |a length of 50|mm or more, but not more than 120|mm, -|a width of 20|mm or more but not more than 40|mm, -|a height of 30|mm or more, but not more than 120|mm of a kind used|in the manufacture of goods of Chapter 87

Electronic control units, manufactured according to class 2|of IPC-A-610E standard, with at least:

- |an AC power input of 208|V or more but not more than| 400|V, -|a logic power input of 24|V DC, -|an automatic circuit breaker, -|a main power switch, -|internal or external electrical connectors and cables, -|in a housing with dimension of 281|mm x 180|mm x 75|mm or more, but not more than 630|mm x 420|mm x 230|mm, of a kind used for manufacturing recycling or sorting machines

Electronic control unit BCM (Body Control Module) comprising

- |plastic box with printed circuit board and metal holder, -|with voltage of 9V or more, but not more than 16V, -|able to control, evaluate and manage functions of assisting services in an automobile, at least wiper timing, window heating, interior lighting, seat belt reminder of a kind used in the manufacture of goods of Chapter 87

Touch-Sensitive Data Input Devices (so-called touch screens) without display capabilities, for incorporation into apparatus having a display, which function by detecting the presence and location of a touch within the display area

Electronic assembly consisting of:

- |a microprocessor, -|light-emitting diode (LED) or liquid crystal display (LCD) indicators, -|electronic components mounted on a printed circuit, for use in the manufacture of built-in products of headings 8514|2080, 8516|5000|and 8516|6080

Keypads of silicone or plastic, -|whether or not with parts of

metal, plastic, glass fibre reinforced epoxide resin or wood, - whether or not printed or surface treated, - whether or not with electrical conducting elements - whether or not with keypads foil glued on the keyboard - whether or not with protective foil - single or multilayer
Touch sensitive screen panel, consisting of a conductive grid between two glass or plastic plates or sheets, fitted with electric conductors and connectors
Electronic control units for a voltage of 12 V, for use in the manufacture of vehicle mounted temperature control systems
Unit consisting of two junction field effect transistors contained in a dual lead frame housing
Electronic circuit card without separate housing for actuating and controlling vacuum cleaner brushes powered by not more than 300 W
Electronic circuit cards that <ul style="list-style-type: none"> - are connected by wire or radio frequency to each other and the motor controller card, and - regulate the functioning (switching on or off and suction capacity) of vacuum cleaners according to a stored program, - whether or not fitted with indicators that display the functioning of the vacuum cleaner (suction capacity and/or dust bag full and/or filter full)
Other

For a voltage exceeding 1 000 V
<div>For a voltage exceeding 1 000 V but not exceeding 72,5 kV</div> <div>For use in certain types of aircraft</div> <div>Other</div>
For a voltage exceeding 72,5 kV
<div>For use in certain types of aircraft</div> <div>Other</div>

Parts suitable for use solely or principally with the apparatus of heading 8535, 8536 or 8537
Boards, panels, consoles, desks, cabinets and other bases for the goods of heading 8537, not equipped with their apparatus
For use in certain types of aircraft
Other

Other
<div>For wafer probers of subheading 8536 90 20</div> <div>Electronic assemblies</div> <div>Other</div>
Other

Electronic assemblies
For use in certain types of aircraft
Other
Interior antenna for a car door locking system, comprising: - - an antenna module in a plastic housing, - a connection cable with a plug, - at least two mounting brackets - whether or not PCB including integrated circuits, diodes and transistors of a kind used in the manufacture of goods of CN heading 8703
Other
Other
For use in certain types of aircraft
Other
Polycarbonate or acrylonitrile butadiene styrene covers and cases for steering pad switches whether or not coated on the outside with a scratch resistant paint
Polycarbonate control interface buttons for steering pad switches coated on the outside with scratch resistant paint
Interior antenna for a car door locking system, comprising: - - an antenna module in a plastic housing, - a connection cable with a plug, - at least two mounting brackets - whether or not PCB including integrated circuits, diodes and transistors of a kind used in the manufacture of goods of CN heading 8703
Part of an electrothermal fuse, consisting of a tin coated copper wire attached to a cylindrical casing, the exterior dimensions of which do not exceed 5 mm x 48 mm
Copper base plate, of a kind used as a heatsink in the manufacture of IGBT modules containing more components than IGBT chips and diodes with a voltage of 650 V or more but not more than 1200 V
Other

Electric filament or discharge lamps, including sealed beam lamp units and ultraviolet or infra-red lamps; arc lamps
Sealed beam lamp units
For use in civil aircraft
Other
Other filament lamps, excluding ultraviolet or infra-red lamps
Tungsten halogen
Of a kind used for motorcycles or other motor vehicles
Other, for a voltage
Exceeding 100 V
Lamps for lighting, for use in certain types of aircraft

Other
Not exceeding 100 V
Lamps for lighting, for use in certain types of aircraft
Other
Other, of a power not exceeding 200 W and for a voltage exceeding 100 V
Reflector lamps
Lamps for lighting, for use in certain types of aircraft
Other
Other
Lamps for lighting, for use in certain types of aircraft
Other
Other
Of a kind used for motorcycles or other motor vehicles
Other, for a voltage
Exceeding 100 V
Lamps for lighting, for use in certain types of aircraft
Other
Not exceeding 100 V
Lamps for lighting, for use in certain types of aircraft
Other

Discharge lamps, other than ultraviolet lamps
Fluorescent, hot cathode
With double ended cap
Lamps for lighting, for use in certain types of aircraft
Other
Other
Lamps for lighting, for use in certain types of aircraft
Other
Mercury or sodium vapour lamps; metal halide lamps
Mercury or sodium vapour lamps
Metal halide lamps
Lamps for lighting, for use in certain types of aircraft
Other

Other
Lamps for lighting, for use in certain types of aircraft
Cold cathode (CCFL) or External Electrode (EEFL) fluorescent lamps, of a diameter of not more than 5mm and with a length of more than 120mm but not more than 1570mm
Cold-cathode fluorescent lamps (CCFLs) for backlighting of flat panel displays

Other
Ultraviolet or infra-red lamps; arc lamps
Arc lamps
Other
Parts
Lamp bases
Other

Thermionic, cold cathode or photocathode valves and tubes (for example, vacuum or vapour or gas filled valves and tubes, mercury arc rectifying valves and tubes, cathode ray tubes, television camera tubes)
Cathode ray television picture tubes, including video monitor cathode ray tubes
Colour
For use in certain types of aircraft
Other
Colour cathode-ray tube equipped with electron guns placed side by side (in-line technology), with a diagonal measurement of the screen of 79 cm or more
Other
Monochrome
For use in certain types of aircraft
Other

Television camera tubes; image converters and intensifiers; other photocathode tubes
Television camera tubes
For use in certain types of aircraft
Other
Other
For use in certain types of aircraft
Other
Photomultiplier
Other

Data/graphic display tubes, monochrome; data/graphic display tubes, colour, with a phosphor dot screen pitch smaller than 0,4 mm
For use in certain types of aircraft
Other

Other cathode ray tubes
For use in certain types of aircraft
Other

Microwave tubes (for example, magnetrons, klystrons, travelling-wave tubes, carcinotrons), excluding grid-controlled tubes
Magnetrons
For use in certain types of aircraft
Continuous wave magnetron with a fixed frequency of 2 460 MHz, packaged magnet, probe output, for

use in the manufacture of products falling within subheading 8516|50|00

Other

Other

For use in certain types of aircraft

Other

Other valves and tubes

Receiver or amplifier valves and tubes

For use in certain types of aircraft

Other

Other

For use in certain types of aircraft

Other

Displays in the form of a tube consisting of a glass housing mounted on a board the dimensions of which do not exceed 300|mm|×|350|mm excluding leads. The tube contains one or more rows of characters or lines arranged in rows, each character or line consisting of fluorescent or phosphorescent elements. These elements are mounted on a metallised base which is covered with fluorescent substances or phosphorescent salts which give off light when bombarded with electrons

Vacuum fluorescent display tube

Other

Parts

Of cathode ray tubes

For use in certain types of aircraft

Other

Other

For use in certain types of aircraft

Other

Diodes, transistors and similar semiconductor devices; photosensitive semiconductor devices, including photovoltaic cells whether or not assembled in modules or made up into panels; light-emitting diodes; mounted piezoelectric crystals

Diodes, other than photosensitive or light-emitting diodes

Transistors, other than photosensitive transistors

With a dissipation rate of less than 1|W

Other

Thyristors, diacs and triacs, other than photosensitive devices

Photosensitive semiconductor devices, including photovoltaic cells whether or not assembled in modules or made up into panels; light-emitting diodes

Light-emitting diodes, including laser diodes

Other

Solar chargers that consist of less than six cells, are portable and supply electricity to devices or charge batteries; thin film photovoltaic products; crystalline silicon photovoltaic products that are permanently integrated into electrical goods, where the function of the electrical goods is other than power generation, and where these electrical goods consume the electricity generated by the integrated crystalline silicon photovoltaic cell(s); modules or panels with a output voltage not exceeding 50 V DC and a power output not exceeding 50 W solely for direct use as battery chargers in systems with the same voltage and power characteristics

Other

Crystalline silicon photovoltaic modules or panels

Consigned from the People's Republic of China, unless the products are in transit in the sense of Article V GATT (http://www.wto.org/english/docs_e/legal)

Consigned from Malaysia

Consigned from Taiwan

Other

Cells of the type used in crystalline silicon photovoltaic modules or panels with a thickness of the cells not exceeding 400 µm

Consigned from the People's Republic of China, unless the products are in transit in the sense of Article V GATT (http://www.wto.org/english/docs_e/legal)

Consigned from Malaysia

Consigned from Taiwan

Other

Other

Other semiconductor devices

Mounted piezoelectric crystals

Parts

Electronic integrated circuits

Electronic integrated circuits

Processors and controllers, whether or not combined with memories, converters, logic circuits, amplifiers, clock and timing circuits, or other circuits

Goods specified in note|8(b)(3) to this chapter

Other

Memories

Goods specified in note|8(b)(3) to this chapter

Other

Dynamic random-access memories (D-RAMs)

With a storage capacity not exceeding 512|Mbits

With a storage capacity exceeding 512|Mbits

Static random-access memories (S-RAMs), including cache random-access memories (cache-RAMs)

UV erasable, programmable, read only memories (EPROMs)

Electrically erasable, programmable, read only memories (E2PROMs), including flash E2PROMs

Flash E2PROMs

With a storage capacity not exceeding 512|Mbits

With a storage capacity exceeding 512|Mbits

Other

Other memories

Amplifiers

Other

Goods specified in note|8(b)(3) to this chapter

Other

Parts

Electrical machines and apparatus, having individual functions, not specified or included elsewhere in this chapter

Particle accelerators

Signal generators

Machines and apparatus for electroplating, electrolysis or electrophoresis

Electroplating and electrolysis machines of a kind used solely or principally for the manufacture of printed circuits

Other

Other machines and apparatus

Electrical machines with translation or dictionary functions

Aerial amplifiers

Sunbeds, sunlamps and similar suntanning equipment

Electric fence energisers

Other

Plasma cleaner machines that remove organic contaminants from electron microscopy specimens and specimen holders

Touch-Sensitive Data Input Devices (so-called touch screens) without display capabilities, for incorporation into apparatus having a display, which function by detecting the presence and location of a touch within the display area

Flight recorders, electric synchros and transducers, defrosters and demisters with electric resistors, for use in civil aircraft

Articles specifically designed for connection to telegraphic or

telephonic apparatus or instruments or to telegraphic or telephonic networks
Microwave amplifiers
Cordless infrared remote control devices for video game consoles
Digital flight-data recorders
Engine pressure indicators, for use in certain types of aircraft
Portable battery operated electronic reader for recording and reproducing text, still image or audio file
Digital signal processing apparatus capable of connecting to a wired or wireless network for the mixing of sound
Portable interactive electronic education devices primarily designed for children
Unit consisting of two junction field effect transistors contained in a dual lead frame housing
Amplifier, consisting of active and passive elements mounted on a printed circuit, contained in a housing
Radio frequency (RF) modulator, operating with a frequency range of 43 MHz or more but not more than 870 MHz, capable of switching VHF and UHF signals, consisting of active and passive elements mounted on a printed circuit, contained in a housing
High-frequency amplifier comprising one or more integrated circuits and discrete capacitor chips on a metal flange in a housing
Piezo-electric crystal oscillator with a fixed frequency, within a frequency range of 1,8 MHz to 67 MHz, contained in a housing
Opto-electronic circuit comprising one or more light-emitting diodes (LEDs), whether or not equipped with an integrated driving circuit, and one photodiode with amplifier circuit, whether or not with an integrated logic gate arrays circuit or one or more light-emitting diodes and at least 2 photodiodes with an amplifier circuit, whether or not with an integrated logic gate arrays circuit or other integrated circuits, contained in a housing
Oscillator, with a centre frequency of 20 GHz or more but not more than 42 GHz, consisting of active and passive elements not mounted on a substrate, contained in a housing
Voltage controlled frequency generator, consisting of active and passive elements mounted on a printed circuit, contained in a housing with dimensions of not more than 30 x 30 mm
Audio recording and reproducing circuit, capable of stereo audio data storage and simultaneous record and playback, comprising 2 or 3 monolithic integrated circuits mounted on a printed circuit or a lead frame, contained in a housing

temperature compensated oscillator, comprising a printed circuit on which are mounted at least a piezo-electric crystal and an adjustable capacitor, contained in a housing
Voltage controlled oscillator (VCO), other than temperature compensated oscillators, consisting of active and passive elements mounted on a printed circuit, contained in a housing
Mobile telephone view and control module comprising of: - a mains power/ CAN (Controller area network) output socket, - a Universal Serial Bus (USB) and Audio IN/OUT ports and - incorporating a video switching device for the interface of smart phone operating systems with the Media Orientated Systems Transport network (MOST), for use in the manufacture of vehicles of chapter 87
Other

Parts

Assemblies and sub-assemblies consisting of two or more parts or pieces fastened or joined together, for flight recorders, for use in civil aircraft
Housings, housing parts, drums, setting wheels, frames, covers and other parts of acrylonitrile-butadiene-styrene of a kind used for the manufacture of remote controls
Stainless steel cathode in the form of a plate with a hanger bar, whether or not with plastic side strips
Assembly of products falling within heading 8541 or 8542 mounted on a printed circuit, contained in a housing
Part of an electrolysis device, consisting of a pan of nickel equipped with a wire mesh of nickel, fixed via ribs of nickel, and a pan of titanium equipped with a wire mesh of titanium, fixed via ribs of titanium, of which both pans are fixed together back to back
Keypads of silicone or plastic, - whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, - whether or not printed or surface treated, - whether or not with electrical conducting elements - whether or not with keypads foil glued on the keyboard - whether or not with protective foil - single or multilayer
Other

Insulated (including enamelled or anodised) wire, cable (including coaxial cable) and other insulated electric conductors, whether or not fitted with connectors; optical fibre cables, made up of individually sheathed fibres, whether or not assembled with electric conductors or fitted with connectors

Winding wire
Of copper
Lacquered or enamelled
Other
Other

Coaxial cable and other coaxial electric conductors
PET/PVC insulated flexible cable with: - a voltage of not more than 60 V, - a current of not more than 1 A, - a heat resistance of not more than 105 °C, - individual wires of a thickness of not more than 0,1 mm (± 0,01 mm) and a width of not more than 0,8 mm (± 0,03 mm), - a distance between conductors of not more than 0,5 mm and - a pitch (distance from centreline to centreline of conductors) of not more than 1,25 mm
Antenna connecting cable for the transmission of analogue radio (AM/FM) and GPS signals, containing: - a two-core coaxial cable, - two or more connectors, - 5 or more plastic clips for attachment to the dashboard of kind used in the manufacture of goods of Chapter 87
Other

Ignition wiring sets and other wiring sets of a kind used in vehicles, aircraft or ships

For use in civil aircraft
Other
Multi-measurement wire harness of a voltage of 5V or more but not more than 90 V capable of measuring some or all of the following; - a travel speed of not more than 24 km/h - a motor speed of not more than 4 500 rpm - hydraulic pressure of not more than 25 Mpa - mass of not more than 50 metric tonnes for use in the manufacture of vehicles of heading 8427
Wire harness of the steering system with an operating voltage of 12 V, equipped with connectors on both sides, having at least 3 plastic anchor clamps for mounting on a motor vehicle steering box
Four-core connecting cable containing two female connectors for the transmission of digital signals from navigation and audio systems to a USB connector, of kind used in the manufacture of goods of Chapter 87
Multi-measurement wire harness: - of a voltage of 5 V or more but not more than 90 V, - capable of transmitting information for use in the manufacture of vehicles of heading 8711
Extension two-core cable with two connectors, containing at least: - a rubber grommet, - a plastic conduit, - a metal attachment bracket of a kind used to connect vehicle speed sensors in the manufacture of vehicles of chapter 87
Other

Other electric conductors, for a voltage not exceeding 1|000|V

Fitted with connectors
Of a kind used for telecommunications
Other
Data transmission cable capable of a bit rate transmission of

600 Mbit/s or more, with: - a voltage of 1,25 V (± 0,25 V) - connectors fitted at one or both ends, at least one of which contains pins with a pitch of 1 mm, - outer screening shielding, used solely for communication between LCD, PDP or OLED panel and video processing electronic circuits
PET/PVC insulated flexible cable with: - a voltage of not more than 60 V, - a current of not more than 1 A, - a heat resistance of not more than 105 °C, - individual wires of a thickness of not more than 0,1 mm (± 0,01 mm) and a width of not more than 0,8 mm (± 0,03 mm), - a distance between conductors of not more than 0,5 mm and - a pitch (distance from centreline to centreline of conductors) of not more than 1,25 mm
PET insulated electric conductor with: - 10 or 80 individual wires, - a length of 50 mm or more, but not more than 800 mm, - connector(s) and/or plug(s) fitted at one or both ends, for use in the manufacture of products falling within headings 8521 and 8528
Wire harness of the steering system with an operating voltage of 12 V, equipped with connectors on both sides, having at least 3 plastic anchor clamps for mounting on a motor vehicle steering box
Four-core connecting cable containing two female connectors for the transmission of digital signals from navigation and audio systems to a USB connector, of kind used in the manufacture of goods of Chapter 87
Extension two-core cable with two connectors, containing at least: - a rubber grommet, - a plastic conduit, - a metal attachment bracket of a kind used to connect vehicle speed sensors in the manufacture of vehicles of chapter 87
Electric conductors: - of a voltage of not more than 80 V, - with a length of not more than 120 cm, - fitted with connectors, for use in the manufacture of hearing aids, accessory kits and speech processors
Other

Other
Of a kind used for telecommunications, for a voltage not exceeding 80 V
Other
Wire and cables, with individual conductor wires of a diameter exceeding 0,51 mm
Insulated copper electrical wires: - with individual conductor wires of a diameter exceeding 0,51 mm., - for a voltage of not more than 1 000 V, for use in the manufacture of automotive cable harnesses

Other
Other
For a voltage not exceeding 80 V
Elastomeric connector, of rubber or silicone, consisting of one or more conductor elements
PET/PVC insulated flexible cable with: - a voltage of not more than 60 V, - a current of not more than 1 A, - a heat resistance of not more than 105 °C, - individual wires of a thickness of not more than 0,1 mm (± 0,01 mm) and a width of not more than 0,8 mm (± 0,03 mm), - a distance between conductors of not more than 0,5 mm and - a pitch (distance from centreline to centreline of conductors) of not more than 1,25 mm
Electric conductors: - of a voltage of not more than 80 V, - of a platinum-iridium-alloy, - coated with poly(tetrafluoroethylene), - without connectors, for use in the manufacture of hearing aids, implants and speech processors
Other
For a voltage exceeding 80 V but less than 1 000 V
For a voltage of 1 000 V
Other electric conductors, for a voltage exceeding 1 000 V
With copper conductors
With other conductors
Optical fibre cables

Carbon electrodes, carbon brushes, lamp carbons, battery carbons and other articles of graphite or other carbon, with or without metal, of a kind used for electrical purposes
Electrodes
Of a kind used for furnaces
Graphite electrodes of a kind used for electric furnaces, with an apparent density of 1,65 g/cm³ or more and an electrical resistance of 6.0 μΩ.m or less
Other
Other
Carbon electrodes, for use in the manufacture of zinc-carbon batteries
Other

Brushes
Other
Heating resistors
Other

Nipples used for graphite electrodes of a kind used for electric furnaces, with an apparent density of 1,65 g/cm³ or more and an electrical resistance of 6.0 μΩ.m or less
Carbon fibre paper of a kind used for gas diffusion layers in fuel cell electrodes
Roll of laminate foil of graphite and copper, with: - a width of 610 mm or more but not more than 620 mm, and - a diameter of 690 mm or more but not more than 710 mm,for use in the manufacture of lithium-ion electric vehicle batteries
Other

Electrical insulators of any material
Of glass
Of ceramics
Other
Of plastics
Other

Insulating fittings for electrical machines, appliances or equipment, being fittings wholly of insulating material apart from any minor components of metal (for example, threaded sockets) incorporated during moulding solely for purposes of assembly, other than insulators of heading 8546; electrical conduit tubing and joints therefor, of base metal lined with insulating material
Insulating fittings of ceramics
Insulated fitting of ceramics, containing by weight 90 % or more of aluminium oxide, metallised, in the form of a hollow cylindrical body of an external diameter of 20 mm or more but not more than 250 mm, for the manufacture of vacuum interrupters
Other
Insulating fittings of plastics
Polycarbonate or acrylonitrile butadiene styrene covers and cases for steering pad switches whether or not coated on the outside with a scratch resistant paint
Other
Other

Waste and scrap of primary cells, primary batteries and electric accumulators; spent primary cells, spent primary batteries and spent electric accumulators; electrical parts of machinery or apparatus, not specified or included elsewhere in this chapter
Waste and scrap of primary cells, primary batteries and electric accumulators; spent primary cells, spent primary batteries and spent electric accumulators
Spent primary cells, spent primary batteries
Spent electric accumulators
Lead-acid accumulators
Other
Spent lithium-ion or nickel metal hydride electric accumulators

<table><tr><td>Other</td></tr></table>	Other										
Other											
Waste and scrap of primary cells, primary batteries and electric accumulators											
<table><tr><td>Containing lead</td></tr><tr><td>Other</td></tr></table>	Containing lead	Other									
Containing lead											
Other											
Other											
Memories in multicombinational forms such as stack D-RAMs and modules											
Other											
<table><tr><td>For use in certain types of aircraft</td></tr><tr><td>Other</td></tr><tr><td>Unit, consisting of a resonator operating within a frequency range of 1,8 MHz or more but not more than 40 MHz and a capacitor, contained in a housing</td></tr><tr><td>Contact image sensor</td></tr><tr><td>Parts of TV-apparatus, having micro-processor and video-processor functions, comprising at least a micro-controller and a video-processor, mounted on a leadframe and contained in a plastic housing</td></tr><tr><td>Optical unit, consisting at least of a laserdiode and a photodiode operating at a typical wavelength of 635 nm or more but not more than 815 nm</td></tr><tr><td>Filters with a ferromagnetic core, used to suppress high frequency noise in electronic circuits, for the manufacture of TV sets and monitors of heading 8528</td></tr><tr><td>LCD modules, - solely consisting of one or more TFT glass or plastic cells, - not combined with touch screen facilities, - with one or more printed circuits boards with control electronics for pixel addressing only, - with or without backlight unit and - with or without inverters</td></tr><tr><td>LCD modules, - solely consisting of one or more TFT glass or plastic cells, - combined with touch screen facilities, - with one or more printed circuits boards with control electronics for pixel addressing only, - with or without backlight unit and - with or without inverters</td></tr><tr><td>Light-Emitting Diode (LED) backlights modules, which are lighting sources that consist of one or more LEDs, and one or more connectors and are mounted on a printed circuit or other similar substrate, and other passive components, whether or not combined with optical components or protective diodes, and used as backlights illumination for liquid crystal displays (LCDs)</td></tr><tr><td>Other</td></tr></table>	For use in certain types of aircraft	Other	Unit, consisting of a resonator operating within a frequency range of 1,8 MHz or more but not more than 40 MHz and a capacitor, contained in a housing	Contact image sensor	Parts of TV-apparatus, having micro-processor and video-processor functions, comprising at least a micro-controller and a video-processor, mounted on a leadframe and contained in a plastic housing	Optical unit, consisting at least of a laserdiode and a photodiode operating at a typical wavelength of 635 nm or more but not more than 815 nm	Filters with a ferromagnetic core, used to suppress high frequency noise in electronic circuits, for the manufacture of TV sets and monitors of heading 8528	LCD modules, - solely consisting of one or more TFT glass or plastic cells, - not combined with touch screen facilities, - with one or more printed circuits boards with control electronics for pixel addressing only, - with or without backlight unit and - with or without inverters	LCD modules, - solely consisting of one or more TFT glass or plastic cells, - combined with touch screen facilities, - with one or more printed circuits boards with control electronics for pixel addressing only, - with or without backlight unit and - with or without inverters	Light-Emitting Diode (LED) backlights modules, which are lighting sources that consist of one or more LEDs, and one or more connectors and are mounted on a printed circuit or other similar substrate, and other passive components, whether or not combined with optical components or protective diodes, and used as backlights illumination for liquid crystal displays (LCDs)	Other
For use in certain types of aircraft											
Other											
Unit, consisting of a resonator operating within a frequency range of 1,8 MHz or more but not more than 40 MHz and a capacitor, contained in a housing											
Contact image sensor											
Parts of TV-apparatus, having micro-processor and video-processor functions, comprising at least a micro-controller and a video-processor, mounted on a leadframe and contained in a plastic housing											
Optical unit, consisting at least of a laserdiode and a photodiode operating at a typical wavelength of 635 nm or more but not more than 815 nm											
Filters with a ferromagnetic core, used to suppress high frequency noise in electronic circuits, for the manufacture of TV sets and monitors of heading 8528											
LCD modules, - solely consisting of one or more TFT glass or plastic cells, - not combined with touch screen facilities, - with one or more printed circuits boards with control electronics for pixel addressing only, - with or without backlight unit and - with or without inverters											
LCD modules, - solely consisting of one or more TFT glass or plastic cells, - combined with touch screen facilities, - with one or more printed circuits boards with control electronics for pixel addressing only, - with or without backlight unit and - with or without inverters											
Light-Emitting Diode (LED) backlights modules, which are lighting sources that consist of one or more LEDs, and one or more connectors and are mounted on a printed circuit or other similar substrate, and other passive components, whether or not combined with optical components or protective diodes, and used as backlights illumination for liquid crystal displays (LCDs)											
Other											
RAILWAY OR TRAMWAY LOCOMOTIVES, ROLLING STOCK AND PARTS THEREOF; RAILWAY OR TRAMWAY TRACK FIXTURES AND FITTINGS AND PARTS THEREOF;											

ELECTROMECHANICAL) TRAFFIC SIGNALLING EQUIPMENT OF ALL KINDS									
Rail locomotives powered from an external source of electricity or by electric accumulators									
<table><tr><td>Powered from an external source of electricity</td></tr><tr><td>Powered by electric accumulators</td></tr></table>	Powered from an external source of electricity	Powered by electric accumulators							
Powered from an external source of electricity									
Powered by electric accumulators									
Other rail locomotives; locomotive tenders									
<table><tr><td>Diesel-electric locomotives</td></tr><tr><td>Other</td></tr></table>	Diesel-electric locomotives	Other							
Diesel-electric locomotives									
Other									
Self-propelled railway or tramway coaches, vans and trucks, other than those of heading 8604									
<table><tr><td>Powered from an external source of electricity</td></tr><tr><td>Other</td></tr></table>	Powered from an external source of electricity	Other							
Powered from an external source of electricity									
Other									
Railway or tramway maintenance or service vehicles, whether or not self-propelled (for example, workshops, cranes, ballast tampers, trackliners, testing coaches and track inspection vehicles)									
Railway or tramway passenger coaches, not self-propelled; luggage vans, post office coaches and other special purpose railway or tramway coaches, not self-propelled (excluding those of heading 8604)									
Railway or tramway goods vans and wagons, not self-propelled									
<table><tr><td>Tank wagons and the like</td></tr><tr><td>Self-discharging vans and wagons, other than those of subheading 8606 10</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Covered and closed</td></tr><tr><td>Specially designed for the transport of highly radioactive materials</td></tr><tr><td>Other</td></tr><tr><td>Open, with non-removable sides of a height exceeding 60 cm</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Tank wagons and the like	Self-discharging vans and wagons, other than those of subheading 8606 10	Other	<table><tr><td>Covered and closed</td></tr><tr><td>Specially designed for the transport of highly radioactive materials</td></tr><tr><td>Other</td></tr><tr><td>Open, with non-removable sides of a height exceeding 60 cm</td></tr><tr><td>Other</td></tr></table>	Covered and closed	Specially designed for the transport of highly radioactive materials	Other	Open, with non-removable sides of a height exceeding 60 cm	Other
Tank wagons and the like									
Self-discharging vans and wagons, other than those of subheading 8606 10									
Other									
<table><tr><td>Covered and closed</td></tr><tr><td>Specially designed for the transport of highly radioactive materials</td></tr><tr><td>Other</td></tr><tr><td>Open, with non-removable sides of a height exceeding 60 cm</td></tr><tr><td>Other</td></tr></table>	Covered and closed	Specially designed for the transport of highly radioactive materials	Other	Open, with non-removable sides of a height exceeding 60 cm	Other				
Covered and closed									
Specially designed for the transport of highly radioactive materials									
Other									
Open, with non-removable sides of a height exceeding 60 cm									
Other									
Parts of railway or tramway locomotives or rolling stock									
Bogies, bissel-bogies, axles and wheels, and parts thereof									
<table><tr><td>Driving bogies and bissel-bogies</td></tr><tr><td>Other bogies and bissel-bogies</td></tr><tr><td>Other, including parts</td></tr><tr><td>Axles, assembled or not; wheels and parts thereof</td></tr><tr><td>Parts of bogies, bissel-bogies and the like</td></tr></table>	Driving bogies and bissel-bogies	Other bogies and bissel-bogies	Other, including parts	Axles, assembled or not; wheels and parts thereof	Parts of bogies, bissel-bogies and the like				
Driving bogies and bissel-bogies									
Other bogies and bissel-bogies									
Other, including parts									
Axles, assembled or not; wheels and parts thereof									
Parts of bogies, bissel-bogies and the like									
Brakes and parts thereof									
<table><tr><td>Air brakes and parts thereof</td></tr><tr><td>Of cast iron or cast steel</td></tr><tr><td>Other</td></tr><tr><td>Other</td></tr></table>	Air brakes and parts thereof	Of cast iron or cast steel	Other	Other					
Air brakes and parts thereof									
Of cast iron or cast steel									
Other									
Other									
Hooks and other coupling devices, buffers, and parts thereof									
Other									

Of locomotives																
<table><tr><td>Axle-boxes and parts thereof</td></tr><tr><td>Other</td></tr></table>	Axle-boxes and parts thereof	Other														
Axle-boxes and parts thereof																
Other																
Other																
<table><tr><td>Axle-boxes and parts thereof</td></tr><tr><td>Other</td></tr></table>	Axle-boxes and parts thereof	Other														
Axle-boxes and parts thereof																
Other																
Railway or tramway track fixtures and fittings; mechanical (including electromechanical) signalling, safety or traffic control equipment for railways, tramways, roads, inland waterways, parking facilities, port installations or airfields; parts of the foregoing																
Containers (including containers for the transport of fluids) specially designed and equipped for carriage by one or more modes of transport																
<table><tr><td>Containers with an anti-radiation lead covering, for the transport of radioactive materials</td></tr><tr><td>Other</td></tr></table>	Containers with an anti-radiation lead covering, for the transport of radioactive materials	Other														
Containers with an anti-radiation lead covering, for the transport of radioactive materials																
Other																
VEHICLES OTHER THAN RAILWAY OR TRAMWAY ROLLING STOCK, AND PARTS AND ACCESSORIES THEREOF																
Tractors (other than tractors of heading 8709)																
<table><tr><td>Pedestrian-controlled tractors</td></tr><tr><td>Road tractors for semi-trailers</td></tr><tr><td>New</td></tr><tr><td>Used</td></tr><tr><td>Track-laying tractors</td></tr><tr><td>Other</td></tr><tr><td>Agricultural tractors (excluding pedestrian-controlled tractors) and forestry tractors, wheeled</td></tr><tr><td>New, of an engine power</td></tr><tr><td>Not exceeding 18 kW</td></tr><tr><td>Exceeding 18 kW but not exceeding 37 kW</td></tr><tr><td>Exceeding 37 kW but not exceeding 59 kW</td></tr><tr><td>Exceeding 59 kW but not exceeding 75 kW</td></tr><tr><td>Exceeding 75 kW but not exceeding 90 kW</td></tr><tr><td>Exceeding 90 kW</td></tr><tr><td>Used</td></tr><tr><td>Other</td></tr></table>	Pedestrian-controlled tractors	Road tractors for semi-trailers	New	Used	Track-laying tractors	Other	Agricultural tractors (excluding pedestrian-controlled tractors) and forestry tractors, wheeled	New, of an engine power	Not exceeding 18 kW	Exceeding 18 kW but not exceeding 37 kW	Exceeding 37 kW but not exceeding 59 kW	Exceeding 59 kW but not exceeding 75 kW	Exceeding 75 kW but not exceeding 90 kW	Exceeding 90 kW	Used	Other
Pedestrian-controlled tractors																
Road tractors for semi-trailers																
New																
Used																
Track-laying tractors																
Other																
Agricultural tractors (excluding pedestrian-controlled tractors) and forestry tractors, wheeled																
New, of an engine power																
Not exceeding 18 kW																
Exceeding 18 kW but not exceeding 37 kW																
Exceeding 37 kW but not exceeding 59 kW																
Exceeding 59 kW but not exceeding 75 kW																
Exceeding 75 kW but not exceeding 90 kW																
Exceeding 90 kW																
Used																
Other																
Motor vehicles for the transport of ten or more persons, including the driver																
With compression-ignition internal combustion piston engine (diesel or semi-diesel)																
<table><tr><td>Of a cylinder capacity exceeding 2 500 cm\$3</td></tr><tr><td>New</td></tr><tr><td>Used</td></tr><tr><td>Of a cylinder capacity not exceeding 2 500 cm\$3</td></tr><tr><td>New</td></tr></table>	Of a cylinder capacity exceeding 2 500 cm\$3	New	Used	Of a cylinder capacity not exceeding 2 500 cm\$3	New											
Of a cylinder capacity exceeding 2 500 cm\$3																
New																
Used																
Of a cylinder capacity not exceeding 2 500 cm\$3																
New																

<div>Used</div>	<div>2 500 cm\$3</div> <div>New</div> <div>Motor caravans</div> <div>Other</div> <div>Used</div>	<div>special purpose motor vehicles with a width of at least 300 cm</div> <div>Other</div> <div>Used</div>
<div>Other</div> <div>With spark-ignition internal combustion piston engine</div> <div>Of a cylinder capacity exceeding 2 800 cm\$3</div> <div>New</div> <div>Used</div> <div>Of a cylinder capacity not exceeding 2 800 cm\$3</div> <div>New</div> <div>Used</div> <div>With other engines</div>	<div>Of a cylinder capacity exceeding 2 500 cm\$3</div> <div>New</div> <div>Motor caravans</div> <div>Other</div> <div>Used</div> <div>Other</div> <div>With electric motors</div> <div>Other</div>	<div>Other, with spark-ignition internal combustion piston engine</div> <div>Of a gross vehicle weight not exceeding 5 tonnes</div> <div>Specially designed for the transport of highly radioactive materials</div> <div>Other</div> <div>With engines of a cylinder capacity exceeding 2 800 cm\$3</div> <div>New</div> <div>Used</div> <div>With engines of a cylinder capacity not exceeding 2 800 cm\$3</div> <div>New</div> <div>Used</div> <div>Of a gross vehicle weight exceeding 5 tonnes</div> <div>Specially designed for the transport of highly radioactive materials</div> <div>Other</div> <div>New</div> <div>Used</div> <div>Other</div>
<div>Motor cars and other motor vehicles principally designed for the transport of persons (other than those of heading 8702), including station wagons and racing cars</div> <div>Vehicles specially designed for travelling on snow; golf cars and similar vehicles</div> <div>Vehicles specially designed for travelling on snow, with compression-ignition internal combustion piston engine (diesel or semi-diesel), or with spark-ignition internal combustion piston engine</div> <div>Other</div>	<div>Motor vehicles for the transport of goods</div> <div>Dumpers designed for off-highway use</div> <div>With compression-ignition internal combustion piston engine (diesel or semi-diesel), or with spark-ignition internal combustion piston engine</div> <div>Other</div> <div>Other, with compression-ignition internal combustion piston engine (diesel or semi-diesel)</div> <div>Of a gross vehicle weight not exceeding 5 tonnes</div> <div>Specially designed for the transport of highly radioactive materials</div> <div>Other</div> <div>With engines of a cylinder capacity exceeding 2 500 cm\$3</div> <div>New</div> <div>Used</div> <div>With engines of a cylinder capacity not exceeding 2 500 cm\$3</div> <div>New</div> <div>Used</div> <div>Of a gross vehicle weight exceeding 5 tonnes but not exceeding 20 tonnes</div> <div>Specially designed for the transport of highly radioactive materials</div> <div>Other</div> <div>New</div> <div>Used</div> <div>Of a gross vehicle weight exceeding 20 tonnes</div> <div>Specially designed for the transport of highly radioactive materials</div> <div>Other</div> <div>New</div> <div>Motor chassis with a self-ignition capacity of at least 8 000 cm³, fitted with a cabin on either 3, 4 or 5 wheels having a wheelbase of at least 480 cm, not containing working machinery, to be built into</div>	<div>Special purpose motor vehicles, other than those principally designed for the transport of persons or goods (for example, breakdown lorries, crane lorries, fire fighting vehicles, concrete-mixer lorries, road sweeper lorries, spraying lorries, mobile workshops, mobile radiological units)</div> <div>Crane lorries</div> <div>Mobile drilling derricks</div> <div>Fire fighting vehicles</div> <div>Concrete-mixer lorries</div> <div>Other</div> <div>Concrete-pumping vehicles</div> <div>Other</div> <div>Chassis fitted with engines, for the motor vehicles of headings 8701 to 8705</div> <div>Chassis for tractors of heading 8701; chassis for motor vehicles of heading 8702, 8703 or 8704, with either a compression-ignition internal combustion piston engine (diesel or semi-diesel) of a cylinder capacity exceeding 2 500 cm\$3 or with a spark-ignition internal combustion piston engine of a cylinder capacity exceeding 2 800 cm\$3</div> <div>For vehicles of heading 8702 or 8704</div> <div>Other</div> <div>Other</div> <div>For vehicles of heading 8703</div>

<div>Other</div>	<div>piston engine of a cylinder capacity not exceeding 2 800 cm\$3; Vehicles of heading 8705</div> <div>Other</div> <div>Plastic cover of the exterior rear-view mirror for motor vehicles with clips</div> <div>Other</div>	<div>Automatic hydrodynamic gearbox with a hydraulic torque converter without transfer box, cardan shaft and front differential for use in the manufacture of motor vehicles of Chapter 87</div> <div>Other</div>
<div>Bodies (including cabs), for the motor vehicles of headings 8701 to 8705</div> <div>For the vehicles of heading 8703</div> <div>For industrial assembly purposes</div> <div>Other</div> <div>Other</div> <div>For the industrial assembly of: Pedestrian-controlled tractors of subheading 8701 10; Vehicles of heading 8704 with either a compression-ignition internal combustion piston engine (diesel or semi-diesel) of a cylinder capacity not exceeding 2 500 cm\$3 or with a spark-ignition internal combustion piston engine of a cylinder capacity not exceeding 2 800 cm\$3; Special purpose motor vehicles of heading 8705</div> <div>Other</div>	<div>Brakes and servo-brakes; parts thereof</div> <div>For the industrial assembly of: Pedestrian-controlled tractors of subheading 8701 10; Vehicles of heading 8703; Vehicles of heading 8704 with either a compression-ignition internal combustion piston engine (diesel or semi-diesel) of a cylinder capacity not exceeding 2 500 cm\$3 or with a spark-ignition internal combustion piston engine of a cylinder capacity not exceeding 2 800 cm\$3; Vehicles of heading 8705</div> <div>Motor powered brake actuation unit - with a rating of 13.5 V (±0.5V) and - a ball screw mechanism to control brake fluid pressure in the master cylinder for use in the manufacture of electric motor vehicles</div> <div>Other</div> <div>Other</div> <div>For disc brakes</div> <div>Drum type parking brake: - operating within the service brake disk, - with a diameter of 170 mm or more but not more than 175 mm, for use in the manufacture of motor vehicles</div> <div>Non-asbestos organic brake pads with friction material mounted to the band steel back plate for use in the manufacture of goods of Chapter 87</div> <div>Body of disc type brake in BIR ("Ball in Ramp") or EPB ("Electronic Parking Brake") version containing functional and mounting openings and guide grooves, of a kind used in the manufacture of goods of Chapter 87</div> <div>Ductile cast iron brake caliper jaw, of a kind used in the manufacture of goods of Chapter 87</div> <div>Other</div> <div>Other</div>	<div>Parts</div> <div>Of closed-die forged steel</div> <div>Other</div>
<div>Parts and accessories of the motor vehicles of headings 8701 to 8705</div> <div>Bumpers and parts thereof</div> <div>For the industrial assembly of: Vehicles of heading 8703; Vehicles of heading 8704 with either a compression-ignition internal combustion piston engine (diesel or semi-diesel) of a cylinder capacity not exceeding 2 500 cm\$3 or with a spark-ignition internal combustion piston engine of a cylinder capacity not exceeding 2 800 cm\$3; Vehicles of heading 8705</div> <div>Other</div> <div>Other parts and accessories of bodies (including cabs)</div> <div>Safety seat belts</div> <div>For the industrial assembly of: Vehicles of heading 8703; Vehicles of heading 8704 with either a compression-ignition internal combustion piston engine (diesel or semi-diesel) of a cylinder capacity not exceeding 2 500 cm\$3 or with a spark-ignition internal combustion piston engine of a cylinder capacity not exceeding 2 800 cm\$3; Vehicles of heading 8705</div> <div>Metal casing for automobile safety belt pre-tension gas generators</div> <div>Other</div> <div>Other</div> <div>Metal casing for automobile safety belt pre-tension gas generators</div> <div>Other</div> <div>Other</div> <div>For the industrial assembly of: Pedestrian-controlled tractors of subheading 8701 10; Vehicles of heading 8703; Vehicles of heading 8704 with either a compression-ignition internal combustion piston engine (diesel or semi-diesel) of a cylinder capacity not exceeding 2 500 cm\$3 or with a spark-ignition internal combustion</div>	<div>Gear boxes and parts thereof</div> <div>For the industrial assembly of: Pedestrian-controlled tractors of subheading 8701 10; Vehicles of heading 8703; Vehicles of heading 8704 with either a compression-ignition internal combustion piston engine (diesel or semi-diesel) of a cylinder capacity not exceeding 2 500 cm\$3 or with a spark-ignition internal combustion piston engine of a cylinder capacity not exceeding 2 800 cm\$3; Vehicles of heading 8705</div> <div>Other</div> <div>Gear boxes</div>	<div>Drive-axles with differential, whether or not provided with other transmission components, and non-driving axles; parts thereof</div> <div>For the industrial assembly of: Vehicles of heading 8703; Vehicles of heading 8704 with either a compression-ignition internal combustion piston engine (diesel or semi-diesel) of a cylinder capacity not exceeding 2 500 cm\$3 or with a spark-ignition internal combustion piston engine of a cylinder capacity not exceeding 2 800 cm\$3; Vehicles of heading 8705</div> <div>Other</div> <div>Drive-axles with differential, whether or not provided with other transmission components, and non-driving axles</div> <div>Parts</div> <div>Of closed-die forged steel</div> <div>Car axle side-shaft fitted with a constant velocity joint at each end, of a kind used in the manufacture of goods of CN heading 8703</div> <div>Other</div> <div>Other</div> <div>For non-driving axles</div> <div>Other</div> <div>Transmission shaft in carbon fibre reinforced plastics consisting of a unique piece without any joint in the middle - of a length of 1 m or more but not more than 2 m, - of a weight of 6 kg or more but not more than 9 kg</div> <div>Other</div>
		<div>Road wheels and parts and accessories thereof</div> <div>For the industrial assembly of: Pedestrian-controlled tractors of subheading 8701 10; Vehicles of heading 8703; Vehicles of heading 8704 with either a compression-ignition internal combustion piston engine (diesel or semi-diesel) of a cylinder capacity not exceeding 2 500 cm\$3 or with a spark-ignition internal combustion piston engine of a cylinder capacity not exceeding 2 800 cm\$3; Vehicles of heading 8705</div> <div>Wheels of aluminium, whether or not with their accessories and whether or not fitted with tyres</div> <div>Other</div>

Other
Wheels of aluminium; parts and accessories of wheels, of aluminium
Wheels of aluminium, whether or not with their accessories and whether or not fitted with tyres
Other
Wheel centres in star form, cast in one piece, of iron or steel
Other

Suspension systems and parts thereof (including shock-absorbers)
For the industrial assembly of: Vehicles of heading 8703; Vehicles of heading 8704 with either a compression-ignition internal combustion piston engine (diesel or semi-diesel) of a cylinder capacity not exceeding 2 500 cm\$3 or with a spark-ignition internal combustion piston engine of a cylinder capacity not exceeding 2 800 cm\$3; Vehicles of heading 8705
Other
Suspension shock-absorbers
Upper strut insulator containing - a metal holder with three mounting screws, and - a rubber bump of a kind used in the manufacture of goods of Chapter 87
Other
Anti roll bars; other torsion bars
Other
Of closed-die forged steel
Rear chassis arm with a protective plastic label equipped with two metal casings with pressed-in rubber silent blocks, of kind used in the manufacture of goods of Chapter 87
Rear chassis arm equipped with a ball pivot and metal casing with a pressed-in rubber silent block, of kind used in the manufacture of goods of Chapter 87
Other
Other

Other parts and accessories
Radiators and parts thereof
For the industrial assembly of: Pedestrian-controlled tractors of subheading 8701 10; Vehicles of heading 8703; Vehicles of heading 8704 with either a compression-ignition internal combustion piston engine (diesel or semi-diesel) of a cylinder capacity not exceeding 2 500 cm\$3 or with a spark-ignition internal combustion piston engine of a cylinder capacity not exceeding 2 800 cm\$3; Vehicles of heading 8705
Other
Radiators

Aluminium cooler using compressed air with a ribbed design of a kind used in the manufacture of goods of Chapter 87
Other
Parts
Of closed-die forged steel
Other
Keypads of silicone or plastic, - whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, - whether or not printed or surface treated, - whether or not with electrical conducting elements - whether or not with keypads foil glued on the keyboard - whether or not with protective foil - single or multilayer
Aluminium alloy inlet or outlet air tank manufactured to standard EN AC 42100 with: - an insulating area flatness of not more than 0,1 mm, - a permissible particle quantity of 0,3 mg per tank, - a distance between pores of 2 mm or more, - pore sizes of not more than 0,4 mm, and - not more than 3 pores larger than 0,2mm of a kind used in heat exchangers for car cooling systems
Other

Silencers (mufflers) and exhaust pipes; parts thereof
For the industrial assembly of: Pedestrian-controlled tractors of subheading 8701 10; Vehicles of heading 8703; Vehicles of heading 8704 with either a compression-ignition internal combustion piston engine (diesel or semi-diesel) of a cylinder capacity not exceeding 2 500 cm\$3 or with a spark-ignition internal combustion piston engine of a cylinder capacity not exceeding 2 800 cm\$3; Vehicles of heading 8705
Other
Silencers (mufflers) and exhaust pipes
Parts
Of closed-die forged steel
Other

Clutches and parts thereof
For the industrial assembly of: Pedestrian-controlled tractors of subheading 8701 10; Vehicles of heading 8703; Vehicles of heading 8704 with either a compression-ignition internal combustion piston engine (diesel or semi-diesel) of a cylinder capacity not exceeding 2 500 cm\$3 or with a spark-ignition internal combustion piston engine of a cylinder capacity not exceeding 2 800 cm\$3; Vehicles of heading 8705

Other
Steering wheels, steering columns and steering boxes; parts thereof
For the industrial assembly of: Vehicles of heading 8703; Vehicles of heading 8704 with either a compression-ignition internal combustion piston engine (diesel or semi-diesel) of a cylinder capacity not exceeding 2 500 cm\$3 or with a spark-ignition internal combustion piston engine of a cylinder capacity not exceeding 2 800 cm\$3; Vehicles of heading 8705
Other
Steering wheels, steering columns and steering boxes
Rack steering gear in aluminium housing with homokinetic hinges of a kind used in the manufacture of goods of Chapter 87
Other
Parts
Of closed-die forged steel
Other

Safety airbags with inflator system; parts thereof
For the industrial assembly of: Pedestrian-controlled tractors of subheading 8701 10; Vehicles of heading 8703; Vehicles of heading 8704 with either a compression-ignition internal combustion piston engine (diesel or semi-diesel) of a cylinder capacity not exceeding 2 500 cm\$3 or with a spark-ignition internal combustion piston engine of a cylinder capacity not exceeding 2 800 cm\$3; Vehicles of heading 8705
Inflatable safety cushion of high strength polyamide fibre - sewn - folded into three-dimensional packing form, fixed by thermal forming
Inflatable safety cushion of high strength polyamide fibre: - sewn, - folded, - with three-dimensionally applied silicone bonding for air bag cavity forming and load-regulated air bag sealing - suitable for cool inflator technology
Other

Other
Of closed-die forged steel
Other
Front passenger airbag composed of: - a metal housing with at least six mounting brackets, - an embedded safety cushion, - a cartridge filled with compressed gas of a kind used in the manufacture of goods of Chapter 87
Inflatable safety cushion of high strength polyamide fibre - sewn - folded into three-dimensional packing form, fixed by thermal forming

<table><tr><td><table><tr><td>Inflatable safety cushion of high strength polyamide fibre: - sewn, - folded, - with three-dimensionally applied silicone bonding for air bag cavity forming and load-regulated air bag sealing - suitable for cool inflator technology</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table>	<table><tr><td>Inflatable safety cushion of high strength polyamide fibre: - sewn, - folded, - with three-dimensionally applied silicone bonding for air bag cavity forming and load-regulated air bag sealing - suitable for cool inflator technology</td></tr><tr><td>Other</td></tr></table>	Inflatable safety cushion of high strength polyamide fibre: - sewn, - folded, - with three-dimensionally applied silicone bonding for air bag cavity forming and load-regulated air bag sealing - suitable for cool inflator technology	Other	Other												
<table><tr><td>Inflatable safety cushion of high strength polyamide fibre: - sewn, - folded, - with three-dimensionally applied silicone bonding for air bag cavity forming and load-regulated air bag sealing - suitable for cool inflator technology</td></tr><tr><td>Other</td></tr></table>	Inflatable safety cushion of high strength polyamide fibre: - sewn, - folded, - with three-dimensionally applied silicone bonding for air bag cavity forming and load-regulated air bag sealing - suitable for cool inflator technology	Other														
Inflatable safety cushion of high strength polyamide fibre: - sewn, - folded, - with three-dimensionally applied silicone bonding for air bag cavity forming and load-regulated air bag sealing - suitable for cool inflator technology																
Other																
Other																
<table><tr><td>Other</td></tr><tr><td><table><tr><td>For the industrial assembly of: Pedestrian-controlled tractors of subheading 8701 10; Vehicles of heading 8703; Vehicles of heading 8704 with either a compression-ignition internal combustion piston engine (diesel or semi-diesel) of a cylinder capacity not exceeding 2 500 cm\$3 or with a spark-ignition internal combustion piston engine of a cylinder capacity not exceeding 2 800 cm\$3; Vehicles of heading 8705</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Of closed-die forged steel</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Metal housing caps for incorporation into balancing-arms or spherical bearings used in the suspension systems for the front wheels of motor vehicles</td></tr><tr><td>Keypads of silicone or plastic, - whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, - whether or not printed or surface treated, - whether or not with electrical conducting elements - whether or not with keypads foil glued on the keyboard - whether or not with protective foil - single or multilayer</td></tr><tr><td>Aluminium engine bracket, with dimensions of: -height of more than 10 mm but not more than 200 mm -width of more than 10 mm but not more than 200 mm -length of more than 10 mm but not more than 200 mm equipped with at least two fixing holes, made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics: -internal porosity not more than 1 mm; -outer porosity not more than 2 mm; -Rockwell hardness HRB 10 or more of a kind used in the production of suspensions systems for engines in motor vehicles</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr></table></td></tr><tr><td><table><tr><td>Works trucks, self-propelled, not fitted with lifting or handling equipment, of the type used in factories, warehouses, dock areas or airports for short distance transport of goods; tractors of the type used on railway station platforms; parts of the foregoing vehicles</td></tr><tr><td>Vehicles</td></tr><tr><td>Electrical</td></tr></table></td></tr></table>	Other	<table><tr><td>For the industrial assembly of: Pedestrian-controlled tractors of subheading 8701 10; Vehicles of heading 8703; Vehicles of heading 8704 with either a compression-ignition internal combustion piston engine (diesel or semi-diesel) of a cylinder capacity not exceeding 2 500 cm\$3 or with a spark-ignition internal combustion piston engine of a cylinder capacity not exceeding 2 800 cm\$3; Vehicles of heading 8705</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Of closed-die forged steel</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Metal housing caps for incorporation into balancing-arms or spherical bearings used in the suspension systems for the front wheels of motor vehicles</td></tr><tr><td>Keypads of silicone or plastic, - whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, - whether or not printed or surface treated, - whether or not with electrical conducting elements - whether or not with keypads foil glued on the keyboard - whether or not with protective foil - single or multilayer</td></tr><tr><td>Aluminium engine bracket, with dimensions of: -height of more than 10 mm but not more than 200 mm -width of more than 10 mm but not more than 200 mm -length of more than 10 mm but not more than 200 mm equipped with at least two fixing holes, made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics: -internal porosity not more than 1 mm; -outer porosity not more than 2 mm; -Rockwell hardness HRB 10 or more of a kind used in the production of suspensions systems for engines in motor vehicles</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr></table>	For the industrial assembly of: Pedestrian-controlled tractors of subheading 8701 10; Vehicles of heading 8703; Vehicles of heading 8704 with either a compression-ignition internal combustion piston engine (diesel or semi-diesel) of a cylinder capacity not exceeding 2 500 cm\$3 or with a spark-ignition internal combustion piston engine of a cylinder capacity not exceeding 2 800 cm\$3; Vehicles of heading 8705	Other	<table><tr><td>Of closed-die forged steel</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Metal housing caps for incorporation into balancing-arms or spherical bearings used in the suspension systems for the front wheels of motor vehicles</td></tr><tr><td>Keypads of silicone or plastic, - whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, - whether or not printed or surface treated, - whether or not with electrical conducting elements - whether or not with keypads foil glued on the keyboard - whether or not with protective foil - single or multilayer</td></tr><tr><td>Aluminium engine bracket, with dimensions of: -height of more than 10 mm but not more than 200 mm -width of more than 10 mm but not more than 200 mm -length of more than 10 mm but not more than 200 mm equipped with at least two fixing holes, made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics: -internal porosity not more than 1 mm; -outer porosity not more than 2 mm; -Rockwell hardness HRB 10 or more of a kind used in the production of suspensions systems for engines in motor vehicles</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Of closed-die forged steel	Other	<table><tr><td>Metal housing caps for incorporation into balancing-arms or spherical bearings used in the suspension systems for the front wheels of motor vehicles</td></tr><tr><td>Keypads of silicone or plastic, - whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, - whether or not printed or surface treated, - whether or not with electrical conducting elements - whether or not with keypads foil glued on the keyboard - whether or not with protective foil - single or multilayer</td></tr><tr><td>Aluminium engine bracket, with dimensions of: -height of more than 10 mm but not more than 200 mm -width of more than 10 mm but not more than 200 mm -length of more than 10 mm but not more than 200 mm equipped with at least two fixing holes, made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics: -internal porosity not more than 1 mm; -outer porosity not more than 2 mm; -Rockwell hardness HRB 10 or more of a kind used in the production of suspensions systems for engines in motor vehicles</td></tr><tr><td>Other</td></tr></table>	Metal housing caps for incorporation into balancing-arms or spherical bearings used in the suspension systems for the front wheels of motor vehicles	Keypads of silicone or plastic, - whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, - whether or not printed or surface treated, - whether or not with electrical conducting elements - whether or not with keypads foil glued on the keyboard - whether or not with protective foil - single or multilayer	Aluminium engine bracket, with dimensions of: -height of more than 10 mm but not more than 200 mm -width of more than 10 mm but not more than 200 mm -length of more than 10 mm but not more than 200 mm equipped with at least two fixing holes, made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics: -internal porosity not more than 1 mm; -outer porosity not more than 2 mm; -Rockwell hardness HRB 10 or more of a kind used in the production of suspensions systems for engines in motor vehicles	Other	<table><tr><td>Works trucks, self-propelled, not fitted with lifting or handling equipment, of the type used in factories, warehouses, dock areas or airports for short distance transport of goods; tractors of the type used on railway station platforms; parts of the foregoing vehicles</td></tr><tr><td>Vehicles</td></tr><tr><td>Electrical</td></tr></table>	Works trucks, self-propelled, not fitted with lifting or handling equipment, of the type used in factories, warehouses, dock areas or airports for short distance transport of goods; tractors of the type used on railway station platforms; parts of the foregoing vehicles	Vehicles	Electrical
Other																
<table><tr><td>For the industrial assembly of: Pedestrian-controlled tractors of subheading 8701 10; Vehicles of heading 8703; Vehicles of heading 8704 with either a compression-ignition internal combustion piston engine (diesel or semi-diesel) of a cylinder capacity not exceeding 2 500 cm\$3 or with a spark-ignition internal combustion piston engine of a cylinder capacity not exceeding 2 800 cm\$3; Vehicles of heading 8705</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Of closed-die forged steel</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Metal housing caps for incorporation into balancing-arms or spherical bearings used in the suspension systems for the front wheels of motor vehicles</td></tr><tr><td>Keypads of silicone or plastic, - whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, - whether or not printed or surface treated, - whether or not with electrical conducting elements - whether or not with keypads foil glued on the keyboard - whether or not with protective foil - single or multilayer</td></tr><tr><td>Aluminium engine bracket, with dimensions of: -height of more than 10 mm but not more than 200 mm -width of more than 10 mm but not more than 200 mm -length of more than 10 mm but not more than 200 mm equipped with at least two fixing holes, made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics: -internal porosity not more than 1 mm; -outer porosity not more than 2 mm; -Rockwell hardness HRB 10 or more of a kind used in the production of suspensions systems for engines in motor vehicles</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr></table>	For the industrial assembly of: Pedestrian-controlled tractors of subheading 8701 10; Vehicles of heading 8703; Vehicles of heading 8704 with either a compression-ignition internal combustion piston engine (diesel or semi-diesel) of a cylinder capacity not exceeding 2 500 cm\$3 or with a spark-ignition internal combustion piston engine of a cylinder capacity not exceeding 2 800 cm\$3; Vehicles of heading 8705	Other	<table><tr><td>Of closed-die forged steel</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Metal housing caps for incorporation into balancing-arms or spherical bearings used in the suspension systems for the front wheels of motor vehicles</td></tr><tr><td>Keypads of silicone or plastic, - whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, - whether or not printed or surface treated, - whether or not with electrical conducting elements - whether or not with keypads foil glued on the keyboard - whether or not with protective foil - single or multilayer</td></tr><tr><td>Aluminium engine bracket, with dimensions of: -height of more than 10 mm but not more than 200 mm -width of more than 10 mm but not more than 200 mm -length of more than 10 mm but not more than 200 mm equipped with at least two fixing holes, made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics: -internal porosity not more than 1 mm; -outer porosity not more than 2 mm; -Rockwell hardness HRB 10 or more of a kind used in the production of suspensions systems for engines in motor vehicles</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Of closed-die forged steel	Other	<table><tr><td>Metal housing caps for incorporation into balancing-arms or spherical bearings used in the suspension systems for the front wheels of motor vehicles</td></tr><tr><td>Keypads of silicone or plastic, - whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, - whether or not printed or surface treated, - whether or not with electrical conducting elements - whether or not with keypads foil glued on the keyboard - whether or not with protective foil - single or multilayer</td></tr><tr><td>Aluminium engine bracket, with dimensions of: -height of more than 10 mm but not more than 200 mm -width of more than 10 mm but not more than 200 mm -length of more than 10 mm but not more than 200 mm equipped with at least two fixing holes, made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics: -internal porosity not more than 1 mm; -outer porosity not more than 2 mm; -Rockwell hardness HRB 10 or more of a kind used in the production of suspensions systems for engines in motor vehicles</td></tr><tr><td>Other</td></tr></table>	Metal housing caps for incorporation into balancing-arms or spherical bearings used in the suspension systems for the front wheels of motor vehicles	Keypads of silicone or plastic, - whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, - whether or not printed or surface treated, - whether or not with electrical conducting elements - whether or not with keypads foil glued on the keyboard - whether or not with protective foil - single or multilayer	Aluminium engine bracket, with dimensions of: -height of more than 10 mm but not more than 200 mm -width of more than 10 mm but not more than 200 mm -length of more than 10 mm but not more than 200 mm equipped with at least two fixing holes, made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics: -internal porosity not more than 1 mm; -outer porosity not more than 2 mm; -Rockwell hardness HRB 10 or more of a kind used in the production of suspensions systems for engines in motor vehicles	Other						
For the industrial assembly of: Pedestrian-controlled tractors of subheading 8701 10; Vehicles of heading 8703; Vehicles of heading 8704 with either a compression-ignition internal combustion piston engine (diesel or semi-diesel) of a cylinder capacity not exceeding 2 500 cm\$3 or with a spark-ignition internal combustion piston engine of a cylinder capacity not exceeding 2 800 cm\$3; Vehicles of heading 8705																
Other																
<table><tr><td>Of closed-die forged steel</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Metal housing caps for incorporation into balancing-arms or spherical bearings used in the suspension systems for the front wheels of motor vehicles</td></tr><tr><td>Keypads of silicone or plastic, - whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, - whether or not printed or surface treated, - whether or not with electrical conducting elements - whether or not with keypads foil glued on the keyboard - whether or not with protective foil - single or multilayer</td></tr><tr><td>Aluminium engine bracket, with dimensions of: -height of more than 10 mm but not more than 200 mm -width of more than 10 mm but not more than 200 mm -length of more than 10 mm but not more than 200 mm equipped with at least two fixing holes, made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics: -internal porosity not more than 1 mm; -outer porosity not more than 2 mm; -Rockwell hardness HRB 10 or more of a kind used in the production of suspensions systems for engines in motor vehicles</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Of closed-die forged steel	Other	<table><tr><td>Metal housing caps for incorporation into balancing-arms or spherical bearings used in the suspension systems for the front wheels of motor vehicles</td></tr><tr><td>Keypads of silicone or plastic, - whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, - whether or not printed or surface treated, - whether or not with electrical conducting elements - whether or not with keypads foil glued on the keyboard - whether or not with protective foil - single or multilayer</td></tr><tr><td>Aluminium engine bracket, with dimensions of: -height of more than 10 mm but not more than 200 mm -width of more than 10 mm but not more than 200 mm -length of more than 10 mm but not more than 200 mm equipped with at least two fixing holes, made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics: -internal porosity not more than 1 mm; -outer porosity not more than 2 mm; -Rockwell hardness HRB 10 or more of a kind used in the production of suspensions systems for engines in motor vehicles</td></tr><tr><td>Other</td></tr></table>	Metal housing caps for incorporation into balancing-arms or spherical bearings used in the suspension systems for the front wheels of motor vehicles	Keypads of silicone or plastic, - whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, - whether or not printed or surface treated, - whether or not with electrical conducting elements - whether or not with keypads foil glued on the keyboard - whether or not with protective foil - single or multilayer	Aluminium engine bracket, with dimensions of: -height of more than 10 mm but not more than 200 mm -width of more than 10 mm but not more than 200 mm -length of more than 10 mm but not more than 200 mm equipped with at least two fixing holes, made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics: -internal porosity not more than 1 mm; -outer porosity not more than 2 mm; -Rockwell hardness HRB 10 or more of a kind used in the production of suspensions systems for engines in motor vehicles	Other									
Of closed-die forged steel																
Other																
<table><tr><td>Metal housing caps for incorporation into balancing-arms or spherical bearings used in the suspension systems for the front wheels of motor vehicles</td></tr><tr><td>Keypads of silicone or plastic, - whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, - whether or not printed or surface treated, - whether or not with electrical conducting elements - whether or not with keypads foil glued on the keyboard - whether or not with protective foil - single or multilayer</td></tr><tr><td>Aluminium engine bracket, with dimensions of: -height of more than 10 mm but not more than 200 mm -width of more than 10 mm but not more than 200 mm -length of more than 10 mm but not more than 200 mm equipped with at least two fixing holes, made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics: -internal porosity not more than 1 mm; -outer porosity not more than 2 mm; -Rockwell hardness HRB 10 or more of a kind used in the production of suspensions systems for engines in motor vehicles</td></tr><tr><td>Other</td></tr></table>	Metal housing caps for incorporation into balancing-arms or spherical bearings used in the suspension systems for the front wheels of motor vehicles	Keypads of silicone or plastic, - whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, - whether or not printed or surface treated, - whether or not with electrical conducting elements - whether or not with keypads foil glued on the keyboard - whether or not with protective foil - single or multilayer	Aluminium engine bracket, with dimensions of: -height of more than 10 mm but not more than 200 mm -width of more than 10 mm but not more than 200 mm -length of more than 10 mm but not more than 200 mm equipped with at least two fixing holes, made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics: -internal porosity not more than 1 mm; -outer porosity not more than 2 mm; -Rockwell hardness HRB 10 or more of a kind used in the production of suspensions systems for engines in motor vehicles	Other												
Metal housing caps for incorporation into balancing-arms or spherical bearings used in the suspension systems for the front wheels of motor vehicles																
Keypads of silicone or plastic, - whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, - whether or not printed or surface treated, - whether or not with electrical conducting elements - whether or not with keypads foil glued on the keyboard - whether or not with protective foil - single or multilayer																
Aluminium engine bracket, with dimensions of: -height of more than 10 mm but not more than 200 mm -width of more than 10 mm but not more than 200 mm -length of more than 10 mm but not more than 200 mm equipped with at least two fixing holes, made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics: -internal porosity not more than 1 mm; -outer porosity not more than 2 mm; -Rockwell hardness HRB 10 or more of a kind used in the production of suspensions systems for engines in motor vehicles																
Other																
<table><tr><td>Works trucks, self-propelled, not fitted with lifting or handling equipment, of the type used in factories, warehouses, dock areas or airports for short distance transport of goods; tractors of the type used on railway station platforms; parts of the foregoing vehicles</td></tr><tr><td>Vehicles</td></tr><tr><td>Electrical</td></tr></table>	Works trucks, self-propelled, not fitted with lifting or handling equipment, of the type used in factories, warehouses, dock areas or airports for short distance transport of goods; tractors of the type used on railway station platforms; parts of the foregoing vehicles	Vehicles	Electrical													
Works trucks, self-propelled, not fitted with lifting or handling equipment, of the type used in factories, warehouses, dock areas or airports for short distance transport of goods; tractors of the type used on railway station platforms; parts of the foregoing vehicles																
Vehicles																
Electrical																

<table><tr><td><table><tr><td>Specially designed for the transport of highly radioactive materials</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Specially designed for the transport of highly radioactive materials</td></tr><tr><td>Other</td></tr></table></td></tr></table>	<table><tr><td>Specially designed for the transport of highly radioactive materials</td></tr><tr><td>Other</td></tr></table>	Specially designed for the transport of highly radioactive materials	Other	Other	<table><tr><td>Specially designed for the transport of highly radioactive materials</td></tr><tr><td>Other</td></tr></table>	Specially designed for the transport of highly radioactive materials	Other
<table><tr><td>Specially designed for the transport of highly radioactive materials</td></tr><tr><td>Other</td></tr></table>	Specially designed for the transport of highly radioactive materials	Other					
Specially designed for the transport of highly radioactive materials							
Other							
Other							
<table><tr><td>Specially designed for the transport of highly radioactive materials</td></tr><tr><td>Other</td></tr></table>	Specially designed for the transport of highly radioactive materials	Other					
Specially designed for the transport of highly radioactive materials							
Other							
Parts							
Tanks and other armoured fighting vehicles, motorised, whether or not fitted with weapons, and parts of such vehicles							
Motorcycles (including mopeds) and cycles fitted with an auxiliary motor, with or without side-cars; side-cars							
<table><tr><td>With reciprocating internal combustion piston engine of a cylinder capacity not exceeding 50 cm\$3</td></tr><tr><td>With reciprocating internal combustion piston engine of a cylinder capacity exceeding 50 cm\$3 but not exceeding 250 cm\$3</td></tr><tr><td>Scooters</td></tr><tr><td>Other, of a cylinder capacity</td></tr><tr><td><table><tr><td>Exceeding 50 cm\$3 but not exceeding 125 cm\$3</td></tr><tr><td>Exceeding 125 cm\$3 but not exceeding 250 cm\$3</td></tr></table></td></tr></table>	With reciprocating internal combustion piston engine of a cylinder capacity not exceeding 50 cm\$3	With reciprocating internal combustion piston engine of a cylinder capacity exceeding 50 cm\$3 but not exceeding 250 cm\$3	Scooters	Other, of a cylinder capacity	<table><tr><td>Exceeding 50 cm\$3 but not exceeding 125 cm\$3</td></tr><tr><td>Exceeding 125 cm\$3 but not exceeding 250 cm\$3</td></tr></table>	Exceeding 50 cm\$3 but not exceeding 125 cm\$3	Exceeding 125 cm\$3 but not exceeding 250 cm\$3
With reciprocating internal combustion piston engine of a cylinder capacity not exceeding 50 cm\$3							
With reciprocating internal combustion piston engine of a cylinder capacity exceeding 50 cm\$3 but not exceeding 250 cm\$3							
Scooters							
Other, of a cylinder capacity							
<table><tr><td>Exceeding 50 cm\$3 but not exceeding 125 cm\$3</td></tr><tr><td>Exceeding 125 cm\$3 but not exceeding 250 cm\$3</td></tr></table>	Exceeding 50 cm\$3 but not exceeding 125 cm\$3	Exceeding 125 cm\$3 but not exceeding 250 cm\$3					
Exceeding 50 cm\$3 but not exceeding 125 cm\$3							
Exceeding 125 cm\$3 but not exceeding 250 cm\$3							
With reciprocating internal combustion piston engine of a cylinder capacity exceeding 250 cm\$3 but not exceeding 500 cm\$3							
<table><tr><td>Of a cylinder capacity exceeding 250 cm\$3 but not exceeding 380 cm\$3</td></tr><tr><td>Of a cylinder capacity exceeding 380 cm\$3 but not exceeding 500 cm\$3</td></tr></table>	Of a cylinder capacity exceeding 250 cm\$3 but not exceeding 380 cm\$3	Of a cylinder capacity exceeding 380 cm\$3 but not exceeding 500 cm\$3					
Of a cylinder capacity exceeding 250 cm\$3 but not exceeding 380 cm\$3							
Of a cylinder capacity exceeding 380 cm\$3 but not exceeding 500 cm\$3							
With reciprocating internal combustion piston engine of a cylinder capacity exceeding 500 cm\$3 but not exceeding 800 cm\$3							
With reciprocating internal combustion piston engine of a cylinder capacity exceeding 800 cm\$3							
Other							
<table><tr><td>Cycles, with an auxiliary electric motor with a continuous rated power not exceeding 250 watts</td></tr><tr><td>Other</td></tr></table>	Cycles, with an auxiliary electric motor with a continuous rated power not exceeding 250 watts	Other					
Cycles, with an auxiliary electric motor with a continuous rated power not exceeding 250 watts							
Other							
Bicycles and other cycles (including delivery tricycles), not motorised							
<table><tr><td>Bicycles with ball bearings</td></tr><tr><td>Consigned from Indonesia, Malaysia, Sri Lanka or Tunisia</td></tr><tr><td>Consigned from Cambodia, Pakistan or the Philippines</td></tr><tr><td>Other</td></tr></table>	Bicycles with ball bearings	Consigned from Indonesia, Malaysia, Sri Lanka or Tunisia	Consigned from Cambodia, Pakistan or the Philippines	Other			
Bicycles with ball bearings							
Consigned from Indonesia, Malaysia, Sri Lanka or Tunisia							
Consigned from Cambodia, Pakistan or the Philippines							
Other							
Other							
Unicycles							
Other							
<table><tr><td>Consigned from Indonesia, Malaysia, Sri Lanka or Tunisia</td></tr><tr><td>Consigned from Cambodia, Pakistan or the Philippines</td></tr></table>	Consigned from Indonesia, Malaysia, Sri Lanka or Tunisia	Consigned from Cambodia, Pakistan or the Philippines					
Consigned from Indonesia, Malaysia, Sri Lanka or Tunisia							
Consigned from Cambodia, Pakistan or the Philippines							

<table><tr><td>Other</td></tr></table>	Other				
Other					
Carriages for disabled persons, whether or not motorised or otherwise mechanically propelled					
Not mechanically propelled					
Other					
Parts and accessories of vehicles of headings 8711 to 8713					
Of motorcycles (including mopeds)					
Brakes and parts thereof					
Gear boxes and parts thereof					
Road wheels and parts and accessories thereof					
Silencers (mufflers) and exhaust pipes; parts thereof					
Clutches and parts thereof					
Other					
<table><tr><td>Inner tubes, - of SAE1541 carbon steel - with a hard chromium layer of 20 µm (+15 µm/-5 µm) - having a wall thickness of 1,45 mm or more, but not more than 1,5 mm - having an elongation at break of 15 % - slotted of a kind used for the production of motorcycle fork rods</td></tr><tr><td>Radiators of a kind used in motor bikes for fitting of attachments</td></tr><tr><td>Axle clamps, housings, fork bridges and clamping pieces, of aluminium alloy of a kind used for motor bikes</td></tr><tr><td>Pistons for steering dampers of sintered steel according to standard ISO P2054 of a kind used for motor bikes</td></tr><tr><td>Other</td></tr></table>	Inner tubes, - of SAE1541 carbon steel - with a hard chromium layer of 20 µm (+15 µm/-5 µm) - having a wall thickness of 1,45 mm or more, but not more than 1,5 mm - having an elongation at break of 15 % - slotted of a kind used for the production of motorcycle fork rods	Radiators of a kind used in motor bikes for fitting of attachments	Axle clamps, housings, fork bridges and clamping pieces, of aluminium alloy of a kind used for motor bikes	Pistons for steering dampers of sintered steel according to standard ISO P2054 of a kind used for motor bikes	Other
Inner tubes, - of SAE1541 carbon steel - with a hard chromium layer of 20 µm (+15 µm/-5 µm) - having a wall thickness of 1,45 mm or more, but not more than 1,5 mm - having an elongation at break of 15 % - slotted of a kind used for the production of motorcycle fork rods					
Radiators of a kind used in motor bikes for fitting of attachments					
Axle clamps, housings, fork bridges and clamping pieces, of aluminium alloy of a kind used for motor bikes					
Pistons for steering dampers of sintered steel according to standard ISO P2054 of a kind used for motor bikes					
Other					
Of carriages for disabled persons					
Other					
Frames and forks, and parts thereof					
Frames					
<table><tr><td>Painted, anodised, polished and/or lacquered</td></tr><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr><tr><td>Constructed from carbon fibres and artificial resin, for use in the manufacture of bicycles</td></tr><tr><td>Frame, constructed from aluminium or aluminium and carbon fibres, for the use in the manufacture of bicycles</td></tr><tr><td>Other</td></tr></table>	Painted, anodised, polished and/or lacquered	Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties	Constructed from carbon fibres and artificial resin, for use in the manufacture of bicycles	Frame, constructed from aluminium or aluminium and carbon fibres, for the use in the manufacture of bicycles	Other
Painted, anodised, polished and/or lacquered					
Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties					
Constructed from carbon fibres and artificial resin, for use in the manufacture of bicycles					
Frame, constructed from aluminium or aluminium and carbon fibres, for the use in the manufacture of bicycles					
Other					
Other					
<table><tr><td>Constructed from carbon fibres and artificial resin, for use in the manufacture of bicycles</td></tr><tr><td>Frame, constructed from aluminium or aluminium and</td></tr></table>	Constructed from carbon fibres and artificial resin, for use in the manufacture of bicycles	Frame, constructed from aluminium or aluminium and			
Constructed from carbon fibres and artificial resin, for use in the manufacture of bicycles					
Frame, constructed from aluminium or aluminium and					

<table><tr><td>carbon fibres, for the use in the manufacture of bicycles</td></tr><tr><td>Other</td></tr></table>	carbon fibres, for the use in the manufacture of bicycles	Other																										
carbon fibres, for the use in the manufacture of bicycles																												
Other																												
Other																												
<table><tr><td>Frame, constructed from aluminium or aluminium and carbon fibres, for the use in the manufacture of bicycles</td></tr><tr><td>Other</td></tr></table>	Frame, constructed from aluminium or aluminium and carbon fibres, for the use in the manufacture of bicycles	Other																										
Frame, constructed from aluminium or aluminium and carbon fibres, for the use in the manufacture of bicycles																												
Other																												
Front forks																												
<table><tr><td>Painted, anodised, polished and/or lacquered</td></tr><tr><td><table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr><tr><td>Constructed from carbon fibres and artificial resin, for use in the manufacture of bicycles</td></tr><tr><td>Front forks with aluminium legs, for use in the manufacture of bicycles</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Constructed from carbon fibres and artificial resin, for use in the manufacture of bicycles</td></tr><tr><td>Front forks with aluminium legs, for use in the manufacture of bicycles</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Front forks with aluminium legs, for use in the manufacture of bicycles</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Parts</td></tr><tr><td>Wheel rims and spokes</td></tr><tr><td><table><tr><td>Rims</td></tr><tr><td>Spokes</td></tr></table></td></tr><tr><td>Hubs, other than coaster braking hubs and hub brakes, and free-wheel sprocket-wheels</td></tr><tr><td><table><tr><td>Free-wheel sprocket-wheels</td></tr><tr><td><table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Brakes, including coaster braking hubs and hub brakes, and parts thereof</td></tr></table>	Painted, anodised, polished and/or lacquered	<table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr><tr><td>Constructed from carbon fibres and artificial resin, for use in the manufacture of bicycles</td></tr><tr><td>Front forks with aluminium legs, for use in the manufacture of bicycles</td></tr><tr><td>Other</td></tr></table>	Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties	Constructed from carbon fibres and artificial resin, for use in the manufacture of bicycles	Front forks with aluminium legs, for use in the manufacture of bicycles	Other	Other	<table><tr><td>Constructed from carbon fibres and artificial resin, for use in the manufacture of bicycles</td></tr><tr><td>Front forks with aluminium legs, for use in the manufacture of bicycles</td></tr><tr><td>Other</td></tr></table>	Constructed from carbon fibres and artificial resin, for use in the manufacture of bicycles	Front forks with aluminium legs, for use in the manufacture of bicycles	Other	Other	<table><tr><td>Front forks with aluminium legs, for use in the manufacture of bicycles</td></tr><tr><td>Other</td></tr></table>	Front forks with aluminium legs, for use in the manufacture of bicycles	Other	Parts	Wheel rims and spokes	<table><tr><td>Rims</td></tr><tr><td>Spokes</td></tr></table>	Rims	Spokes	Hubs, other than coaster braking hubs and hub brakes, and free-wheel sprocket-wheels	<table><tr><td>Free-wheel sprocket-wheels</td></tr><tr><td><table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table>	Free-wheel sprocket-wheels	<table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr><tr><td>Other</td></tr></table>	Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties	Other	Other	Brakes, including coaster braking hubs and hub brakes, and parts thereof
Painted, anodised, polished and/or lacquered																												
<table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr><tr><td>Constructed from carbon fibres and artificial resin, for use in the manufacture of bicycles</td></tr><tr><td>Front forks with aluminium legs, for use in the manufacture of bicycles</td></tr><tr><td>Other</td></tr></table>	Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties	Constructed from carbon fibres and artificial resin, for use in the manufacture of bicycles	Front forks with aluminium legs, for use in the manufacture of bicycles	Other																								
Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties																												
Constructed from carbon fibres and artificial resin, for use in the manufacture of bicycles																												
Front forks with aluminium legs, for use in the manufacture of bicycles																												
Other																												
Other																												
<table><tr><td>Constructed from carbon fibres and artificial resin, for use in the manufacture of bicycles</td></tr><tr><td>Front forks with aluminium legs, for use in the manufacture of bicycles</td></tr><tr><td>Other</td></tr></table>	Constructed from carbon fibres and artificial resin, for use in the manufacture of bicycles	Front forks with aluminium legs, for use in the manufacture of bicycles	Other																									
Constructed from carbon fibres and artificial resin, for use in the manufacture of bicycles																												
Front forks with aluminium legs, for use in the manufacture of bicycles																												
Other																												
Other																												
<table><tr><td>Front forks with aluminium legs, for use in the manufacture of bicycles</td></tr><tr><td>Other</td></tr></table>	Front forks with aluminium legs, for use in the manufacture of bicycles	Other																										
Front forks with aluminium legs, for use in the manufacture of bicycles																												
Other																												
Parts																												
Wheel rims and spokes																												
<table><tr><td>Rims</td></tr><tr><td>Spokes</td></tr></table>	Rims	Spokes																										
Rims																												
Spokes																												
Hubs, other than coaster braking hubs and hub brakes, and free-wheel sprocket-wheels																												
<table><tr><td>Free-wheel sprocket-wheels</td></tr><tr><td><table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table>	Free-wheel sprocket-wheels	<table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr><tr><td>Other</td></tr></table>	Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties	Other	Other																							
Free-wheel sprocket-wheels																												
<table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr><tr><td>Other</td></tr></table>	Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties	Other																										
Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties																												
Other																												
Other																												
Brakes, including coaster braking hubs and hub brakes, and parts thereof																												

Brakes																			
<table><tr><td>Coaster braking hubs and hub brakes</td></tr><tr><td>Other brakes</td></tr><tr><td><table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Coaster braking hubs and hub brakes	Other brakes	<table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr><tr><td>Other</td></tr></table>	Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties	Other														
Coaster braking hubs and hub brakes																			
Other brakes																			
<table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr><tr><td>Other</td></tr></table>	Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties	Other																	
Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties																			
Other																			
Parts																			
<table><tr><td>Brake levers</td></tr><tr><td><table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Other</td></tr></table>	Brake levers	<table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr><tr><td>Other</td></tr></table>	Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties	Other	Other														
Brake levers																			
<table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr><tr><td>Other</td></tr></table>	Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties	Other																	
Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties																			
Other																			
Other																			
Saddles																			
Pedals and crank-gear, and parts thereof																			
<table><tr><td>Pedals</td></tr><tr><td><table><tr><td>Pedals, for use in the manufacture of bicycles</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Crank-gear</td></tr><tr><td><table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Parts</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Handlebars</td></tr><tr><td><table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Luggage carriers</td></tr><tr><td>Derailleur gears</td></tr><tr><td><table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr></table></td></tr></table></td></tr></table>	Pedals	<table><tr><td>Pedals, for use in the manufacture of bicycles</td></tr><tr><td>Other</td></tr></table>	Pedals, for use in the manufacture of bicycles	Other	Crank-gear	<table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr><tr><td>Other</td></tr></table>	Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties	Other	Parts	Other	<table><tr><td>Handlebars</td></tr><tr><td><table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Luggage carriers</td></tr><tr><td>Derailleur gears</td></tr><tr><td><table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr></table></td></tr></table>	Handlebars	<table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr><tr><td>Other</td></tr></table>	Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties	Other	Luggage carriers	Derailleur gears	<table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr></table>	Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties
Pedals																			
<table><tr><td>Pedals, for use in the manufacture of bicycles</td></tr><tr><td>Other</td></tr></table>	Pedals, for use in the manufacture of bicycles	Other																	
Pedals, for use in the manufacture of bicycles																			
Other																			
Crank-gear																			
<table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr><tr><td>Other</td></tr></table>	Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties	Other																	
Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties																			
Other																			
Parts																			
Other																			
<table><tr><td>Handlebars</td></tr><tr><td><table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Luggage carriers</td></tr><tr><td>Derailleur gears</td></tr><tr><td><table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr></table></td></tr></table>	Handlebars	<table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr><tr><td>Other</td></tr></table>	Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties	Other	Luggage carriers	Derailleur gears	<table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr></table>	Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties											
Handlebars																			
<table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr><tr><td>Other</td></tr></table>	Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties	Other																	
Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties																			
Other																			
Luggage carriers																			
Derailleur gears																			
<table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr></table>	Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties																		
Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties																			

Other																																
Other; parts																																
<table><tr><td>Complete wheels with or without tubes, tyres and sprockets</td></tr><tr><td><table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Seat posts, for use in the manufacture of bicycles</td></tr><tr><td>Other</td></tr></table>	Complete wheels with or without tubes, tyres and sprockets	<table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr><tr><td>Other</td></tr></table>	Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties	Other	Seat posts, for use in the manufacture of bicycles	Other																										
Complete wheels with or without tubes, tyres and sprockets																																
<table><tr><td>Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties</td></tr><tr><td>Other</td></tr></table>	Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties	Other																														
Originating in or consigned from China: - in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month; or - to be transferred to another holder of an end-use authorisation or to exempted parties																																
Other																																
Seat posts, for use in the manufacture of bicycles																																
Other																																
Baby carriages and parts thereof																																
<table><tr><td>Baby carriages</td></tr><tr><td>Parts</td></tr></table>	Baby carriages	Parts																														
Baby carriages																																
Parts																																
Trailers and semi-trailers; other vehicles, not mechanically propelled; parts thereof																																
<table><tr><td>Trailers and semi-trailers of the caravan type, for housing or camping</td></tr><tr><td><table><tr><td>Of a weight not exceeding 1 600 kg</td></tr><tr><td>Of a weight exceeding 1 600 kg</td></tr></table></td></tr><tr><td>Self-loading or self-unloading trailers and semi-trailers for agricultural purposes</td></tr><tr><td>Other trailers and semi-trailers for the transport of goods</td></tr><tr><td><table><tr><td>Tanker trailers and tanker semi-trailers</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Specially designed for the transport of highly radioactive materials</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>New</td></tr><tr><td><table><tr><td>Semi-trailers</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Used</td></tr></table></td></tr></table></td></tr><tr><td>Other trailers and semi-trailers</td></tr><tr><td>Other vehicles</td></tr><tr><td>Parts</td></tr><tr><td><table><tr><td>Chassis</td></tr><tr><td>Bodies</td></tr><tr><td>Axles</td></tr><tr><td>Other parts</td></tr><tr><td><table><tr><td>Aluminium road wheels of vehicles of CN heading 8716, whether or not with their accessories and whether or not fitted with tyres</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>AIRCRAFT, SPACECRAFT, AND PARTS THEREOF</td></tr><tr><td><table><tr><td>Balloons and dirigibles; gliders, hang gliders and other non-powered aircraft</td></tr></table></td></tr></table></td></tr></table>	Trailers and semi-trailers of the caravan type, for housing or camping	<table><tr><td>Of a weight not exceeding 1 600 kg</td></tr><tr><td>Of a weight exceeding 1 600 kg</td></tr></table>	Of a weight not exceeding 1 600 kg	Of a weight exceeding 1 600 kg	Self-loading or self-unloading trailers and semi-trailers for agricultural purposes	Other trailers and semi-trailers for the transport of goods	<table><tr><td>Tanker trailers and tanker semi-trailers</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Specially designed for the transport of highly radioactive materials</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>New</td></tr><tr><td><table><tr><td>Semi-trailers</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Used</td></tr></table></td></tr></table></td></tr><tr><td>Other trailers and semi-trailers</td></tr><tr><td>Other vehicles</td></tr><tr><td>Parts</td></tr><tr><td><table><tr><td>Chassis</td></tr><tr><td>Bodies</td></tr><tr><td>Axles</td></tr><tr><td>Other parts</td></tr><tr><td><table><tr><td>Aluminium road wheels of vehicles of CN heading 8716, whether or not with their accessories and whether or not fitted with tyres</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>AIRCRAFT, SPACECRAFT, AND PARTS THEREOF</td></tr><tr><td><table><tr><td>Balloons and dirigibles; gliders, hang gliders and other non-powered aircraft</td></tr></table></td></tr></table>	Tanker trailers and tanker semi-trailers	Other	<table><tr><td>Specially designed for the transport of highly radioactive materials</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>New</td></tr><tr><td><table><tr><td>Semi-trailers</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Used</td></tr></table></td></tr></table>	Specially designed for the transport of highly radioactive materials	Other	<table><tr><td>New</td></tr><tr><td><table><tr><td>Semi-trailers</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Used</td></tr></table>	New	<table><tr><td>Semi-trailers</td></tr><tr><td>Other</td></tr></table>	Semi-trailers	Other	Used	Other trailers and semi-trailers	Other vehicles	Parts	<table><tr><td>Chassis</td></tr><tr><td>Bodies</td></tr><tr><td>Axles</td></tr><tr><td>Other parts</td></tr><tr><td><table><tr><td>Aluminium road wheels of vehicles of CN heading 8716, whether or not with their accessories and whether or not fitted with tyres</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Chassis	Bodies	Axles	Other parts	<table><tr><td>Aluminium road wheels of vehicles of CN heading 8716, whether or not with their accessories and whether or not fitted with tyres</td></tr><tr><td>Other</td></tr></table>	Aluminium road wheels of vehicles of CN heading 8716, whether or not with their accessories and whether or not fitted with tyres	Other	AIRCRAFT, SPACECRAFT, AND PARTS THEREOF	<table><tr><td>Balloons and dirigibles; gliders, hang gliders and other non-powered aircraft</td></tr></table>	Balloons and dirigibles; gliders, hang gliders and other non-powered aircraft
Trailers and semi-trailers of the caravan type, for housing or camping																																
<table><tr><td>Of a weight not exceeding 1 600 kg</td></tr><tr><td>Of a weight exceeding 1 600 kg</td></tr></table>	Of a weight not exceeding 1 600 kg	Of a weight exceeding 1 600 kg																														
Of a weight not exceeding 1 600 kg																																
Of a weight exceeding 1 600 kg																																
Self-loading or self-unloading trailers and semi-trailers for agricultural purposes																																
Other trailers and semi-trailers for the transport of goods																																
<table><tr><td>Tanker trailers and tanker semi-trailers</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>Specially designed for the transport of highly radioactive materials</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>New</td></tr><tr><td><table><tr><td>Semi-trailers</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Used</td></tr></table></td></tr></table></td></tr><tr><td>Other trailers and semi-trailers</td></tr><tr><td>Other vehicles</td></tr><tr><td>Parts</td></tr><tr><td><table><tr><td>Chassis</td></tr><tr><td>Bodies</td></tr><tr><td>Axles</td></tr><tr><td>Other parts</td></tr><tr><td><table><tr><td>Aluminium road wheels of vehicles of CN heading 8716, whether or not with their accessories and whether or not fitted with tyres</td></tr><tr><td>Other</td></tr></table></td></tr></table></td></tr><tr><td>AIRCRAFT, SPACECRAFT, AND PARTS THEREOF</td></tr><tr><td><table><tr><td>Balloons and dirigibles; gliders, hang gliders and other non-powered aircraft</td></tr></table></td></tr></table>	Tanker trailers and tanker semi-trailers	Other	<table><tr><td>Specially designed for the transport of highly radioactive materials</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>New</td></tr><tr><td><table><tr><td>Semi-trailers</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Used</td></tr></table></td></tr></table>	Specially designed for the transport of highly radioactive materials	Other	<table><tr><td>New</td></tr><tr><td><table><tr><td>Semi-trailers</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Used</td></tr></table>	New	<table><tr><td>Semi-trailers</td></tr><tr><td>Other</td></tr></table>	Semi-trailers	Other	Used	Other trailers and semi-trailers	Other vehicles	Parts	<table><tr><td>Chassis</td></tr><tr><td>Bodies</td></tr><tr><td>Axles</td></tr><tr><td>Other parts</td></tr><tr><td><table><tr><td>Aluminium road wheels of vehicles of CN heading 8716, whether or not with their accessories and whether or not fitted with tyres</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Chassis	Bodies	Axles	Other parts	<table><tr><td>Aluminium road wheels of vehicles of CN heading 8716, whether or not with their accessories and whether or not fitted with tyres</td></tr><tr><td>Other</td></tr></table>	Aluminium road wheels of vehicles of CN heading 8716, whether or not with their accessories and whether or not fitted with tyres	Other	AIRCRAFT, SPACECRAFT, AND PARTS THEREOF	<table><tr><td>Balloons and dirigibles; gliders, hang gliders and other non-powered aircraft</td></tr></table>	Balloons and dirigibles; gliders, hang gliders and other non-powered aircraft							
Tanker trailers and tanker semi-trailers																																
Other																																
<table><tr><td>Specially designed for the transport of highly radioactive materials</td></tr><tr><td>Other</td></tr><tr><td><table><tr><td>New</td></tr><tr><td><table><tr><td>Semi-trailers</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Used</td></tr></table></td></tr></table>	Specially designed for the transport of highly radioactive materials	Other	<table><tr><td>New</td></tr><tr><td><table><tr><td>Semi-trailers</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Used</td></tr></table>	New	<table><tr><td>Semi-trailers</td></tr><tr><td>Other</td></tr></table>	Semi-trailers	Other	Used																								
Specially designed for the transport of highly radioactive materials																																
Other																																
<table><tr><td>New</td></tr><tr><td><table><tr><td>Semi-trailers</td></tr><tr><td>Other</td></tr></table></td></tr><tr><td>Used</td></tr></table>	New	<table><tr><td>Semi-trailers</td></tr><tr><td>Other</td></tr></table>	Semi-trailers	Other	Used																											
New																																
<table><tr><td>Semi-trailers</td></tr><tr><td>Other</td></tr></table>	Semi-trailers	Other																														
Semi-trailers																																
Other																																
Used																																
Other trailers and semi-trailers																																
Other vehicles																																
Parts																																
<table><tr><td>Chassis</td></tr><tr><td>Bodies</td></tr><tr><td>Axles</td></tr><tr><td>Other parts</td></tr><tr><td><table><tr><td>Aluminium road wheels of vehicles of CN heading 8716, whether or not with their accessories and whether or not fitted with tyres</td></tr><tr><td>Other</td></tr></table></td></tr></table>	Chassis	Bodies	Axles	Other parts	<table><tr><td>Aluminium road wheels of vehicles of CN heading 8716, whether or not with their accessories and whether or not fitted with tyres</td></tr><tr><td>Other</td></tr></table>	Aluminium road wheels of vehicles of CN heading 8716, whether or not with their accessories and whether or not fitted with tyres	Other																									
Chassis																																
Bodies																																
Axles																																
Other parts																																
<table><tr><td>Aluminium road wheels of vehicles of CN heading 8716, whether or not with their accessories and whether or not fitted with tyres</td></tr><tr><td>Other</td></tr></table>	Aluminium road wheels of vehicles of CN heading 8716, whether or not with their accessories and whether or not fitted with tyres	Other																														
Aluminium road wheels of vehicles of CN heading 8716, whether or not with their accessories and whether or not fitted with tyres																																
Other																																
AIRCRAFT, SPACECRAFT, AND PARTS THEREOF																																
<table><tr><td>Balloons and dirigibles; gliders, hang gliders and other non-powered aircraft</td></tr></table>	Balloons and dirigibles; gliders, hang gliders and other non-powered aircraft																															
Balloons and dirigibles; gliders, hang gliders and other non-powered aircraft																																

Balloons and dirigibles; gliders and hang gliders
For civil use
Other
Other
For civil use
Other

Other aircraft (for example, helicopters, aeroplanes); spacecraft (including satellites) and suborbital and spacecraft launch vehicles
Helicopters
Of an unladen weight not exceeding 2 000 kg
For civil use
Other
Of an unladen weight exceeding 2 000 kg
For civil use
Other

Aeroplanes and other aircraft, of an unladen weight not exceeding 2 000 kg
For civil use
Other

Aeroplanes and other aircraft, of an unladen weight exceeding 2 000 kg but not exceeding 15 000 kg
For civil use
Other

Aeroplanes and other aircraft, of an unladen weight exceeding 15 000 kg
For civil use
Other

Spacecraft (including satellites) and suborbital and spacecraft launch vehicles
Spacecraft (including satellites)
Telecommunication satellites
Other
Suborbital and spacecraft launch vehicles

Parts of goods of heading 8801 or 8802
Propellers and rotors and parts thereof
For use in civil aircraft
Intended to be fitted in aircraft imported duty free or built within the Community
Other

Undercarriages and parts thereof
For use in civil aircraft
Intended to be fitted in aircraft imported duty free or built within the Community
Other

Other parts of aeroplanes or helicopters
For use in civil aircraft

Intended to be fitted in aircraft imported duty free or built within the Community
Other
Connecting components for use in the production of helicopter tail rotor shafts
Pre-formed helicopter rotor shafts - of circular cross-section, - with a length of 1 249,68 mm or more, but not more than 1 496,06 mm, - of an external diameter of 81,356 mm or more, but not more than 82,2198 mm, - swaged on both ends to an external diameter of 63,8683 mm or more, but not more than 66,802 mm, - heat treated according to standards MIL-H-6088, AMS 2770 or AMS 2772
Other

Other
Of kites
Of spacecraft (including satellites)
Of telecommunication satellites
Other
Of suborbital and spacecraft launch vehicles
Other
For use in civil aircraft
Intended to be fitted in aircraft imported duty free or built within the Community
Other

Parachutes (including dirigible parachutes and paragliders) and rotochutes; parts thereof and accessories thereto
--

Aircraft launching gear; deck-arrestor or similar gear; ground flying trainers; parts of the foregoing articles
Aircraft launching gear and parts thereof; deck-arrestor or similar gear and parts thereof
Aircraft launching gear and parts thereof
Other

Ground flying trainers and parts thereof
Air combat simulators and parts thereof
Other
For use in civil aircraft
Other

SHIPS, BOATS AND FLOATING STRUCTURES
Cruise ships, excursion boats, ferry-boats, cargo ships, barges and similar vessels for the transport of persons or goods
Cruise ships, excursion boats and similar vessels principally designed for the transport of persons; ferry-boats of all kinds
Seagoing
Other

Tankers
Seagoing
Other

Refrigerated vessels, other than those of subheading 8901 20
Seagoing
Other

Other vessels for the transport of goods and other vessels for the transport of both persons and goods
Seagoing
Other

Fishing vessels; factory ships and other vessels for processing or preserving fishery products
Seagoing
Other

Yachts and other vessels for pleasure or sports; rowing boats and canoes
Inflatable
Of a weight not exceeding 100 kg each
Other

Other
Sailboats, with or without auxiliary motor
Seagoing
Other

Motor boats, other than outboard motor boats
Seagoing
Other
Of a length not exceeding 7,5 m
Of a length exceeding 7,5 m

Other
Of a weight not exceeding 100 kg each
Other
Of a length not exceeding 7,5 m
Of a length exceeding 7,5 m

Tugs and pusher craft
Tugs
Pusher craft
Seagoing
Other

Light-vessels, fire-floats, dredgers, floating cranes, and other vessels the navigability of which is subsidiary to their main function; floating docks; floating or submersible drilling or production platforms
Dredgers
Seagoing
Other
Floating or submersible drilling or production platforms

Other
Seagoing
Other

Other vessels, including warships and lifeboats other than rowing boats
Warships
Other
Seagoing
Other
Of a weight not exceeding 100 kg each
Other

Other floating structures (for example, rafts, tanks, coffer-dams, landing stages, buoys and beacons)
Inflatable rafts
Other

Vessels and other floating structures for breaking up

OPTICAL, PHOTOGRAPHIC, CINEMATOGRAPHIC, MEASURING, CHECKING, PRECISION, MEDICAL OR SURGICAL INSTRUMENTS AND APPARATUS; PARTS AND ACCESSORIES THEREOF
Optical fibres and optical fibre bundles; optical fibre cables other than those of heading 8544; sheets and plates of polarising material; lenses (including contact lenses), prisms, mirrors and other optical elements, of any material, unmounted, other than such elements of glass not optically worked
Optical fibres, optical fibre bundles and cables
Image conductor cables
Other
Image reverser made up from an assembly of optical fibres
Polymer optical fibre with: - a poly(methyl methacrylate) core, - a cladding of fluorinated polymer, - a diameter of not more than 3,0 mm, and - a length of more than 150 m, of a kind used in the manufacture of polymer fibre cables
Other

Sheets and plates of polarising material
Material consisting of a polarising film, whether or not on rolls, supported on one or both sides by transparent material, whether or not with an adhesive layer, covered on one side or on both sides with a release film
Optical, diffuser, reflector or prism sheets, unprinted diffuser plates, whether or not possessing polarising properties, specifically cut
Polarizer film, in rolls, consisting of a multilayered polyvinyl alcohol film, supported on either side by a triacetyl cellulose film, with a pressure sensitive adhesive and release film on one side
Other

Contact lenses
Spectacle lenses of glass
Not for the correction of vision
For the correction of vision
Both sides finished
Single focal
Other
Other

Spectacle lenses of other materials
Not for the correction of vision
For the correction of vision
Both sides finished
Single focal
Round organic uncut corrective eyeglass lens, finished on both sides: - of a diameter of 4,9 cm or more but not more than 8,2 cm, - of a height of 0,5 cm or more but not more than 1,8 cm, measured when the lens is laid on a flat surface from the horizontal plane to the lens front surface optical centre of a kind used to be processed in order to be adapted to a pair of glasses
Other
Other
Round organic uncut corrective eyeglass lens, finished on both sides: - of a diameter of 4,9 cm or more but not more than 8,2 cm, - of a height of 0,5 cm or more but not more than 1,8 cm, measured when the lens is laid on a flat surface from the horizontal plane to the lens front surface optical centre of a kind used to be processed in order to be adapted to a pair of glasses
Other
Other
Round organic uncut corrective eyeglass lens blanks, finished on one side: - of a diameter of 5,9 cm or more but not more than 8,5 cm - of a height of 1,2 cm or more but not more than 3,5 cm, measured when the lens is laid on a flat surface from the horizontal plane to the lens front surface optical centre of a kind used to be processed in order to be adapted to a pair of glasses
Other

Other
For use in civil aircraft
Unmounted optical elements made from moulded infrared transmitting chalcogenide glass, or a combination of infrared transmitting chalcogenide glass and another lens material
Rear projection screen, comprising a lenticular plastic plate

Rod of neodymium-doped yttrium-aluminium garnet (YAG) material, polished at both ends
Optical, diffuser, reflector or prism sheets, unprinted diffuser plates, whether or not possessing polarising properties, specifically cut
Reflector or diffuser sheets in rolls
Optical film with a minimum of 5 multi-layer structures, including a back side reflector, a front side coating and a contrast filter with a pitch of not more than 0,65 µm, for use in the manufacture of front projection screens
Polyethylene terephthalate film with a thickness of less than 300 µm according to ASTM D2103, having on one side prisms of acrylic resin with a prism angle of 90° and a prism pitch of 50 µm
Front filter comprising glass panels with special printing and film coating, for use in the manufacture of plasma display modules
Unmounted glass lenses, prisms and cemented elements for use in the manufacture or repair of goods of CN codes 9002, 9005, 9013 10 and 9015
Light guide panel made of poly(methyl methacrylate), - whether or not cut, - whether or not printed, for use in the manufacture of backlight units for flat screen TVs
Other

Lenses, prisms, mirrors and other optical elements, of any material, mounted, being parts of or fittings for instruments or apparatus, other than such elements of glass not optically worked
Objective lenses
For cameras, projectors or photographic enlargers or reducers
Adjustable lens unit, having a focal length of 90 mm or more but not more than 180 mm and comprising a combination of between 4 and 8 glass or methacrylic lenses with a diameter of 120 mm or more but not more than 180 mm, each lens coated on at least one side with a magnesium fluoride layer, for use in the manufacture of video projectors
Infrared lens with motorised focus adjustment, - using wavelengths of 3 µm or more but not more than 5 µm, - providing a clear picture from 50 m to infinity, - with fields of vision sizes of 3° x 2,25° and 9° x 6,75 °, - with a weight of not more than 230 g, - with a length of not more than 88 mm, - with a diameter of not more than 46 mm, - athermalised, for use in the manufacture of thermal imaging cameras, infrared binoculars, weapons scopes
Lenses •measuring not more than 80 mm x 55 mm x 50 mm, •with a resolution of 160 lines/mm or better, and •with a zoom ratio of 18 times, of a kind used for the production of visualizers or live image cameras
Lenses •measuring not more than 180 mm x 100 mm x 100 mm at a maximum focal length of more than 200 mm, •with a resolution of 130

lines/mm or better, and •with a zoom ratio of 18 times of a kind used for the production of visualizers or live image cameras
Lenses •measuring not more than 125 mm x 65 mm x 65 mm, •with a resolution of 125 lines/mm or better, and •with a zoom ratio of 16 times of a kind used for the production of visualizers or live image cameras
Lens unit: - having a focal length of 25 mm or more but not more than 150 mm, - consisting of glass or plastic lenses, with a diameter of 60 mm or more but not more than 190 mm
Lenses •measuring not more than 180 mm×100 mm×100 mm at a maximum focal length of more than 200 mm, •with an etendue of 7 steradian mm² or better, and •with a zoom ratio of 16 times of a kind used for the production of visualizers or live image cameras
Lens assembly with: - a field of view range of 58,5 deg or more, but not more than 194 deg, - a focal length of 1,16 mm or more, but not more than 3,88 mm, - a relative aperture of F/2.0 or more but not more than 2.6, - a diameter of 17 mm or more but not more than 18,5 mm, for use in the manufacture of CMOS automotive cameras
Other
Other
Infrared lens with motorised focus adjustment, - using wavelengths of 3 µm or more but not more than 5 µm, - providing a clear picture from 50 m to infinity, - with fields of vision sizes of 3° x 2,25° and 9° x 6,75 °, - with a weight of not more than 230 g, - with a length of not more than 88 mm, - with a diameter of not more than 46 mm, - athermalised, for use in the manufacture of thermal imaging cameras, infrared binoculars, weapons scopes
Other

Filters
Filter, consisting of a plastic polarising membrane, a glass plate and a transparent protective film, mounted on a metal frame, for use in the manufacture of products falling within heading 8528
Other

Other
For use in civil aircraft
Lens, mounted, having a fixed focal length of 3,8 mm (±0,19 mm) or 8 mm (±0,4 mm), with a relative aperture of F2.0 and a diameter of not more than 33 mm, for use in the manufacture of charged-coupled (CCD) cameras
Optical unit, comprising 1 or 2 rows of optical glass fibres in the form of lenses and with a diameter of 0,85 mm or more but not more than 1,15 mm, embedded between 2 plastic plates
Mounted lenses made from infrared transmitting chalcogenide glass, or a combination of infrared transmitting

chalcogenide glass and another lens material
Other

Frames and mountings for spectacles, goggles or the like, and parts thereof
Frames and mountings
Of plastics
For use in the manufacture of corrective glasses
Other
Of other materials
Of base metal
For use in the manufacture of corrective glasses
Other
Of other materials
Parts
Parts of spectacle frames and mountings, including bolts of the kind used for spectacle frames and mountings, of an alloy of titanium
Other

Spectacles, goggles and the like, corrective, protective or other
Sunglasses
With lenses optically worked
Other
With lenses of plastics
Other
Other
With lenses of plastics
Other

Binoculars, monoculars, other optical telescopes, and mountings therefor; other astronomical instruments and mountings therefor, but not including instruments for radio-astronomy
Binoculars
Other instruments
Parts and accessories (including mountings)

Photographic (other than cinematographic) cameras; photographic flashlight apparatus and flashbulbs other than discharge lamps of heading 8539
Cameras of a kind used for preparing printing plates or cylinders
Cameras specially designed for underwater use, for aerial survey or for medical or surgical examination of internal organs; comparison cameras for forensic or criminological purposes
Instant print cameras
Other cameras
With a through-the-lens viewfinder (single lens reflex (SLR)), for roll film of a width not exceeding 35 mm
Other, for roll film of a width less than 35 mm

Other, for roll film of a width of 35 mm
Disposable cameras
Other
Other

Photographic flashlight apparatus and flashbulbs
Discharge lamp (electronic) flashlight apparatus
Other
Parts and accessories
For cameras
Other

Cinematographic cameras and projectors, whether or not incorporating sound recording or reproducing apparatus
Cameras
Projectors
For use in certain types of aircraft
Other
Parts and accessories
For cameras
For projectors
For use in certain types of aircraft
Other

Image projectors, other than cinematographic; photographic (other than cinematographic) enlargers and reducers
Projectors, enlargers and reducers
Parts and accessories

Apparatus and equipment for photographic (including cinematographic) laboratories, not specified or included elsewhere in this chapter; negatoscopes; projection screens
Apparatus and equipment for automatically developing photographic (including cinematographic) film or paper in rolls or for automatically exposing developed film to rolls of photographic paper
Other apparatus and equipment for photographic (including cinematographic) laboratories; negatoscopes
Projection screens
Parts and accessories
Of apparatus and equipment of subheadings 9010 50 00 or 9010 60 00
Other

Compound optical microscopes, including those for photomicrography, cinephotomicrography or microprojection
Stereoscopic microscopes
Fitted with equipment specifically designed for the handling and transport of semiconductor wafers or reticles
Other
Other microscopes, for photomicrography,

cinematomicrography or microprojection	
Photomicrographic microscopes fitted with equipment specifically designed for the handling and transport of semiconductor wafers or reticles	
Other	
Other microscopes	
Parts and accessories	
Of apparatus of subheading9011 10 10 or 9011 20 10	
Other	
Microscopes other than optical microscopes; diffraction apparatus	
Microscopes other than optical microscopes; diffraction apparatus	
Electron microscopes fitted with equipment specifically designed for the handling and transport of semiconductor wafers or reticles	
Other	
Parts and accessories	
Of apparatus of subheading9012 10 10	
Other	
Energy filters, to be installed on the column of electron microscopes	
Other	
Liquid crystal devices not constituting articles provided for more specifically in other headings; lasers, other than laser diodes; other optical appliances and instruments, not specified or included elsewhere in this chapter	
Telescopic sights for fitting to arms; periscopes; telescopes designed to form parts of machines, appliances, instruments or apparatus of this chapter or SectionXVI	
Telescopes designed to form parts of machines, appliances, instruments or apparatus of this Chapter or Section XVI	
Other	
Lasers, other than laser diodes	
Carbon dioxide laser, stimulated by high frequency, having an output power of 12 W or more, but not more than 200 W	
Laser head assemblies for use in the manufacture of measuring or checking machines for semiconductor wafers or devices	
Laser for use in the manufacture of measuring or checking machines for semiconductor wafers or devices	
Red, blue or green laser module - consisting of one or more laser diodes on a metal submount with optical elements and electric connectors in a hermetic housing, - with or without mirrors or a Periodically Poled Lithium Niobate (PPLN) crystal, - with an optical output power of 1W or more but not more than 50W, - only capable of emitting central wavelengths within an exact range depending on the colour: Red:	

600 nm or more but not more than 665 nm; Green: 515 nm or more but not more than 560 nm; Blue: 435 nm or more but not more than 475 nm, - and operational in two or more closely spaced wavelength bins mutually parted by 1nm or more but not more than 5nm	
Optical unit, consisting at least of a laser diode and a photodiode operating at a typical wavelength of 635 nm or more but not more than 815 nm	
Other	
Other devices, appliances and instruments	
Liquid crystal devices	
Active matrix liquid crystal devices	
Other	
Other	
Electronic semiconductor micro-mirror in a housing suitable for the automatic printing of conductor boards, mainly consisting of a combination of: - one or more monolithic application-specific integrated circuits (ASIC), - one or more microelectromechanical sensor elements (MEMS) manufactured with semiconductor technology, with mechanical components arranged in three-dimensional structures on the semiconductor material of a kind used for incorporation into products of Chapters 84-90 and 95	
Other	
Parts and accessories	
For liquid crystal devices (LCD)	
Other	
For telescopic sights for fitting to arms or for periscopes	
Other	
Direction finding compasses; other navigational instruments and appliances	
Direction finding compasses	
For use in civil aircraft	
Other	
Electronic compass, as a geomagnetic sensor, in a housing (e.g. CSWLP, LGA, SOIC) suitable for fully automated printed circuit board (PCB) assembly, with the following main components: - a combination of one or more application-specific integrated circuits (ASIC) and - one or more micro-electromechanical sensors (MEMS) manufactured with semiconductor technology, with mechanical components arranged in three-dimensional structures on the semiconductor material, of a kind used in the manufacture of products falling in chapters 84-90 and 94	
Other	
Instruments and appliances for aeronautical or space navigation (other than compasses)	

Inertial navigation systems	
For use in civil aircraft	
Other	
Other	
For use in civil aircraft	
Other	
Other instruments and appliances	
Parts and accessories	
Of instruments of subheadings9014 10 and 9014 20 for use in civil aircraft	
Other	
Surveying (including photogrammetrical surveying), hydrographic, oceanographic, hydrological, meteorological or geophysical instruments and appliances, excluding compasses; rangefinders	
Rangefinders	
Electronic	
For use in certain types of aircraft	
Other	
Other	
For use in certain types of aircraft	
Other	
Theodolites and tachymeters (tacheometers)	
Electronic	
Other	
Levels	
Electronic	
Other	
Photogrammetrical, surveying instruments and appliances	
Electronic	
Other	
Other instruments and appliances	
Electronic	
Meteorological, hydrological and geophysical instruments and apparatus	
Meteorological instruments, for use in certain types of aircraft	
Other	
Other	
Other	
Instruments and appliances used in geodesy, topography, surveying or levelling; hydrographic instruments	
Meteorological, hydrological and geophysical instruments and apparatus	
Meteorological instruments, for use in certain types of aircraft	
Other	
Other	

Parts and accessories
Parts of meteorological instruments and of rangefinders, for use in certain types of aircraft
Other

Balances of a sensitivity of 5 cg or better, with or without weights
Balances
Parts and accessories

Drawing, marking-out or mathematical calculating instruments (for example, drafting machines, pantographs, protractors, drawing sets, slide rules, disc calculators); instruments for measuring length, for use in the hand (for example, measuring rods and tapes, micrometers, callipers), not specified or included elsewhere in this chapter
Drafting tables and machines, whether or not automatic
Plotters
Other

Other drawing, marking-out or mathematical calculating instruments
Plotters
Other drawing instruments
Marking-out instruments
Mathematical calculating instruments (including slide rules, disc calculators and the like)

Micrometers, callipers and gauges
Other instruments
Measuring rods and tapes and divided scales
Other

Parts and accessories

Instruments and appliances used in medical, surgical, dental or veterinary sciences, including scintigraphic apparatus, other electromedical apparatus and sight-testing instruments
Electrodiagnostic apparatus (including apparatus for functional exploratory examination or for checking physiological parameters)
Electrocardiographs
Ultrasonic scanning apparatus
Magnetic resonance imaging apparatus
Scintigraphic apparatus
Other
Monitoring apparatus for simultaneous monitoring of two or more parameters
Other

Ultraviolet or infra-red ray apparatus
--

Syringes, needles, catheters, cannulae and the like
Syringes, with or without needles
Of plastics
Other

Tubular metal needles and needles for sutures
Tubular metal needles
Needles for sutures
Other

Other instruments and appliances, used in dental sciences
Dental drill engines, whether or not combined on a single base with other dental equipment
Other
Burrs, discs, drills and brushes, for use in dental drills
Other

Other ophthalmic instruments and appliances
Non-optical
Optical

Other instruments and appliances
Instruments and apparatus for measuring blood-pressure
Endoscopes
Renal dialysis equipment (artificial kidneys, kidney machines and dialysers)
Diathermic apparatus
Transfusion and infusion apparatus
Anaesthetic apparatus and instruments
Apparatus for nerve stimulation
Other

Mechano-therapy appliances; massage apparatus; psychological aptitude-testing apparatus; ozone therapy, oxygen therapy, aerosol therapy, artificial respiration or other therapeutic respiration apparatus
Mechano-therapy appliances; massage apparatus; psychological aptitude-testing apparatus
Electrical vibratory-massage apparatus
Other

Ozone therapy, oxygen therapy, aerosol therapy, artificial respiration or other therapeutic respiration apparatus

Other breathing appliances and gas masks, excluding protective masks having neither mechanical parts nor replaceable filters
Breathing appliances and gas masks (excluding parts thereof), for use in civil aircraft
Other
Parts of respiratory apparatus and of gas masks, for use in certain types of aircraft
Other

Orthopaedic appliances, including crutches, surgical belts and trusses; splints and other fracture appliances; artificial parts of the body; hearing aids and other appliances which are worn or carried,

or implanted in the body, to compensate for a defect or disability
Orthopaedic or fracture appliances
Orthopaedic appliances
Splints and other fracture appliances

Artificial teeth and dental fittings
Artificial teeth
Of plastics
Of other materials
Other

Other artificial parts of the body
Artificial joints
Other
Ocular prostheses
Other

Hearing aids, excluding parts and accessories

Pacemakers for stimulating heart muscles, excluding parts and accessories

Other
Parts and accessories of hearing aids
Other

Apparatus based on the use of X-rays or of alpha, beta or gamma radiation, whether or not for medical, surgical, dental or veterinary uses, including radiography or radiotherapy apparatus, X-ray tubes and other X-ray generators, high tension generators, control panels and desks, screens, examination or treatment tables, chairs and the like

Apparatus based on the use of X-rays, whether or not for medical, surgical, dental or veterinary uses, including radiography or radiotherapy apparatus
Computed tomography apparatus
Other, for dental uses
Other, for medical, surgical or veterinary uses
For other uses

Apparatus based on the use of alpha, beta or gamma radiation, whether or not for medical, surgical, dental or veterinary uses, including radiography or radiotherapy apparatus
For medical, surgical, dental or veterinary uses
For other uses

X-ray tubes

Other, including parts and accessories
Panels for x-ray apparatus (x-ray flat panel sensors/x-ray sensors) consisting of a glass plate with a matrix of thin-film transistors, covered with a film of amorphous silicon, coated with a scintillator layer of caesium iodide and a metallised protective layer, or coated with a layer of amorphous selenium
Parts and accessories of apparatus based on the use of X-rays

<div>Other</div>
Instruments, apparatus and models, designed for demonstrational purposes (for example, in education or exhibitions), unsuitable for other uses
<div>Of a type used for teaching physics, chemistry or technical subjects</div>
<div>Other</div>
Machines and appliances for testing the hardness, strength, compressibility, elasticity or other mechanical properties of materials (for example, metals, wood, textiles, paper, plastics)
<div>Machines and appliances for testing metals</div> <div><div>Electronic</div><div><div>Universal or for tensile tests</div><div>For hardness tests</div><div>Other</div></div><div>Other</div></div>
<div>Other machines and appliances</div> <div><div>Electronic</div><div><div>For testing textiles, paper or paperboard</div><div>Other</div></div><div>Other</div></div>
<div>Parts and accessories</div>
Hydrometers and similar floating instruments, thermometers, pyrometers, barometers, hygrometers and psychrometers, recording or not, and any combination of these instruments
<div>Thermometers and pyrometers, not combined with other instruments</div> <div><div>Liquid-filled, for direct reading</div><div><div>Clinical or veterinary thermometers</div><div>Other</div><div><div>For use in civil aircraft</div><div>Other</div></div></div></div>
<div>Other</div> <div><div>Electronic</div><div><div>For use in civil aircraft</div><div>Other</div></div><div>Other</div><div><div>For use in civil aircraft</div><div>Other</div></div></div>
<div>Other instruments</div> <div><div>Barometers, not combined with other instruments</div><div><div>Other</div><div><div>Electronic</div><div><div>For use in civil aircraft</div><div>Other</div><div>Electronic barometric semiconductor pressure sensor in a housing, mainly consisting of - a combination of</div></div></div></div></div>

<div>one or more monolithic application-specific integrated circuits (ASIC) and - at least one or more microelectromechanical sensor elements (MEMS) manufactured with semiconductor technology, with mechanical components arranged in three-dimensional structures on the semiconductor material</div>
<div>Electronic semiconductor sensor for measuring at least two of the following quantities: - Atmospheric pressure, temperature, (also for temperature compensation), humidity, or volatile organic compounds, - in a housing suitable for the automatic printing of conductor boards or Bare Die technology, containing : - one or more monolithic application-specific integrated circuits (ASIC), - one or more microelectromechanical sensor elements (MEMS) manufactured with semiconductor technology, with mechanical components arranged in three-dimensional structures on the semiconductor material, of a kind used for incorporation into products of Chapters 84-90 and 95</div> <div>Other</div>
<div>Other</div> <div><div>For use in civil aircraft</div><div>Other</div></div>
<div>Parts and accessories</div> <div><div>For use in civil aircraft</div><div>Other</div></div>
Instruments and apparatus for measuring or checking the flow, level, pressure or other variables of liquids or gases (for example, flow meters, level gauges, manometers, heat meters), excluding instruments and apparatus of heading 9014, 9015, 9028 or 9032
<div>For measuring or checking the flow or level of liquids</div> <div><div>Electronic</div><div><div>Flow meters</div><div><div>For use in civil aircraft</div><div>Other</div></div><div>Other</div><div><div>For use in civil aircraft</div><div>Other</div></div></div></div>
<div>Other</div> <div><div>Flow meters</div><div><div>For use in civil aircraft</div><div>Other</div></div><div>Other</div><div><div>For use in civil aircraft</div><div>Other</div></div></div>
<div>Other</div> <div><div>Flow meters</div><div><div>For use in civil aircraft</div><div>Other</div></div><div>Other</div><div><div>For use in civil aircraft</div></div></div>

<div>Other</div>
<div>For measuring or checking pressure</div> <div><div>Electronic</div><div><div>For use in civil aircraft</div><div>Other</div></div><div>Other</div><div><div>Spiral or metal diaphragm type pressure gauges</div><div><div>For use in civil aircraft</div><div>Other</div></div><div>Other</div><div><div>For use in civil aircraft</div><div>Other</div></div></div></div>
<div>Other instruments or apparatus</div> <div><div>Electronic</div><div><div>For use in civil aircraft</div><div>Other</div></div><div>Other</div><div><div>For use in civil aircraft</div><div>Other</div></div></div>
<div>Parts and accessories</div> <div><div>For use in civil aircraft</div><div>Other</div></div>
Instruments and apparatus for physical or chemical analysis (for example, polarimeters, refractometers, spectrometers, gas or smoke analysis apparatus); instruments and apparatus for measuring or checking viscosity, porosity, expansion, surface tension or the like; instruments and apparatus for measuring or checking quantities of heat, sound or light (including exposure meters); microtomes
<div>Gas or smoke analysis apparatus</div> <div><div>Electronic</div><div>Other</div><div><div>Sensor element for gas or smoke analysis in motor vehicles, essentially consisting of a zirconium-ceramic element in a metal housing</div><div>Other</div></div></div>
<div>Chromatographs and electrophoresis instruments</div> <div><div>Spectrometers, spectrophotometers and spectrographs using optical radiation (UV, visible, IR)</div><div>Other instruments and apparatus using optical radiation (UV, visible, IR)</div><div>Other instruments and apparatus</div><div><div>Exposure meters</div><div>Other</div><div><div>Electronic</div><div><div>pH meters, rH meters and other apparatus for measuring conductivity</div></div></div></div></div>

Apparatus for performing measurements of the physical properties of semiconductor materials or of LCD substrates or associated insulating and conducting layers during the semiconductor wafer production process or the LCD production process
Other
Other
Viscometers, porosimeters and expansion meters
Other
Microtomes; parts and accessories
Microtomes
Parts and accessories
Of apparatus of subheadings 9027 20 to 9027 80
Of microtomes or of gas or smoke analysis apparatus

Gas, liquid or electricity supply or production meters, including calibrating meters therefor
Gas meters
Liquid meters
Electricity meters
For alternating current
For single-phase
For multiphase
Other
Parts and accessories
For electricity meters
Other

Revolution counters, production counters, taximeters, milometers, pedometers and the like; speed indicators and tachometers, other than those of heading 9014 or 9015; stroboscopes
Revolution counters, production counters, taximeters, milometers, pedometers and the like
Electric or electronic revolution counters, for use in civil aircraft
Speed sensor using the Hall effect for measuring wheels rotation in a motor vehicle equipped with plastic housing and attached to connecting cable with a joining connector and mounting holders of a kind used in the manufacture of goods of Chapter 87
Other

Speed indicators and tachometers; stroboscopes
Speed indicators and tachometers
Speed indicators for vehicles
Clustered instrument panel with the microprocessor control board, stepping motors and LED indicators showing at least: - speed, - engine revolutions, - engine temperature, - the fuel level communicating via CAN-

BUS and K-LINE protocols, of a kind used in the manufacture of goods of Chapter 87
Other
Other
For use in civil aircraft
Other
Stroboscopes
Parts and accessories
Of revolution counters, speed indicators and tachometers, for use in civil aircraft
Clustered instrument panel with the microprocessor control board, stepping motors and LED indicators showing at least: - speed, - engine revolutions, - engine temperature, - the fuel level communicating via CAN-BUS and K-LINE protocols, of a kind used in the manufacture of goods of Chapter 87
Other

Oscilloscopes, spectrum analysers and other instruments and apparatus for measuring or checking electrical quantities, excluding meters of heading 9028; instruments and apparatus for measuring or detecting alpha, beta, gamma, X-ray, cosmic or other ionising radiation
Instruments and apparatus for measuring or detecting ionising radiation
For use in civil aircraft
Other
Oscilloscopes and oscillographs
Cathode ray
For use in civil aircraft
Other
Other, with a recording device
For use in civil aircraft
Other
Other
Electronic
For use in civil aircraft
Other
Other
For use in civil aircraft
Other

Other instruments and apparatus, for measuring or checking voltage, current, resistance or power
Multimeters, without a recording device
For use in civil aircraft
Other
Multimeters, with a recording device
For use in civil aircraft
Other

Other, without a recording device
Electronic
For use in civil aircraft
Other
Other
Voltmeters
For use in civil aircraft
Other
Other
For use in civil aircraft
Resistance measuring instruments
Other
Other, with a recording device
For use in civil aircraft
Other
Other instruments and apparatus, specially designed for telecommunications (for example, cross-talk meters, gain measuring instruments, distortion factor meters, psophometers)
For use in civil aircraft
Other
Other instruments and apparatus
For measuring or checking semiconductor wafers or devices
Other, with a recording device
For use in civil aircraft
Other
Other
Electronic
For use in civil aircraft
Other
Other
For use in civil aircraft
Other
Parts and accessories
For apparatus of subheading 9030 82 00
Other
For use in civil aircraft
Other

Measuring or checking instruments, appliances and machines, not specified or included elsewhere in this chapter; profile projectors
Machines for balancing mechanical parts
Test benches
Other optical instruments and appliances
For inspecting semiconductor wafers or devices or for inspecting photomasks or reticles used in manufacturing semiconductor devices

Other

Profile projectors

Other

Other instruments, appliances and machines

Electronic

For measuring or checking geometrical quantities

For inspecting semiconductor wafers or devices or for inspecting photomasks or reticles used in manufacturing semiconductor devices

Other

For use in civil aircraft

Apparatus for measuring the angle and direction of rotation of motor vehicles, consisting of at least one yaw rate sensor in the form of a monocrystalline quartz, whether or not combined with one or more measuring sensors, the whole contained in a housing

Semiconducting camshaft position sensor, with: -|a moulded plastic outer casing, -|an operational voltage of the control unit of 4,5|or more, but not more than 7|V@C@C|, for use in the manufacture of vehicles of Chapter 87

Programmable dual linear Hall sensor -|consisting of two non-electrically connected integrated circuits, a top die and a bottom die, -|positioned on the top and bottom of a lead frame, -|in a semiconductor housing, for use as a means for measuring angles, positions and currents in cars

Other

Other

For use in civil aircraft

Acceleration measurement device for automotive applications, comprising one or more active and/or passive elements and one or more sensors, the whole contained in a housing

Device for measuring wheel speed in vehicles (semi-conductor wheel speed sensor), consisting of: -|a monolithic integrated circuit in a housing, and -|one or more discrete SMD capacitors connected in parallel to the integrated circuit -|whether or not with integrated permanent magnets for detecting the movement of a pulse generator

Electronic semiconductor accelerometer in a housing, mainly consisting of -|a combination of one or more monolithic application-specific integrated circuits (ASIC) and -|one or more microelectromechanical sensor elements (MEMS) manufactured with semiconductor technology, with mechanical components arranged in three-dimensional structures on the semiconductor

material of a kind used for incorporation|into products under chapter 84|- 90|and 95

Electronic semiconductor sensor for measuring acceleration and/or angular rate: -|whether or not in combination with a magnetic field sensor; -|in a housing suitable for the automatic printing of conductor boards or Bare Die technology, |containing: -|one or more monolithic application-specific integrated circuits (ASIC), -|one or more microelectromechanical sensor elements (MEMS) manufactured with semiconductor technology, with mechanical components arranged in three-dimensional structures on the semiconductor material, -|whether or not with an integrated microcontroller of a kind used for incorporation into products of Chapters 84-90|and 95

Combined electronic acceleration- and geomagnetic sensor, in a housing suitable for the automatic printing of conductor boards, mainly consisting of a combination of: -|one or more monolithic application-specific integrated circuits (ASIC) and -|one or more microelectromechanical sensor elements (MEMS) manufactured with semiconductor technology, with mechanical components arranged in three-dimensional structures on the semiconductor material, of a kind used for incorporation into products under chapter 84-90|and 95

Gyroscopic sensor for measuring lateral acceleration of the vehicle vertical axis comprising -|a piezoelectric crystal for generating an electrical potential during deformation and -|a plastic box with metal holder of a kind used in the manufacture of goods of Chapter 87

Acceleration sensor, printed circuit board and connector, moulded together in plastic, for monitoring acceleration "G" and providing the values for further evaluation of triggering the airbags, of a kind used in the manufacture of goods of Chapter 87

Speed sensor using the Hall effect for measuring wheels rotation in a motor vehicle equipped with plastic housing and attached to connecting cable with a joining connector and mounting holders of a kind used in the manufacture of goods of Chapter 87

Other

Other

For measuring or checking geometrical quantities

For use in civil aircraft

Other

Other

For use in civil aircraft

Other

Functional Test Machine for calibrating|and image quality testing lenses in automotive cameras

Other

Parts and accessories

For apparatus of subheading|9031|41|00|or for optical instruments and appliances for measuring surface particulate contamination on semiconductor wafers of subheading|9031|49|90

For apparatus of subheading|9031|80|32

Other

Of instruments, appliances and machines of subheading|9031|80, for use in civil aircraft

Assembly for a laser align sensor, in the form of a printed circuit comprising optical filters and a charge-coupled image (CCD) sensor, the whole contained in a housing

Keypads of silicone or plastic, -|whether or not with parts of metal, plastic, glass fibre reinforced epoxide resin or wood, -|whether or not printed or surface treated, -|whether or not with electrical conducting elements -|whether or not with keypads foil glued on the keyboard -|whether or not with protective foil -|single or multilayer

Other

Automatic regulating or controlling instruments and apparatus

Thermostats

Electronic

For use in civil aircraft

Other

Other

With electrical triggering device

For use in civil aircraft

Other

Other

For use in civil aircraft

Other

Manostats

For use in civil aircraft

Other

Other instruments and apparatus

Hydraulic or pneumatic

For use in civil aircraft

Other

Other

For use in civil aircraft

Automotive airbag shock-sensor, comprising a contact capable of

switching a current of 12 A at a voltage of 30 V, having a typical contact resistance of 80 mOhm
Electronic controller of electric power steering (EPS controller)
Digital valve controller for controlling liquids and gases
Other
Parts and accessories
For use in civil aircraft
Other
Parts and accessories (not specified or included elsewhere in this chapter) for machines, appliances, instruments or apparatus of Chapter 90
Light-Emitting Diode (LED) backlights modules, which are lighting sources that consist of one or more LEDs, and one or more connectors and are mounted on a printed circuit or other similar substrate, and other passive components, whether or not combined with optical components or protective diodes, and used as backlights illumination for liquid crystal displays (LCDs)
Other

CLOCKS AND WATCHES AND PARTS THEREOF

Wristwatches, pocket-watches and other watches, including stopwatches, with case of precious metal or of metal clad with precious metal
Wristwatches, electrically operated, whether or not incorporating a stopwatch facility
With mechanical display only
Other
Other wristwatches, whether or not incorporating a stopwatch facility
With automatic winding
Other
Other
Electrically operated
Other
Wristwatches, pocket-watches and other watches, including stopwatches, other than those of heading 9101
Wristwatches, electrically operated, whether or not incorporating a stopwatch facility
With mechanical display only
With opto-electronic display only
Other
Other wristwatches, whether or not incorporating a stopwatch facility
With automatic winding
Other
Other
Electrically operated
Other

Clocks with watch movements, excluding clocks of heading 9104
Electrically operated
Other
Instrument panel clocks and clocks of a similar type for vehicles, aircraft, spacecraft or vessels
For use in civil aircraft
Other
Other clocks
Alarm clocks
Electrically operated
Other
Wall clocks
Electrically operated
Other
Other
Electrically operated
Other
Time of day recording apparatus and apparatus for measuring, recording or otherwise indicating intervals of time, with clock or watch movement or with synchronous motor (for example, time-registers, time-recorders)
Time-registers; time-recorders
Other
Time switches, with clock or watch movement or with synchronous motor
Time switches, with clock or watch movement, used in automatic systems, intended in certain types of aircraft
Other
Watch movements, complete and assembled
Electrically operated
With mechanical display only or with a device to which a mechanical display can be incorporated
With opto-electronic display only
Other
With automatic winding
Other
Clock movements, complete and assembled
Electrically operated
Of a width or diameter not exceeding 50 mm, for use in civil aircraft
Other
Other
Of a width or diameter not exceeding 50 mm, for use in civil aircraft
Other
Complete watch or clock movements, unassembled or partly assembled (movement sets); incomplete watch or

clock movements, assembled; rough watch or clock movements
Of watches
Complete movements, unassembled or partly assembled (movement sets)
With balance wheel and hairspring
Other
Incomplete movements, assembled
Used in automatic systems, for use in certain types of aircraft
Other
Rough movements
Other
Incomplete watch or clock movements, assembled, used in automatic systems, intended for certain types of aircraft
Other
Watch cases and parts thereof
Cases of precious metal or of metal clad with precious metal
Cases of base metal, whether or not gold- or silver-plated
Other cases
Parts
Clock cases and cases of a similar type for other goods of this chapter, and parts thereof
Cases
Parts
Watch straps, watch bands and watch bracelets, and parts thereof
Of precious metal or of metal clad with precious metal
Of precious metal
Of metal clad with precious metal
Of base metal, whether or not gold- or silver-plated
Other
Of leather or of composition leather
Hand-made
Other
Of textile materials
Hand-made
Other
Other
Other clock or watch parts
Springs, including hairsprings
Intended for certain types of aircraft
Other
Dials
Intended for certain types of aircraft
Other
Plates and bridges
Intended for certain types of aircraft

Other
Other
Intended for certain types of aircraft
Other

MUSICAL INSTRUMENTS; PARTS AND ACCESSORIES OF SUCH ARTICLES

Pianos, including automatic pianos; harpsichords and other keyboard stringed instruments

Upright pianos

New

Used

Grand pianos

Other

Other string musical instruments (for example, guitars, violins, harps)

Played with a bow

Violins

Other

Other

Guitars

Other

Wind musical instruments (for example, keyboard pipe organs, accordions, clarinets, trumpets, bagpipes), other than fairground organs and mechanical street organs

Brass-wind instruments

Other

Accordions and similar instruments

Mouth organs

Keyboard pipe organs; harmoniums and similar keyboard instruments with free metal reeds

Other

Percussion musical instruments (for example, drums, xylophones, cymbals, castanets, maracas)

Musical instruments, the sound of which is produced, or must be amplified, electrically (for example, organs, guitars, accordions)

Keyboard instruments, other than accordions

Organs

Digital pianos

Synthesisers

Other

Other

Guitars

Other

Musical boxes, fairground organs, mechanical street organs, mechanical singing birds, musical saws and other musical instruments not falling within any other heading of this chapter; decoy calls of all kinds; whistles, call horns and other mouth-blown sound signalling instruments

Musical boxes
Other
Parts (for example, mechanisms for musical boxes) and accessories (for example, cards, discs and rolls for mechanical instruments) of musical instruments; metronomes, tuning forks and pitch pipes of all kinds
Musical instrument strings
Other
Parts and accessories for pianos
Parts and accessories for the musical instruments of heading 9202
Parts and accessories for the musical instruments of heading 9207
Other
Parts and accessories for the musical instruments of heading 9205
Other
Metronomes, tuning forks and pitch pipes
Mechanisms for musical boxes
Other

ARMS AND AMMUNITION; PARTS AND ACCESSORIES THEREOF

Military weapons, other than revolvers, pistols and the arms of heading|9307

Artillery weapons (for example, guns, howitzers and mortars)

Rocket launchers; flame-throwers; grenade launchers; torpedo tubes and similar projectors

Other

Revolvers and pistols, other than those of heading|9303|or 9304

Other firearms and similar devices which operate by the firing of an explosive charge (for example, sporting shotguns and rifles, muzzle-loading firearms, Very pistols and other devices designed to project only signal flares, pistols and revolvers for firing blank ammunition, captive-bolt humane killers, line-throwing guns)

Muzzle-loading firearms

Other sporting, hunting or target-shooting shotguns, including combination shotgun-rifles

Single-barrelled, smooth bore

Other

Other sporting, hunting or target-shooting rifles

Other

Other arms (for example, spring, air or gas guns and pistols, truncheons), excluding those of heading|9307

Parts and accessories of articles of headings|9301|to 9304

Of revolvers or pistols

Of shotguns or rifles of heading|9303

Shotgun barrels

Other

Other
Of military weapons of heading 9301
Other
Bombs, grenades, torpedoes, mines, missiles and similar munitions of war and parts thereof; cartridges and other ammunition and projectiles and parts thereof, including shot and cartridge wads
Shotgun cartridges and parts thereof; air gun pellets
Cartridges
Other
Cases
Other
Other cartridges and parts thereof
For revolvers and pistols of heading 9302 and for sub-machine-guns of heading 9301
Other
For military weapons
Other
Other
For military purposes
Other
Swords, cutlasses, bayonets, lances and similar arms and parts thereof and scabbards and sheaths therefor

FURNITURE; BEDDING, MATTRESSES, MATTRESS SUPPORTS, CUSHIONS AND SIMILAR STUFFED FURNISHINGS; LAMPS AND LIGHTING FITTINGS, NOT ELSEWHERE SPECIFIED OR INCLUDED; ILLUMINATED SIGNS, ILLUMINATED NAMEPLATES AND THE LIKE; PREFABRICATED BUILDINGS

Seats (other than those of heading|9402), whether or not convertible into beds, and parts thereof

Seats of a kind used for aircraft

Not leather covered, for use in civil aircraft

Other

Seats of a kind used for motor vehicles

Swivel seats with variable height adjustment

Seats other than garden seats or camping equipment, convertible into beds

Seats of cane, osier, bamboo or similar materials

Of bamboo or rattan

Other

Other seats, with wooden frames

Upholstered

Other

Other seats, with metal frames

Upholstered

Other

Other seats

Parts

Of seats of a kind used for aircraft

Of seats specially designed for the crew, for use in certain types of aircraft

Other

Other

Of wood

Other

Ratchet disk of a kind used in the manufacture of reclining car seats

Sidemember with a thickness of 0,8|or more but not more than 3,0|mm, used in the manufacture of reclining car seats

Steel bracket for mounting safety features seats with thickness of 1|mm or more but not more than 2.5|mm used in the manufacture of reclining car seats

Steel handles for controlling the seat adjustment mechanism used in the manufacture of reclining car seats

Outer part of a headrest made of perforated bovine leather, lined with a scrim-reinforced lamination liner and without foam padding, after reworking (stitching of the leather and embroidery application) used in manufacture of seats of motor vehicles

Other

Medical, surgical, dental or veterinary furniture (for example, operating tables, examination tables, hospital beds with mechanical fittings, dentists' chairs); barbers' chairs and similar chairs, having rotating as well as both reclining and elevating movements; parts of the foregoing articles

Dentists', barbers' or similar chairs and parts thereof

Other

Other furniture and parts thereof

Metal furniture of a kind used in offices

Not exceeding 80|cm in height

Desks

Other

Exceeding 80|cm in height

Cupboards with doors, shutters or flaps

Filing, card-index and other cabinets

Other

Other metal furniture

Beds

For use in civil aircraft

Other

Other

For use in civil aircraft

Other

Wooden furniture of a kind used in offices

Not exceeding 80|cm in height

Desks

Other

Exceeding 80|cm in height

Cupboards with doors, shutters or flaps; filing, card-index and other cabinets

Other

Wooden furniture of a kind used in the kitchen

Fitted kitchen units

Hand-made

Other

Other

Hand-made

Other

Wooden furniture of a kind used in the bedroom

Other wooden furniture

Wooden furniture of a kind used in the dining room and the living room

Wooden furniture of a kind used in shops

Other wooden furniture

Furniture of plastics

For use in civil aircraft

Other

Furniture of other materials, including cane, osier, bamboo or similar materials

Of bamboo or rattan

Hand-made

Other

Other

Hand-made

Other

Parts

Of metal

Hand-made

Other

Of wood

Hand-made

Other

Of other materials

Hand-made

Other

Mattress supports; articles of bedding and similar furnishing (for example, mattresses, quilts, eiderdowns, cushions, pouffes and pillows) fitted with springs or stuffed or internally fitted with any material or of

cellular rubber or plastics, whether or not covered

Mattress supports

Mattresses

Of cellular rubber or plastics, whether or not covered

Of rubber

Of plastics

Of other materials

Spring interior

Other

Sleeping bags

Other

Filled with feathers or down

Other

Lamps and lighting fittings including searchlights and spotlights and parts thereof, not elsewhere specified or included; illuminated signs, illuminated nameplates and the like, having a permanently fixed light source, and parts thereof not elsewhere specified or included

Chandeliers and other electric ceiling or wall lighting fittings, excluding those of a kind used for lighting public open spaces or thoroughfares

Of plastics or of ceramic materials

Of plastics, of a kind used with filament lamps

For use in civil aircraft

Other

Other

Of plastics for use in civil aircrafts

Other

Of glass

Of other materials

Of a kind used with filament lamps

Hand-made

Of base metal, for use in civil aircraft

Other

Other

Of base metal, for use in civil aircraft

Hand-made

Other

Electric table, desk, bedside or floor-standing lamps

Of plastics or of ceramic materials

Of plastics, of a kind used with filament lamps

Other

Of glass

Of other materials

Of a kind used with filament lamps

Other

<table><tr><td>Hand-made</td></tr><tr><td>Other</td></tr></table>	Hand-made	Other
Hand-made		
Other		
Lighting sets of a kind used for Christmas trees		
Other electric lamps and lighting fittings		
Searchlights and spotlights		
Other		
Of plastics		
Of a kind used with filament lamps		
Of a kind used with tubular fluorescent lamps		
Electric light assembly of synthetic material containing 3 fluorescent tubes (RBG) of a diameter of 3,0 mm (±0,2 mm), of a length of 420 mm (±1 mm) or more but not more than 600 mm (±1 mm), for the manufacture of goods of heading 8528		
Other		
Other		
Ambient light module with a length of 300 mm or more but not more than 600 mm, based on a light engine of a series of 3 or more but not more than 9 specific one chip red green and blue light emitting diodes mounted on a PCB, with light coupled to the front and/or back of the flat TV set		
LED array of white silicone, containing: - an LED matrix module measuring 38,6 mm × 20,6 mm (±0,1 mm), equipped with 128 red and green LED chips, and - a flexible printed circuit board, equipped with a Negative Temperature Coefficient Thermistor		
Printed circuit board with LED diodes: - whether or not equipped with prisms/lens, and - whether or not fitted with connector(s) for the manufacture of backlight units for goods of heading 8528		
Other		
Of other materials		
Of a kind used with filament lamps		
Of a kind used with tubular fluorescent lamps		
Other		
Hand-made		
Other		
Non-electrical lamps and lighting fittings		
Hand-made		
Other		
Illuminated signs, illuminated nameplates and the like		
Of plastics		

Illuminated signs, illuminated nameplates and the like, for use in civil aircraft
Other
Of other materials
Illuminated signs, illuminated nameplates and the like, of base metal, for use in civil aircraft
Hand-made
Other
Parts
Of glass
Articles for electrical lighting fittings (excluding searchlights and spotlights)
Other
Of plastics
Parts of the articles of subheading 9405 10 or 9405 60, for use in civil aircraft
Other
Other
Parts of the articles of subheading 9405 10 or 9405 60, of base metal, for use in civil aircraft
Hand-made
Other
Prefabricated buildings
Mobile homes
Other
Of wood
Of iron or steel
Greenhouses
Other
Of other materials
TOYS, GAMES AND SPORTS REQUISITES; PARTS AND ACCESSORIES THEREOF
Tricycles, scooters, pedal cars and similar wheeled toys; dolls' carriages; dolls; other toys; reduced-size ('scale') models and similar recreational models, working or not; puzzles of all kinds
Tricycles, scooters, pedal cars and similar wheeled toys; dolls' carriages
Dolls representing only human beings and parts and accessories thereof
Dolls
Ornamental dolls dressed so as to reflect the folklore characteristic of the country of origin, hand-made
Other
Parts and accessories
Electric trains, including tracks, signals and other accessories therefor; reduced-size (scale) model assembly kits
Other construction sets and constructional toys
Of plastics

Of other materials
Hand-made, of wood
Other
Toys representing animals or non-human creatures
Stuffed
Other
Hand-made, of wood
Other
Toy musical instruments and apparatus
Hand-made, of wood
Other
Puzzles
Of wood
Hand-made
Other
Other
Other toys, put up in sets or outfits
Other toys and models, incorporating a motor
Of plastics
Cable car scale models for printing
Other
Of other materials
Other
Toy weapons
Hand-made, of wood
Other
Die-cast miniature models of metal
Other
Of plastics
Cable car scale models for printing
Portable interactive electronic education devices primarily designed for children
Other
Other
Hand-made, of wood
Other
Video game consoles and machines, articles for funfair, table or parlour games, including pintables, billiards, special tables for casino games and automatic bowling alley equipment
Articles and accessories for billiards of all kinds
Other games, operated by coins, banknotes, bank cards, tokens or by any other means of payment, other than automatic bowling alley equipment
Games with screen
Other games
Parts

Playing cards
Video game consoles and machines, other than those of subheading950430
Other
Electric car racing sets, having the character of competitive games
Other

Festive, carnival or other entertainment articles, including conjuring tricks and novelty jokes
Articles for Christmas festivities
Of glass
Of other materials
Other

Articles and equipment for general physical exercise, gymnastics, athletics, other sports (including table-tennis) or outdoor games, not specified or included elsewhere in this chapter; swimming pools and paddling pools
Snow-skis and other snow-ski equipment
Skis
Cross-country skis
Downhill skis
Monoskis and snowboards
Other
Other skis
Ski-fastenings (ski-bindings)
Other

Water-skis, surf-boards, sailboards and other water-sport equipment
Sailboards
Other

Golf clubs and other golf equipment
Clubs, complete
Balls
Other
Parts of golf clubs
Other

Articles and equipment for table tennis
Tennis, badminton or similar rackets, whether or not strung
Lawn-tennis rackets, whether or not strung
Other

Balls, other than golf balls and table-tennis balls
Lawn-tennis balls
Inflatable
Other
Cricket and polo balls
Other

Ice skates and roller skates, including skating boots with skates attached
--

Ice skates
Roller skates
Parts and accessories

Other
Articles and equipment for general physical exercise, gymnastics or athletics
Exercising apparatus with adjustable resistance mechanisms
Other
Other
Cricket and polo equipment, other than balls
Other

Fishing rods, fish-hooks and other line fishing tackle; fish landing nets, butterfly nets and similar nets; decoy 'birds' (other than those of heading9208or 9705) and similar hunting or shooting requisites
Fishing rods
Fish-hooks, whether or not snelled
Fish-hooks, not snelled
Other
Fishing reels
Other

Roundabouts, swings, shooting galleries and other fairground amusements; travelling circuses and travelling menageries; travelling theatres
Travelling circuses and travelling menageries
with live animals
Other
Other
with live animals
Other

MISCELLANEOUS MANUFACTURED ARTICLES
Worked ivory, bone, tortoiseshell, horn, antlers, coral, mother-of-pearl and other animal carving material, and articles of these materials (including articles obtained by moulding)
Worked ivory and articles of ivory
Hand-made
Other
Other

Worked vegetable or mineral carving material and articles of these materials; moulded or carved articles of wax, of stearin, of natural gums or natural resins or of modelling pastes, and other moulded or carved articles, not elsewhere specified or included; worked, unhardened gelatin (except gelatin of heading3503) and articles of unhardened gelatin
Hand-made
Other

Brooms, brushes (including brushes constituting parts of machines, appliances or vehicles), hand-operated mechanical floor sweepers, not motorised, mops and feather dusters; prepared knots and tufts for broom or brush making; paint pads and rollers; squeegees (other than roller squeegees)

Brooms and brushes, consisting of twigs or other vegetable materials bound together, with or without handles
--

Toothbrushes, shaving brushes, hairbrushes, nail brushes, eyelash brushes and other toilet brushes for use on the person, including such brushes constituting parts of appliances
Toothbrushes, including dental-plate brushes
Other
Hair brushes
Other

Artists' brushes, writing brushes and similar brushes for the application of cosmetics
Artists' and writing brushes
Brushes for the application of cosmetics

Paint, distemper, varnish or similar brushes (other than brushes of subheading960330); paint pads and rollers
Paint, distemper, varnish or similar brushes
Paint pads and rollers

Other brushes constituting parts of machines, appliances or vehicles
Other
Hand-operated mechanical floor sweepers, not motorised
Other
Road-sweeping brushes; household type brooms and brushes, including shoe brushes and clothes brushes; brushes for grooming animals
Other

Hand sieves and hand riddles

Travel sets for personal toilet, sewing or shoe or clothes cleaning

Buttons, press-fasteners, snap-fasteners and press studs, button moulds and other parts of these articles; button blanks
Press-fasteners, snap-fasteners and press studs and parts therefor
Buttons
Of plastics, not covered with textile material
Of base metal, not covered with textile material
Other
Button moulds and other parts of buttons; button blanks

Slide fasteners and parts thereof
Slide fasteners

Fitted with chain scoops of base metal
Other

Parts

Of base metal, including narrow strips mounted with chain scoops of base metal

Sliders, narrow tape with mounted zipper teeth, pin/boxes and other parts of slide fasteners, of base metal for use in the manufacture of zippers

Other

Other

Narrow strips mounted with plastic chain scoops for use in the manufacture of zippers

Other

Ballpoint pens; felt-tipped and other porous-tipped pens and markers; fountain pens, stylograph pens and other pens; duplicating stylos; propelling or sliding pencils; pen-holders, pencil-holders and similar holders; parts (including caps and clips) of the foregoing articles, other than those of heading9609

Ballpoint pens

With liquid ink (rolling ball pens)

Other

With replaceable refill

Other

Felt-tipped and other porous-tipped pens and markers

Fountain pens, stylograph pens and other pens

Propelling or sliding pencils

Sets of articles from two or more of the foregoing subheadings

Refills for ballpoint pens, comprising the ball point and ink-reservoir

Other

Pen nibs and nib points

Non-fibrous plastic pen-tips with an internal canal

Felt tips and other porous-tips for markers, without internal canal

Other

Other

Pencils (other than pencils of heading9608), crayons, pencil leads, pastels, drawing charcoals, writing or drawing chalks and tailors' chalks

Pencils and crayons, with leads encased in a rigid sheath

With 'leads' of graphite

Other

Pencil leads, black or coloured

Other

Pastels and drawing charcoals

Other

Slates and boards, with writing or drawing surfaces, whether or not framed

Date, sealing or numbering stamps, and the like (including devices for printing or embossing labels), designed for operating in the hand; hand-operated composing sticks and hand printing sets incorporating such composing sticks

Typewriter or similar ribbons, inked or otherwise prepared for giving impressions, whether or not on spools or in cartridges; ink-pads, whether or not inked, with or without boxes

Ribbons

Of plastics

Ribbons of plastic with segments of different colours, providing the penetration of dyes by heat into a support (so called dye-sublimation)

Other

Of man-made fibres, measuring less than 30|mm in width, permanently put in plastic or metal cartridges of a kind used in automatic typewriters, automatic data-processing equipment and other machines

Other

Ink-pads

Cigarette lighters and other lighters, whether or not mechanical or electrical, and parts thereof other than flints and wicks

Pocket lighters, gas fuelled, non-refillable

Pocket lighters, gas fuelled, refillable

Other lighters

Parts

Smoking pipes (including pipe bowls) and cigar or cigarette holders, and parts thereof

Roughly shaped blocks of wood or root, for the manufacture of pipes

Other

Combs, hair-slides and the like; hairpins, curling pins, curling grips, hair-curlers and the like, other than those of heading8516, and parts thereof

Combs, hair-slides and the like

Of hard rubber or plastics

Other

Other

Scent sprays and similar toilet sprays, and mounts and heads therefor; powder-puffs and pads for the application of cosmetics or toilet preparations

Scent sprays and similar toilet sprays, and mounts and heads therefor

Toilet sprays

Mounts and heads

Powder-puffs and pads for the application of cosmetics or toilet preparations

Vacuum flasks and other vacuum vessels, complete with cases; parts thereof other than glass inners

Tailors' dummies and other lay figures; automata and other animated displays used for shop window dressing

Sanitary towels (pads) and tampons, napkins and napkin liners for babies, and similar articles, of any material

Of wadding of textile materials

Of man-made fibres

Other

Of other textile materials

Sanitary towels (pads), tampons and similar articles

Knitted or crocheted

Other

Napkins and napkin liners for babies, and similar articles

Knitted or crocheted

Other

Of other materials

Sanitary towels (pads), tampons and similar articles

Sanitary towels (pads)

Of paper pulp, paper, cellulose wadding or webs of cellulose fibres

Of other materials

Tampons

Of paper pulp, paper, cellulose wadding or webs of cellulose fibres

Of other materials

Other

Of paper pulp, paper, cellulose wadding or webs of cellulose fibres

Of other materials

Napkins and napkin liners for babies, and similar articles

Napkins and napkin liners for babies

Of paper pulp, paper, cellulose wadding or webs of cellulose fibres

Of other materials

Other (for example, incontinence care articles)

Of paper pulp, paper, cellulose wadding or webs of cellulose fibres

Of other materials

WORKS OF ART, COLLECTORS' PIECES AND ANTIQUES

Paintings, drawings and pastels, executed entirely by hand, other than drawings of heading4906|and other than hand-painted or hand-decorated manufactured articles; collages and similar decorative plaques

Paintings, drawings and pastels

Other

Original engravings, prints and lithographs
Wood in the form of logs or squared logs with simple process in the surface, carved or finely threaded or painted, does not have significant added-value and no significant change in shape
Other
Original sculptures and statuary, in any material
Postage or revenue stamps, stamp-postmarks, first-day covers, postal stationery (stamped paper), and the like, used or unused, other than those of heading 4907
Collections and collectors' pieces of zoological, botanical, mineralogical, anatomical, historical, archaeological, palaeontological, ethnographic or numismatic interest
Collectors' pieces of wood
Collectors' pieces of silver or gold
Collections and collectors' pieces of zoological, anatomical, historical, archaeological, palaeontological or ethnographic interest containing animal products
Other
Antiques of an age exceeding 100 years

COMPLETE INDUSTRIAL PLANT
Component parts of complete industrial plant in the framework of external trade (Commission Regulation EC No 113/2010 of 9.02.2010)
Classified in Chapter 01
Classified in Chapter 02
Classified in Chapter 03
Classified in Chapter 04
Classified in Chapter 05
Classified in Chapter 06
Classified in Chapter 07
Classified in Chapter 08
Classified in Chapter 09
Classified in Chapter 10
Classified in Chapter 11
Classified in Chapter 12
Classified in Chapter 13
Classified in Chapter 14
Classified in Chapter 15
Classified in Chapter 16
Classified in Chapter 17
Classified in Chapter 18
Classified in Chapter 19
Classified in Chapter 20
Classified in Chapter 21
Classified in Chapter 22
Classified in Chapter 23
Classified in Chapter 24
Classified in Chapter 25

Classified in Chapter 26
Classified in Chapter 27
Classified in Chapter 28
Classified in Chapter 29
Classified in Chapter 30
Classified in Chapter 31
Classified in Chapter 32
Classified in Chapter 33
Classified in Chapter 34
Classified in Chapter 35
Classified in Chapter 36
Classified in Chapter 37
Classified in Chapter 38
Classified in Chapter 39
Classified in Chapter 40
Classified in Chapter 41
Classified in Chapter 42
Classified in Chapter 43
Classified in Chapter 44
Classified in Chapter 45
Classified in Chapter 46
Classified in Chapter 47
Classified in Chapter 48
Classified in Chapter 49
Classified in Chapter 50
Classified in Chapter 51
Classified in Chapter 52
Classified in Chapter 53
Classified in Chapter 54
Classified in Chapter 55
Classified in Chapter 56
Classified in Chapter 57
Classified in Chapter 58
Classified in Chapter 59
Classified in Chapter 60
Classified in Chapter 61
Classified in Chapter 62
Classified in Chapter 63
Classified in Chapter 64
Classified in Chapter 65
Classified in Chapter 66
Classified in Chapter 67
Classified in Chapter 68
Classified in Chapter 69
Classified in Chapter 70
Classified in Chapter 71
Classified in Chapter 72
Classified in Chapter 73
Classified in Chapter 74
Classified in Chapter 75

Classified in Chapter 76
Classified in Chapter 78
Classified in Chapter 79
Classified in Chapter 80
Classified in Chapter 81
Classified in Chapter 82
Classified in Chapter 83
Classified in Chapter 84
Classified in Chapter 85
Classified in Chapter 86
Classified in Chapter 87
Classified in Chapter 88
Classified in Chapter 89
Classified in Chapter 90
Classified in Chapter 91
Classified in Chapter 92
Classified in Chapter 93
Classified in Chapter 94
Classified in Chapter 95
Classified in Chapter 96
Classified in Chapter 97

SPECIAL COMBINED NOMENCLATURE CODES
Certain goods, as provided for in Council Regulation (EC) No 1186/2009 (Import and Export)
Personal property belonging to natural persons transferring their normal place of residence
The following goods, other than those mentioned above: - Trousseaux and household effects belonging to a person transferring his or her normal place of residence on the occasion of his or her marriage; personal property acquired by inheritance; - School outfits, educational materials and related household effects; - Coffins containing bodies, funerary urns containing the ashes of deceased persons and ornamental funerary articles; - Goods for charitable or philanthropic organisations and goods for the benefit of disaster victims.
Goods delivered to vessels and aircraft
goods from CN chapters 1 to 24
goods from CN chapter 27
goods classified elsewhere
Goods delivered for the crew of the offshore installation or for the operation of the engines, machines and other equipment of the offshore installation
goods from CN chapters 1 to 24
goods from CN chapter 27
goods classified elsewhere
Code used only in trading of goods between Member States for individual transactions whose value is less than €200 and for reporting residual products in some cases